

CPC**COOPERATIVE PATENT CLASSIFICATION****F16G****BELTS, CABLES, OR ROPES, PREDOMINANTLY USED FOR DRIVING PURPOSES; CHAINS; FITTINGS PREDOMINANTLY USED THEREFOR****NOTE**

Attention is drawn to the following places:

[B63B 21/04](#) Fastening equipment for chains, ropes or the like for ships

[B63B 21/20](#) Adaptations of chains, ropes or the like for ships

[B65G 15/30](#) Endless conveyer belts

[B65G 17/38](#),

[B65G 19/20](#) Traction chains for conveyers

[F16H](#) Gearings using flexible members

[F16H 9/24](#) Chains specially adapted for gearings with variable ratio

[H05F](#) Preventing or carrying-off electrostatic charges.

F16G 1/00

Driving-belts (V-belts [F16G 5/00](#); conveyer belt [B65G](#))

F16G 1/02

- . made of leather ([F16G 1/28](#) takes precedence; making thereof [C14B 9/00](#))
{ consisting of several parts [F16G 1/22](#) }

F16G 1/04

- . made of fibrous material, e.g. textiles, whether rubber-convered or not ([F16G 1/28](#) takes precedence; making thereof [D03D](#)) { consisting of several parts [F16G 1/22](#) }

F16G 1/06

- . made of rubber ([F16G 1/28](#) takes precedence; making thereof [B29D 29/00](#)) { consisting of several parts [F16G 1/22](#) }

F16G 1/08

- .. with reinforcement bonded by the rubber

F16G 1/10

- ... with textile reinforcement

F16G 1/12

- ... with metal reinforcement

F16G 1/14

- . made of plastics ([F16G 1/28](#) takes precedence; making thereof [B29D 29/00](#))
{ consisting of several parts [F16G 1/22](#) }

F16G 1/16

- .. with reinforcement bonded by the plastic material {(making thereof [B32B](#))}

F16G 1/18

- . made of wire (making thereof [B21F 43/00](#)) { consisting of several parts [F16G 1/22](#) }

F16G 1/20

- . made of a single metal strip (making thereof [B21D 53/14](#))

F16G 1/21

- . built-un from superimposed layers, e.g. zig-zag folded

F16G 1/22

- . consisting of several parts

- F16G 1/24 . . . in the form of links ([in the shape of chain links F16G 13/08](#))
- F16G 1/26 . . . in the form of strips or lamellae
- F16G 1/28 . with a contact surface of special shape, e.g. toothed
- F16G 3/00 Belt fastenings, e.g. for conveyer belts (for V-belts [F16G 7/00](#))**
- F16G 3/003 . { [Apparatus or tools for joining belts \(stapler B25C 5/00\)](#) }
- F16G 3/006 . { [Traction devices to bring together belts, cables or chains](#) }
- F16G 3/02 . with series of eyes or the like, interposed and linked by a pin to form a hinge ([F16G 3/09 takes precedence](#))
- F16G 3/04 . . . in which the ends of separate U-shaped or like eyes are attached to the belt by parts penetrating into it
- F16G 3/06 . with outwardly-bent, mutually-connected belt ends
- F16G 3/07 . Friction clamps, e.g. of grommet-thimble type
- F16G 3/08 . consisting of plates and screw-bolts or rivets ([F16G 3/06 takes precedence](#))
- F16G 3/09 . . . the plates forming a hinge
- F16G 3/10 . Joining belts by sewing, sticking, vulcanishing, or the like; Constructional adaptations of the belt ends for this purpose
- F16G 3/12 . Joining belts by lacing
- F16G 3/14 . with extensible parts; with resilient parts
- F16G 3/16 . Devices or machines for connecting driving-belts or the like
- F16G 5/00 V-belts, i.e. belts of tapered cross-section**
- F16G 5/02 . made of leather ([F16G 5/20 takes precedence](#); { [consisting of several parts F16G 5/16](#) })
- F16G 5/04 . made of rubber ([F16G 5/02 takes precedence](#)) { [consisting of several parts F16G 5/16](#) } }
- F16G 5/06 . . . with reinforcement bonded by the rubber
- F16G 5/08 with textile reinforcement
- F16G 5/10 with metal reinforcement
- F16G 5/12 . made of plastics ([F16G 5/20 takes precedence](#)) { [consisting of several parts F16G 5/16](#) } }
- F16G 5/14 . . . with reinforcement bonded by the plastic material

- F16G 5/16 . consisting of several parts
- F16G 5/163 . . { with means allowing lubrication ([F16G 5/18](#) takes precedence)}

WARNING

this group is not complete pending a reorganisation, see also [F16G 5/16](#)

- F16G 5/166 . . { with non-metallic rings ([F16G 5/18](#) takes precedence)}

WARNING

this group is not complete pending a reorganisation, see also [F16G 5/16](#)

- F16G 5/18 . . in the form of links

- F16G 5/20 . with a contact surface of special shape, e.g. toothed

- F16G 5/22 . built-up from superimposed layers

- F16G 5/24 . . zig-zag folded

F16G 7/00 V-belt fastenings

- F16G 7/02 . locked, e.g. riveted

- F16G 7/04 . Quickly detachable

- F16G 7/06 . adjustable, e.g. for tension

F16G 9/00 Ropes or cables specially adapted for driving, or for being driven by, pulleys or other gearing elements ([ropes or cables in general D07B](#))

- F16G 9/02 . made of leather; having enveloping sheatings made of leather

- F16G 9/04 . made of rubber or plastics ([F16G 9/02](#) takes precedence)

F16G 11/00 Means for fastening cables or ropes to one another or to other objects; Caps or sleeves for fixing on cables or ropes ([attaching ropes or cables to lift cars or cages B66B 7/08](#), to winch drums or barrels [B66D 1/34](#); ground anchors [E02D 5/00](#); anchoring devices for prestressed members [E04C 5/00](#); rope clamps in earth drilling [E21B 19/12](#))

- F16G 11/02 . with parts deformable to grip the cable or cables; Fastening means which engage a sleeve or the like fixed on the cable

- F16G 11/025 . . { Fastening means which engage a sleeve or the like fixed on the cable, e.g. caps ([F16G 11/143](#) and [F16G 11/146](#) take precedence)}

WARNING

this group is not complete pending a reorganisation, see also [F16G11/0](#)

[F16G 11/03](#) . incorporating resiliently-mounted members for attachment of the cable end

[F16G 11/04](#) . with wedging action, e.g. friction clamps ([F16G 11/02](#), { [F16G 11/10](#) } take precedence; { eyes for grommet-thimble type fastenings [F16G 11/146](#) })

WARNING

Subgroups of [F16G 11/04](#) pending a reorganisation, see also [F16G 11/04](#)

[F16G 11/042](#) . . { using solidifying liquid material forming a wedge }

[F16G 11/044](#) . . { friction clamps deforming the cable, wire, rope or cord }

[F16G 11/046](#) . . . { by bending the cable around a surface }

[F16G 11/048](#) . . . { by moving a surface into the cable }

[F16G 11/05](#) . . by using conical plugs insertable between the strands

[F16G 11/06](#) . with laterally-arranged screws ([F16G 11/02](#), [F16G 11/04](#) take precedence)

[F16G 11/08](#) . Fastenings for securing ends of driving-cables to one another, the fastenings having approximately the same diameter as the cables

[F16G 11/09](#) . . incorporating hinge joints or pivots for the attachment of the cable ends

[F16G 11/10](#) . Quick-acting fastenings; Clamps holding in one direction only

WARNING

Subgroups of [F16G 11/10](#) pending a reorganisation, see also [F16G 11/10](#)

[F16G 11/101](#) . . { deforming the cable by moving a part of the fastener }

[F16G 11/103](#) . . { deforming the cable by bending it around or inserting it into the fastener }

[F16G 11/105](#) . . { Clamps holding in one direction only }

[F16G 11/106](#) . . . { using a toothed surface }

[F16G 11/108](#) . . . { using a ball or a cylinder }

[F16G 11/12](#) . Connections or attachments, e.g. turnbuckles, adapted for straining of cables, ropes, or wire ([straining wire in general B21F 9/00](#))

[F16G 11/14](#) . Devices or coupling-pieces designed for easy formation of adjustable loops, e.g. choker hooks; Hooks or eyes with integral parts designed to facilitate quick attachment to cables or ropes at any point, e.g. by forming loops ([crane hooks B66C 1/34](#); [hooks or eyes in general F16B 45/00](#))

[F16G 11/143](#) . . { Hooks }

WARNING

This group is not complete pending a reorganisation, see also [F16G 11/14](#)

F16G 11/146 .. { Eyes }

WARNING

This group is not complete pending a reorganisation, see also [F16G 11/14](#)

F16G 13/00 Chains (making thereof [B21L](#))

- F16G 13/02 . Driving-chains (specially adapted to gearings with variable gear-ratio [F16H 9/00](#))
- F16G 13/04 .. Toothed chains
- F16G 13/06 .. with links connected by parallel driving-pins with or without rollers { so called open links (if the parallel coupling pins have only a joining function - so called closed links - [F16G 13/02](#))}
- F16G 13/07 ... the links being of identical shape, e.g. cranked
- F16G 13/08 .. with links closely interposed on the joint pins ([F16G 13/04](#) takes precedence)
- F16G 13/10 .. with universal joints
- F16G 13/12 . Hauling- or hoisting-chains { so called ornamental chains }
- F16G 13/14 .. built up from readily-separable links
- F16G 13/16 .. with arrangements for holding electric cables, hoses, or the like
- F16G 13/18 . Chains having special overall characteristics
- F16G 13/20 .. stiff; Push-pull chains

WARNING

This group is not complete pending a reorganisation, see also [F16G 13/18](#)

- F16G 13/22 .. extensible { not used, see [F16G 13/18](#) }
- F16G 13/24 ... resilient { not used, see [F16G 13/18](#) }

F16G 15/00 Chain couplings, Shackles; Chain joints; Chain links; Chain bushes (making chain elements [B21L](#))

- F16G 15/02 . for fastening more or less permanently
- F16G 15/04 . Quickly-detachable chain couplings; Shackles { chain links with rapid junction means are classified according to the corresponding kind of chain }
- F16G 15/06 .. Shackles designed for attachment by joint pins to chain elements, e.g. D-shackles { so called harp links; the D-chain links are classified according to the corresponding kind of chain }
- F16G 15/08 . Swivels
- F16G 15/10 . Emergency joints or links
- F16G 15/12 . Chain links

F16G 15/14 . . made of sheet metal, e.g. profiled

F16G 17/00 **Hooks as integral parts of chains** (hooks for cranes [B66C 1/34](#); hooks in general [F16B 45/00](#))