

CPC**COOPERATIVE PATENT CLASSIFICATION****H01L**

SEMICONDUCTOR DEVICES; ELECTRIC SOLID STATE DEVICES NOT OTHERWISE PROVIDED FOR(use of semiconductor devices for measuring [G01](#); resistors in general [H01C](#); magnets, inductors{in general} , transformers [H01F](#); capacitors in general [H01G](#); electrolytic devices [H01G 9/00](#) ; batteries, accumulators [H01M](#); waveguides, resonators or lines of the waveguide type [H01P](#); line connectors, current collectors [H01R](#); stimulated emission devices [H01S](#); electromechanical resonators [H03H](#); loudspeakers, microphones, gramophone pick-ups or like acoustic electromechanical transducers [H04R](#); electric light sources in general [H05B](#); printed circuits, hybrid circuits, casings or constructional details of electric apparatus, manufacture of assemblages of electrical components [H05K](#); use of semiconductor devices in circuits having a particular application, see the subclass for the application)

NOTE

This subclass covers electric solid state devices which are not provided for in any other subclass and details thereof. This includes:

- semiconductor devices adapted for rectifying, amplifying, oscillating or switching;
- semiconductor devices sensitive to radiation;
- electric solid state devices using thermoelectric, superconductive, piezo-electric, electrostrictive, magnetostrictive, galvano-magnetic or bulk negative resistance effects and integrated circuit devices.

Also covered by this subclass are photo-resistors, magnetic field dependent resistors, field effect resistors, capacitors with potential-jump barrier, resistors with potential-jump barrier or surface barrier, incoherent light emitting diodes, electromechanical solid state transducers and thin-film or thick-film circuits. Furthermore, it provides for processes and apparatus adapted for the manufacture or treatment of such devices, except where such processes relate to single step processes for which provision exists elsewhere.

In this subclass:

The expression "solid state body" refers to the body of material within which, or at the surface of which, the physical effects characteristic of the device occur. In thermoelectric devices it includes all materials in the current path.

Regions in or on the body of the device (other than the solid state body itself), which exert an influence on the solid state body electrically, are considered to be "electrodes" whether or not an external electrical connection is made thereto. {Electrodes are often referred to as "contacts" in the literature.} An electrode may include several portions and the term includes metallic regions which exert influence on the solid state body through an insulating region, (e.g. capacitive coupling) and inductive coupling arrangements to the body. The dielectric region in a capacitive arrangement is regarded as part of the electrode. In arrangements including several portions only those portions which exert an influence on the solid state body by virtue of their shape, size or disposition or the material of which they are formed are considered to be part of the electrode. The other portions are considered to be "arrangements for conducting electric current to or from the solid state body" or "interconnections between solid state components formed in or on a common substrate", i.e. leads.

The word "device" refers to an electric circuit element; where an electric circuit element is one of a plurality or elements formed in or on a common substrate it is referred to as a "component".

A "complete device" is a device in its fully assembled state which may or may not require further treatment, e.g. electro-forming, before it is ready for use but which does not require the addition of further structural units.

The word "parts" includes all structural units which are included in a complete device.

A "container" is an enclosure forming part of the complete device and is essentially a solid construction in which the body of the device is placed, or which is formed around the body without forming an intimate layer thereon. An enclosure which consists of one or more layers formed on the body and in intimate contact therewith is referred to as an "encapsulation".

"Integrated circuit" is a device where all components, e.g. diodes, resistors, are built up on a common substrate and form the device including interconnections between the components.

"Integration processes" are processes for the manufacture of at least two different components where the process is especially adapted to their integration, e.g. to take advantage of it or to reduce their manufacturing cost.

Example: in a CMOS process, the same ion implant dopes the p-MOS gate and the n-MNOS source and drain.

Consequently, a process for the manufacture of a component per se is not considered as an integration process, even though that component will be part of an integrated circuit.

"Assembly" of a device is the building up of the device from its component constructional units and includes the provision of fillings in containers.

When referring to the periodic table of the elements, either the new IUPAC notation, i.e. numbering system from 1 to 18, or the previous IUPAC form may be used to indicate an element group, e.g. group IV elements according to the previous IUPAC form correspond to group 14 elements according to the new notation

WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups

[H01L 21/301](#) covered by [H01L 21/30](#)

[H01L 21/328](#) covered by [H01L 29/66075](#)[H01L 21/329](#) covered by

[H01L 29/66083](#)[H01L 21/33](#) covered by [H01L 29/66227](#)[H01L 21/331](#) covered by

[H01L 29/66234](#)[H01L 21/332](#) covered by [H01L 29/66363](#)[H01L 21/334](#) covered by

[H01L 29/66075](#)[H01L 21/335](#) covered by [H01L 29/66409](#)[H01L 21/336](#) covered by

[H01L 29/66477](#)[H01L 21/337](#) covered by [H01L 29/66893](#)[H01L 21/338](#) covered by

[H01L 29/66848](#)[H01L 21/339](#) covered by [H01L 29/66946](#)[H01L 21/58](#) covered by

[H01L 24/80](#)

[H01L 21/8239](#) covered by [H01L 27/1052](#)[H01L 21/60](#) covered by [H01L 24/80](#)

[H01L 21/66](#) covered by [H01L 22/34](#)[H01L 21/603](#) covered by [H01L 24/80](#)

[H01L 21/607](#) covered by [H01L 24/80](#)

[H01L 21/8242](#) covered by [H01L 27/10844](#)

[H01L 21/8244](#) covered by [H01L 27/11](#)[H01L 21/8246](#) covered by

[H01L 27/112](#)[H01L 21/8247](#) covered by [H01L 27/11517](#)[H01L 21/98](#) covered by

[H01L 25/50](#)

[H01L 29/38](#) covered by [H01L 29/04](#) to **[H01L 29/36D](#)**

[H01L 29/96](#) covered by [H01L 29/68](#) to [H01L 29/945](#)[H01L 51/30](#) covered by

[H01L 51/0032](#)

[H01L 51/40](#) covered by **[H01L 51/00A](#)**

[H01L 51/46](#) covered by [H01L 51/0032](#)

[H01L 51/48](#) covered by **[H01L 51/00A](#)**

[H01L 51/54](#) covered by [H01L 51/0032](#)

Groups [H01L 23/562](#) to [H01L 23/576](#) do not correspond to former or current IPC groups. Concordance CPC : IPC for these groups is as follows: - [H01L 23/562](#) - [H01L 23/564](#) : [H01L 23/00](#) - [H01L 23/57](#) : [H01L 23/58](#)

Groups [H01L 22/00](#) to [H01L 22/34](#) do not correspond to a former or current IPC group. Concordance CPC : IPC for these groups is as follows: - [H01L 22/00](#) - [H01L 22/34](#) : [H01L 21/66](#)

Groups [H01L 24/00](#) to [H01L 24/98](#) do not correspond to former or current IPC groups. Concordance CPC : IPC for these groups is as follows: - [H01L 24/00](#) - [H01L 24/98](#) : [H01L 23/00](#)

Group [H01L 25/50](#) does not correspond to a former or current IPC group. Concordance CPC : IPC for this group is as follows: - [H01L 25/50](#) : [H01L 21/98](#)

Groups [H01L 28/00](#) - [H01L 28/92](#) do not correspond to former or current IPC groups. Concordance CPC : IPC for these groups is as follows: - [H01L 28/00](#) - [H01L 28/92](#) : [H01L 49/02](#)

H01L 21/00

Processes or apparatus adapted for the manufacture or treatment of semiconductor or solid state devices or of parts thereof ({ testing or measuring during manufacture or treatment, or reliability measurements [H01L 22/00](#) ; multistep manufacturing processes for passive two-terminal components without a potential-jump or surface barrier for integrated circuits [H01L 28/00](#) ; } { processes or apparatus peculiar to the manufacture or treatment of devices provided for in groups [H01L 31/00](#) to [H01L 51/00](#) or of parts thereof, see these groups; single-step processes covered by other subclasses, see the relevant subclasses, e.g. [C23C](#), [C30B](#); photomechanical production of textured or patterned surfaces, materials or originals therefor, apparatus specially adapted therefor, in general [G03F](#)))

H01L 21/02

. Manufacture or treatment of semiconductor devices or of parts thereof

H01L 21/02002

.. {Preparing wafers}

NOTE

1. This group covers processes for manufacturing wafers prior to the fabrication of any device, i.e. between the sawing of ingots (covered by [B28D](#)) and the cleaning of substrates (covered by [H01L 21/02 F](#)).
2. This group does not cover:
 - simple use of grinding or polishing machines [B24B](#)
 - thermal smoothening [H01L 21/324](#)

H01L 21/02005

... {Preparing bulk and homogeneous wafers}

WARNING

Not complete, see [H01L 21/30](#) and subgroups

H01L 21/02008

.... {Multistep processes}

H01L 21/0201

..... {Specific process step}

H01L 21/02013

..... {Grinding, lapping}

H01L 21/02016	{Backside treatment}
H01L 21/02019	{Chemical etching}
H01L 21/02021	{Edge treatment, chamfering}
H01L 21/02024	{Mirror polishing}
H01L 21/02027	{Setting crystal orientation}
H01L 21/0203	{Making porous regions on the surface}
H01L 21/02032	{by reclaiming or re-processing}
H01L 21/02035	{Shaping}
H01L 21/02038	...	{Preparing wafers having an insulating layer, e.g. SOI wafers}

WARNING

Not complete, see [H01L 21/7624](#) and subgroups

H01L 21/02041	..	{Cleaning}
H01L 21/02043	...	{Cleaning before device manufacture, i.e. Begin-Of-Line process}
H01L 21/02046	{Dry cleaning only(H01L 21/02085 takes precedence)}
H01L 21/02049	{with gaseous HF}
H01L 21/02052	{Wet cleaning only(H01L 21/02085 takes precedence)}
H01L 21/02054	{combining dry and wet cleaning steps(H01L 21/02085 takes precedence)}
H01L 21/02057	...	{Cleaning during device manufacture}
H01L 21/0206	{during, before or after processing of insulating layers}
H01L 21/02063	{the processing being the formation of vias or contact holes}
H01L 21/02065	{the processing being a planarization of insulating layers}
H01L 21/02068	{during, before or after processing of conductive layers, e.g. polysilicon or amorphous silicon layers}
H01L 21/02071	{the processing being a delineation, e.g. RIE, of conductive layers}
H01L 21/02074	{the processing being a planarization of conductive layers}
H01L 21/02076	...	{Cleaning after the substrates have been singulated}
H01L 21/02079	...	{Cleaning for reclaiming}
H01L 21/02082	...	{product to be cleaned}
H01L 21/02085	{Cleaning of diamond}
H01L 21/02087	{Cleaning of wafer edges}
H01L 21/0209	{Cleaning of wafer backside}
H01L 21/02093	{Cleaning of porous materials}
H01L 21/02096	...	{only mechanical cleaning}
H01L 21/02098	...	{only involving lasers, e.g. laser ablation}
H01L 21/02101	...	{only involving supercritical fluids}
H01L 21/02104	..	{Forming layers(deposition in general C23C ; crystal growth in general C30B)}

WARNING

Group [H01L 21/02104](#) and subgroups are not complete pending reorganisation. See also groups [H01L 21/20](#) , [H01L 21/36](#) , [H01L 21/06](#) , [H01L 21/16](#) and subgroups

[H01L 21/02107](#) ... {Forming insulating materials on a substrate}

WARNING

This group and subgroups are not complete pending the completion of a reclassification; see also [H01L 21/312](#) , [H01L 21/314](#) , [H01L 21/316](#) , and [H01L 21/318](#) and subgroups thereof

[H01L 21/02109](#) {characterised by the type of layer, e.g. type of material, porous/non-porous, pre-cursors, mixtures or laminates}

[H01L 21/02112](#) {characterised by the material of the layer}

NOTE

Layers comprising sublayers, i.e. multi-layers, are additionally classified in [H01L 21/022](#) ; porous layers are additionally classified in [H01L 21/02203](#)

[H01L 21/02115](#) {the material being carbon, e.g. alpha-C, diamond or hydrogen doped carbon}

[H01L 21/02118](#) {carbon based polymeric organic or inorganic material, e.g. polyimides, poly cyclobutene or PVC(polymers per se [C08G](#), photoresist per se [G03F](#))}

[H01L 21/0212](#) {the material being fluoro carbon compounds, e.g. (CF_x)_n, (CH_xF_y)_n or polytetrafluoroethylene}

[H01L 21/02123](#) {the material containing silicon}

[H01L 21/02126](#) {the material containing Si, O, and at least one of H, N, C, F, or other non-metal elements, e.g. SiOC, SiOC:H or SiONC}

[H01L 21/02129](#) {the material being boron or phosphorus doped silicon oxides, e.g. BPSG, BSG or PSG}

NOTE

Halogen, e.g. fluorine, containing BPSG, PSG, BSG, and the like, are additionally classified in [H01L 21/02131](#)

[H01L 21/02131](#) {the material being halogen doped silicon oxides, e.g. FSG}

[H01L 21/02134](#) {the material comprising hydrogen silsesquioxane, e.g. HSQ}

[H01L 21/02137](#) {the material comprising alkyl silsesquioxane, e.g. MSQ}

[H01L 21/0214](#) {the material being a silicon oxynitride, e.g. SiON or SiON:H}

[H01L 21/02142](#) {the material containing silicon and at least one metal element, e.g. metal silicate based insulators or metal silicon oxynitrides}

[H01L 21/02145](#) {the material containing aluminium, e.g. AlSiO_x}

[H01L 21/02148](#) {the material containing hafnium, e.g. HfSiO_x or HfSiON}

[H01L 21/0215](#) {the material containing tantalum, e.g. TaSiO_x}

H01L 21/02153	{the material containing titanium, e.g. TiSiOx }
H01L 21/02156	{the material containing at least one rare earth element, e.g. silicate of lanthanides, scandium or yttrium}
H01L 21/02159	{the material containing zirconium, e.g. ZrSiOx }
H01L 21/02161	{the material containing more than one metal element}
H01L 21/02164	{the material being a silicon oxide, e.g. SiO_2 }

NOTE

The formation of silicon oxide layers is classified in this group regardless of the precursor or of the process of formation; in case of explicit statements on doping, on rest-groups, or on material components see [H01L 21/02126](#) and subgroups; deposition of silicon oxide from organic precursors without further statements on film composition is classified here and in [H01L 21/02205](#) and subgroups

H01L 21/02167	{the material being a silicon carbide not containing oxygen, e.g. SiC , SiC:H or silicon carbonitrides(H01L 21/02126 and H01L 21/0214 take precedence)}
H01L 21/0217	{the material being a silicon nitride not containing oxygen, e.g. SixNy or SixByNz (H01L 21/02126 and H01L 21/0214 take precedence)}
H01L 21/02172	{the material containing at least one metal element, e.g. metal oxides, metal nitrides, metal oxynitrides or metal carbides(materials containing silicon H01L 21/02123 ; metal silicates H01L 21/02142)}
H01L 21/02175	{characterised by the metal(H01L 21/02197 takes precedence)}
H01L 21/02178	{the material containing aluminium, e.g. Al_2O_3 }
H01L 21/02181	{the material containing hafnium, e.g. HfO_2 }
H01L 21/02183	{the material containing tantalum, e.g. Ta_2O_5 }
H01L 21/02186	{the material containing titanium, e.g. TiO_2 }
H01L 21/02189	{the material containing zirconium, e.g. ZrO_2 }
H01L 21/02192	{the material containing at least one rare earth metal element, e.g. oxides of lanthanides, scandium or yttrium}
H01L 21/02194	{the material containing more than one metal element}
H01L 21/02197	{the material having a perovskite structure, e.g. BaTiO_3 }
H01L 21/022	{the layer being a laminate, i.e. composed of sublayers, e.g. stacks of alternating high-k metal oxides(adhesion layers or buffer layers H01L 21/02304 , H01L 21/02362)}
H01L 21/02203	{the layer being porous}
H01L 21/02205	{the layer being characterised by the precursor material for deposition}
H01L 21/02208	{the precursor containing a compound comprising Si}
H01L 21/02211	{the compound being a silane, e.g. disilane, methylsilane or chlorosilane}
H01L 21/02214	{the compound comprising silicon and oxygen}

NOTE

This group does not cover mixtures of a silane and oxygen

H01L 21/02216	{the compound being a molecule comprising at least one silicon-oxygen bond and the compound having hydrogen or an organic group attached to the silicon or oxygen, e.g. a siloxane}
H01L 21/02219	{the compound comprising silicon and nitrogen}

NOTE

This group does not cover mixtures of silane and nitrogen

H01L 21/02222	{the compound being a silazane}
H01L 21/02225	{characterised by the process for the formation of the insulating layer}
H01L 21/02227	{formation by a process other than a deposition process}

NOTE

Subject matter classified in the range of [H01L 21/0223](#) to [H01L 21/02249](#) is additionally classified in [H01L 21/02249](#) , [H01L 21/02255](#) and [H01L 21/02252](#) , depending on the type of reaction

H01L 21/0223	{formation by oxidation, e.g. oxidation of the substrate}
H01L 21/02233	{of the semiconductor substrate or a semiconductor layer}
H01L 21/02236	{group IV semiconductor}
H01L 21/02238	{silicon in uncombined form, i.e. pure silicon}
H01L 21/02241	{III-V semiconductor}
H01L 21/02244	{of a metallic layer}
H01L 21/02247	{formation by nitridation, e.g. nitridation of the substrate}
H01L 21/02249	{formation by combined oxidation and nitridation performed simultaneously}
H01L 21/02252	{formation by plasma treatment, e.g. plasma oxidation of the substrate(after treatment of an insulating film by plasma H01L 21/3105 and subgroups)}
H01L 21/02255	{formation by thermal treatment(H01L 21/02252 takes precedence; after treatment of an insulating film H01L 21/3105 and subgroups)}
H01L 21/02258	{formation by anodic treatment, e.g. anodic oxidation}
H01L 21/0226	{formation by a deposition process(per se C23C)}
H01L 21/02263	{deposition from the gas or vapour phase}

NOTE

This group and subgroups also cover deposition methods in which the gas or vapour is produced by physical means, e.g. ablation from targets or heating of source material

H01L 21/02266	{deposition by physical ablation of a target, e.g. sputtering, reactive sputtering, physical vapour deposition or pulsed laser deposition}
---------------	-------	--

H01L 21/02269 { deposition by thermal evaporation, [H01L 21/02293](#) takes precedence }

NOTE

Subject matter relating to molecular beam epitaxy is classified in this group

H01L 21/02271 {deposition by decomposition or reaction of gaseous or vapour phase compounds, i.e. chemical vapour deposition([H01L 21/02266](#) takes precedence)}

H01L 21/02274 {in the presence of a plasma (PECVD)}

H01L 21/02277 {the reactions being activated by other means than plasma or thermal, e.g. photo-CVD}

H01L 21/0228 {deposition by cyclic CVD, e.g. ALD, ALE, pulsed CVD}

NOTE

Subject matter relating to cyclic plasma CVD is additionally classified in [H01L 21/02274](#)

H01L 21/02282 {liquid deposition, e.g. spin-coating, sol-gel techniques, spray coating}

H01L 21/02285 {Langmuir-Blodgett techniques}

H01L 21/02288 {printing, e.g. ink-jet printing([per se B41J](#))}

H01L 21/0229 {liquid atomic layer deposition}

H01L 21/02293 {formation of epitaxial layers by a deposition process([epitaxial growth per se C30B](#))}

NOTE

Formation of non-epitaxial layers by MBE, ALE, etc. is not covered by this group; for MBE see [H01L 21/02269](#) ; for ALE see [H01L 21/0228](#)

H01L 21/02296 {characterised by the treatment performed before or after the formation of the layer([H01L 21/02227](#) and subgroups take precedence)}

NOTE

This group and subgroups only cover processes which are directly linked to the layer formation; routine anneals, i.e. thermal treatment without further features like a special atmosphere, presence of a plasma, thermally induced chemical reactions, change of phase (crystal structure) etc. are not classified here; for cleaning see [H01L 21/02041](#) and subgroups; for etching processes see [H01L 21/311](#) and subgroups; for planarization processes see [H01L 21/31051](#) and subgroups; for processes to repair etch damage see [H01L 21/3105](#) and subgroups

H01L 21/02299 {pre-treatment}

NOTE

This group and subgroups cover treatments to improve adhesion or change the surface termination; for etching see [H01L 21/306](#) and subgroups and [H01L 21/311](#) and subgroups

H01L 21/02301 {in-situ cleaning}

NOTE

Subject matter relating to the cleaning processes for semiconductor devices in general is covered by [H01L 21/02041](#) and subgroups

H01L 21/02304 {formation of intermediate layers, e.g. buffer layers, layers to improve adhesion, lattice match or diffusion barriers}

H01L 21/02307 {treatment by exposure to a liquid}

H01L 21/0231 {treatment by exposure to electromagnetic radiation, e.g. UV light}

H01L 21/02312 {treatment by exposure to a gas or vapour}

H01L 21/02315 {treatment by exposure to a plasma}

H01L 21/02318 {post-treatment}

NOTE

This group only covers processes that are part of the layer formation; treatments which are performed after completion of the insulating layer are covered by [H01L 21/3105](#) and subgroups

H01L 21/02321 { introduction of substances into an already existing insulating layer; [H01L 21/02227](#) and subgroups take precedence }

NOTE

processes like the introduction of phosphorus into silicon oxide by diffusion, or doping of an already existing insulating layer are covered by this group and subgroups; for the method of introduction, see [H01L 21/02337](#) , [H01L 21/02343](#) , [H01L 21/02345](#) and subgroups

H01L 21/02323 {introduction of oxygen}

H01L 21/02326 {into a nitride layer, e.g. changing SiN to SiON}

H01L 21/02329 {introduction of nitrogen}

H01L 21/02332 {into an oxide layer, e.g. changing SiO to SiON}

H01L 21/02334 {in-situ cleaning after layer formation, e.g. removing process residues(cleaning compositions per se [C30D](#); cleaning in general [B08B](#))}

NOTE

Subject matter relating to the cleaning processes for semiconductor devices in general is covered by [H01L 21/02041](#) and subgroups

H01L 21/02337	{treatment by exposure to a gas or vapour}
H01L 21/0234	{treatment by exposure to a plasma}
H01L 21/02343	{treatment by exposure to a liquid}
H01L 21/02345	{treatment by exposure to radiation, e.g. visible light}
H01L 21/02348	{treatment by exposure to UV light}
H01L 21/02351	{treatment by exposure to corpuscular radiation, e.g. exposure to electrons, alpha-particles, protons or ions}
H01L 21/02354	{using a coherent radiation, e.g. a laser}
H01L 21/02356	{treatment to change the morphology of the insulating layer, e.g. transformation of an amorphous layer into a crystalline layer}
H01L 21/02359	{treatment to change the surface groups of the insulating layer}
H01L 21/02362	{formation of intermediate layers, e.g. capping layers or diffusion barriers}
H01L 21/02365	...	{Forming inorganic semiconducting materials on a substrate(for light-sensitive devices H01L 31/00)}
H01L 21/02367	{Substrates}
H01L 21/0237	{Materials}
H01L 21/02373	{Group 14 semiconducting materials}
H01L 21/02376	{Carbon, e.g. diamond-like carbon}
H01L 21/02378	{Silicon carbide}
H01L 21/02381	{Silicon, silicon germanium, germanium}
H01L 21/02384	{including tin}
H01L 21/02387	{Group 13/15 materials}
H01L 21/02389	{Nitrides}
H01L 21/02392	{Phosphides}
H01L 21/02395	{Arsenides}
H01L 21/02398	{Antimonides}
H01L 21/024	{Group 12/16 materials}
H01L 21/02403	{Oxides}
H01L 21/02406	{Sulfides}
H01L 21/02409	{Selenides}
H01L 21/02411	{Tellurides}
H01L 21/02414	{Oxide semiconducting materials not being Group 12/16 materials, e.g. ternary compounds}
H01L 21/02417	{Chalcogenide semiconducting materials not being oxides, e.g. ternary compounds}
H01L 21/0242	{Crystalline insulating materials}
H01L 21/02422	{Non-crystalline insulating materials, e.g. glass, polymers}
H01L 21/02425	{Conductive materials, e.g. metallic silicides}

H01L 21/02428	{Structure}
H01L 21/0243	{Surface structure}
H01L 21/02433	{Crystal orientation}
H01L 21/02436	{Intermediate layers between substrates and deposited layers}
H01L 21/02439	{Materials}
H01L 21/02441	{Group 14 semiconducting materials}
H01L 21/02444	{Carbon, e.g. diamond-like carbon}
H01L 21/02447	{Silicon carbide}
H01L 21/0245	{Silicon, silicon germanium, germanium}
H01L 21/02452	{including tin}
H01L 21/02455	{Group 13/15 materials}
H01L 21/02458	{Nitrides}
H01L 21/02461	{Phosphides}
H01L 21/02463	{Arsenides}
H01L 21/02466	{Antimonides}
H01L 21/02469	{Group 12/16 materials}
H01L 21/02472	{Oxides}
H01L 21/02474	{Sulfides}
H01L 21/02477	{Selenides}
H01L 21/0248	{Tellurides}
H01L 21/02483	{Oxide semiconducting materials not being Group 12/16 materials, e.g. ternary compounds}
H01L 21/02485	{Other chalcogenide semiconducting materials not being oxides, e.g. ternary compounds}
H01L 21/02488	{Insulating materials}
H01L 21/02491	{Conductive materials}
H01L 21/02494	{Structure}
H01L 21/02496	{Layer structure}
H01L 21/02499	{Monolayers}
H01L 21/02502	{consisting of two layers}
H01L 21/02505	{consisting of more than two layers}
H01L 21/02507	{Alternating layers, e.g. superlattice}
H01L 21/0251	{Graded layers}
H01L 21/02513	{Microstructure}
H01L 21/02516	{Crystal orientation}
H01L 21/02518	{Deposited layers}
H01L 21/02521	{Materials}
H01L 21/02524	{Group 14 semiconducting materials}
H01L 21/02527	{Carbon, e.g. diamond-like carbon}
H01L 21/02529	{Silicon carbide}

H01L 21/02532	{Silicon, silicon germanium, germanium}
H01L 21/02535	{including tin}
H01L 21/02538	{Group 13/15 materials}
H01L 21/0254	{Nitrides}
H01L 21/02543	{Phosphides}
H01L 21/02546	{Arsenides}
H01L 21/02549	{Antimonides}
H01L 21/02551	{Group 12/16 materials}
H01L 21/02554	{Oxides}
H01L 21/02557	{Sulfides}
H01L 21/0256	{Selenides}
H01L 21/02562	{Tellurides}
H01L 21/02565	{Oxide semiconducting materials not being Group 12/16 materials, e.g. ternary compounds}
H01L 21/02568	{Chalcogenide semiconducting materials not being oxides, e.g. ternary compounds}
H01L 21/0257	{Doping during depositing}
H01L 21/02573	{Conductivity type}
H01L 21/02576	{N-type}
H01L 21/02579	{P-type}
H01L 21/02581	{Transition metal or rare earth elements}
H01L 21/02584	{Delta-doping}
H01L 21/02587	{Structure}
H01L 21/0259	{Microstructure}
H01L 21/02592	{amorphous}
H01L 21/02595	{polycrystalline}
H01L 21/02598	{monocrystalline}
H01L 21/02601	{Nanoparticles(fullerenes H01L 51/0046)}
H01L 21/02603	{Nanowires}
H01L 21/02606	{Nanotubes(carbon nanotubes H01L 51/0048)}
H01L 21/02609	{Crystal orientation}
H01L 21/02612	{Formation types}
H01L 21/02614	{Transformation of metal, e.g. oxidation, nitridation}
H01L 21/02617	{Deposition types}
H01L 21/0262	{Reduction or decomposition of gaseous compounds, e.g. CVD}
H01L 21/02623	{Liquid deposition}
H01L 21/02625	{using melted materials}
H01L 21/02628	{using solutions}
H01L 21/02631	{Physical deposition at reduced pressure, e.g. MBE, sputtering, evaporation}
H01L 21/02634	{Homoepitaxy}

H01L 21/02636	{Selective deposition, e.g. simultaneous growth of mono- and non-monocrystalline semiconductor materials}
H01L 21/02639	{Preparation of substrate for selective deposition}
H01L 21/02642	{Mask materials other than SiO ₂ or SiN}
H01L 21/02645	{Seed materials}
H01L 21/02647	{Lateral overgrowth}
H01L 21/0265	{Pendeoepitaxy}
H01L 21/02653	{Vapour-liquid-solid growth}
H01L 21/02656	{Special treatments}
H01L 21/02658	{Pretreatments(cleaning in general H01L 21/02041)}
H01L 21/02661	{In-situ cleaning}
H01L 21/02664	{Aftertreatments(planarisation in general H01L 21/304)}
H01L 21/02667	{Crystallisation or recrystallisation of non-monocrystalline semiconductor materials, e.g. regrowth}
H01L 21/02669	{using crystallisation inhibiting elements}
H01L 21/02672	{using crystallisation enhancing elements}
H01L 21/02675	{using laser beams}
H01L 21/02678	{Beam shaping, e.g. using a mask}
H01L 21/0268	{Shape of mask}
H01L 21/02683	{Continuous wave laser beam}
H01L 21/02686	{Pulsed laser beam}
H01L 21/02689	{using particle beams}
H01L 21/02691	{Scanning of a beam}
H01L 21/02694	{Controlling the interface between substrate and epitaxial layer, e.g. by ion implantation followed by annealing}
H01L 21/02697	...	{Forming conducting materials on a substrate}
H01L 21/027	..	Making masks on semiconductor bodies for further photolithographic processing not provided for in group H01L 21/18 or H01L 21/34 { photographic masks or originals per se G03F 1/00 ; registration or positioning of photographic masks or originals G03F 9/00 ; photographic cameras G03B ; control of position G05D 3/00 }
H01L 21/0271	...	{comprising organic layers}
H01L 21/0272	{for lift-off processes}
H01L 21/0273	{characterised by the treatment of photoresist layers}
H01L 21/0274	{Photolithographic processes}
H01L 21/0275	{using lasers}
H01L 21/0276	{using an anti-reflective coating(anti-reflective coating for lithography in general G03F 7/09)}
H01L 21/0277	{Electrolithographic processes}
H01L 21/0278	{Röntgenlithographic or X-ray lithographic processes}
H01L 21/0279	{Ionlithographic processes}
H01L 21/033	...	comprising inorganic layers
H01L 21/0331	{for lift-off processes}

H01L 21/0332	{characterised by their composition, e.g. multilayer masks, materials}
H01L 21/0334	{characterised by their size, orientation, disposition, behaviour, shape, in horizontal or vertical plane}
H01L 21/0335	{characterised by their behaviour during the process, e.g. soluble masks, redeposited masks}
H01L 21/0337	{characterised by the process involved to create the mask, e.g. lift-off masks, sidewalls, or to modify the mask, e.g. pre-treatment, post-treatment}
H01L 21/0338	{Process specially adapted to improve the resolution of the mask}
H01L 21/04	..	the devices having at least one potential-jump barrier or surface barrier, e.g. PN junction, depletion layer, carrier concentration layer{(multistep processes specially adapted for the manufacture of said devices H01L 29/66007 , H01L 29/401 ; details of semiconductor bodies H01L 29/02)}
H01L 21/0405	...	{the devices having semiconductor bodies comprising semiconducting carbon, e.g. diamond, diamond-like carbon(multistep processes for the manufacture of said devices H01L 29/66015)}

NOTE

This group covers passivation

H01L 21/041	{Making n- or p-doped regions}
H01L 21/0415	{using ion implantation}
H01L 21/042	N: Changing their shape, e.g. forming recesses(etching of the semiconductor body H01L 21/302)
H01L 21/0425	{Making electrodes}
H01L 21/043	{Ohmic electrodes}
H01L 21/0435	{Schottky electrodes}
H01L 21/044	{Conductor-insulator-semiconductor electrodes}
H01L 21/0445	...	{the devices having semiconductor bodies comprising crystalline silicon carbide(multistep processes for the manufacture of said devices H01L 29/66053)}
H01L 21/045	{passivating silicon carbide surfaces}
H01L 21/0455	{Making n or p doped regions or layers, e.g. using diffusion}
H01L 21/046	{using ion implantation}

NOTE

Processes where ion implantation of boron and subsequent annealing does not produce a p-doped region are classified elsewhere, e.g. [H01L 21/0445](#)

H01L 21/0465	{using masks}
H01L 21/047	{characterised by the angle between the ion beam and the crystal planes or the main crystal surface}
H01L 21/0475	{Changing the shape of the semiconductor body, e.g. forming recesses,(etching of the semiconductor body H01L 21/302)}
H01L 21/048	{Making electrodes}

H01L 21/0485	{Ohmic electrodes}
H01L 21/049	{Conductor-insulator-semiconductor electrodes, e.g. MIS contacts}
H01L 21/0495	{Schottky electrodes}
H01L 21/06	...	the devices having semiconductor bodies comprising selenium or tellurium in uncombined form other than as impurities in semiconductor bodies of other materials

WARNING

This group is no longer used for the classification of new documents as from December 1, 2009. The backlog of this group is being continuously reclassified to [H01L 21/02365](#) and subgroups

H01L 21/08	Preparation of the foundation plate
H01L 21/10	Preliminary treatment of the selenium or tellurium, its application to the foundation plate, or the subsequent treatment of the combination
H01L 21/101	{Application of the selenium or tellurium to the foundation plate}
H01L 21/103	Conversion of the selenium or tellurium to the conductive state
H01L 21/105	Treatment of the surface of the selenium or tellurium layer after having been made conductive
H01L 21/108	Provision of discrete insulating layers, i.e. non-genetic barrier layers
H01L 21/12	Application of an electrode to the exposed surface of the selenium or tellurium after the selenium or tellurium has been applied to the foundation plate
H01L 21/14	Treatment of the complete device, e.g. by electroforming to form a barrier
H01L 21/145	Ageing
H01L 21/16	...	the devices having semiconductor bodies comprising cuprous oxide or cuprous iodide

WARNING

This group is no longer used for the classification of new documents as from December 1, 2009. The backlog of this group is being continuously reclassified to [H01L 21/02365](#) and subgroups]

H01L 21/161	{Preparation of the foundation plate, preliminary treatment oxidation of the foundation plate, reduction treatment}
H01L 21/162	{Preliminary treatment of the foundation plate}
H01L 21/164	{Oxidation and subsequent heat treatment of the foundation plate(H01L 21/165 takes precedence)}
H01L 21/165	{Reduction of the copper oxide, treatment of the oxide layer}
H01L 21/167	{Application of a non-genetic conductive layer}
H01L 21/168	{Treatment of the complete device, e.g. electroforming, ageing}

H01L 21/18 . . . the devices having semiconductor bodies comprising elements of the fourth group of the Periodic System or AIIIBV compounds with or without impurities, e.g. doping materials{([H01L 21/041](#) to [H01L 21/0425](#) , [H01L 21/045](#) to [H01L 21/048](#) take precedence)}

NOTE

This group covers also processes and apparatus which, by using the appropriate technology, are clearly suitable for manufacture or treatment of devices whose bodies comprise elements of the fourth group of the Periodic System or AIIIBV compounds, even if the material used is not explicitly specified.

H01L 21/182 {Intermixing or interdiffusion or disordering of III-V heterostructures, e.g. IILD}

H01L 21/185 {Joining of semiconductor bodies for junction formation}

H01L 21/187 {by direct bonding}

H01L 21/20 Deposition of semiconductor materials on a substrate, e.g. epitaxial growth{solid phase epitaxy}

WARNING

This group is no longer used for the classification of new documents as from December 1, 2009. The backlog of this group is being continuously reclassified to [H01L 21/02365](#) and subgroups

H01L 21/2003 {Characterised by the substrate([H01L 21/203](#) , [H01L 21/205](#) , [H01L 21/208](#) take precedence)}

H01L 21/2007 {Bonding of semiconductor wafers to insulating substrates or to semiconducting substrates using an intermediate insulating layer([H01L 21/2011](#) takes precedence; bonding of semiconductor wafers to semiconductor wafers for junction formation [H01L 21/187](#))}

H01L 21/2011 {the substrate being of crystalline insulating material, e.g. sapphire}

H01L 21/2015 {the substrate being of crystalline semiconductor material, e.g. lattice adaptation, heteroepitaxy}

H01L 21/2018 {Selective epitaxial growth, e.g. simultaneous deposition of mono - and non-mono semiconductor materials}

H01L 21/2022 {Epitaxial regrowth of non-monocrystalline semiconductor materials, e.g. lateral epitaxy by seeded solidification, solid-state crystallization, solid-state graphoepitaxy, explosive crystallization, grain growth in polycrystalline materials}

H01L 21/2026 {using a coherent energy beam, e.g. laser or electron beam}

H01L 21/203 using physical deposition, e.g. vacuum deposition, sputtering

H01L 21/2033 {Epitaxial deposition of elements of the Fourth Group of the Periodic System, e.g. Si, Ge}

H01L 21/2036 {Epitaxial deposition of AIII BV compounds}

H01L 21/205 using reduction or decomposition of a gaseous compound yielding a solid condensate, i.e. chemical deposition

H01L 21/2053 {Expitaxial deposition of elements of the Fourth Group of the Periodic System, e.g. Si, Ge}

H01L 21/2056	{Epitaxial deposition of III-BV compounds}
H01L 21/208	using liquid deposition
H01L 21/2085	{Epitaxial deposition of III-BV compounds}
H01L 21/22	Diffusion of impurity materials, e.g. doping materials, electrode materials, into or out of a semiconductor body, or between semiconductor regions; {Interactions between two or more impurities; Redistribution of impurities}
H01L 21/2205	{from the substrate during epitaxy, e.g. autodoping; Preventing or using autodoping}
H01L 21/221	{of killers}
H01L 21/2215	{in III-BV compounds}
H01L 21/222	{Lithium-drift}
H01L 21/2225	{Diffusion sources}
H01L 21/223	using diffusion into or out of a solid from or into a gaseous phase { (H01L 21/221 to H01L 21/222 take precedence; diffusion through an applied layer H01L 21/225) }
H01L 21/2233	{Diffusion into or out of III-BV compounds}
H01L 21/2236	{from or into a plasma phase}
H01L 21/225	using diffusion into or out of a solid from or into a solid phase, e.g. a doped oxide layer { (H01L 21/221 to H01L 21/222 take precedence) }
H01L 21/2251	{Diffusion into or out of group IV semiconductors}
H01L 21/2252	{using predeposition of impurities into the semiconductor surface, e.g. from a gaseous phase}
H01L 21/2253	{by ion implantation}

NOTE

In groups H01L 21/2254 to H01L 21/2257 one should consider the main compositional parts of the applied layer just before the diffusion step

H01L 21/2254	{from or through or into an applied layer, e.g. photoresist, nitrides}
H01L 21/2255	{the applied layer comprising oxides only, e.g. P2O5, PSG, H3BO3, doped oxides}
H01L 21/2256	{through the applied layer}
H01L 21/2257	{the applied layer being silicon or silicide or SIPOS, e.g. polysilicon, porous silicon}
H01L 21/2258	{Diffusion into or out of III-BV compounds}
H01L 21/228	using diffusion into or out of a solid from or into a liquid phase, e.g. alloy diffusion processes { (H01L 21/221 to H01L 21/222 take precedence) }
H01L 21/24	Alloying of impurity materials, e.g. doping materials, electrode materials, with a semiconductor body { (H01L 21/182 takes precedence) }
H01L 21/242	{Alloying of doping materials with III-BV compounds}
H01L 21/244	{Alloying of electrode materials}
H01L 21/246	{with III-BV compounds}

H01L 21/248	{Apparatus specially adapted for the alloying}
H01L 21/26	Bombardment with radiation{(H01L 21/3105 takes precedence)}
H01L 21/2605	{using natural radiation, e.g. alpha, beta or gamma radiation}
H01L 21/261	to produce a nuclear reaction transmuting chemical elements
H01L 21/263	with high-energy radiation(H01L 21/261 takes precedence)
H01L 21/2633	{for etching, e.g. sputteretching}
H01L 21/2636	{for heating, e.g. electron beam heating}
H01L 21/265	producing ion implantation(ion beam tubes for localised treatment H01J 37/30)

WARNING

The groups **H10L 21/26566**, [H01L 21/2658](#) and [H01L 21/26593](#) are not complete, see provisionally also [H01L 21/26506](#) and [H01L 21/2654](#) and their subgroups

H01L 21/26506	{in group IV semiconductors}
H01L 21/26513	{of electrically active species}
H01L 21/2652	{Through-implantation}
H01L 21/26526	{Recoil-implantation}
H01L 21/26533	{of electrically inactive species in silicon to make buried insulating layers}
H01L 21/2654	{in IIIIV compounds}
H01L 21/26546	{of electrically active species}
H01L 21/26553	{Through-implantation}
H01L 21/2656	{characterised by the implantation of both electrically active and inactive species in the same semiconductor region to be doped}
H01L 21/26566	{of a cluster, e.g. using a gas cluster ion beam}
H01L 2021/26573	{in diamond}
H01L 21/2658	{of a molecular ion, e.g. decaborane}
H01L 21/26586	{characterised by the angle between the ion beam and the crystal planes or the main crystal surface}
H01L 21/26593	{at a temperature lower than room temperature}
H01L 21/266	using masks{(H01L 21/26586 takes precedence)}
H01L 21/268	using electromagnetic radiation, e.g. laser radiation
H01L 21/2683	{using X-ray lasers}
H01L 21/2686	{using incoherent radiation}
H01L 21/28	Manufacture of electrodes on semiconductor bodies using processes or apparatus not provided for in H01L 21/20 to H01L 21/268 ; { etching for patterning the electrodes H01L 21/311 and H01L 21/3213 }
H01L 21/28008	{Making conductor-insulator-semiconductor electrodes}
H01L 21/28017	{the insulator being formed after the semiconductor body, the semiconductor being silicon}

NOTE

This group covers deposition of the insulators, including epitaxial insulators, and the conductors within the same process or chamber

H01L 21/28026 {characterised by the conductor([H01L 21/28176](#) takes precedence)}

NOTE

When the final conductor comprises a superconductor, subject matter is not classified according to the subgroups [H01L 21/28035](#) to [H01L 21/28097](#) . Instead, it is classified in [H01L 21/28026](#)

H01L 21/28035 {the final conductor layer next to the insulator being silicon, e.g. polysilicon, with or without impurities([H01L 21/28105](#) takes precedence)}

NOTE

A very thin, e.g. silicon, adhesion or seed layer is not considered as the one next to the insulator

H01L 21/28044 {the conductor comprising at least another non-silicon conductive layer}

H01L 21/28052 {the conductor comprising a silicide layer formed by the silicidation reaction of silicon with a metal layer(formed by metal ion implantation [H01L 21/28044](#))}

H01L 21/28061 {the conductor comprising a metal or metallic silicide formed by deposition, e.g. sputter deposition, i.e. without a silicidation reaction([H01L 21/28052](#) takes precedence)}

NOTE

To assess the coverage of groups [H01L 21/28052](#) and [H01L 21/28061](#) , barrier layers, e.g. TaSiN, are not considered

H01L 21/2807 {the final conductor layer next to the insulator being Si or Ge or C and their alloys except Si}

H01L 21/28079 {the final conductor layer next to the insulator being a single metal, e.g. Ta, W, Mo, Al}

H01L 21/28088 {the final conductor layer next to the insulator being a composite, e.g. TiN}

H01L 21/28097 {the final conductor layer next to the insulator being a metallic silicide}

H01L 21/28105 {the final conductor next to the insulator having a lateral composition or doping variation, or being formed laterally by more than one deposition step}

H01L 21/28114	{characterised by the sectional shape, e.g. T, inverted-T}
NOTE		
Documents are also classified in groups H01L 21/28035 to H01L 21/28105 when the composition is also relevant		
H01L 21/28123	{Lithography-related aspects, e.g. sub-lithography lengths; Isolation-related aspects, e.g. to solve problems arising at the crossing with the side of the device isolation; Planarisation aspects}
H01L 21/28132	{conducting part of electrode is defined by a sidewall spacer or a similar technique, e.g. oxidation under mask, plating}
H01L 21/28141	{insulating part of the electrode is defined by a sidewall spacer, e.g. dummy spacer, or a similar technique, e.g. oxidation under mask, plating}
H01L 21/2815	{part or whole of the electrode is a sidewall spacer or made by a similar technique, e.g. transformation under mask, plating}
H01L 21/28158	{Making the insulator}
H01L 21/28167	{on single crystalline silicon, e.g. using a liquid, i.e. chemical oxidation}
H01L 21/28176	{with a treatment, e.g. annealing, after the formation of the definitive gate conductor}
H01L 21/28185	{with a treatment, e.g. annealing, after the formation of the gate insulator and before the formation of the definitive gate conductor}
H01L 21/28194	{by deposition, e.g. evaporation, ALD, CVD, sputtering, laser deposition(H01L 21/28202 takes precedence)}
H01L 21/28202	{in a nitrogen-containing ambient, e.g. nitride deposition, growth, oxynitridation, NH ₃ nitridation, N ₂ O oxidation, thermal nitridation, RTN, plasma nitridation, RPN}
H01L 21/28211	{in a gaseous ambient using an oxygen or a water vapour, e.g. RTO, possibly through a layer(H01L 21/28194 and H01L 21/28202 take precedence)}{Note: thin oxidation layers used as a barrier layer or as a buffer layer, e.g. before the formation of a high-k insulator, are classified here only if important per se}
H01L 21/2822	{with substrate doping, e.g. N, Ge, C implantation, before formation of the insulator}
H01L 21/28229	{by deposition of a layer, e.g. metal, metal compound or polysilicon, followed by transformation thereof into an insulating layer}
H01L 21/28238	{with sacrificial oxide}
H01L 21/28247	{passivation or protection of the electrode, e.g. using re-oxidation}
H01L 21/28255	{the insulator being formed after the semiconductor body, the semiconductor belonging to the fourth group and not being elemental silicon, e.g. Ge, SiGe, SiGeC}

H01L 21/28264	{the insulator being formed after the semiconductor body, the semiconductor being a III-V compound}
H01L 21/28273	{Making conductor-insulator-conductor-insulator-semiconductor electrodes(H01L 21/28291 takes precedence)}
H01L 21/28282	{comprising a charge trapping insulator}
H01L 21/28291	{comprising a layer which is used for its ferroelectric properties}
H01L 21/283	Deposition of conductive or insulating materials for electrodes{conducting electric current}
H01L 21/285	from a gas or vapour, e.g. condensation
H01L 21/28506	{of conductive layers}
H01L 21/28512	{on semiconductor bodies comprising elements of the fourth group of the Periodic System}
H01L 21/28518	{the conductive layers comprising silicides(H01L 21/28537 takes precedence)}
H01L 21/28525	{the conductive layers comprising semiconducting material(H01L 21/28518 , H01L 21/28537 take precedence)}
H01L 21/28531	{Making of side-wall contacts}
H01L 21/28537	{Deposition of Schottky electrodes}
H01L 2021/28543	{on semiconductor bodies comprising diamond}
H01L 21/2855	{by physical means, e.g. sputtering, evaporation(H01L 21/28518 to H01L 21/28537 and H01L 21/28568 take precedence)}
H01L 21/28556	{by chemical means, e.g. CVD, LPCVD, PECVD, laser CVD(H01L 21/28518 to H01L 21/28537 and H01L 21/28568 take precedence)}
H01L 21/28562	{Selective deposition}
H01L 21/28568	{the conductive layers comprising transition metals(H01L 21/28518 takes precedence)}
H01L 21/28575	{on semiconductor bodies comprising AIIBV compounds}
H01L 21/28581	{Deposition of Schottky electrodes}
H01L 21/28587	{characterised by the sectional shape, e.g. T, inverted T}
H01L 21/28593	{asymmetrical sectional shape}
H01L 21/288	from a liquid, e.g. electrolytic deposition
H01L 21/2885	{using an external electrical current, i.e. electro-deposition}
H01L 21/30	Treatment of semiconductor bodies using processes or apparatus not provided for in groups H01L 21/20 to H01L 21/26 (manufacture of electrodes thereon H01L 21/28)
H01L 21/3003	{Hydrogenation or deuterisation, e.g. using atomic hydrogen from a plasma}
H01L 21/3006	{of AIIBV compounds}
H01L 21/302	to change their surface-physical characteristics or shape, e.g. etching, polishing, cutting
H01L 21/304	Mechanical treatment, e.g. grinding, polishing, cutting{(H01L 21/30625 takes precedence)}

H01L 21/3043	{Making grooves, e.g. cutting}
H01L 21/3046	{using blasting, e.g. sand-blasting(H01L 21/2633 takes precedence)}
H01L 21/306	Chemical or electrical treatment, e.g. electrolytic etching(to form insulating layers H01L 21/31)
H01L 21/30604	{Chemical etching}
H01L 21/30608	{Anisotropic liquid etching(H01L 21/3063 takes precedence)}
H01L 21/30612	{Etching of AIIIBV compounds}
H01L 21/30617	{Anisotropic liquid etching}
H01L 21/30621	{Vapour phase etching}
H01L 21/30625	{With simultaneous mechanical treatment, e.g. mechanico-chemical polishing}
H01L 21/3063	Electrolytic etching
H01L 21/30635	{of A three - B five compounds}
H01L 21/3065	Plasma etching; Reactive-ion etching
H01L 21/30655	{comprising alternated and repeated etching and passivation steps, e.g. Bosch process}
H01L 21/308	using masks(H01L 21/3063 , H01L 21/3065 take precedence)
H01L 21/3081	{characterised by their composition, e.g. multilayer masks, materials}
H01L 21/3083	{characterised by their size, orientation, disposition, behaviour, shape, in horizontal or vertical plane}
H01L 21/3085	{characterised by their behaviour during the process, e.g. soluble masks, redeposited masks}
H01L 21/3086	{characterised by the process involved to create the mask, e.g. lift-off masks, sidewalls, or to modify the mask, e.g. pre-treatment, post-treatment}
H01L 21/3088	{Process specially adapted to improve the resolution of the mask}
H01L 21/31	to form insulating layers thereon, e.g. for masking or by using photolithographic techniques(layers forming electrodes H01L 21/28 ; encapsulating layers H01L 21/56); After treatment of these layers
H01L 21/3105	After-treatment
H01L 21/31051	{Planarisation of the insulating layers(H01L 21/31058 takes precedence)}
H01L 21/31053	{involving a dielectric removal step}
H01L 21/31055	{the removal being a chemical etching step, e.g. dry etching(etching per se H01L 21/311)}
H01L 21/31056	{the removal being a selective chemical etching step, e.g. selective dry etching through a mask}
H01L 21/31058	{of organic layers}
H01L 21/311	Etching the insulating layers{by chemical or physical means(H01L 21/31058 takes precedence)}
H01L 21/31105	{Etching inorganic layers}
H01L 21/31111	{by chemical means}

H01L 21/31116	{by dry-etching}
H01L 21/31122	{of layers not containing Si, e.g. PZT, Al ₂ O ₃ }
H01L 21/31127	{Etching organic layers}
H01L 21/31133	{by chemical means}
H01L 21/31138	{by dry-etching}
H01L 21/31144	{using masks}
H01L 21/3115	Doping the insulating layers
H01L 21/31155	{by ion implantation}
H01L 21/312	Organic layers, e.g. photoresist(H01L 21/3105 , H01L 21/32 take precedence; {photoresists per se G03C })

WARNING

This group and subgroups are no longer used for the classification of new documents as from May 1, 2011. The backlog of this group is being continuously reclassified to [H01L 21/02107](#) and subgroups thereof

H01L 21/3121	{Layers comprising organo-silicon compounds}
H01L 21/3122	{layers comprising polysiloxane compounds}
H01L 21/3124	{layers comprising hydrogen silsesquioxane}
H01L 21/3125	{layers comprising silazane compounds}
H01L 21/3127	{Layers comprising fluoro (hydro)carbon compounds, e.g. polytetrafluoroethylene}
H01L 21/3128	{by Langmuir-Blodgett techniques}
H01L 21/314	Inorganic layers(H01L 21/3105 , H01L 21/32 take precedence)

WARNING

This group and subgroups are no longer used for the classification of new documents as from May 1, 2011. The backlog of this group is being continuously reclassified to [H01L 21/02107](#) and subgroups thereof

H01L 21/3141	{Deposition using atomic layer deposition techniques (ALD)}
H01L 21/3142	{of nano-laminates, e.g. alternating layers of Al ₂ O ₃ -HfO ₂ }
H01L 21/3143	{composed of alternated layers or of mixtures of nitrides and oxides or of oxinitrides, e.g. formation of oxinitride by oxidation of nitride layers}
H01L 21/3144	{on silicon}
H01L 21/3145	{formed by deposition from a gas or vapour}
H01L 21/3146	{Carbon layers, e.g. diamond-like layers}
H01L 21/3147	{Epitaxial deposition of insulating materials}
H01L 21/3148	{Silicon Carbide layers}
H01L 2021/3149	{Langmuir-Blodgett techniques}

H01L 21/316 composed of oxides or glassy oxides or oxide based glass

WARNING

This group and subgroups are no longer used for the classification of new documents as from May 1, 2011. The backlog of this group is being continuously reclassified to [H01L 21/02107](#) and subgroups thereof

H01L 21/31604	{Deposition from a gas or vapour(H01L 21/31691 , H01L 21/31695 take precedence)}
H01L 21/31608	{Deposition of SiO ₂ (H01L 21/31625 , H01L 21/31629 and H01L 21/31633 take precedence)}
H01L 21/31612	{on a silicon body}
H01L 21/31616	{Deposition of Al ₂ O ₃ }
H01L 21/3162	{on a silicon body}
H01L 21/31625	{Deposition of boron or phosphorus doped silicon oxide, e.g. BSG, PSG, BPSG}
H01L 21/31629	{Deposition of halogen doped silicon oxide, e.g. fluorine doped silicon oxide}
H01L 21/31633	{Deposition of carbon doped silicon oxide, e.g. SiOC}
H01L 21/31637	{Deposition of Tantalum oxides, e.g. Ta ₂ O ₅ }
H01L 21/31641	{Deposition of Zirconium oxides, e.g. ZrO ₂ }
H01L 21/31645	{Deposition of Hafnium oxides, e.g. HfO ₂ }
H01L 21/3165	{formed by oxidation(H01L 21/31691 , H01L 21/31695 take precedence)}
H01L 21/31654	{of semiconductor materials, e.g. the body itself}
H01L 21/31658	{by thermal oxidation, e.g. of SiGe}
H01L 21/31662	{of silicon in uncombined form}
H01L 21/31666	{of AIII BV compounds}
H01L 21/3167	{of anodic oxidation}
H01L 21/31675	{of silicon}
H01L 21/31679	{of AIII BV compounds}
H01L 21/31683	{of metallic layers, e.g. Al deposited on the body, e.g. formation of multi-layer insulating structures}
H01L 21/31687	{by anodic oxidation}
H01L 21/31691	{with perovskite structure}
H01L 21/31695	{Deposition of porous oxides or porous glassy oxides or oxide based porous glass}
H01L 21/318	composed of nitrides

WARNING

This group and subgroups are no longer used for the classification of new documents as from May 1, 2011. The

backlog of this group is being continuously reclassified to
[H01L 21/02107](#) and subgroups thereof

H01L 21/3185	{of siliconnitrides}
H01L 21/32	using masks
H01L 21/3205	Deposition of non-insulating-, e.g. conductive- or resistive-, layers on insulating layers; After-treatment of these layers(manufacture of electrodes H01L 21/28)
H01L 21/32051	{Deposition of metallic or metal-silicide layers}
H01L 21/32053	{of metal-silicide layers}
H01L 21/32055	{Deposition of semiconductive layers, e.g. poly - or amorphous silicon layers}
H01L 21/32056	{Deposition of conductive or semi-conductive organic layers(H01L 21/32058 takes precedence)}
H01L 21/32058	{Deposition of supra-conductive layers}
H01L 21/321	After treatment
H01L 21/32105	{Oxidation of silicon-containing layers}
H01L 21/3211	{Nitridation of silicon-containing layers}
H01L 21/32115	{Planarisation}
H01L 21/3212	{by chemical mechanical polishing (CMP)}
H01L 21/32125	{by simultaneously passing an electrical current, i.e. electrochemical mechanical polishing, e.g. ECMP}
H01L 21/3213	Physical or chemical etching of the layers, e.g. to produce a patterned layer from a pre-deposited extensive layer
H01L 21/32131	{by physical means only}
H01L 21/32132	{of silicon-containing layers}
H01L 21/32133	{by chemical means only}
H01L 21/32134	{by liquid etching only}
H01L 21/32135	{by vapour etching only}
H01L 21/32136	{using plasmas}
H01L 21/32137	{of silicon-containing layers}
H01L 21/32138	{pre- or post-treatments, e.g. anti-corrosion processes}
H01L 21/32139	{using masks}
H01L 21/3215	Doping the layers
H01L 21/32155	{Doping polycrystalline - or amorphous silicon layers}
H01L 21/322	to modify their internal properties, e.g. to produce internal imperfections
H01L 21/3221	{of silicon bodies, e.g. for gettering}
H01L 21/3223	{using cavities formed by hydrogen or noble gas ion implantation}
H01L 21/3225	{Thermally inducing defects using oxygen present in the silicon body for intrinsic gettering(H01L 21/3226 takes precedence)}

NOTE

Gettering using both extrinsic and intrinsic gettering techniques is classified in both [H01L 21/3221](#) and [H01L 21/3225](#)

H01L 21/3226	{of silicon on insulator}
H01L 21/3228	{of III-BV compounds, e.g. to make them semi-insulating}
H01L 21/324	Thermal treatment for modifying the properties of semiconductor bodies, e.g. annealing, sintering(H01L 21/20 to H01L 21/288 and H01L 21/302 to H01L 21/322 take precedence)
H01L 21/3242	{for the formation of PN junctions without addition of impurities(H01L 21/22 takes precedence)}
H01L 21/3245	{of III-V compounds}
H01L 21/3247	{for altering the shape, e.g. smoothing the surface}{ Warning: Not complete, see provisionally also H01L 21/324 }
H01L 21/326	Application of electric currents or fields, e.g. for electroforming(H01L 21/20 to H01L 21/288 and H01L 21/302 to H01L 21/324 take precedence)
H01L 21/34	...	the devices having semiconductor bodies not provided for in groups(H01L 21/0405 , H01L 21/0445) , H01L 21/06 , H01L 21/16 and H01L 21/18 with or without impurities, e.g. doping materials
H01L 21/36	Deposition of semiconductor materials on a substrate, e.g. epitaxial growth

WARNING

This group is no longer used for the classification of new documents as from December 1, 2009. The backlog of this group is being continuously reclassified to [H01L 21/02365](#) and subgroups

H01L 21/363	using physical deposition, e.g. vacuum deposition, sputtering
H01L 21/365	using reduction or decomposition of a gaseous compound yielding a solid condensate, i.e. chemical deposition
H01L 21/368	using liquid deposition
H01L 21/38	Diffusion of impurity materials, e.g. doping materials, electrode materials, into or out of a semiconductor body, or between semiconductor regions
H01L 21/383	using diffusion into or out of a solid from or into a gaseous phase
H01L 21/385	using diffusion into or out of a solid from or into a solid phase, e.g. a doped oxide layer
H01L 21/388	using diffusion into or out of a solid from or into a liquid phase, e.g. alloy diffusion processes
H01L 21/40	Alloying of impurity materials, e.g. doping materials, electrode materials, with a semiconductor body
H01L 21/42	Bombardment with radiation
H01L 21/423	with high-energy radiation
H01L 21/425	producing ion implantation(ion beam tubes for localized treatment H01J 37/30)
H01L 21/426	using masks
H01L 21/428	using electromagnetic radiation, e.g. laser radiation

H01L 21/44	Manufacture of electrodes on semiconductor bodies using processes or apparatus not provided for in groups H01L 21/36 to H01L 21/428
H01L 21/441	Deposition of conductive or insulating materials for electrodes
H01L 21/443	from a gas or vapour, e.g. condensation
H01L 21/445	from a liquid, e.g. electrolytic deposition
H01L 21/447	involving the application of pressure, e.g. thermo-compression bonding
H01L 21/449	involving the application of mechanical vibrations, e.g. ultrasonic vibrations
H01L 21/46	Treatment of semiconductor bodies using processes or apparatus not provided for in groups H01L 21/428 (manufacture of electrodes thereon H01L 21/44)
H01L 21/461	to change their surface-physical characteristics or shape, e.g. etching, polishing, cutting
H01L 21/463	Mechanical treatment, e.g. grinding, ultrasonic treatment
H01L 21/465	Chemical or electrical treatment, e.g. electrolytic etching(to form insulating layers H01L 21/469)
H01L 21/467	using masks
H01L 21/469	to form insulating layers thereon, e.g. for masking or by using photolithographic techniques(layers forming electrodes H01L 21/44 ; encapsulating layers H01L 21/56); After-treatment of these layers
H01L 21/47	organic layers, e.g. photoresist(H01L 21/475 , H01L 21/4757 take precedence)
H01L 21/471	Inorganic layers(H01L 21/475 , H01L 21/4757 take precedence)
H01L 21/473	composed of oxides or glassy oxides or oxide based glass
H01L 21/475	using masks
H01L 21/4757	After-treatment
H01L 21/47573	{Etching the layer}
H01L 21/47576	{Doping the layer}
H01L 21/4763	Deposition of non-insulating, e.g. conductive -, resistive -, layers on insulating layers; After-treatment of these layers(manufacture of electrodes H01L 21/28 , { H01L 21/44 })
H01L 21/47635	{ After-treatment of these layers }
H01L 21/477	Thermal treatment for modifying the properties of semiconductor bodies, e.g. annealing, sintering(H01L 21/36 to H01L 21/449 and H01L 21/461 to H01L 21/475 take precedence)
H01L 21/479	Application of electric currents or fields, e.g. for electroforming(H01L 21/36 to H01L 21/449 and H01L 21/461 to H01L 21/477 take precedence)
H01L 21/48	...	Manufacture or treatment of parts, e.g. containers, prior to assembly of the devices, using processes not provided for in a single one of the subgroups H01L 21/06 to H01L 21/326 (apparatus therefor H01L 21/67005 ; insulative sealing of leads in bases H01L 21/50) ; containers, encapsulations, fillings, mountings per se H01L 23/00 ; { marking of parts H01L 23/544 }

NOTE

In this group, the expression "treatment" covers also the removal of leads from parts

H01L 21/4803	{Insulating or insulated parts, e.g. mountings, containers, diamond heatsinks(H01L 21/4846 takes precedence; printed circuit boards H05K 1/00)}
H01L 21/4807	{Ceramic parts}
H01L 21/481	{Insulating layers on insulating parts, with or without metallisation}
H01L 21/4814	{Conductive parts}
H01L 21/4817	{for containers, e.g. caps(H01L 21/4871 takes precedence)}
H01L 21/4821	{Flat leads, e.g. lead frames with or without insulating supports}
H01L 21/4825	{Connection or disconnection of other leads to or from flat leads, e.g. wires, bumps, other flat leads}
H01L 21/4828	{Etching(etching for cleaning without patterning H01L 21/4835)}
H01L 21/4832	{Etching a temporary substrate after encapsulation process to form leads}
H01L 21/4835	{Cleaning, e.g. removing of solder}
H01L 21/4839	{Assembly of a flat lead with an insulating support, e.g. for TAB}
H01L 21/4842	{Mechanical treatment, e.g. punching, cutting, deforming, cold welding}
H01L 21/4846	{Leads on or in insulating or insulated substrates, e.g. metallisation(H01L 21/4821 takes precedence; metallisation of ceramics in general C04B 41/51 ; printed circuits H05K 3/00)}
H01L 21/485	{Adaptation of interconnections, e.g. engineering charges, repair techniques}
H01L 21/4853	{Connection or disconnection of other leads to or from a metallisation, e.g. pins, wires, bumps}
H01L 21/4857	{Multilayer substrates(multilayer metallisation on monolayer substrate H01L 21/4846)}
H01L 21/486	{Via connections through the substrate with or without pins}
H01L 21/4864	{Cleaning, e.g. removing of solder}
H01L 21/4867	{Applying pastes or inks, e.g. screen printing(H01L 21/486 takes precedence)}
H01L 21/4871	{Bases, plates or heatsinks}
H01L 21/4875	{Connection or disconnection of other leads to or from bases or plates}
H01L 21/4878	{Mechanical treatment, e.g. deforming}
H01L 21/4882	{Assembly of heatsink parts}
H01L 21/4885	{Wire-like parts or pins(wire ball formation B23K 20/00 ; methods related to connecting semiconductor or other solid state bodies H01L 24/00)}

WARNING

The documents of this group and subgroups dealing with methods for connecting semiconductor or other solid state bodies are being continuously reclassified to [H01L 24/43](#)

H01L 21/4889	{Connection or disconnection of other leads to or from wire-like parts, e.g. wires}
H01L 21/4892	{Cleaning}
H01L 21/4896	{Mechanical treatment, e.g. cutting, bending}
H01L 21/50	...	Assembly of semiconductor devices using processes or apparatus not provided for in a single one of the subgroups H01L 21/06 to H01L 21/326 , {e.g. sealing of a cap to a base of a container}

NOTE

Arrangements for connecting or disconnecting semiconductor or other solid state bodies, or methods related thereto, other than those arrangements or methods covered by the following subgroups, are covered by [H01L 24/00](#)

H01L 21/52	Mounting semiconductor bodies in containers
H01L 21/54	Providing fillings in containers, e.g. gas fillings
H01L 21/56	Encapsulations, e.g. encapsulation layers, coatings
H01L 21/561	{Batch processing}
H01L 21/563	{Encapsulation of active face of flip-chip device, e.g. underfilling or underencapsulation of flip-chip, encapsulation preform on chip or mounting substrate}
H01L 21/565	{Moulds}
H01L 21/566	{Release layers for moulds, e.g. release layers, layers against residue during moulding}
H01L 21/568	{Temporary substrate used as encapsulation process aid(H01L 21/4832 and H01L 21/566 take precedence)}
H01L 21/58	{Insulative}mounting semiconductor devices on supports{(H01L 21/563 , H01L 23/49513 take precedence)}

WARNING

This group is no longer used for the classification of new documents as from June 1, 2010. The backlog of this group is being continuously reclassified to [H01L 24/80](#) and subgroups

H01L 2021/60	{Attaching or detaching leads or other conductive members, to be used for carrying current to or from the device in operation}
H01L 2021/60007	{involving a soldering or an alloying process}
H01L 2021/60015	{using plate connectors, e.g. layer, film}
H01L 2021/60022	{using bump connectors, e.g. for flip chip mounting}
H01L 2021/6003	{Apparatus therefor}
H01L 2021/60037	{Right-up bonding}
H01L 2021/60045	{Pre-treatment step of the bump connectors prior to bonding}

H01L 2021/60052	{Oxide removing step, e.g. flux, rosin}
H01L 2021/6006	{with temporary supporting member not part of an apparatus, e.g. removable coating, film or substrate}
H01L 2021/60067	{Aligning the bump connectors with the mounting substrate}
H01L 2021/60075	{involving active alignment, i.e. by apparatus steering, e.g. using alignment marks, sensors}
H01L 2021/60082	{involving passive alignment, e.g. using surface energy, chemical reactions, thermal equilibrium}
H01L 2021/6009	{involving guiding structures, e.g. structures that are left at least partly in the bonded product, spacers}
H01L 2021/60097	{Applying energy, e.g. for the soldering or alloying process}
H01L 2021/60105	{using electromagnetic radiation}
H01L 2021/60112	{Coherent radiation, i.e. laser beam}
H01L 2021/6012	{Incoherent radiation, e.g. polychromatic heating lamp}
H01L 2021/60127	{Induction heating, i.e. eddy currents}
H01L 2021/60135	{using convection, e.g. reflow oven}
H01L 2021/60142	{with a graded temperature profile}
H01L 2021/6015	{using conduction, e.g. chuck heater, thermocompression}
H01L 2021/60157	{with a graded temperature profile}
H01L 2021/60165	{using an electron beam}
H01L 2021/60172	{using static pressure}
H01L 2021/6018	{Unidirectional static pressure}
H01L 2021/60187	{Isostatic pressure, e.g. degassing using vacuum or pressurised liquid}
H01L 2021/60195	{using dynamic pressure, e.g. ultrasonic or thermosonic bonding}
H01L 2021/60202	{using a protective atmosphere, e.g. with forming or shielding gas}
H01L 2021/6021	{using an autocatalytic reaction}
H01L 2021/60217	{Detaching bump connectors, e.g. after testing}
H01L 2021/60225	{Arrangement of bump connectors prior to mounting}
H01L 2021/60232	{wherein the bump connectors are disposed only on the semiconductor chip}
H01L 2021/6024	{wherein the bump connectors are disposed only on the mounting substrate}
H01L 2021/60247	{wherein the bump connectors are disposed on both the semiconductor chip and the mounting substrate, e.g. bump to bump}
H01L 2021/60255	{wherein the bump connectors are provided as prepeg, e.g. are provided in an insulating plate member}
H01L 2021/60262	{Lateral distribution of bump connectors prior to mounting}
H01L 2021/6027	{Mounting on semiconductor conductive members}
H01L 2021/60277	{involving the use of conductive adhesives}

- H01L 2021/60285 {involving the use of mechanical auxiliary parts without the use of an alloying of soldering process, e.g. pressure contacts}
- H01L 2021/60292 {involving the use of an electron or laser beam}
- H01L 2021/603 {involving the application of pressure, e.g. thermo-compression bonding}
- H01L 2021/607 {involving the application of mechanical vibrations, e.g. ultrasonic vibrations}
- H01L 21/62 . . the devices having no potential-jump barriers or surface barriers
- H01L 21/64 . Manufacture or treatment of solid state devices other than semiconductor devices, or of parts thereof, not peculiar to a single device provided for in groups [H01L 31/00](#) to [H01L 51/00](#)
- H01L 21/67 . Apparatus specially adapted for handling semiconductor or electric solid state devices during manufacture or treatment thereof; Apparatus specially adapted for handling wafers during manufacture or treatment of semiconductor or electric solid state devices or components; {Apparatus not specifically provided for elsewhere(processes per se [H01L 21/30](#) , [H01L 21/46](#) , [H01L 23/00](#) ; simple temporary support means, e.g. using adhesives, electric or magnetic means [H01L 21/68](#) , [H01L 21/302](#) ; apparatus for manufacturing arrangements for connecting or disconnecting semiconductor or solid-state bodies and for methods related thereto [H01L 24/74](#) ;)}

NOTE

In this subgroup the term substrate designates a semiconductor or electric solid state device or component, or a wafer

- H01L 21/67005 . . {Apparatus not specifically provided for elsewhere(processes per se [H01L 21/30](#) , [H01L 21/46](#) , [H01L 23/00](#) ; simple temporary support means, e.g. using adhesives, electric or magnetic means [H01L 21/68](#) , [H01L 21/302](#))}
- H01L 21/67011 . . . {Apparatus for manufacture or treatment(processes [H01L 21/30](#) , [H01L 21/46](#) ; for production or after-treatment of single crystals or homogeneous polycrystalline material [C30B 35/00](#))}
- H01L 21/67017 {Apparatus for fluid treatment([H01L 21/67126](#) , [H01L 21/6715](#) take precedence)}
- H01L 21/67023 {for general liquid treatment, e.g. etching followed by cleaning}
- H01L 21/67028 {for cleaning followed by drying, rinsing, stripping, blasting or the like}
- H01L 21/67034 {for drying}
- H01L 21/6704 {for wet cleaning or washing}
- H01L 21/67046 {using mainly scrubbing means, e.g. brushes}
- H01L 21/67051 {using mainly spraying means, e.g. nozzles}
- H01L 21/67057 {with the semiconductor substrates being dipped in baths or vessels}
- H01L 21/67063 {for etching}
- H01L 21/67069 {for drying etching}
- H01L 21/67075 {for wet etching}
- H01L 21/6708 {using mainly spraying means, e.g. nozzles}
- H01L 21/67086 {with the semiconductor substrates being dipped in baths or vessels}

H01L 21/67092	{Apparatus for mechanical treatment(or grinding or cutting, see the relevant groups in subclasses B24B or B28D)}
H01L 21/67098	{Apparatus for thermal treatment}
H01L 21/67103	{mainly by conduction}
H01L 21/67109	{mainly by convection}
H01L 21/67115	{mainly by radiation}
H01L 21/67121	{Apparatus for making assemblies not otherwise provided for, e.g. package constructions}
H01L 21/67126	{Apparatus for sealing, encapsulating, glassing, decapsulating or the like(processes H01L 23/02 , H01L 23/28)}
H01L 21/67132	{Apparatus for placing on an insulating substrate, e.g. tape}
H01L 21/67138	{Apparatus for wiring semiconductor or solid state device}
H01L 21/67144	{Apparatus for mounting on conductive members, e.g. leadframes or conductors on insulating substrates}
H01L 21/6715	{Apparatus for applying a liquid, a resin, an ink or the like(H01L 21/67126 takes precedence)}
H01L 21/67155	{Apparatus for manufacturing or treating in a plurality of work-stations}
H01L 21/67161	{characterized by the layout of the process chambers}
H01L 21/67167	{surrounding a central transfer chamber}
H01L 21/67173	{in-line arrangement}
H01L 21/67178	{vertical arrangement}
H01L 21/67184	{characterized by the presence of more than one transfer chamber}
H01L 21/6719	{characterized by the construction of the processing chambers, e.g. modular processing chambers}
H01L 21/67196	{characterized by the construction of the transfer chamber}
H01L 21/67201	{characterized by the construction of the load-lock chamber}
H01L 21/67207	{comprising a chamber adapted to a particular process}
H01L 21/67213	{comprising at least one ion or electron beam chamber(coating by ion implantation C23C ; ion or electron beam tubes H01J 37/00)}
H01L 21/67219	{comprising at least one polishing chamber(polishing apparatuses B24B)}
H01L 21/67225	{comprising at least one lithography chamber(lithographic apparatuses G03F 7/00)}
H01L 21/6723	{comprising at least one plating chamber(electroless plating apparatuses C23C , electroplating apparatuses C25D)}
H01L 21/67236	{the substrates being processed being not semiconductor wafers, e.g. leadframes or chips}
H01L 21/67242	...	{Apparatus for monitoring, sorting or marking(testing or measuring during manufacture H01L 22/00 , marks per se H01L 23/544 ; testing individual semiconductor devices G01R 31/26)}
H01L 21/67248	{Temperature monitoring}
H01L 21/67253	{Process monitoring, e.g. flow or thickness monitoring}
H01L 21/67259	{Position monitoring, e.g. misposition detection or presence detection}

H01L 21/67265	{of substrates stored in a container, a magazine, a carrier, a boat or the like}
H01L 21/67271	{Sorting devices}
H01L 21/67276	{Production flow monitoring, e.g. for increasing throughput(program-control systems per se G05B 19/00 , e.g. total factory control G05B 19/418)}
H01L 21/67282	{Marking devices}
H01L 21/67288	{Monitoring of warpage, curvature, damage, defects or the like}
H01L 21/67294	{using identification means, e.g. labels on substrates or labels on containers}
H01L 21/673	..	using specially adapted carriers{or holders; Fixing the workpieces on such carriers or holders(holders for supporting a complete device in operation H01L 23/32)}
H01L 21/67303	...	{Vertical boat type carrier whereby the substrates are horizontally supported, e.g. comprising rod-shaped elements}
H01L 21/67306	{characterized by a material, a roughness, a coating or the like}
H01L 21/67309	{characterized by the substrate support}
H01L 21/67313	...	{Horizontal boat type carrier whereby the substrates are vertically supported, e.g. comprising rod-shaped elements}
H01L 21/67316	{characterized by a material, a roughness, a coating or the like}
H01L 21/6732	...	{Vertical carrier comprising wall type elements whereby the substrates are horizontally supported, e.g. comprising sidewalls}
H01L 21/67323	{characterized by a material, a roughness, a coating or the like}
H01L 21/67326	...	{Horizontal carrier comprising wall type elements whereby the substrates are vertically supported, e.g. comprising sidewalls}
H01L 21/6733	{characterized by a material, a roughness, a coating or the like}
H01L 21/67333	...	{Trays for chips(magazine for components H05K 13/0084)}
H01L 21/67336	{characterized by a material, a roughness, a coating or the like}
H01L 21/6734	...	{specially adapted for supporting large square shaped substrates(containers and packaging elements for glass sheets B65D 85/48 , transporting of glass products during their manufacture C03B 35/00)}
H01L 21/67343	{characterized by a material, a roughness, a coating or the like}
H01L 21/67346	...	{characterized by being specially adapted for supporting a single substrate or by comprising a stack of such individual supports}
H01L 21/6735	...	{Closed carriers}
H01L 21/67353	{specially adapted for a single substrate}
H01L 21/67356	{specially adapted for containing chips, dies or ICs}
H01L 21/67359	{specially adapted for containing masks, reticles or pellicles}
H01L 21/67363	{specially adapted for containing substrates other than wafers(H01L 21/67356 , H01L 21/67359 take precedence)}
H01L 21/67366	{characterised by materials, roughness, coatings or the like(materials relating to an injection moulding process B29C 45/00 ; chemical composition of materials C08L 51/00)}
H01L 21/67369	{characterised by shock absorbing elements, e.g. retainers or cushions}
H01L 21/67373	{characterised by locking systems}
H01L 21/67376	{characterised by sealing arrangements}

H01L 21/67379	{characterised by coupling elements, kinematic members, handles or elements to be externally gripped}
H01L 21/67383	{characterised by substrate supports}
H01L 21/67386	{characterised by the construction of the closed carrier}
H01L 21/67389	{characterised by atmosphere control}
H01L 21/67393	{characterised by the presence of atmosphere modifying elements inside or attached to the closed carrier}
H01L 21/67396	{characterised by the presence of antistatic elements}
H01L 21/677	..	for conveying, e.g. between different workstations
H01L 21/67703	...	{between different workstations}

WARNING

This group and subgroups are not complete pending completion of reorganization; see also [H01L 21/677](#)

H01L 21/67706	{Mechanical details, e.g. roller, belt(H01L 21/67709 takes precedence)}
H01L 21/67709	{using magnetic elements}
H01L 21/67712	{the substrate being handled substantially vertically}
H01L 21/67715	{Changing the direction of the conveying path}
H01L 21/67718	{Changing orientation of the substrate, e.g. from a horizontal position to a vertical position}
H01L 21/67721	{ the substrates to be conveyed not being semiconductor wafers or large planar substrates, e.g. chips, lead frames, H01L 21/6773 takes precedence }
H01L 21/67724	{by means of a cart or a vehicle}
H01L 21/67727	{using a general scheme of a conveying path within a factory}
H01L 21/6773	{Conveying cassettes, containers or carriers}
H01L 21/67733	{Overhead conveying}
H01L 21/67736	{Loading to or unloading from a conveyor}
H01L 21/67739	...	{into and out of processing chamber}
H01L 21/67742	{Mechanical parts of transfer devices(robots in general in B25J)}
H01L 21/67745	{characterized by movements or sequence of movements of transfer devices}
H01L 21/67748	{horizontal transfer of a single workpiece}
H01L 21/67751	{vertical transfer of a single workpiece}
H01L 21/67754	{horizontal transfer of a batch of workpieces}
H01L 21/67757	{vertical transfer of a batch of workpieces}
H01L 21/6776	{Continuous loading and unloading into and out of a processing chamber, e.g. transporting belts within processing chambers}

WARNING

Not complete pending completion of reorganization; see also [H01L 21/677](#)

H01L 21/67763	...	{the wafers being stored in a carrier, involving loading and unloading(H01L 21/6779 takes precedence)}
H01L 21/67766	{Mechanical parts of transfer devices(robots in general in B25J)}
H01L 21/67769	{Storage means}
H01L 21/67772	{involving removal of lid, door, cover}
H01L 21/67775	{Docking arrangements}
H01L 21/67778	{involving loading and unloading of wafers}
H01L 21/67781	{Batch transfer of wafers}
H01L 21/67784	...	{using air tracks}
H01L 21/67787	{with angular orientation of the workpieces}
H01L 21/6779	{the workpieces being stored in a carrier, involving loading and unloading}
H01L 21/67793	...	{with orientating and positioning by means of a vibratory bowl or track}
H01L 21/67796	...	{with angular orientation of workpieces(H01L 21/67787 and H01L 21/67793 take precedence)}
H01L 21/68	..	for positioning, orientation or alignment(for conveying H01L 21/677)

WARNING

This group is in reorganisation. See provisionally also group [H01L 21/6835](#)

H01L 21/681	...	{using optical controlling means}
H01L 21/682	...	{Mask-wafer alignment(in general G03F 7/70 , G03F 9/70)}
H01L 21/683	..	for supporting or gripping(for conveying H01L 21/677 , for positioning, orientation or alignment H01L 21/68)
H01L 21/6831	...	{using electrostatic chucks}
H01L 21/6833	{Details of electrostatic chucks}
H01L 21/6835	...	{using temporarily an auxiliary support}

NOTE

[H01L 21/6835](#) , details of the apparatus are to be further indexed using the indexing codes chosen from [H01L 2221/68304](#) and subgroups

H01L 21/6836	{Wafer tapes, e.g. grinding or dicing support tapes(adhesive tapes in general C09J 7/02)}
H01L 21/6838	...	{with gripping and holding devices using a vacuum; Bernoulli devices}
H01L 21/687	...	using mechanical means, e.g. chucks, clamps or pinches{(using electrostatic chucks H01L 21/683C)}
H01L 21/68707	{the wafers being placed on a robot blade, or gripped by a gripper for conveyance}
H01L 21/68714	{the wafers being placed on a susceptor, stage or support}
H01L 21/68721	{characterised by edge clamping, e.g. clamping ring}
H01L 21/68728	{characterised by a plurality of separate clamping members, e.g. clamping fingers}
H01L 21/68735	{characterised by edge profile or support profile}

H01L 21/68742	{characterised by a lifting arrangement, e.g. lift pins}
H01L 21/6875	{characterised by a plurality of individual support members, e.g. support posts or protrusions}
H01L 21/68757	{characterised by a coating or a hardness or a material}
H01L 21/68764	{characterised by a movable susceptor, stage or support, others than those only rotating on their own vertical axis, e.g. susceptors on a rotating carroussel}
H01L 21/68771	{characterised by supporting more than one semiconductor substrate}
H01L 21/68778	{characterised by supporting substrates others than wafers, e.g. chips}
H01L 21/68785	{characterised by the mechanical construction of the susceptor, stage or support}
H01L 21/68792	{characterised by the construction of the shaft}
H01L 21/70	.	Manufacture or treatment of devices consisting of a plurality of solid state components formed in or on a common substrate or of parts thereof; Manufacture of integrated circuit devices or of parts thereof({ multistep manufacturing processes of assemblies consisting of a plurality of individual semiconductor or other solid state devices H01L 25/00 }, manufacture of assemblies consisting or preformed electrical components H05K 3/00 , H05K 13/00)
H01L 21/702	..	{of thick-or thin-film circuits or parts thereof}
H01L 21/705	...	{of thick-film circuits or parts thereof}
H01L 21/707	...	{of thin-film circuits or parts thereof}
H01L 21/71	..	Manufacture of specific parts of devices defined in group H01L 21/70 (H01L 21/0405 , H01L 21/0445), H01L 21/28 , H01L 21/44 , H01L 21/48 take precedence)
H01L 21/74	...	Making of{localized}buried regions, e.g. buried collector layers, internal connections{substrate contacts}
H01L 21/743	{Making of internal connections, substrate contacts}
H01L 21/746	{for AIII-BV integrated circuits}
H01L 21/76	...	Making of isolation regions between components
H01L 21/7602	{between components manufactured in an active substrate comprising SiC compounds}
H01L 21/7605	{between components manufactured in an active substrate comprising AIII BV compounds}
H01L 21/7607	{between components manufactured in an active substrate comprising II-VI compounds}
H01L 21/761	PN junctions
H01L 21/762	Dielectric regions,{e.g. EPIC dielectric isolation, LOCOS; Trench refilling techniques, SOI technology, use of channel stoppers}
H01L 21/76202	{using a local oxidation of silicon, e.g. LOCOS, SWAMI, SILO(H01L 21/76235 takes precedence; together with vertical isolation, e.g. LOCOS in a SOI substrate, H01L 21/76264)}
H01L 21/76205	{in a region being recessed from the surface, e.g. in a recess, groove, tub or trench region}
H01L 21/76208	{using auxiliary pillars in the recessed region, e.g. to form LOCOS over extended areas}

H01L 21/7621	{the recessed region having a shape other than rectangular, e.g. rounded or oblique shape(H01L 21/76208 takes precedence)}
H01L 21/76213	{introducing electrical inactive or active impurities in the local oxidation region, e.g. to alter LOCOS oxide growth characteristics or for additional isolation purpose}
H01L 21/76216	{introducing electrical active impurities in the local oxidation region for the sole purpose of creating channel stoppers}
H01L 21/76218	{introducing both types of electrical active impurities in the local oxidation region for the sole purpose of creating channel stoppers, e.g. for isolation of complementary doped regions}
H01L 21/76221	{with a plurality of successive local oxidation steps}
H01L 21/76224	{using trench refilling with dielectric materials(trench filling with polycrystalline silicon H01L 21/763 ; together with vertical isolation, e.g. trench refilling in a SOI substrate H01L 21/76264)}
H01L 21/76227	{the dielectric materials being obtained by full chemical transformation of non-dielectric materials, such as polycrystalline silicon, metals}
H01L 21/76229	{Concurrent filling of a plurality of trenches having a different trench shape or dimension, e.g. rectangular and V-shaped trenches, wide and narrow trenches, shallow and deep trenches}
H01L 21/76232	{of trenches having a shape other than rectangular or V-shape, e.g. rounded corners, oblique or rounded trench walls(H01L 21/76229 takes precedence)}
H01L 21/76235	{trench shape altered by a local oxidation of silicon process step, e.g. trench corner rounding by LOCOS}
H01L 21/76237	{introducing impurities in trench side or bottom walls, e.g. for forming channel stoppers or alter isolation behavior}
H01L 21/7624	{using semiconductor on insulator (SOI) technology(H01L 21/76297 takes precedence; manufacture of integrated circuits on insulating substrates H01L 21/84 ; silicon on sapphire (SOS) technology H01L 21/86)}
H01L 21/76243	{using silicon implanted buried insulating layers, e.g. oxide layers, i.e. SIMOX techniques}
H01L 21/76245	{using full isolation by porous oxide silicon, i.e. FIPOS techniques}
H01L 21/76248	{using lateral overgrowth techniques, i.e. ELO techniques}
H01L 21/76251	{using bonding techniques}
H01L 21/76254	{with separation/delamination along an ion implanted layer, e.g. Smart-cut, Unibond}
H01L 21/76256	{using silicon etch back techniques, e.g. BESOI, ELTRAN}
H01L 21/76259	{with separation/delamination along a porous layer}
H01L 21/76262	{using selective deposition of single crystal silicon, i.e. SEG techniques}
H01L 21/76264	{SOI together with lateral isolation, e.g. using local oxidation of silicon, or dielectric or polycrystalline material refilled trench or air gap isolation regions, e.g. completely isolated semiconductor islands}
H01L 21/76267	{Vertical isolation by silicon implanted buried insulating layers, e.g. oxide layers, i.e. SIMOX techniques}
H01L 21/7627	{Vertical isolation by full isolation by porous oxide silicon, i.e. FIPOS techniques}

H01L 21/76272	{Vertical isolation by lateral overgrowth techniques, i.e. ELO techniques}
H01L 21/76275	{Vertical isolation by bonding techniques}
H01L 21/76278	{Vertical isolation by selective deposition of single crystal silicon, i.e. SEG techniques}
H01L 21/76281	{Lateral isolation by selective oxidation of silicon}
H01L 21/76283	{Lateral isolation by refilling of trenches with dielectric material}
H01L 21/76286	{Lateral isolation by refilling of trenches with polycrystalline material}
H01L 21/76289	{Lateral isolation by air gap}
H01L 21/76291	{Lateral isolation by field effect}
H01L 21/76294	{using selective deposition of single crystal silicon, i.e. SEG techniques}
H01L 21/76297	{Dielectric isolation using EPIC techniques, i.e. epitaxial passivated integrated circuit}
H01L 21/763	Polycrystalline semiconductor regions{(H01L 21/76264 takes precedence)}
H01L 21/764	Air gaps{(H01L 21/76264 takes precedence)}
H01L 21/765	by field effect{(H01L 21/76264 takes precedence)}
H01L 21/768	...	Applying interconnections to be used for carrying current between separate components within a device{comprising conductors and dielectrics}

NOTE

Groups [H01L 21/768](#) to [H01L 21/76898](#) cover multi-step processes for manufacturing interconnections.

Information peculiar to single-step processes should also be classified in the corresponding group, e.g.

- cleaning [H02L 21/02041](#)
- etching [H01L 21/311](#) , [H01L 21/3213](#)
- masking [H01L 21/027](#) , [H01L 21/033](#) , [H01L 21/31144](#) , [H01L 21/32139](#)
- planarizing [H01L 21/3105](#) , [H01L 21/321](#)

H01L 21/76801	{characterised by the formation and the after-treatment of the dielectrics, e.g. smoothing}
H01L 21/76802	{by forming openings in dielectrics}
H01L 21/76804	{by forming tapered via holes}
H01L 21/76805	{the opening being a via or contact hole penetrating the underlying conductor}
H01L 21/76807	{for dual damascene structures}
H01L 21/76808	{involving intermediate temporary filling with material}
H01L 21/7681	{involving one or more buried masks}
H01L 21/76811	{involving multiple stacked pre-patterned masks}
H01L 21/76813	{involving a partial via etch}
H01L 21/76814	{post-treatment or after-treatment, e.g. cleaning or removal of oxides on underlying conductors}

WARNING

Groups [H01L 21/76814](#) - [H01L 21/76817](#) are not complete; see provisionally [H01L 21/76802](#)

H01L 21/76816	ÜN: Aspects relating to the layout of the pattern or to the size of vias or trenches(layout of the interconnections per se H01L 23/528 ; CAD of ICs G06F 17/50)]
H01L 21/76817	{using printing or stamping techniques}
H01L 21/76819	{Smoothing of the dielectric(planarisation of insulating materials per se H01L 21/31051)}
H01L 21/7682	{the dielectric comprising air gaps}
H01L 21/76822	{Modification of the material of dielectric layers, e.g. grading, after-treatment to improve the stability of the layers, to increase their density etc.}{ WARNING: Groups H01L 21/76822 - H01L 21/76837 are not complete; see provisionally H01L 21/76801 }
H01L 21/76823	{transforming an insulating layer into a conductive layer}
H01L 21/76825	{by exposing the layer to particle radiation, e.g. ion implantation, irradiation with UV light or electrons etc.(plasma treatment H01L 21/76826)}
H01L 21/76826	{by contacting the layer with gases, liquids or plasmas}
H01L 21/76828	{thermal treatment}
H01L 21/76829	{characterised by the formation of thin functional dielectric layers, e.g. dielectric etch-stop, barrier, capping or liner layers}
H01L 21/76831	{in via holes or trenches, e.g. non-conductive sidewall liners}
H01L 21/76832	{Multiple layers}
H01L 21/76834	{formation of thin insulating films on the sidewalls or on top of conductors(H01L 21/76831 takes precedence)}
H01L 21/76835	{Combinations of two or more different dielectric layers having a low dielectric constant(H01L 21/76832 takes precedence)}
H01L 21/76837	{Filling up the space between adjacent conductive structures; Gap-filling properties of dielectrics}
H01L 21/76838	{characterised by the formation and the after-treatment of the conductors(etching for patterning the conductors H01L 21/3213)}

NOTE

When the interconnect is also used as the conductor part of a conductor insulator semiconductor electrode (gate level interconnections), documents are classified in the relevant electrode manufacture groups, e.g. [H01L 21/28026](#)

H01L 21/7684	{Smoothing; Planarisation}
H01L 21/76841	{Barrier, adhesion or liner layers}
H01L 21/76843	{formed in openings in a dielectric}
H01L 21/76844	{Bottomless liners}
H01L 21/76846	{Layer combinations}
H01L 21/76847	{the layer being positioned within the main fill metal}
H01L 21/76849	{the layer being positioned on top of the main fill metal}

H01L 21/7685	{the layer covering a conductive structure(H01L 21/76849 takes precedence)}
H01L 21/76852	{the layer also covering the sidewalls of the conductive structure}
H01L 21/76853	{characterized by particular after-treatment steps}
H01L 21/76855	{After-treatment introducing at least one additional element into the layer}
H01L 21/76856	{by treatment in plasmas or gaseous environments, e.g. nitriding a refractory metal liner}
H01L 21/76858	{by diffusing alloying elements}
H01L 21/76859	{by ion implantation}
H01L 21/76861	{Post-treatment or after-treatment not introducing additional chemical elements into the layer}
H01L 21/76862	{Bombardment with particles, e.g. treatment in noble gas plasmas; UV irradiation}
H01L 21/76864	{Thermal treatment}
H01L 21/76865	{Selective removal of parts of the layer(H01L 21/76844 takes precedence)}
H01L 21/76867	{characterized by methods of formation other than PVD, CVD or deposition from a liquids(PVD H01L 21/2855 ; CVD H01L 21/28556 ; deposition from liquids H01L 21/288)}
H01L 21/76868	{Forming or treating discontinuous thin films, e.g. repair, enhancement or reinforcement of discontinuous thin films}
H01L 21/7687	{Thin films associated with contacts of capacitors}
H01L 21/76871	{Layers specifically deposited to enhance or enable the nucleation of further layers, i.e. seed layers}
H01L 21/76873	{for electroplating}
H01L 21/76874	{for electroless plating}
H01L 21/76876	{for deposition from the gas phase, e.g. CVD}
H01L 21/76877	{Filling of holes, grooves or trenches, e.g. vias, with conductive material}
H01L 21/76879	{by selective deposition of conductive material in the vias, e.g. selective C.V.D. on semiconductor material, plating(plating on semiconductors in general H01L 21/288)}
H01L 21/7688	{by deposition over sacrificial masking layer, e.g. lift-off(lift-off per se H01L 21/0272)}
H01L 21/76882	{Reflowing or applying of pressure to better fill the contact hole}
H01L 21/76883	{Post-treatment or after-treatment of the conductive material}
H01L 21/76885	{By forming conductive members before deposition of protective insulating material, e.g. pillars, studs}
H01L 21/76886	{Modifying permanently or temporarily the pattern or the conductivity of conductive members, e.g. formation of alloys, reduction of contact resistances}
H01L 21/76888	{By rendering at least a portion of the conductor non conductive, e.g. oxidation}
H01L 21/76889	{by forming silicides of refractory metals}
H01L 21/76891	{by using supraconducting materials}

H01L 21/76892	{modifying the pattern}
H01L 21/76894	{using a laser, e.g. laser cutting, laser direct writing, laser repair}
H01L 21/76895	{Local interconnects; Local pads, as exemplified by patent document EP0896365}
H01L 21/76897	{Formation of self-aligned vias or contact plugs, i.e. involving a lithographically uncritical step(self-aligned silicidation on field effect transistors H01L 29/665)}
H01L 21/76898	{formed through a semiconductor substrate}
H01L 21/77	..	Manufacture or treatment of devices consisting of a plurality of solid state components or integrated circuits formed in, or on, a common substrate

NOTE

Integration processes for the manufacture of devices of the type classified in [H01L 27/14](#) to [H01L 27/32](#) are not classified in this group and its sub-groups. Instead, as they are peculiar to said devices, they are classified together with the devices Multistep processes for manufacturing memory structures in general using field effect technology are covered by [H01L 27/1052](#); Multistep processes for manufacturing dynamic random access memory structures are covered by [H01L 27/10844](#); Multistep processes for manufacturing static random access memory structures are covered by [H01L 27/11](#) ; Multistep processes for manufacturing read-only memory structures are covered by [H01L 27/112](#) ; Multistep processes for manufacturing electrically programmable read-only memory structures are covered by [H01L 27/115](#)

H01L 2021/775	...	{comprising a plurality of TFTs on a non-semiconducting substrate, e.g. driving circuits for AMLCDs}
H01L 21/78	...	with subsequent division of the substrate into plural individual devices(cutting to change the surface-physical characteristics or shape of semiconductor bodies H01L 21/304)
H01L 21/7806	{involving the separation of the active layers from a substrate}
H01L 21/7813	{leaving a reusable substrate, e.g. epitaxial lift off}
H01L 21/782	to produce devices, each consisting of a single circuit element(H01L 21/82 takes precedence)
H01L 21/784	the substrate being a semiconductor body
H01L 21/786	the substrate being other than a semiconductor body, e.g. insulating body
H01L 21/82	to produce devices, e.g. integrated circuits, each consisting of a plurality of components
H01L 21/8206	{the substrate being a semiconductor, using diamond technology(H01L 21/8258 takes precedence)}
H01L 21/8213	{the substrate being a semiconductor, using SiC technology(H01L 21/8258 takes precedence)}
H01L 21/822	the substrate being a semiconductor, using silicon technology(H01L 21/8258 takes precedence)
H01L 21/8221	{Three dimensional integrated circuits stacked in different levels}
H01L 21/8222	Bipolar technology
H01L 21/8224	comprising a combination of vertical and lateral transistors
H01L 21/8226	comprising merged transistor logic or integrated injection logic

H01L 21/8228	Complementary devices, e.g. complementary transistors
H01L 21/82285	{Complementary vertical transistors}
H01L 21/8229	Memory structures
H01L 21/8232	Field-effect technology
H01L 21/8234	MIS technology{, i.e. integration processes of field effect transistors of the conductor-insulator-semiconductor type}
H01L 21/823406	{Combination of charge coupled devices, i.e. CCD, or BBD}
H01L 21/823412	{with a particular manufacturing method of the channel structures, e.g. channel implants, halo or pocket implants, or channel materials}
H01L 21/823418	{with a particular manufacturing method of the source or drain structures, e.g. specific source or drain implants or silicided source or drain structures or raised source or drain structures}
H01L 21/823425	{manufacturing common source or drain regions between a plurality of conductor-insulator-semiconductor structures}
H01L 21/823431	{with a particular manufacturing method of transistors with a horizontal current flow in a vertical sidewall of a semiconductor body, e.g. FinFET, MuGFET}
H01L 21/823437	{with a particular manufacturing method of the gate conductors, e.g. particular materials, shapes}
H01L 21/823443	{silicided or salicided gate conductors}
H01L 21/82345	{gate conductors with different gate conductor materials or different gate conductor implants, e.g. dual gate structures}
H01L 21/823456	{gate conductors with different shapes, lengths or dimensions}
H01L 21/823462	{with a particular manufacturing method of the gate insulating layers, e.g. different gate insulating layer thicknesses, particular gate insulator materials or particular gate insulator implants}
H01L 21/823468	{with a particular manufacturing method of the gate sidewall spacers, e.g. double spacers, particular spacer material or shape}
H01L 21/823475	{interconnection or wiring or contact manufacturing related aspects}
H01L 21/823481	{isolation region manufacturing related aspects, e.g. to avoid interaction of isolation region with adjacent structure}
H01L 21/823487	{with a particular manufacturing method of vertical transistor structures, i.e. with channel vertical to the substrate surface(with a current flow parallel to the substrate surface H01L 21/823431)}
H01L 21/823493	{with a particular manufacturing method of the wells or tubs, e.g. twin tubs, high energy well implants, buried implanted layers for lateral isolation (BILLI)}
H01L 21/8236	Combination of enhancement and depletion transistors
H01L 21/8238	Complementary field-effect transistors, e.g. CMOS
H01L 21/823807	{with a particular manufacturing method of the channel structures, e.g. channel implants, halo or pocket implants, or channel materials}

H01L 21/823814	{with a particular manufacturing method of the source or drain structures, e.g. specific source or drain implants or silicided source or drain structures or raised source or drain structures}
H01L 21/823821	{with a particular manufacturing method of transistors with a horizontal current flow in a vertical sidewall of a semiconductor body, e.g. FinFET, MuGFET}
H01L 21/823828	{with a particular manufacturing method of the gate conductors, e.g. particular materials, shapes}
H01L 21/823835	{silicided or salicided gate conductors}
H01L 21/823842	{gate conductors with different gate conductor materials or different gate conductor implants, e.g. dual gate structures}
H01L 21/82385	{gate conductors with different shapes, lengths or dimensions}
H01L 21/823857	{with a particular manufacturing method of the gate insulating layers, e.g. different gate insulating layer thicknesses, particular gate insulator materials or particular gate insulator implants}
H01L 21/823864	{with a particular manufacturing method of the gate sidewall spacers, e.g. double spacers, particular spacer material or shape}
H01L 21/823871	{interconnection or wiring or contact manufacturing related aspects}
H01L 21/823878	{isolation region manufacturing related aspects, e.g. to avoid interaction of isolation region with adjacent structure}
H01L 21/823885	{with a particular manufacturing method of vertical transistor structures, i.e. with channel vertical to the substrate surface(with a current flow parallel to the substrate surface H01L 21/823821)}
H01L 21/823892	{with a particular manufacturing method of the wells or tubs, e.g. twin tubs, high energy well implants, buried implanted layers for lateral isolation (BILLI)}
H01L 21/8239	Memory structures
H01L 21/8248	Combination of bipolar and field-effect technology
H01L 21/8249	Bipolar and MOS technology
H01L 21/8252	the substrate being a semiconductor, using III-V technology(H01L 21/8258 takes precedence)
H01L 21/8254	the substrate being a semiconductor, using II-VI technology(H01L 21/8258 takes precedence)
H01L 21/8256	the substrate being a semiconductor, using technologies not covered by one of groups{ H01L 21/8206 , H01L 21/8213 } , H01L 21/822 , H01L 21/8252 and H01L 21/8254 (H01L 21/8258 takes precedence)
H01L 21/8258	the substrate being a semiconductor, using a combination of technologies covered by{ H01L 21/8206 , H01L 21/8213 } , H01L 21/822 , H01L 21/8252 , H01L 21/8254 or H01L 21/8256
H01L 21/84	the substrate being other than a semiconductor body, e.g. being an insulating body

H01L 21/845	{including field-effect transistors with a horizontal current flow in a vertical sidewall of a semiconductor body, e.g. FinFET, MuGFET}
H01L 21/86	the insulating body being sapphire, e.g. silicon on sapphire structure, i.e. SOS
H01L 22/00		{Testing or measuring during manufacture or treatment; Reliability measurements, i.e. testing of parts without further processing to modify the parts as such; Structural arrangements therefor(detecting or counting or handling H01L 21/67005 ; marks applied to semiconductor devices H01L 23/544 ; testing methods or structures peculiar to devices provided for in groups H01L 31/00 to H01L 51/00 , see these groups; investigating or analysing materials by the use of optical means G01N 21/00 ; testing electrical properties of individual semiconductor devices G01R 31/26 ; testing of photovoltaic systems H02S 50/00)}
H01L 22/10	.	{Measuring as part of the manufacturing process(burn-in G01R 31/2855)}
H01L 22/12	..	{for structural parameters, e.g. thickness, line width, refractive index, temperature, warp, bond strength, defects, optical inspection, electrical measurement of structural dimensions, metallurgic measurement of diffusions(electrical measurement of diffusions H01L 22/14)}
H01L 22/14	..	{for electrical parameters, e.g. resistance, deep-levels, CV, diffusions by electrical means}
H01L 22/20	.	{Sequence of activities consisting of a plurality of measurements, corrections, marking or sorting steps}
H01L 22/22	..	{Connection or disconnection of sub-entities or redundant parts of a device in response to a measurement(testing and repair of stores after manufacture including at wafer scale G11C 29/00 ; fuses per se H01L 23/525)}
H01L 22/24	..	{Optical enhancement of defects or not directly visible states, e.g. selective electrolytic deposition, bubbles in liquids, light emission, colour change(voltage contrast G01R 31/311)}
H01L 22/26	..	{Acting in response to an ongoing measurement without interruption of processing, e.g. endpoint detection, in-situ thickness measurement(endpoint detection arrangements in CMP apparatus B24B 37/013 , in discharge apparatus H01J 37/32)}
H01L 22/30	.	{Structural arrangements specially adapted for testing or measuring during manufacture or treatment, or specially adapted for reliability measurements}
H01L 22/32	..	{Additional lead-in metallisation on a device or substrate, e.g. additional pads or pad portions, lines in the scribe line, sacrificed conductors(arrangements for conducting electric current to or from the solid state body in operation H01L 23/48)}
H01L 22/34	..	{Circuits for electrically characterising or monitoring manufacturing processes, e. g. whole test die, wafers filled with test structures, on-board-devices incorporated on each die, process control monitors or pad structures thereof, devices in scribe line(switching, multiplexing, gating devices G01R 19/25 ; process control with lithography, e.g. dose control, G03F 7/20 ; structures for alignment control by optical means G03F 7/70633)}

H01L 23/00

Details of semiconductor or other solid state devices([H01L 25/00](#) takes precedence; { structural arrangements for testing or measuring during manufacture or treatment, or for reliability measurements [H01L 22/00](#) ; arrangements for connecting or disconnecting semiconductor or solid-state bodies, or methods related thereto [H01L 24/00](#) ; finger print sensors [G06K 9/00006](#)})

NOTE

This group does not cover:

- details of semiconductor bodies or of electrodes of devices provided for in group [H01L 29/00](#) , which details are covered by that group;
- details peculiar to devices provided for in a single main group of groups [H01L 31/00](#) to [H01L 51/00](#) , which details are covered by those groups.

- [H01L 23/02](#) . Containers; Seals([H01L 23/12](#) , [H01L 23/34](#) , [H01L 23/48](#) , [H01L 23/552](#) , [H01L 23/66](#))take precedence;{ for memories [G11C](#)})
- [H01L 23/04](#) .. characterised by the shape{of the container or parts, e.g. caps, walls}
- [H01L 23/041](#) ... {the container being a hollow construction having no base used as a mounting for the semiconductor body}
- [H01L 23/043](#) ... the container being a hollow construction and having a conductive base as a mounting as well as a lead for the semiconductor body
- [H01L 23/045](#) the other leads having an insulating passage through the base
- [H01L 23/047](#) the other leads being parallel to the base
- [H01L 23/049](#) the other leads being perpendicular to the base
- [H01L 23/051](#) another lead being formed by a cover plate parallel to the base plate, e.g. sandwich type
- [H01L 23/053](#) ... the container being a hollow construction and having an insulating{or insulated}base as a mounting for the semiconductor body
- [H01L 23/055](#) the leads having a passage through the base{([H01L 23/057](#) takes precedence)}
- [H01L 23/057](#) the leads being parallel to the base
- [H01L 23/06](#) .. characterised by the material of the container or its electrical properties
- [H01L 23/08](#) ... the material being an electrical insulator, e.g. glass
- [H01L 23/10](#) .. characterised by the material or arrangement of seals between parts,ween cap e.g. between cap and base of the container or between leads and walls of the container
- [H01L 23/12](#) . Mountings, e.g. non-detachable insulating substrates
- [H01L 23/13](#) .. characterised by the shape
- [H01L 23/14](#) .. characterised by the material or its electrical properties{([printed circuit boards](#) [H05K 1/00](#))}
- [H01L 23/142](#) ... {Metallic substrates having insulating layers}
- [H01L 23/145](#) ... {Organic substrates, e.g. plastic}

- H01L 23/147 . . . {Semiconductor insulating substrates(semiconductor conductive substrates H01L 23/4926)}
- H01L 23/15 . . . Ceramic or glass substrates{(H01L 23/142 , H01L 23/145 , H01L 23/147 take precedence)}
- H01L 23/16 . Fillings or auxiliary members in containers{or encapsulations}, e.g. centering rings(H01L 23/42 , H01L 23/552 take precedence)
- H01L 23/18 . . Fillings characterised by the material, its physical or chemical properties, or its arrangement within the complete device

NOTE

Group H01L 23/26 takes precedence over groups H01L 23/20 to H01L 23/24

- H01L 23/20 . . . gaseous at the normal operating temperature of the device
- H01L 23/22 . . . liquid at the normal operating temperature of the device
- H01L 23/24 . . . Solid or gel at the normal operating temperature of the device{(H01L 23/3135 takes precedence)}
- H01L 23/26 . . . including materials for absorbing or reacting with moisture or other undesired substances,{e.g. getters}
- H01L 23/28 . Encapsulations, e.g. encapsulating layers, coatings,{e.g. for protection}(H01L 23/552 takes precedence; { insulating layers for contacts or interconnections H01L 23/5329})
- H01L 23/29 . . characterised by the material{e.g. carbon(interlayer dielectrics H01L 23/5329)}
- H01L 23/291 . . . {Oxides or nitrides or carbides, e.g. ceramics, glass}
- H01L 23/293 . . . {Organic, e.g. plastic}
- H01L 23/295 {containing a filler(H01L 23/296 takes precedence)}
- H01L 23/296 {Organo-silicon compounds}
- H01L 23/298 . . . {Semiconductor material, e.g. amorphous silicon}
- H01L 23/31 . . characterised by the arrangement{or shape}
- H01L 23/3107 . . . {the device being completely enclosed}
- H01L 23/3114 {the device being a chip scale package, e.g. CSP}
- H01L 23/3121 {a substrate forming part of the encapsulation}
- H01L 23/3128 {the substrate having spherical bumps for external connection}
- H01L 23/3135 {Double encapsulation or coating and encapsulation}
- H01L 23/3142 {Sealing arrangements between parts, e.g. adhesion promoters}
- H01L 23/315 {the encapsulation having a cavity}
- H01L 23/3157 . . . {Partial encapsulation or coating(mask layer used as insulation layer H01L 21/31)}
- H01L 23/3164 {the coating being a foil}
- H01L 23/3171 {the coating being directly applied to the semiconductor body, e.g. passivation layer(H01L 23/3178 takes precedence)}
- H01L 23/3178 {Coating or filling in grooves made in the semiconductor body}
- H01L 23/3185 {the coating covering also the sidewalls of the semiconductor body}
- H01L 23/3192 {Multilayer coating}

- H01L 23/32 . Holders for supporting the complete device in operation, i.e. detachable fixtures([H01L 23/40](#) takes precedence; connectors, {e.g. sockets} , in general [H01R](#) ; for printed circuits [H05K](#))
- H01L 23/34 . Arrangements for cooling, heating, ventilating or temperature compensation;{Temperature sensing arrangements(thermal treatment apparatus [H01L 21/00](#))}
- H01L 23/345 .. {Arrangements for heating(thermal treatment apparatus [H01L 21/00](#))}
- H01L 23/36 .. Selection of materials, or shaping, to facilitate cooling or heating, e.g. heatsinks({[H01L 23/28](#) , [H01L 23/40](#) , [H01L 23/42](#) , [H01L 23/44](#) , [H01L 23/46](#) take precedence; heating [H01L 23/345](#))}
- H01L 23/367 ... Cooling facilitated by shape of device({[H01L 23/38](#) , [H01L 23/40](#) , [H01L 23/42](#) , [H01L 23/44](#) , [H01L 23/46](#) take precedence)}
- H01L 23/3672 {Foil-like cooling fins or heat sinks(being part of lead-frames [H01L 23/49568](#))}
- H01L 23/3675 {characterised by the shape of the housing}
- H01L 23/3677 {Wire-like or pin-like cooling fins or heat sinks}
- H01L 23/373 ... Cooling facilitated by selection of materials for the device{or materials for thermal expansion adaptation, e.g. carbon}
- H01L 23/3731 {Ceramic materials or glass([H01L 23/3732](#) , [H01L 23/3733](#) , [H01L 23/3735](#) , [H01L 23/3737](#) , [H01L 23/3738](#) take precedence)}
- H01L 23/3732 {Diamonds}
- H01L 23/3733 {having a heterogeneous or anisotropic structure, e.g. powder or fibres in a matrix, wire mesh, porous structures([H01L 23/3732](#) , [H01L 23/3737](#) take precedence)}
- H01L 23/3735 {Laminates or multilayers, e.g. direct bond copper ceramic substrates}
- H01L 23/3736 {Metallic materials([H01L 23/3732](#) , [H01L 23/3733](#) , [H01L 23/3735](#) , [H01L 23/3737](#) , [H01L 23/3738](#) take precedence)}
- H01L 23/3737 {Organic materials with or without a thermoconductive filler}
- H01L 23/3738 {Semiconductor materials}
- H01L 23/38 .. Cooling arrangements using the Peltier effect
- H01L 23/40 .. Mountings or securing means for detachable cooling or heating arrangements({heating [H01L 23/345](#)); fixed by friction, plugs or springs}
- H01L 23/4006 ... {with bolts or screws}
- H01L 23/4012 {for stacked arrangements of a plurality of semiconductor devices(assemblies per se [H01L 25/00](#))}
- H01L 2023/4018 {characterised by the type of device to be heated or cooled}
- H01L 2023/4025 {Base discrete devices, e.g. presspack, disc-type transistors}
- H01L 2023/4031 {Packaged discrete devices, e.g. to-3 housings, diodes}
- H01L 2023/4037 {characterised by thermal path or place of attachment of heatsink}
- H01L 2023/4043 {heatsink to have chip}
- H01L 2023/405 {heatsink to package}
- H01L 2023/4056 {heatsink to additional heatsink}
- H01L 2023/4062 {heatsink to or through board or cabinet}

- H01L 2023/4068 {Heatconductors between device and heatsink, e.g. compliant heat-spreaders, heat-conducting bands}
- H01L 2023/4075 {Mechanical elements}
- H01L 2023/4081 {Compliant clamping elements not primarily serving heat-conduction}
- H01L 2023/4087 {Mounting accessories, interposers, clamping or screwing parts}
- H01L 23/4093 . . . {Snap-on arrangements, e.g. clips}
- H01L 23/42 . . . Fillings or auxiliary members in containers{or encapsulations}selected or arranged to facilitate heating or cooling({ heating [H01L 23/345](#) } ; characterised by selection of materials for the device [H01L 23/373](#))
- H01L 23/427 . . . Cooling by change of state, e.g. use of heat pipes({ by liquefied gas [H01L 23/445](#)})
- H01L 23/4275 {by melting or evaporation of solids}
- H01L 23/433 . . . Auxiliary members{in containers}characterised by their shape, e.g. pistons
- H01L 23/4332 {Bellows}
- H01L 23/4334 {Auxiliary members in encapsulations([H01L 23/49568](#) takes precedence)}
- H01L 23/4336 {in combination with jet impingement}
- H01L 23/4338 {Pistons, e.g. spring-loaded members}
- H01L 23/44 . . . the complete device being wholly immersed in a fluid other than air({[H01L 23/427](#) takes precedence)}
- H01L 23/445 . . . {the fluid being a liquefied gas, e.g. in a cryogenic vessel}
- H01L 23/46 . . . involving the transfer of heat by flowing fluids([H01L 23/42](#) , [H01L 23/44](#) take precedence)
- H01L 23/467 . . . by flowing gases, e.g. air({[H01L 23/473](#) takes precedence)}
- H01L 23/473 . . . by flowing liquids({([H01L 23/4332](#) , [H01L 23/4338](#) take precedence)}
- H01L 23/4735 {Jet impingement([H01L 23/4336](#) takes precedence)}
- H01L 23/48 . . . Arrangements for conducting electric current to or from the solid state body in operation, e.g. leads, terminal arrangements(in general [H01R](#));{Selection of materials therefor}

NOTE

Arrangements for connecting or disconnecting semiconductor or other solid state bodies, or methods related thereto, other than those arrangements or methods covered by the following subgroups, are covered by [H01L 24/00](#)

- H01L 23/481 . . . {Internal lead connections, e.g. via connections, feedthrough structures}
- H01L 23/482 . . . consisting of lead-in layers inseparably applied to the semiconductor body({ electrodes [H01L 29/40](#)})

WARNING

The documents of this group dealing with arrangements for connecting semiconductor or other solid state bodies are being continuously reclassified to [H01L 24/01](#) and subgroups

- H01L 23/4821 . . . {Bridge structure with air gap}

H01L 23/4822	...	{Beam leads}
H01L 23/4824	...	{Pads with extended contours, e.g. grid structure, branch structure, finger structure}
H01L 23/4825	...	{for devices consisting of semiconductor layers on insulating or semi-insulating substrates, e.g. silicon on sapphire devices, i.e. SOS}
H01L 23/4827	...	{Materials}
H01L 23/4828	{Conductive organic material or pastes, e.g. conductive adhesives, inks}
H01L 23/485	...	consisting of layered constructions comprising conductive layers and insulating layers, e.g. planar contacts(H01L 23/4821 , H01L 23/4822 , H01L 23/4824 , H01L 23/4825 take precedence; materials H01L 23/532 , bond pads H01L 24/02 , bump connectors H01L 24/10)}

WARNING

The documents of this group dealing with arrangements for connecting semiconductor or other solid state bodies are being continuously reclassified to [H01L 24/01](#) and subgroups

H01L 23/4855	{Overhang structure}
H01L 23/488	..	consisting of soldered{or bonded}constructions{(bump connectors H01L 24/01)}
H01L 23/49	...	Wire-like{arrangements or pins or rods(using optical fibres H01L 23/48 ; pins attached to insulating substrates H01L 23/49811)}

WARNING

This group is no longer used for the classification of new documents as from June 1, 2010. The backlog of this group is being continuously reclassified to **[H01L 23/00C2W](#)** and subgroups

H01L 23/492	...	Bases or plates{or solder therefor}
H01L 23/4922	{having a heterogeneous or anisotropic structure}
H01L 23/4924	{characterised by the materials}
H01L 23/4926	{the materials containing semiconductor material}
H01L 23/4928	{the materials containing carbon}
H01L 23/495	...	Lead-frames{or other flat leads(H01L 23/498 takes precedence; lead frame interconnections between components H01L 23/52)}
H01L 23/49503	{characterised by the die pad}
H01L 23/49506	{an insulative substrate being used as a diepad, e.g. ceramic, plastic(H01L 23/49531 takes precedence)}
H01L 23/4951	{Chip-on-leads or leads-on-chip techniques, i.e. inner lead fingers being used as die pad}
H01L 23/49513	{having bonding material between chip and die pad}
H01L 23/49517	{Additional leads}
H01L 23/4952	{the additional leads being a bump or a wire}
H01L 23/49524	{the additional leads being a tape carrier or flat leads}
H01L 23/49527	{the additional leads being a multilayer}
H01L 23/49531	{the additional leads being a wiring board}

H01L 23/49534	{Multi-layer}
H01L 23/49537	{Plurality of lead frames mounted in one device}
H01L 23/49541	{Geometry of the lead-frame}
H01L 23/49544	{Deformation absorbing parts in the lead frame plane, e.g. meanderline shape(H01L 23/49562 takes precedence)}
H01L 23/49548	{Cross section geometry(H01L 23/49562 takes precedence)}
H01L 23/49551	{characterised by bent parts}
H01L 23/49555	{the bent parts being the outer leads}
H01L 23/49558	{Insulating layers on lead frames, e.g. bridging members}
H01L 23/49562	{ for devices being provided for in H01L 29/00 }
H01L 23/49565	{Side rails of the lead frame, e.g. with perforations, sprocket holes}
H01L 23/49568	{specifically adapted to facilitate heat dissipation}
H01L 23/49572	{consisting of thin flexible metallic tape with or without a film carrier(H01L 23/49503 to H01L 23/49568 and H01L 23/49575 to H01L 23/49579 take precedence)}
H01L 23/49575	{Assemblies of semiconductor devices on lead frames}
H01L 23/49579	{characterised by the materials of the lead frames or layers thereon}
H01L 23/49582	{Metallic layers on lead frames}
H01L 23/49586	{Insulating layers on lead frames}
H01L 23/49589	{Capacitor integral with or on the leadframe}
H01L 23/49593	{Battery in combination with a leadframe}
H01L 23/49596	{Oscillators in combination with lead-frames}
H01L 23/498	...	Leads,{i.e. metallisations or lead-frames}on insulating substrates,{e.g. chip carriers(shape of the substrate H01L 23/13)}
H01L 23/49805	{the leads being also applied on the sidewalls or the bottom of the substrate, e.g. leadless packages for surface mounting}
H01L 23/49811	{Additional leads joined to the metallisation on the insulating substrate, e.g. pins, bumps, wires, flat leads(H01L 23/49827 takes precedence)}
H01L 23/49816	{Spherical bumps on the substrate for external connection, e.g. ball grid arrays (BGA)}
H01L 23/49822	{Multilayer substrates(multilayer metallisation on monolayer substrate H01L 23/498)}
H01L 23/49827	{Via connections through the substrates, e.g. pins going through the substrate, coaxial cables(H01L 23/49822 , H01L 23/49833 , H01L 23/4985 , H01L 23/49861 take precedence)}
H01L 23/49833	{the chip support structure consisting of a plurality of insulating substrates}
H01L 23/49838	{Geometry or layout}
H01L 23/49844	{ for devices being provided for in H01L 29/00 }
H01L 23/4985	{Flexible insulating substrates(H01L 23/49572 and H01L 23/49855 take precedence)}
H01L 23/49855	{for flat-cards, e.g. credit cards(cards per se G06K 19/00)}
H01L 23/49861	{Lead-frames fixed on or encapsulated in insulating substrates(H01L 23/4985 , H01L 23/49805 take precedence)}

H01L 23/49866	{characterised by the materials(materials of the substrates H01L 23/14 , of the lead-frames H01L 23/49579)}
H01L 23/49872	{the conductive materials containing semiconductor material}
H01L 23/49877	{Carbon, e.g. fullerenes(superconducting fullerenes H01L 39/123)}
H01L 23/49883	{the conductive materials containing organic materials or pastes, e.g. for thick films(for printed circuits H05K 1/092)}
H01L 23/49888	{the conductive materials containing superconducting material}
H01L 23/49894	{Materials of the insulating layers or coatings}
H01L 23/50	..	for integrated circuit devices,{e.g. power bus, number of leads}(H01L 23/482 to H01L 23/498 take precedence)
H01L 23/52	.	Arrangements for conducting electric current within the device in operation from one component to another,{i.e. interconnections, e.g. wires, lead frames(optical interconnections G02B 6/00)}
H01L 23/522	..	including external interconnections consisting of a multilayer structure of conductive and insulating layers inseparably formed on the semiconductor body
H01L 23/5221	...	{Crossover interconnections}
H01L 23/5222	...	{Capacitive arrangements or effects of, or between wiring layers(other capacitive arrangements H01L 23/642)}
H01L 23/5223	{Capacitor integral with wiring layers}
H01L 23/5225	{Shielding layers formed together with wiring layers}
H01L 23/5226	...	{Via connections in a multilevel interconnection structure}
H01L 23/5227	...	{Inductive arrangements or effects of, or between, wiring layers(other inductive arrangements H01L 23/645)}
H01L 23/5228	...	{Resistive arrangements or effects of, or between, wiring layers(other resistive arrangements H01L 23/647)}
H01L 23/525	...	with adaptable interconnections
H01L 23/5252	{comprising anti-fuses, i.e. connections having their state changed from non-conductive to conductive}
H01L 23/5254	{the change of state resulting from the use of an external beam, e.g. laser beam or ion beam}
H01L 23/5256	{comprising fuses, i.e. connections having their state changed from conductive to non-conductive}
H01L 23/5258	{the change of state resulting from the use of an external beam, e.g. laser beam or ion beam}
H01L 23/528	...	{Geometry or}layout of the interconnection structure{(H01L 27/0207 takes precedence; algorithms G06F 17/50)}
H01L 23/5283	{Cross-sectional geometry}
H01L 23/5286	{Arrangements of power or ground buses}
H01L 23/532	...	characterised by the materials
H01L 23/53204	{Conductive materials}
H01L 23/53209	{based on metals, e.g. alloys, metal silicides(H01L 23/53285 takes precedence)}
H01L 23/53214	{the principal metal being aluminium}
H01L 23/53219	{Aluminium alloys}

H01L 23/53223	{Additional layers associated with aluminium layers, e.g. adhesion, barrier, cladding layers}
H01L 23/53228	{the principal metal being copper}
H01L 23/53233	{Copper alloys}
H01L 23/53238	{Additional layers associated with copper layers, e.g. adhesion, barrier, cladding layers}
H01L 23/53242	{the principal metal being a noble metal, e.g. gold}
H01L 23/53247	{Noble-metal alloys}
H01L 23/53252	{Additional layers associated with noble-metal layers, e.g. adhesion, barrier, cladding layers}
H01L 23/53257	{the principal metal being a refractory metal}
H01L 23/53261	{Refractory-metal alloys}
H01L 23/53266	{Additional layers associated with refractory-metal layers, e.g. adhesion, barrier, cladding layers}
H01L 23/53271	{containing semiconductor material, e.g. polysilicon}
H01L 23/53276	{containing carbon, e.g. fullerenes(superconducting fullerenes H01L 39/123)}
H01L 23/5328	{containing conductive organic materials or pastes, e.g. conductive adhesives, inks}
H01L 23/53285	{containing superconducting materials}
H01L 23/5329	{Insulating materials}
H01L 23/53295	{Stacked insulating layers}
H01L 23/535	..	including internal interconnections, e.g. cross-under constructions({ internal lead connections H01L 23/481)}
H01L 23/538	..	the interconnection structure between a plurality of semiconductor chips being formed on, or in, insulating substrates(({ H05K takes precedence; manufacture or treatment H01L 21/4846) ; mountings per se H01L 23/12 ; { materials H01L 23/49866 })
H01L 23/5381	...	{Crossover interconnections, e.g. bridge stepovers}
H01L 23/5382	...	{Adaptable interconnections, e.g. for engineering changes}
H01L 23/5383	...	{Multilayer substrates(H01L 23/5385 takes precedence; multilayer metallisation on monolayer substrates H01L 23/538)}
H01L 23/5384	...	{Conductive vias through the substrate with or without pins, e.g. buried coaxial conductors(H01L 23/5383 , H01L 23/5385 take precedence; pins attached to insulating substrates H01L 23/49811)}
H01L 23/5385	...	{Assembly of a plurality of insulating substrates}
H01L 23/5386	...	{Geometry or layout of the interconnection structure}
H01L 23/5387	...	{Flexible insulating substrates(H01L 23/5388 takes precedence)}
H01L 23/5388	...	{for flat cards, e.g. credit cards(cards per se G06K 19/00)}
H01L 23/5389	...	{the chips being integrally enclosed by the interconnect and support structures}

- H01L 23/544 . Marks applied to semiconductor devices{or parts}, e.g. registration marks,{alignment structures, wafer maps(test patterns for characterising or monitoring manufacturing processes [H01L 22/00](#))}

NOTE

When classifying in group [H01L 23/544](#) , details are to be further indexed by using the indexing codes chosen from [H01L 2223/544](#) and subgroups

- H01L 23/552 . Protection against radiation, e.g. light{or electromagnetic waves}
- H01L 23/556 . . against alpha rays
- H01L 23/562 . {Protection against mechanical damage([H01L 23/02](#) , [H01L 23/28](#) take precedence)}
- H01L 23/564 . {Details not otherwise provided for, e.g. protection against moisture(getters [H01L 23/26](#))}
- H01L 23/57 . {Protection from inspection, reverse engineering or tampering}
- H01L 23/573 . . {using passive means}
- H01L 23/576 . . {using active circuits}
- H01L 23/58 . Structural electrical arrangements for semiconductor devices not otherwise provided for,{e.g. in combination with batteries([H01L 23/49593](#) , [H01L 23/49596](#) take precedence)}
- H01L 23/585 . . {comprising conductive layers or plates or strips or rods or rings([H01L 23/60](#) , [H01L 23/62](#) , [H01L 23/64](#) , [H01L 23/66](#) take precedence)}
- H01L 23/60 . . Protection against electrostatic charges or discharges, e.g. Faraday shields(in general [H05F](#))
- H01L 23/62 . . Protection against overvoltage, e.g. fuses, shunts
- H01L 23/64 . . Impedance arrangements
- H01L 23/642 . . . {Capacitive arrangements([H01L 23/49589](#) , [H01L 23/645](#) , [H01L 23/647](#) , [H01L 23/66](#) take precedence; capacitive effects between wiring layers on the semiconductor body [H01L 23/5222](#))}
- H01L 23/645 . . . {Inductive arrangements([H01L 23/647](#) , [H01L 23/66](#) take precedence)}
- H01L 23/647 . . . {Resistive arrangements([H01L 23/66](#) , [H01L 23/62](#) take precedence)}
- H01L 23/66 . . . High-frequency adaptations

NOTE

When classifying in group [H01L 23/66](#) , details are to be further indexed by using the indexing codes chosen from [H01L 2223/66](#) and subgroups

- H01L 24/00 {Arrangements for connecting or disconnecting semiconductor or solid-state bodies; Methods or apparatus related thereto}

NOTE

1. This group does not cover: - details of semiconductor bodies or of electrodes of devices provided for in group [H01L 29/00](#) , which details are covered by that group; - details peculiar to devices provided for in a single main group of groups [H01L 31/00](#) to [H01L 51/00](#) , which details are covered by those groups. - printed circuits, which are covered by groups [H05K 1/00](#) to **H05K 1/18F**; - apparatus or manufacturing processes for printed circuits, which are covered by groups [H05K 3/00](#) to **H05K 3/46D**; - manufacture or treatment of parts, which are covered by group [H01L 21/48](#) and subgroups except [H01L 21/4885](#) to [H01L 21/4896](#) ; - assemblies of semiconductor devices, which are covered by groups [H01L 21/50](#) to **H01L 21/56T**; - applying interconnections to be used for carrying current between separate components within a device, which is covered by group [H01L 21/768](#) and subgroups; - containers or seals, which are covered by groups [H01L 23/02](#) to [H01L 23/10](#) ; - mountings, which are covered by groups [H01L 23/12](#) to [H01L 23/15](#) and subgroups; - arrangements for cooling, heating, ventilating or temperature compensation, which are covered by groups [H01L 23/34](#) to **H01L 23/473J**; - arrangements for conducting electric current, which are covered by groups [H01L 23/48](#) to [H01L 23/50](#) , and by groups [H01L 23/52](#) to **H01L 23/538V**; - structural electrical arrangements, which are covered by groups [H01L 23/58](#) to [H01L 23/66](#) ; - assemblies of semiconductor or other solid state devices, which are covered by groups [H01L 25/00](#) to [H01L 25/18](#) . 2. In this group the following indexing codes are used : [H01L 24/00](#)[H01L 2224/00](#) , [H01L 2924/00](#) , and subgroups thereof

WARNING

[H01L 21/4885](#) , [H01L 21/58](#) , [H01L 23/48](#) , [H01L 23/482](#) , [H01L 23/485](#) , [H01L 23/488](#)

[H01L 24/01](#)

- {Means for bonding being attached to, or being formed on, the surface to be connected, e.g. chip-to-package, die-attach, "first-level" interconnects; Manufacturing methods related thereto}

WARNING

1. Not complete, see provisionally also [H01L 23/482](#) , [H01L 23/485](#) and subgroups 2. Pending reorganisation subgroups of this group are not complete; see also this group and the other subgroups

[H01L 24/02](#)

- {Bonding areas(on insulating substrates, e.g. chip carriers, [H01L 23/49816](#) , [H01L 23/49838](#) , [H01L 23/5389](#)); Manufacturing methods related thereto}

WARNING

1. Pending reorganisation see provisionally also [H01L 24/10](#) for Under Bump Metallization [UBM] 2. Pending reorganisation, subgroups of this group are not complete; see also this group

[H01L 24/03](#)

- • • {Manufacturing methods}

[H01L 24/04](#)

- • • {Structure, shape, material or disposition of the bonding areas prior to the connecting process}

[H01L 24/05](#)

- • • • {of an individual bonding area}

[H01L 24/06](#)

- • • • {of a plurality of bonding areas}

H01L 24/07	...	{Structure, shape, material or disposition of the bonding areas after the connecting process}
H01L 24/08	{of an individual bonding area}
H01L 24/09	{of a plurality of bonding areas}
H01L 24/10	..	{Bump connectors(bumps on insulating substrates, e.g. chip carriers, H01L 23/49816); Manufacturing methods related thereto}

WARNING

H01L 24/11	...	{Manufacturing methods(for bumps on insulating substrates H01L 21/4853)}
H01L 24/12	...	{Structure, shape, material or disposition of the bump connectors prior to the connecting process}
H01L 24/13	{of an individual bump connector}
H01L 24/14	{of a plurality of bump connectors}
H01L 24/15	...	{Structure, shape, material or disposition of the bump connectors after the connecting process}
H01L 24/16	{of an individual bump connector}
H01L 24/17	{of a plurality of bump connectors}
H01L 24/18	..	{High density interconnect [HDI]connectors; Manufacturing methods related thereto(interconnection structure between a plurality of semiconductor chips H01L 23/5389)}

WARNING

1. Pending reorganisation, see provisionally also **H01L 24/822** 2. Pending reorganisation, subgroups of this group are not complete; see also this group . Pending reorganisation, subgroups of this group are not complete; see also this group

H01L 24/19	...	{Manufacturing methods of high density interconnect preforms}
H01L 24/20	...	{Structure, shape, material or disposition of high density interconnect preforms}
H01L 24/23	...	{Structure, shape, material or disposition of the high density interconnect connectors after the connecting process}
H01L 24/24	{of an individual high density interconnect connector}
H01L 24/25	{of a plurality of high density interconnect connectors}
H01L 24/26	..	{Layer connectors, e.g. plate connectors, solder or adhesive layers; Manufacturing methods related thereto}
H01L 24/27	...	{Manufacturing methods}
H01L 24/28	...	{Structure, shape, material or disposition of the layer connectors prior to the connecting process}
H01L 24/29	{of an individual layer connector}
H01L 24/30	{of a plurality of layer connectors}
H01L 24/31	...	{Structure, shape, material or disposition of the layer connectors after the connecting process}
H01L 24/32	{of an individual layer connector}

- H01L 24/33 {of a plurality of layer connectors}
- H01L 24/34 . . {Strap connectors, e.g. copper straps for grounding power devices; Manufacturing methods related thereto}

WARNING

1. Pending reorganisation see provisionally also [H01L 24/01](#) , [H01L 24/42](#) , [H01L 24/85](#) 2. Pending reorganisation, subgroups of this group are not complete; see also this group

- H01L 24/35 . . . {Manufacturing methods}
- H01L 24/36 . . . {Structure, shape, material or disposition of the strap connectors prior to the connecting process}
- H01L 24/37 {of an individual strap connector}
- H01L 24/38 {of a plurality of strap connectors}
- H01L 24/39 . . . {Structure, shape, material or disposition of the strap connectors after the connecting process}
- H01L 24/40 {of an individual strap connector}
- H01L 24/41 {of a plurality of strap connectors}
- H01L 24/42 . . {Wire connectors; Manufacturing methods related thereto}

WARNING

- H01L 24/43 . . . {Manufacturing methods}

WARNING

[H01L 21/4885](#) and subgroups, [H01L 24/42](#) , [H01L 24/85](#)

- H01L 24/44 . . . {Structure, shape, material or disposition of the wire connectors prior to the connecting process}

WARNING

[H01L 24/42](#) , [H01L 24/85](#)

- H01L 24/45 {of an individual wire connector}
- H01L 24/46 {of a plurality of wire connectors}
- H01L 24/47 . . . {Structure, shape, material or disposition of the wire connectors after the connecting process}

WARNING

[H01L 24/42](#) , [H01L 24/85](#)]

- H01L 24/48 {of an individual wire connector}

WARNING

[H01L 24/42](#) , [H01L 24/85](#)

[H01L 24/49](#) {of a plurality of wire connectors}

WARNING

[H01L 24/42](#) , [H01L 24/85](#)]

[H01L 24/50](#) . . {Tape automated bonding [TAB]connectors, i.e. film carriers; Manufacturing methods related thereto(thin flexible metallic tape with or without a film carrier [H01L 23/49572](#) , flexible insulating substrates [H01L 23/4985](#) , [H01L 23/5387](#))}

WARNING

[H01L 24/86](#)

[H01L 24/63](#) . . { Connectors not provided for in any of the groups [H01L 24/10](#) to [H01L 24/50](#) and subgroups; Manufacturing methods related thereto }

[H01L 24/64](#) . . . {Manufacturing methods}

[H01L 24/65](#) . . . {Structure, shape, material or disposition of the connectors prior to the connecting process}

[H01L 24/66](#) {of an individual connector}

[H01L 24/67](#) {of a plurality of connectors}

[H01L 24/68](#) . . . {Structure, shape, material or disposition of the connectors after the connecting process}

[H01L 24/69](#) {of an individual connector}

[H01L 24/70](#) {of a plurality of connectors}

[H01L 24/71](#) . {Means for bonding not being attached to, or not being formed on, the surface to be connected(holders for supporting the complete device in operation [H01L 23/32](#))}

[H01L 24/72](#) . . {Detachable connecting means consisting of mechanical auxiliary parts connecting the device, e.g. pressure contacts using springs or clips}

[H01L 24/73](#) . { Means for bonding being of different types provided for in two or more of groups [H01L 24/10](#) , [H01L 24/18](#) , [H01L 24/26](#) , [H01L 24/34](#) , [H01L 24/42](#) , [H01L 24/50](#) , [H01L 24/63](#) , [H01L 24/71](#)}

[H01L 24/74](#) . {Apparatus for manufacturing arrangements for connecting or disconnecting semiconductor or solid-state bodies}

[H01L 24/741](#) . . {Apparatus for manufacturing means for bonding, e.g. connectors}

[H01L 24/742](#) . . . {Apparatus for manufacturing bump connectors}

[H01L 24/743](#) . . . {Apparatus for manufacturing layer connectors}

[H01L 24/744](#) . . . {Apparatus for manufacturing strap connectors}

[H01L 24/745](#) . . . {Apparatus for manufacturing wire connectors}

[H01L 24/75](#) . . {Apparatus for connecting with bump connectors or layer connectors}

[H01L 24/76](#) . . {Apparatus for connecting with build-up interconnects}

[H01L 24/77](#) . . {Apparatus for connecting with strap connectors}

- H01L 24/78 . . {Apparatus for connecting with wire connectors}
- H01L 24/79 . . {Apparatus for Tape Automated Bonding [TAB]}
- H01L 24/799 . . {Apparatus for disconnecting}

- H01L 24/80 . {Methods for connecting semiconductor or other solid state bodies using means for bonding being attached to, or being formed on, the surface to be connected}

WARNING

1. Pending reorganisation see provisionally also **H01L 21/60** 2. Subgroups of this group are not complete; see also this group and the other subgroups

- H01L 24/81 . . {using a bump connector}

WARNING

[H01L 24/81](#)

- H01L 24/82 . . {by forming build-up interconnects at chip-level, e.g. for high density interconnects [HDI]([interconnection structure between a plurality of semiconductor chips H01L 23/5389](#))}
- H01L 24/83 . . {using a layer connector}
- H01L 24/84 . . {using a strap connector}

WARNING

[H01L 24/85](#)

- H01L 24/85 . . {using a wire connector([wire bonding in general B23K 20/004](#))}
- H01L 24/86 . . {using tape automated bonding [TAB]}
- H01L 24/89 . . { using at least one connector not provided for in any of the groups [H01L 24/81](#) to [H01L 24/86](#)}

- H01L 24/90 . {Methods for connecting semiconductor or solid state bodies using means for bonding not being attached to, or not being formed on, the body surface to be connected, e.g. pressure contacts using springs or clips}

WARNING

[H01L 21/60E](#)

- H01L 24/91 . { Methods for connecting semiconductor or solid state bodies including different methods provided for in two or more of groups [H01L 24/80](#) to [H01L 24/90](#)}
- H01L 24/92 . . {Specific sequence of method steps}
- H01L 24/93 . {Batch processes}

WARNING

H01L 24/80 and subgroups and H01L 24/90

- H01L 24/94 .. {at wafer-level, i.e. with connecting carried out on a wafer comprising a plurality of undiced individual devices}
- H01L 24/95 .. {at chip-level, i.e. with connecting carried out on a plurality of singulated devices, i.e. on diced chips}
- H01L 24/96 ... {the devices being encapsulated in a common layer, e.g. neo-wafer or pseudo-wafer, said common layer being separable into individual assemblies after connecting}
- H01L 24/97 ... {the devices being connected to a common substrate, e.g. interposer, said common substrate being separable into individual assemblies after connecting}
- H01L 24/98 . {Methods for disconnecting semiconductor or solid-state bodies}

H01L 25/00

Assemblies consisting of a plurality of individual semiconductor or other solid state devices{; Multistep manufacturing processes thereof}{ { lead frames with assemblies of semiconductor devices thereon H01L 23/49575 ; assembling semiconductor devices using processes or apparatus not provided for in a single one of the subgroups H01L 21/06 to H01L 21/326 , e.g. sealing of a cap to a base of a container, H01L 21/50 } ; devices consisting of a plurality of solid state components formed in or on a common substrate H01L 27/00 ; assemblies of photoelectric cells H01L 31/042 , {H01G 9/20}; generators using solar cells or solar panels(H02S); details of complete circuit assemblies for which provision exists in another subclass, e.g. details of television receivers, see the relevant subclass, e.g. H04N; details of assemblies of electrical components in general H05K)

- H01L 25/03 . all the devices being of a type provided for in the same subgroup of groups H01L 27/00 to H01L 51/00 , e.g. assemblies of rectifier diodes
- H01L 25/04 .. the devices not having separate containers
- H01L 25/041 ... { the devices being of a type provided for in group H01L 31/00}
- H01L 25/042 {the devices being arranged next to each other(solar cells H01L 31/042)}
- H01L 25/043 {Stacked arrangements of devices}
- H01L 25/045 {the devices being solar cells}
- H01L 25/046 ... { the devices being of a type provided for in group H01L 51/00}
- H01L 25/047 { the devices being of a type provided for in group H01L 51/42 , e.g. photovoltaic modules based on organic solar cells }
- H01L 25/048 { the devices being of a type provided for in group H01L 51/50 , e.g. assembly of organic light emitting devices }
- H01L 25/065 ... the devices being of a type provided for in group H01L 27/00

NOTE

Group H01L 25/0652 takes precedence over groups H01L 25/0655 and H01L 25/0657

- H01L 25/0652 {the devices being arranged next and on each other, i.e. mixed assemblies}
- H01L 25/0655 {the devices being arranged next to each other}
- H01L 25/0657 {Stacked arrangements of devices}

H01L 25/07 . . . the devices being of a type provided for in group [H01L 29/00](#)

NOTE

Group [H01L 25/071](#) takes precedence over groups [H01L 25/072](#) to [H01L 25/074](#)

H01L 25/071 {the devices being arranged next and on each other, i.e. mixed assemblies}

H01L 25/072 {the devices being arranged next to each other}

H01L 25/073 {Apertured devices mounted on one or more rods passed through the apertures}

H01L 25/074 {Stacked arrangements of non-apertured devices}

H01L 25/075 . . . the devices being of a type provided for in group [H01L 33/00](#)

H01L 25/0753 {the devices being arranged next to each other}

H01L 25/0756 {Stacked arrangements of devices}

H01L 25/10 . . the devices having separate containers

H01L 25/105 . . . { the devices being of a type provided for in group [H01L 27/00](#)}

NOTE

When classifying in group [H01L 25/105](#) , details of the assemblies are to be further indexed by using the indexing codes chosen from [H01L 2225/1005](#) and subgroups

H01L 25/11 . . . the devices being of a type provided for in group [H01L 29/00](#)

NOTE

Group [H01L 25/112](#) takes precedence over groups [H01L 25/115](#) and [H01L 25/117](#)

H01L 25/112 {Mixed assemblies}

H01L 25/115 {the devices being arranged next to each other}

H01L 25/117 {Stacked arrangements of devices}

H01L 25/13 . . . the devices being of a type provided for in group [H01L 33/00](#)

H01L 25/16 . the devices being of types provided for in two or more different main groups of [H01L 27/00](#) to [H01L 49/00](#){ and [H01L 51/00](#)}, e.g. forming hybrid circuits{(interconnections for hybrid circuits [H01L 23/5389](#))}

H01L 25/162 . . {the devices being mounted on two or more different substrates}

H01L 25/165 . . {Containers}

H01L 25/167 . . {comprising optoelectronic devices, e.g. LED, photodiodes}

H01L 25/18 . the devices being of types provided for in two or more different subgroups of the same main group of groups [H01L 27/00](#) to [H01L 51/00](#){(comprising devices provided for in [H01L 27/144](#) and subgroups, see [H01L 27/144](#) and subgroups)}

- H01L 25/50 . { Multistep manufacturing processes of assemblies consisting of devices, each device being of a type provided for in group [H01L 27/00](#) or [H01L 29/00](#)([H01L 21/50](#) takes precedence)}

H01L 27/00 **Devices consisting of a plurality of semiconductor or other solid state components formed in or on a common substrate**(processes or apparatus specially adapted for the manufacture or treatment thereof or of parts thereof [H01L 21/70](#) , [H01L 31/00](#) to [H01L 51/00](#) ; details thereof [H01L 23/00](#) , [H01L 29/00](#) to [H01L 51/00](#) ; assemblies consisting of a plurality of individual solid state devices [H01L 25/00](#) ; assemblies of electrical components in general [H05K](#))

NOTE

In this group, in the absence of an indication to the contrary, classification is made in the last appropriate place.

- H01L 27/01 . comprising only passive thin-film or thick-film elements formed on a common insulating substrate{(passive two-terminal components without a potential-jump or surface barrier for integrated circuits, details thereof and multistep manufacturing processes therefor [H01L 28/00](#))}

NOTE

In groups [H01L 27/01](#) to [H01L 27/26](#) , in the absence of an indication to the contrary, classification is made in the last appropriate place.

- H01L 27/013 .. {Thick-film circuits}

- H01L 27/016 .. {Thin-film circuits}

- H01L 27/02 . including semiconductor components specially adapted for rectifying, oscillating, amplifying or switching and having at least one potential-jump barrier or surface barrier; including integrated passive circuit elements with at least one potential-jump barrier or surface barrier

- H01L 27/0203 .. {Particular design considerations for integrated circuits}

- H01L 27/0207 ... {Geometrical layout of the components, e.g. computer aided design; custom LSI, semi-custom LSI, standard cell technique}

- H01L 27/0211 {adapted for requirements of temperature(cooling arrangements per se [H01L 23/34](#))}

- H01L 27/0214 ... {for internal polarisation, e.g. I²L}

- H01L 27/0218 {of field effect structures}

- H01L 27/0222 {Charge pumping, substrate bias generation structures(circuits [G05F 3/205](#))}

- H01L 27/0225 {Charge injection in static induction transistor logic structures, i.e. SITL(circuits [H03K 19/0912](#))}

- H01L 27/0229 {of bipolar structures}

- H01L 27/0233 {Integrated injection logic structures, i.e. I²L(circuits [H03K 19/091](#))}

- H01L 27/0237 {using vertical injector structures}

- H01L 27/024 {using field effect injector structures}

H01L 27/0244	{I2L structures integrated in combination with analog structures}
H01L 27/0248	...	{for electrical or thermal protection, e.g. electrostatic discharge [ESD] protection(emergency protective circuit arrangements H02H ; circuit arrangements for protecting electronic switches H03K 17/08 ; circuit arrangements for protecting logic circuits H03K 19/003)}
H01L 27/0251	{for MOS devices}
H01L 27/0255	{using diodes as protective elements(diode connected field effect transistors H01L 27/0266 ; diode connected bipolar transistors H01L 27/0259)}
H01L 27/0259	{using bipolar transistors as protective elements}
H01L 27/0262	{including a PNP transistor and a NPN transistor, wherein each of said transistors has its base coupled to the collector of the other transistor, e.g. silicon controlled rectifier [SCR] devices}
H01L 27/0266	{using field effect transistors as protective elements}
H01L 27/027	{specially adapted to provide an electrical current path other than the field effect induced current path}
H01L 27/0274	{involving a parasitic bipolar transistor triggered by the electrical biasing of the gate electrode of the field effect transistor, e.g. gate coupled transistors}
H01L 27/0277	{involving a parasitic bipolar transistor triggered by the local electrical biasing of the layer acting as base of said parasitic bipolar transistor}
H01L 27/0281	{field effect transistors in a "Darlington-like" configuration}
H01L 27/0285	{bias arrangements for gate electrode of field effect transistors, e.g. RC networks, voltage partitioning circuits(H01L 27/0281 takes precedence)}
H01L 27/0288	{using passive elements as protective elements, e.g. resistors, capacitors, inductors, spark-gaps}
H01L 27/0292	{using a specific configuration of the conducting means connecting the protective devices, e.g. ESD buses}
H01L 27/0296	{involving a specific disposition of the protective devices}
H01L 27/04	..	the substrate being a semiconductor body
H01L 27/06	...	including a plurality of individual components in a non-repetitive configuration
H01L 27/0605	{integrated circuits made of compound material, e.g. IIIIV}
H01L 27/0611	{integrated circuits having a two-dimensional layout of components without a common active region}
H01L 27/0617	{comprising components of the field-effect type(H01L 27/0251 takes precedence)}
H01L 27/0623	{in combination with bipolar transistors}
H01L 27/0629	{in combination with diodes, or resistors, or capacitors}
H01L 27/0635	{in combination with bipolar transistors and diodes, or resistors, or capacitors}
H01L 27/0641	{without components of the field effect type}
H01L 27/0647	{Bipolar transistors in combination with diodes, or capacitors, or resistors, e.g. vertical bipolar transistor and bipolar lateral transistor and resistor}

H01L 27/0652	{Vertical bipolar transistor in combination with diodes, or capacitors, or resistors}
H01L 27/0658	{Vertical bipolar transistor in combination with resistors or capacitors}
H01L 27/0664	{Vertical bipolar transistor in combination with diodes}
H01L 27/067	{Lateral bipolar transistor in combination with diodes, or capacitors, or resistors}
H01L 27/0676	{comprising combinations of diodes, or capacitors or resistors}
H01L 27/0682	{comprising combinations of capacitors and resistors}
H01L 27/0688	{Integrated circuits having a three-dimensional layout}
H01L 27/0694	{comprising components formed on opposite sides of a semiconductor substrate}
H01L 27/07	the components having an active region in common
H01L 27/0705	{comprising components of the field effect type}
H01L 27/0711	{in combination with bipolar transistors and diodes, or capacitors, or resistors}
H01L 27/0716	{in combination with vertical bipolar transistors and diodes, or capacitors, or resistors}
H01L 27/0722	{in combination with lateral bipolar transistors and diodes, or capacitors, or resistors}
H01L 27/0727	{in combination with diodes, or capacitors or resistors}
H01L 27/0733	{in combination with capacitors only}
H01L 27/0738	{in combination with resistors only}
H01L 27/0744	{without components of the field effect type}
H01L 27/075	{Bipolar transistors in combination with diodes, or capacitors, or resistors, e.g. lateral bipolar transistor, and vertical bipolar transistor and resistor}
H01L 27/0755	{Vertical bipolar transistor in combination with diodes, or capacitors, or resistors}
H01L 27/0761	{Vertical bipolar transistor in combination with diodes only}
H01L 27/0766	{with Schottky diodes only}
H01L 27/0772	{Vertical bipolar transistor in combination with resistors only}
H01L 27/0777	{Vertical bipolar transistor in combination with capacitors only}
H01L 27/0783	{Lateral bipolar transistors in combination with diodes, or capacitors, or resistors}
H01L 27/0788	{comprising combinations of diodes or capacitors or resistors}
H01L 27/0794	{Combinations of capacitors and resistors}
H01L 27/08	...	including only semiconductor components of a single kind
H01L 27/0802	{Resistors only}
H01L 27/0805	{Capacitors only}
H01L 27/0808	{Varactor diodes}
H01L 27/0811	{MIS diodes}
H01L 27/0814	{Diodes only}

H01L 27/0817	{Thyristors only}
H01L 27/082	including bipolar components only
H01L 27/0821	{Combination of lateral and vertical transistors only}
H01L 27/0823	{including vertical bipolar transistors only}
H01L 27/0825	{Combination of vertical direct transistors of the same conductivity type having different characteristics,(e.g. Darlington transistors)}
H01L 27/0826	{Combination of vertical complementary transistors}
H01L 27/0828	{Combination of direct and inverse vertical transistors}
H01L 27/085	{including field-effect components only}
H01L 27/088	the components being field-effect transistors with insulated gate
H01L 27/0883	{Combination of depletion and enhancement field effect transistors}
H01L 27/0886	{including transistors with a horizontal current flow in a vertical sidewall of a semiconductor body, e.g. FinFET, MuGFET}
H01L 27/092	Complementary MIS field-effect transistors
H01L 27/0921	{Means for preventing a bipolar, e.g. thyristor, action between the different transistor regions, e.g. Latchup prevention}
H01L 27/0922	{Combination of complementary transistors having a different structure, e.g. stacked CMOS, high-voltage and low-voltage CMOS}
H01L 27/0924	{including transistors with a horizontal current flow in a vertical sidewall of a semiconductor body, e.g. FinFET, MuGFET}
H01L 27/0925	{comprising an N-well only in the substrate}
H01L 27/0927	{comprising a P-well only in the substrate}
H01L 27/0928	{comprising both N- and P- wells in the substrate, e.g. twin-tub}
H01L 27/095	the components being Schottky barrier gate field-effect transistors
H01L 27/098	the components being PN junction gate field-effect transistors
H01L 27/10	...	including a plurality of individual components in a repetitive configuration
H01L 27/101	{including resistors or capacitors only}
H01L 27/102	including bipolar components
H01L 27/1021	{including diodes only}
H01L 27/1022	{including bipolar transistors}
H01L 27/1023	{Bipolar dynamic random access memory structures(circuits G11C 11/24 , G11C 11/34)}
H01L 27/1024	{Arrays of single bipolar transistors only, e.g. read only memory structures}
H01L 27/1025	{Static bipolar memory cell structures(circuits G11C 11/40)}
H01L 27/1026	{Bipolar electrically programmable memory structures(using fuses H01L 23/525)}
H01L 27/1027	{Thyristors}
H01L 27/1028	{Double base diodes}
H01L 27/105	including field-effect components

WARNING

In this group and its subgroups classification is made in any appropriate place

H01L 27/1052	{ Memory structures and multistep manufacturing processes therefor not provided for in groups H01L 27/1055 to H01L 27/112 }
H01L 27/1055	{comprising charge coupled devices of the so-called bucket brigade type}
H01L 27/1057	{comprising charge coupled devices (CCD) or charge injection devices (CID)}
H01L 27/108	Dynamic random access memory structures(circuits G11C 11/24 , G11C 11/34)

NOTE

In this group and its subgroups classification is made in any appropriate place

H01L 27/10802	{comprising floating-body transistors, e.g. floating-body cells(floating-body transistors per se H01L 29/7841)}
H01L 27/10805	{with one-transistor one-capacitor memory cells}
H01L 27/10808	{the storage electrode stacked over transistor}
H01L 27/10811	{with bit line higher than capacitor}
H01L 27/10814	{with capacitor higher than bit line level}
H01L 27/10817	{the storage electrode having multiple wings}
H01L 27/1082	{the capacitor extending under transfer transistor area}
H01L 27/10823	{the transistor having a trench structure in the substrate}
H01L 27/10826	{the transistor being of the FinFET type}

WARNING

not complete pending completion of reclassification; see also [H01L 27/10823](#)

H01L 27/10829	{the capacitor being in a substrate trench}
H01L 27/10832	{the capacitor extending under or around transfer transistor area}
H01L 27/10835	{having storage electrode extension stacked over transistor}
H01L 27/10838	{the capacitor and the transistor being in one trench}
H01L 27/10841	{the transistor being vertical}
H01L 27/10844	{Multistep manufacturing methods}
H01L 27/10847	{for structures comprising one transistor one-capacitor memory cells}

WARNING

not complete pending completion of reclassification; see also [H01L 27/10844](#)

H01L 27/1085	{with at least one step of making the capacitor or connections thereto(making a capacitor for integrated circuits H01L 28/40 , H01L 29/66181)}
H01L 27/10852	{the capacitor extending over the access transistor}
H01L 27/10855	{with at least one step of making a connection between transistor and capacitor, e.g. plug}
H01L 27/10858	{the capacitor extending under the access transistor area}
H01L 27/10861	{the capacitor being in a substrate trench}
H01L 27/10864	{in combination with a vertical transistor}
H01L 27/10867	{with at least one step of making a connection between transistor and capacitor, e.g. buried strap}
H01L 27/1087	{with at least one step of making the trench}
H01L 27/10873	{with at least one step of making the transistor(making the transistor per se H01L 29/66409)}
H01L 27/10876	{the transistor having a trench structure in the substrate(vertical transistor in combination with a capacitor formed in a substrate trench H01L 27/10864)}
H01L 27/10879	{the transistor being of the FinFET type}

WARNING

not complete pending completion of reclassification;
see also [H01L 27/10876](#)

H01L 27/10882	{with at least one step of making a data line}
H01L 27/10885	{with at least one step of making a bit line}
H01L 27/10888	{with at least one step of making a bit line contact}
H01L 27/10891	{with at least one step of making a word line}
H01L 27/10894	{with simultaneous manufacture of periphery and memory cells}
H01L 27/10897	{Peripheral structures}
H01L 27/11	Static random access memory structures{and multistep manufacturing processes therefor(circuits G11C 11/40)}
H01L 27/1104	{the load element being a MOSFET transistor}
H01L 27/1108	{the load element being a thin film transistor}
H01L 27/1112	{the load element being a resistor(resistors for integrated circuits H01L 28/20 , H01L 29/8605)}
H01L 27/1116	{Peripheral circuit region}

WARNING

not complete, pending reorganisation, see provisionally also
[H01L 27/105](#)

H01L 27/112	Read-only memory structures{[ROM]and multistep manufacturing processes therefor}
H01L 27/11206	{Programmable ROM [PROM], e.g. memory cells comprising a transistor and a fuse or an antifuse}

H01L 27/11213	{ROM only}
H01L 27/1122	{with source and drain on the same level, e.g. lateral transistors}
H01L 27/11226	{Source or drain contact programmed}
H01L 27/11233	{Gate programmed, e.g. different gate material or no gate}
H01L 27/1124	{Gate contact programmed}
H01L 27/11246	{Gate dielectric programmed, e.g. different thickness}
H01L 27/11253	{Doping programmed, e.g. mask ROM}
H01L 27/1126	{Entire channel doping programmed}
H01L 27/11266	{Source or drain doping programmed}
H01L 27/11273	{with source and drain on different levels, e.g. vertical channel}
H01L 27/1128	{with transistors on different levels, e.g. 3D ROM}
H01L 27/11286	{Peripheral circuit regions}

WARNING

not complete pending reorganisation, see provisionally also
[H01L 27/105](#)

H01L 27/11293	{of memory structures of the ROM-only type}
H01L 27/115	Electrically programmable read-only memories{and multistep manufacturing processes therefor}
H01L 27/11502	{with ferroelectric memory capacitor}
H01L 27/11504	{Top-view layout}

WARNING

Not complete, see [H01L 27/11502](#)

H01L 27/11507	{Memory core region}
H01L 27/11509	{Peripheral circuit region}
H01L 27/11512	{Boundary region between core and peripheral circuit region}

WARNING

Not complete, see [H01L 27/11502](#)

H01L 27/11514	{Three-dimensional arrangements, e.g. cells on different height levels}
---------------	-------	---

WARNING

Not complete, see [H01L 27/11502](#)

H01L 27/11517	{with floating gate}
---------------	-------	----------------------

WARNING

Group [H01L 27/11517](#) and subgroups are not complete pending reorganisation. See also [H01L 27/115](#)

H01L 27/11519	{Top-view layout}
H01L 27/11521	{Memory core region core region(three-dimensional arrangements H01L 27/11551)}
H01L 27/11524	{with at least one cell select transistor, e.g. NAND}
H01L 27/11526	{Peripheral circuit region}
H01L 27/11529	{of memory regions comprising at least one cell select transistor, e.g. NAND}
H01L 27/11531	{Simultaneous fabrication of periphery and memory cells}
H01L 27/11534	{including only one type of peripheral transistor}
H01L 27/11536	{Control gate layer used for the peripheral transistor}
H01L 27/11539	{Intergate dielectric layer used for the peripheral transistor}
H01L 27/11541	{Floating-gate layer used for the peripheral transistor}
H01L 27/11543	{Tunnel dielectric layer used for the peripheral transistor}
H01L 27/11546	{including different types of peripheral transistors}
H01L 27/11548	{Boundary region between core and peripheral circuit regions}
H01L 27/11551	{Three-dimensional arrangements, e.g. cells on different height levels}
H01L 27/11553	{with source and drain on different levels, e.g. with sloping channel}
H01L 27/11556	{the channel comprising at least one vertical portion, e.g. U-shaped channel}

WARNING

not complete pending reorganisation, see provisionally also [H01L 27/11551](#)

H01L 27/11558	{the control gate being a doped region, e.g. single-poly memory cells}
H01L 27/1156	N: the floating gate being an electrode shared by a plurality of components]
H01L 27/11563	{with charge trapping gate insulator, e.g. MNOS, NROM}
H01L 27/11565	{Top-view layout}

WARNING

Not complete, see [H01L 27/115](#)

H01L 27/11568	{Memory core region(three-dimensional arrangements H01L 27/11578)}
H01L 27/1157	{with at least one cell select transistor, e.g. NAND}
H01L 27/11573	{Peripheral circuit region}

H01L 27/11575	{Boundary region between core and peripheral circuit region}
		<u>WARNING</u>
		Not complete, see H01L 27/115
H01L 27/11578	{Three-dimensional arrangements, e.g. cells on different height levels}
		<u>WARNING</u>
		Not complete, see H01L 27/115
H01L 27/1158	{with source and drain on different levels, e.g. with sloping channel}
H01L 27/11582	{the channel comprising at least one vertical portion, e.g. U-shaped channel}
		<u>WARNING</u>
		not complete pending reorganisation, see provisionally also H01L 27/11578
H01L 27/11585	{with gate electrode comprising a layer which is used for its ferroelectric memory properties, e.g. MFS (metal-ferroelectric-semiconductor), MFMS (metal-ferroelectric-metal-insulator-semiconductor)}
H01L 27/11587	{Top-view layout}
		<u>WARNING</u>
		Not complete, see H01L 27/11585
H01L 27/1159	{Memory core region}
H01L 27/11592	{Peripheral circuit region}
H01L 27/11595	{Boundary region between core and peripheral circuit region}
		<u>WARNING</u>
		Not complete, see H01L 27/11585
H01L 27/11597	{Three-dimensional arrangements, e.g. cells on different height levels}
		<u>WARNING</u>
		Not complete, see H01L 27/11585
H01L 27/118	Masterslice integrated circuits
H01L 27/11801	{using bipolar technology}
H01L 27/11803	{using field effect technology}

H01L 2027/11805	{A3B5 or A3B6 gate arrays}
H01L 27/11807	{CMOS gate arrays}
H01L 2027/11809	{Micro-architecture}
H01L 2027/11811	{Basic cell P to N transistor count}
H01L 2027/11812	{4-T CMOS basic cell}
H01L 2027/11814	{5-T CMOS basic cell}
H01L 2027/11816	{6-T CMOS basic cell}
H01L 2027/11818	{7-T CMOS basic cell}
H01L 2027/1182	{8-T CMOS basic cell}
H01L 2027/11822	{relative P to N transistor sizes}
H01L 2027/11824	{for current drive capability}
H01L 2027/11825	{for delay time adaptation}
H01L 2027/11827	{for capacitive loading}
H01L 2027/11829	{Isolation techniques}
H01L 2027/11831	{FET isolation}
H01L 2027/11833	{LOCOS}
H01L 2027/11835	{Degree of specialisation for implementing specific functions}
H01L 2027/11837	{Implementation of digital circuits}
H01L 2027/11838	{Implementation of memory functions}
H01L 2027/1184	{Implementation of analog circuits}
H01L 2027/11842	{Resistors and capacitors}
H01L 2027/11844	{Hybrid analog or digital}
H01L 2027/11846	{Embedded IO cells}
H01L 2027/11848	{Transmission gate}
H01L 2027/1185	{Porous cells, i.e. pass-through elements}
H01L 2027/11851	{Technology used, i.e. design rules}
H01L 2027/11853	{Sub-micron technology}
H01L 2027/11855	{Twin-tub technology}
H01L 2027/11857	{SOS, SOI technology}
H01L 2027/11859	{Connectability characteristics, i.e. diffusion and polysilicon geometries}
H01L 2027/11861	{Substrate and well contacts}
H01L 2027/11862	{Horizontal or vertical grid line density}
H01L 2027/11864	{Yield or reliability}
H01L 2027/11866	{Gate electrode terminals or contacts}
H01L 2027/11868	{Macro-architecture}
H01L 2027/1187	{Number of core or basic cells in the macro(RAM, ROM)}
H01L 2027/11872	{Distribution function, e.g. Sea of Gates}
H01L 2027/11874	{Layout specification, i.e. inner core region}
H01L 2027/11875	{Wiring region, routing}

H01L 2027/11877	{Avoiding clock-skew or clock-delay}
H01L 2027/11879	{Data lines (buses)}
H01L 2027/11881	{Power supply lines}
H01L 2027/11883	{Levels of metallisation}
H01L 2027/11885	{Two levels of metal}
H01L 2027/11887	{Three levels of metal}
H01L 2027/11888	{More than 3 levels of metal}
H01L 2027/1189	{Latch-up prevention}
H01L 2027/11892	{Noise prevention (crosstalk)}
H01L 2027/11894	{Radiation hardened circuits}
H01L 27/11896	{using combined field effect/bipolar technology}
H01L 27/11898	{Input and output buffer/driver structures}
H01L 27/12	..	the substrate being other than a semiconductor body, e.g. an insulating body
H01L 27/1203	...	{the substrate comprising an insulating body on a semiconductor body, e.g. SOI(three-dimensional layout H01L 27/0688)}
H01L 27/1207	{combined with devices in contact with the semiconductor body, i.e. bulk/SOI hybrid circuits}
H01L 27/1211	{combined with field-effect transistors with a horizontal current flow in a vertical sidewall of a semiconductor body, e.g. FinFET, MuGFET}
H01L 27/1214	...	{comprising a plurality of TFTs formed on a non-semiconducting substrate, e.g. driving circuits for AMLCDs}

WARNING

Subgroups of [H01L 27/1214](#) are not complete, pending reorganisation; see provisionally also this group

H01L 27/1218	{with a particular composition or structure of the substrate}
H01L 27/1222	{with a particular composition, shape or crystalline structure of the active layer}
H01L 27/1225	{with semiconductor materials not belonging to the group IV of the periodic table, e.g. InGaZnO}
H01L 27/1229	{with different crystal properties within a device or between different devices}
H01L 27/1233	{with different thicknesses of the active layer in different devices}
H01L 27/1237	{with a different composition, shape, layout or thickness of the gate insulator in different devices}
H01L 27/124	{with a particular composition, shape or layout of the wiring layers specially adapted to the circuit arrangement, e.g. scanning lines in LCD pixel circuits(wiring structures per se H01L 23/52)}
H01L 27/1244	{for preventing breakage, peeling or short circuiting}
H01L 27/1248	{with a particular composition or shape of the interlayer dielectric specially adapted to the circuit arrangement}
H01L 27/1251	{comprising TFTs having a different architecture, e.g. top- and bottom gate TFTs}

H01L 27/1255	{integrated with passive devices, e.g. auxiliary capacitors}
H01L 27/1259	{Multistep manufacturing methods}
H01L 27/1262	{with a particular formation, treatment or coating of the substrate}
H01L 27/1266	{the substrate on which the devices are formed not being the final device substrate, e.g. using a temporary substrate}
H01L 27/127	{with a particular formation, treatment or patterning of the active layer specially adapted to the circuit arrangement}
H01L 27/1274	{using crystallisation of amorphous semiconductor or recrystallisation of crystalline semiconductor(crystallisation per se H01L 21/02667)}
H01L 27/1277	{using a crystallisation promoting species, e.g. local introduction of Ni catalyst}
H01L 27/1281	{by using structural features to control crystal growth, e.g. placement of grain filters}
H01L 27/1285	{using control of the annealing or irradiation parameters, e.g. using different scanning direction or intensity for different transistors}
H01L 27/1288	{employing particular masking sequences or specially adapted masks, e.g. half-tone mask}
H01L 27/1292	{using liquid deposition, e.g. printing}
H01L 27/1296	{adapted to increase the uniformity of device parameters}
H01L 27/13	...	combined with thin-film or thick-film passive components{(passive two-terminal components without a potential-jump or surface barrier for integrated circuits, details thereof and multistep manufacturing processes therefor H01L 28/00)}
H01L 27/14	.	including semiconductor components sensitive to infra-red radiation, light, electromagnetic radiation of shorter wavelength, or corpuscular radiation and specially adapted either for the conversion of the energy of such radiation into electrical energy or for the control of electrical energy by such radiation(radiation-sensitive components structurally associated with one or more electric light sources only H01L 31/14 ; couplings of light guides with optoelectronic elements G02B 6/42)
H01L 27/142	..	Energy conversion devices
H01L 27/1421	...	{comprising bypass diodes integrated or directly associated with the device, e.g. bypass diode integrated or formed in or on the same substrate as the solar cell}
H01L 27/1422	...	{in a repetitive configuration, e.g. planar multijunction solar cells}
H01L 27/1423	{comprising only thin film solar cells deposited on a substrate, e.g. thin film(a-Si, CIS, CdTe)solar modules}
H01L 27/1425	{characterized by special patterning methods to connect the cells in a module, e.g. laser cutting of the conductive and/or active layers}
H01L 27/1426	{comprising particular structures for the electrical interconnection of adjacent solar cells in the module}
H01L 27/1427	{comprising specific means for obtaining a partial light transmission of the module, e.g. partially transparent thin film solar modules for windows}
H01L 27/1428	{comprising multiple vertical junction or V-groove junction solar cells formed in a semiconductor substrate}
H01L 27/144	..	Devices controlled by radiation
H01L 27/1443	...	{with at least one potential jump or surface barrier}
H01L 27/1446	...	{in a repetitive configuration}

H01L 27/146	...	Imager structures
H01L 27/14601	{Structural or functional details thereof}
H01L 27/14603	{Special geometry or disposition of pixel-elements, address-lines or gate-electrodes}
H01L 27/14605	{Structural or functional details relating to the position of the pixel elements, e.g. smaller pixel elements in the center of the imager compared to pixel elements at the periphery}
H01L 27/14607	{Geometry of the photosensitive area}
H01L 27/14609	{Pixel-elements with integrated switching, control, storage or amplification elements(scanning details of imagers H04N 3/15 ; circuitry of imagers H04N 5/369)}
H01L 27/1461	{characterised by the photosensitive area}
H01L 27/14612	{involving a transistor}
H01L 27/14614	{having a special gate structure}
H01L 27/14616	{characterised by the channel of the transistor, e.g. channel having a doping gradient}
H01L 27/14618	{Containers}
H01L 27/1462	{Coatings}
H01L 27/14621	{Colour filter arrangements}
H01L 27/14623	{Optical shielding}
H01L 27/14625	{Optical elements or arrangements associated with the device}
H01L 27/14627	{Microlenses}
H01L 27/14629	{Reflectors}
H01L 27/1463	{Pixel isolation structures}
H01L 27/14632	{Wafer-level processed structures}
H01L 27/14634	{Assemblies, i.e. Hybrid structures}
H01L 27/14636	{Interconnect structures}
H01L 27/14638	{Structures specially adapted for transferring the charges across the imager perpendicular to the imaging plane}
H01L 27/1464	{Back illuminated imager structures}
H01L 27/14641	{Electronic components shared by two or more pixel-elements, e.g. one amplifier shared by two pixel elements}
H01L 27/14643	{Photodiode arrays; MOS imagers}
H01L 27/14645	{Colour imagers}
H01L 27/14647	{Multicolour imagers having a stacked pixel-element structure, e.g. npn, npnnp or MQW elements}
H01L 27/14649	{Infra-red imagers}
H01L 27/1465	{of the hybrid type}
H01L 27/14652	{Multispectral infra-red imagers, having a stacked pixel-element structure, e.g. npn, npnnp or MQW structures}
H01L 27/14654	{Blooming suppression}
H01L 27/14656	{Overflow drain structures}

H01L 27/14658	{X-ray, gamma-ray or corpuscular radiation imagers(measuring X-, gamma- or corpuscular radiation G01T 1/00)}
H01L 27/14659	{Direct radiation imagers structures}
H01L 27/14661	{of the hybrid type}
H01L 27/14663	{Indirect radiation imagers e.g. using luminescent members}
H01L 27/14665	{Imagers using a photoconductor layer}
H01L 27/14667	{Colour imagers}
H01L 27/14669	{Infra-red imagers}
H01L 27/1467	{of the hybrid type}
H01L 27/14672	{Blooming suppression}
H01L 27/14674	{Overflow drain structures}
H01L 27/14676	{X-ray, gamma-ray or corpuscular radiation imagers(measuring X-, gamma- or corpuscular radiation G01T 1/00)}
H01L 27/14678	{Contact-type imagers}
H01L 27/14679	{Junction field effect transistor (JFET) imagers; static induction transistor (SIT) imagers}
H01L 27/14681	{Bipolar transistor imagers}
H01L 27/14683	{Processes or apparatus peculiar to the manufacture or treatment of these devices or parts thereof(not peculiar thereto H01L 21/00)}
H01L 27/14685	{Process for coatings or optical elements}
H01L 27/14687	{Wafer level processing}
H01L 27/14689	{MOS based technologies}
H01L 27/1469	{Assemblies, i.e. hybrid integration}
H01L 27/14692	{Thin film technologies, e.g. amorphous, poly, micro or nanocrystalline silicon}
H01L 27/14694	{The active layers comprising only AIIIBV compounds, e.g. GaAs, InP}
H01L 27/14696	{The active layers comprising only AIIIVI compounds, e.g. CdS, ZnS, CdTe}
H01L 27/14698	{Post-treatment for the devices, e.g. annealing, impurity-gettering, short-circuit elimination, recrystallisation}
H01L 27/148	Charge coupled imagers{(individual charge coupled devices H01L 29/765)}
H01L 27/14806	{Structural or functional details thereof}
H01L 27/14812	{Special geometry or disposition of pixel-elements, address lines or gate-electrodes}
H01L 27/14818	{Optical shielding}
H01L 27/14825	{Linear CCD imagers}
H01L 27/14831	{Area CCD imagers}
H01L 27/14837	{Frame-interline transfer}
H01L 27/14843	{Interline transfer}
H01L 27/1485	{Frame transfer}
H01L 27/14856	{Time-delay and integration}
H01L 27/14862	{CID imagers}

H01L 27/14868	{CCD or CID colour imagers}
H01L 27/14875	{Infra-red CCD or CID imagers}
H01L 27/14881	{of the hybrid type}
H01L 27/14887	{Blooming suppression}
H01L 27/14893	{comprising a photoconductive layer deposited on the CCD structure}
H01L 27/15	.	including semiconductor components with at least one potential-jump barrier or surface barrier specially adapted for light emission({ monolithically integrated components including semiconductor laser components H01S 5/026)}
H01L 27/153	..	{in a repetitive configuration, e.g. LED bars}
H01L 27/156	...	{two-dimensional arrays}
H01L 27/16	.	including thermoelectric components with or without a junction of dissimilar materials; including thermomagnetic components(using the Peltier effect only for cooling of semiconductor or other solid state devices H01L 23/38)
H01L 27/18	.	including components exhibiting superconductivity
H01L 27/20	.	including piezo-electric components; including electrostrictive components; including magnetostrictive components
H01L 27/22	.	including components using galvano-magnetic effects, e.g. Hall effects; using similar magnetic field effects
H01L 27/222	..	{Magnetic non-volatile memory structures, e.g. MRAM}
H01L 27/224	...	{comprising two-terminal components, e.g. diodes, MIM elements}
H01L 27/226	...	{comprising multi-terminal components, e.g. transistors}
H01L 27/228	{of the field-effect transistor type}
H01L 27/24	.	including solid state components for rectifying, amplifying or switching without a potential-jump barrier or surface barrier,{e.g. resistance switching non-volatile memory structures}

WARNING

Groups [H01L 27/2409](#) to [H01L 27/249](#) are not complete pending reclassification; see provisionally also group [H01L 27/24](#)

H01L 27/2409	..	{comprising two-terminal selection components, e.g. diodes}
H01L 27/2418	...	{of the metal-insulator-metal type}
H01L 27/2427	...	{of the Ovonic threshold switching type}
H01L 27/2436	..	{comprising multi-terminal selection components, e.g. transistors}
H01L 27/2445	...	{of the bipolar type}
H01L 27/2454	...	{of the vertical channel field-effect transistor type}
H01L 27/2463	..	{Arrangements comprising multiple bistable or multistable switching components of the same type on a plane parallel to the substrate, e.g. cross-point arrays, details of the horizontal layout}
H01L 27/2472	...	{the switching components having a common active material layer}

- H01L 27/2481 . . . {arranged in a direction perpendicular to the substrate, e.g. 3D cell arrays, details of the vertical layout}
- H01L 27/249 . . . {the switching components being connected to a common vertical conductor}
- H01L 27/26 . including bulk negative resistance effect components
- H01L 27/265 . . {Gunn effect devices}
- H01L 27/28 . including components using organic materials as the active part, or using a combination of organic materials with other materials as the active part
- H01L 27/281 . . {Integrated circuits having a three-dimensional layout}
- H01L 27/283 . . {comprising components of the field-effect type}
- H01L 27/285 . . {Integrated circuits with a common active layer, e.g. cross point devices}
- H01L 27/286 . . {with an active region comprising an inorganic semiconductor}
- H01L 27/288 . . {Combination of organic light sensitive components with organic light emitting components, e.g. optocoupler}
- H01L 27/30 . . with components specially adapted for sensing infra-red radiation, light, electromagnetic radiation of shorter wavelength, or corpuscular radiation; with components specially adapted for either the conversion of the energy of such radiation into electrical energy or for the control of electrical energy by such radiation{(combination of organic light sensitive components with organic light emitting components, e.g. optocoupler [H01L 27/288](#))}
- H01L 27/301 . . . {Energy conversion devices}
- H01L 27/302 . . . {comprising multiple junctions, e.g. tandem cells}
- H01L 27/304 . . . {in form of a fiber or a tube, e.g. photovoltaic fibers}
- H01L 27/305 . . . {Devices controlled by radiation}
- H01L 27/307 . . . {Imager structures}
- H01L 27/308 . . . {Devices specially adapted for detecting X-ray radiation(measuring X-radiation [G01T 1/00](#))}
- H01L 27/32 . . with components specially adapted for light emission, e.g. flat-panel displays using organic light-emitting diodes (OLED){ combination of organic light sensitive components with organic light emitting components, e.g. optocoupler [H01L 27/288](#)}
- H01L 27/3202 . . . {OLEDs electrically connected in parallel}
- H01L 27/3204 . . . {OLEDs electrically connected in series}
- H01L 27/3206 . . . {Multi-colour light emission}
- H01L 27/3209 . . . {using stacked OLED}
- H01L 27/3211 . . . {using RGB sub-pixels}

WARNING

The subgroups of [H01L 27/3211](#) are not complete pending a reorganization, see provisionally also this group

- H01L 27/3213 {using more than three sub-pixels, e.g. RGBW}
- H01L 27/3216 {the areas of RGB sub-pixels being different}
- H01L 27/3218 {characterised by the geometrical arrangement of the RGB sub-pixels}
- H01L 27/322 {using colour filters or colour changing media (CCM)}

H01L 27/3223	...	{combined with dummy elements, i.e. non-functional features}
H01L 27/3225	...	{OLED integrated with another component(H01L 27/3223 takes precedence)}
H01L 27/3227	{the other component being a light sensitive element, e.g. inorganic solar cell, inorganic photodiode(H01L 27/288 takes precedence)}
H01L 27/323	{the other component being a touch screen}
H01L 27/3232	{the other component being a light modulating element, e.g. electrochromic element, photochromic element, liquid crystal element}
H01L 27/3234	{the other component being an imager structure(H01L 27/146 takes precedence)}
H01L 27/3237	...	{ Displays not provided for in group H01L 27/3241 and subgroups, e.g. segment-type displays }
H01L 27/3239	{Light emitting logos}
H01L 27/3241	...	{Matrix-type displays}

NOTE

From 1.2.2012 onwards, groups [H01L 27/3295](#) and [H01L 27/3297](#) are no longer used for classification of new documents. The backfile is being reclassified to [H01L 27/3244](#) and [H01L 27/3281](#) and subgroups thereof

H01L 27/3244	{Active matrix displays}
H01L 27/3246	{Banks, i.e. pixel defining layers}
H01L 27/3248	{Connection of the pixel electrode to the TFT}
H01L 27/3251	{Double substrate, i.e. with OLED and TFT on different substrates}
H01L 27/3253	{Electrical connection of the two substrates}
H01L 27/3255	{Chiplets}
H01L 27/3258	{Insulating layers formed between TFT elements and OLED elements}
H01L 27/326	{special geometry or disposition of pixel-elements}
H01L 27/3262	{of TFT}
H01L 27/3265	{of capacitor}
H01L 27/3267	{Dual display, i.e. having two independent displays}
H01L 27/3269	{Including photosensors to control luminance}
H01L 27/3272	{Shielding, e.g. of TFT}
H01L 27/3274	{including organic thin film transistors [OTFT]}
H01L 27/3276	{Wiring lines}
H01L 27/3279	{comprising structures specially adapted for lowering the resistance}
H01L 27/3281	{Passive matrix displays}
H01L 27/3283	{Including banks or shadow masks}
H01L 27/3286	[Dual display, i.e. having two independent displays]
H01L 27/3288	{Wiring lines}
H01L 27/329	{comprising structures specially adapted for lowering the resistance}
H01L 27/3293	{Tiled displays}
H01L 27/3295	{including banks or shadow masks}

H01L 27/3297 {Wiring lines, e.g. power supply lines}
H01L 28/00	{Passive two-terminal components without a potential-jump or surface barrier for integrated circuits; Details thereof; Multistep manufacturing processes therefor(testing or measuring during manufacture H01L 22/00 ; integration methods H01L 21/70 ; integrated circuits H01L 27/00 ; two-terminal components with a potential-jump or surface barrier H01L 29/00 ; resistors in general H01C; inductors in general H01F; capacitors in general H01G)}
H01L 28/10	. {Inductors}
H01L 28/20	. {Resistors}
H01L 28/22	.. {with an active material comprising carbon, e.g. diamond or diamond-like carbon [DLC]}
H01L 28/24	.. {with an active material comprising a refractory, transition or noble metal, metal compound or metal alloy, e.g. silicides, oxides, nitrides}
H01L 28/26	.. {with an active material comprising an organic conducting material, e.g. conducting polymers}
H01L 28/40	. {Capacitors}
H01L 28/55	.. {with a dielectric comprising a perovskite structure material}
H01L 28/56	... {the dielectric comprising two or more layers, e.g. comprising buffer layers, seed layers, gradient layers}
H01L 28/57	... {comprising a barrier layer to prevent diffusion of hydrogen or oxygen}
H01L 28/60	.. {Electrodes}
H01L 28/65	... {comprising a noble metal or a noble metal oxide, e.g. platinum (Pt), ruthenium (Ru), ruthenium dioxide (RuO ₂), iridium (Ir), iridium dioxide (IrO ₂)}
H01L 28/75	... {comprising two or more layers, e.g. comprising a barrier layer and a metal layer}
H01L 28/82	... {with an enlarged surface, e.g. formed by texturisation}
H01L 28/84 {being a rough surface, e.g. using hemispherical grains}
H01L 28/86 {having horizontal extensions}
H01L 28/87 {made by depositing layers, e.g. by depositing alternating conductive and insulating layers}
H01L 28/88 {made by patterning layers, e.g. by etching conductive layers}
H01L 28/90 {having vertical extensions}
H01L 28/91 {made by depositing layers, e.g. by depositing alternating conductive and insulating layers}
H01L 28/92 {made by patterning layers, e.g. by etching conductive layers}

H01L 29/00

Semiconductor devices adapted for rectifying, amplifying, oscillating or switching, or capacitors or resistors with at least one potential-jump barrier or surface barrier, e.g. PN junction depletion layer or carrier concentration layer; Details of semiconductor bodies or of electrodes thereof;{Multistep manufacturing processes therefor}(H01L 31/00 - H01L 47/00 , H01L 51/05 take precedence; processes or apparatus adapted for the manufacture or treatment thereof or of parts thereof H01L 21/00 ; details other than of semiconductor bodies or of electrodes thereof H01L 23/00 ; devices consisting of a plurality of solid state components formed in or on a common substrate H01L 27/00 ; { passive two-terminal components without a potential-jump or surface barrier for integrated circuits, details thereof and multistep manufacturing processes therefor H01L 28/00 ; }resistors in general H01C; capacitors in general H01G,{ e.g. ceramic barrier-layer capacitors H01G 4/1272})

NOTE

In this main group, classification is made both in groups H01L 29/02 to H01L 29/51 and in groups H01L 29/66 to H01L 29/94 if both of these sets of groups are relevant.

- H01L 29/02 . Semiconductor bodies;{Multistep manufacturing processes therefor}
- H01L 29/04 .. characterised by their crystalline structure, e.g. polycrystalline, cubic, particular orientation of crystalline planes(imperfections H01L 29/30)
- H01L 29/045 ... {by their particular orientation of crystalline planes}
- H01L 29/06 .. characterised by their shape; characterised by the shapes, relative sizes, or dispositions of the semiconductor regions;{characterised by the concentration or distribution of impurities within semiconductor regions}
- H01L 29/0603 ... {characterised by particular constructional design considerations, e.g. for preventing surface leakage, for controlling electric field concentration or for internal isolations regions(isolation regions between components H01L 21/76 ; design considerations for integrated circuits H01L 27/00 ; geometrical design considerations for devices H01L 29/0657)}
- H01L 29/0607 {for preventing surface leakage or controlling electric field concentration}
- H01L 29/0611 {for increasing or controlling the breakdown voltage of reverse biased devices(H01L 29/0661 takes precedence)}
- H01L 29/0615 {by the doping profile or the shape or the arrangement of the PN junction, or with supplementary regions, e.g. junction termination extension (JTE)(LDD or drain offset regions H01L 29/7833)}
- H01L 29/0619 {with a supplementary region doped oppositely to or in rectifying contact with the semiconductor containing or contacting region, e.g. guard rings with PN or Schottky junction}
- H01L 29/0623 {Buried supplementary region, e.g. buried guard ring(multi-RESURF H01L 29/0634)}
- H01L 29/0626 {with a localised breakdown region, e.g. built-in avalanching region(in self-protected thyristors H01L 29/7424)}
- H01L 29/063 {Reduced surface field (RESURF) pn-junction structures}
- H01L 29/0634 {Multiple reduced surface field (multi-RESURF) structures, e.g. double RESURF, charge compensation, cool, superjunction (SJ), 3D-RESURF, composite buffer (CB) structures}

H01L 29/0638	{for preventing surface leakage due to surface inversion layer, e.g. with channel stopper(channel stoppers in combination with isolation region for integrated circuits H01L 21/762)}
H01L 29/0642	{Isolation within the component, i.e. internal isolation}
H01L 29/0646	{PN junctions}
H01L 29/0649	{Dielectric regions, e.g. SiO ₂ regions, air gaps}
H01L 29/0653	{adjoining the input or output region of a field-effect device, e.g. the source or drain region}
H01L 29/0657	...	{characterised by the shape of the body}
H01L 29/0661	{specially adapted for altering the breakdown voltage by removing semiconductor material at, or in the neighbourhood of, a reverse biased junction, e.g. by bevelling, moat etching, depletion etching}
H01L 29/0665	{the shape of the body defining a nanostructure(nanotechnology per se B82B)}
H01L 29/0669	{Nanowires or nanotubes(carbon nanotubes as material of solid-state device active part H01L 51/0048)}
H01L 29/0673	{oriented parallel to a substrate}
H01L 29/0676	{oriented perpendicular or at an angle to a substrate}
H01L 29/068	{comprising a junction}
H01L 29/0684	...	{characterised by the shape, relative sizes or dispositions of the semiconductor regions or junctions between the regions}
H01L 29/0688	{characterised by the particular shape of a junction between semiconductor regions}
H01L 29/0692	{Surface layout}
H01L 29/0696	{of cellular field-effect devices, e.g. multicellular DMOS transistors or IGBTs}
H01L 29/08	...	with semiconductor regions connected to an electrode carrying current to be rectified, amplified or switched and such electrode being part of a semiconductor device which comprises three or more electrodes
H01L 29/0804	{Emitter regions of bipolar transistors}
H01L 29/0808	{of lateral transistors}
H01L 29/0813	{Non-interconnected multi-emitter structures}
H01L 29/0817	{of heterojunction bipolar transistors(H01L 29/7375 takes precedence)}
H01L 29/0821	{Collector regions of bipolar transistors}
H01L 29/0826	{Pedestal collectors}
H01L 29/083	{Anode or cathode regions of thyristors or gated bipolar-mode devices}
H01L 29/0834	{Anode regions of thyristors or gated bipolar-mode devices, e.g. supplementary regions surrounding anode regions}
H01L 29/0839	{Cathode regions of thyristors}
H01L 29/0843	{Source or drain regions of field-effect devices}
H01L 29/0847	{of field-effect transistors with insulated gate(H01L 29/0653 takes precedence ; with a passive supplementary region between source or drain and substrate related to punch-through, capacity or isolation phenomena H01L 29/1079 ; with LDD or DDD structure H01L 29/7833 ; for thin film transistors H01L 29/78618)}

H01L 29/0852	{of DMOS transistors}{ WARNING: This group and subgroups thereof are not complete, see provisionally also H01L 29/0847 and H01L 29/7801 and subgroups thereof }
H01L 29/0856	{Source regions}
H01L 29/086	{Impurity concentration or distribution}
H01L 29/0865	{Disposition}
H01L 29/0869	{Shape(cell layout H01L 29/0696)}
H01L 29/0873	{Drain regions}
H01L 29/0878	{Impurity concentration or distribution}
H01L 29/0882	{Disposition}
H01L 29/0886	{Shape}
H01L 29/0891	{of field-effect transistors with Schottky gate}
H01L 29/0895	{Tunnel injectors}
H01L 29/10	...	with semiconductor regions connected to an electrode not carrying current to be rectified, amplified or switched and such electrode being part of a semiconductor device which comprises three or more electrodes
H01L 29/1004	{Base region of bipolar transistors}
H01L 29/1008	{of lateral transistors}
H01L 29/1012	{Base regions of thyristors(H01L 29/083 takes precedence)}
H01L 29/1016	{Anode base regions of thyristors}
H01L 29/102	{Cathode base regions of thyristors}
H01L 29/1025	{Channel region of field-effect devices}
H01L 29/1029	{of field-effect transistors}
H01L 29/1033	{with insulated gate, e.g. characterised by the length, the width, the geometric contour or the doping structure(with channel and gate aligned in the lengthwise direction H01L 29/42376 ; with buried channel H01L 29/7838)}
H01L 29/1037	{and non-planar channel(resulting from the gate electrode disposition, e.g. within a trench, H01L 29/42356)}
H01L 29/1041	{with a non-uniform doping structure in the channel region surface}
H01L 29/1045	{the doping structure being parallel to the channel length, e.g. DMOS like}
H01L 29/105	{with vertical doping variation(H01L 29/7827 takes precedence)}
H01L 29/1054	{with a variation of the composition, e.g. channel with strained layer for increasing the mobility}
H01L 29/1058	{with PN junction gate}
H01L 29/1062	{of charge coupled devices}
H01L 29/1066	{Gate region of field-effect devices with PN junction gate}
H01L 29/107	{Substrate region of field-effect devices}
H01L 29/1075	{of field-effect transistors}
H01L 29/1079	{with insulated gate}
H01L 29/1083	{with an inactive supplementary region, e.g. for preventing punch-through, improving capacity effect or leakage current}

H01L 29/1087	{characterised by the contact structure of the substrate region, e.g. for controlling or preventing bipolar effect}
H01L 29/1091	{of charge coupled devices}
H01L 29/1095	{Body region, i.e. base region, of DMOS transistors or IGBTs(cell layout H01L 29/0696)}
H01L 29/12	..	characterised by the materials of which they are formed
H01L 29/122	...	{Single quantum well structures(single heterojunctions, couples of materials H01L 29/165 , H01L 29/205 , H01L 29/225 , H01L 29/267)}
H01L 29/125	{Quantum wire structures}
H01L 29/127	{Quantum box structures}
H01L 29/15	...	Structures with periodic or quasi periodic potential variation, e.g. multiple quantum wells, superlattices(such structures applied for the control of light G02F 1/017 , applied in semiconductor lasers H01S 5/34)

NOTE

Group [H01L 29/15](#) takes precedence over groups [H01L 29/16](#) to [H01L 29/26](#) .

H01L 29/151	{Compositional structures(H01L 29/157 and H01L 29/158 take precedence)}
H01L 29/152	{with quantum effects only in vertical direction, i.e. layered structures with quantum effects solely resulting from vertical potential variation}
H01L 29/154	{comprising at least one long range structurally disordered material, e.g. one-dimensional vertical amorphous superlattices}
H01L 29/155	{Comprising only semiconductor materials(H01L 29/154 takes precedence)}
H01L 29/157	{Doping structures, e.g. doping superlattices, nipi superlattices(delta doping in general H01L 29/365)}
H01L 29/158	{Structures without potential periodicity in a direction perpendicular to a major surface of the substrate, i.e. vertical direction, e.g. lateral superlattices, lateral surface superlattices (LSS)}
H01L 29/16	...	including, apart from doping materials or other impurities, only elements of the fourth group of the Periodic System in uncombined form{(including SiC H01L 29/24)}
H01L 29/1602	{Diamond}
H01L 29/1604	{Amorphous materials}
H01L 29/1606	{Graphene}
H01L 29/1608	{Silicon carbide}
H01L 29/161	including two or more of the elements provided for in group H01L 29/16 , {e.g. alloys(H01L 29/1604 takes precedence)}
H01L 29/165	in different semiconductor regions,{e.g. heterojunctions}
H01L 29/167	further characterised by the doping material{(H01L 29/1604 takes precedence)}
H01L 29/18	...	Selenium or tellurium only, apart from doping materials or other impurities
H01L 29/185	{Amorphous materials}

H01L 29/20	...	including, apart from doping materials or other impurities, only AIIIBV compounds
H01L 29/2003	{Nitride compounds}
H01L 29/2006	{Amorphous materials}
H01L 29/201	including two or more compounds,{e.g. alloys(H01L 29/2006 takes precedence)}
H01L 29/205	in different semiconductor regions,{e.g. heterojunctions}
H01L 29/207	further characterised by the doping material{(H01L 29/2006 takes precedence)}
H01L 29/22	...	including, apart from doping materials or other impurities, only AIIIBV compounds
H01L 29/2203	{Cd X compounds being one element of the 6th group of the Periodic System(H01L 29/2206 takes precedence)}
H01L 29/2206	{Amorphous materials}
H01L 29/221	including two or more compounds,{e.g. alloys(H01L 29/2206 takes precedence)}
H01L 29/225	in different semiconductor regions,{e.g. heterojunctions}
H01L 29/227	further characterised by the doping material{(H01L 29/2206 takes precedence)}
H01L 29/24	...	including, apart from doping materials or other impurities, only semiconductor materials not provided for in groups H01L 29/16 , H01L 29/18 , H01L 29/20 , H01L 29/22 (including organic materials H01L 51/00)
H01L 29/242	{AIBVI or AIBVII compounds, e.g. Cu ₂ O, Cu I(H01L 29/247 takes precedence)}
H01L 29/245	{Pb compounds, e.g. PbO(H01L 29/247 takes precedence)}
H01L 29/247	{Amorphous materials}
H01L 29/26	...	including, apart from doping materials or other impurities, elements provided for in two or more of the groups H01L 29/16 , H01L 29/18 , H01L 29/20 , H01L 29/22 , H01L 29/24 , {e.g. alloys}
H01L 29/263	{Amorphous materials}
H01L 29/267	in different semiconductor regions,{e.g. heterojunctions(H01L 29/263 takes precedence)}
H01L 29/30	..	characterised by physical imperfections; having polished or roughened surface
H01L 29/32	...	the imperfections being within the semiconductor body
H01L 29/34	...	the imperfections being on the surface
H01L 29/36	..	characterised by the concentration or distribution of impurities{in the bulk material(within semiconductor regions H01L 29/06)}
H01L 29/365	...	{Planar doping, e.g. atomic-plane doping, delta-doping}
H01L 29/40	.	Electrodes;{Multistep manufacturing processes therefor}
H01L 29/401	..	{Multistep manufacturing processes}

WARNING[H01L 21/28026](#) and subgroups

H01L 29/402	..	{Field plates}
H01L 29/404	...	{Multiple field plate structures}
H01L 29/405	...	{Resistive arrangements, e.g. resistive or semi-insulating field plates}
H01L 29/407	...	{Recessed field plates, e.g. trench field plates, buried field plates}
H01L 29/408	..	{with an insulating layer with a particular dielectric or electrostatic property, e.g. with static charges or for controlling trapped charges or moving ions, or with a plate acting on the insulator potential or the insulator charges, e.g. for controlling charges effect or potential distribution in the insulating layer, or with a semi-insulating layer contacting directly the semiconductor surface}
H01L 29/41	..	characterised by their shape, relative sizes or dispositions
H01L 29/413	...	{Nanosized electrodes, e.g. nanowire electrodes comprising one or a plurality of nanowires(transparent electrodes comprising carbon nano-tubes H01L 51/444 , nanotechnology per se B82B ; nanosized carbon materials, e.g. carbon nanotubes, per se C01B 31/0206)}
H01L 29/417	...	carrying the current to be rectified, amplified or switched
H01L 29/41708	{Emitter or collector electrodes for bipolar transistors}
H01L 29/41716	{Cathode or anode electrodes for thyristors}
H01L 29/41725	{Source or drain electrodes for field effect devices(with monocrystalline semiconductor on source/drain region H01L 29/0843)}
H01L 29/41733	{for thin film transistors with insulated gate}
H01L 29/41741	{for vertical or pseudo-vertical devices}

NOTE

A pseudo-vertical device is a device with the drain and source electrodes on the same main surface and where the main current is vertical at least in a part of its path

H01L 29/4175	{for lateral devices where the connection to the source or drain region is done through at least one part of the semiconductor substrate thickness, e.g. with connecting sink or with via-hole}
--------------	-------	---

NOTE

The sink or via-hole leading to the source or drain region is considered to form part of the source or drain electrode

H01L 29/41758	{for lateral devices with structured layout for source or drain region, i.e. the source or drain region having cellular, interdigitated or ring structure or being curved or angular(H01L 29/41733 to H01L 29/4175 take precedence)}
---------------	-------	--

NOTE

Interdigitated structure means that at least one of the source or drain region has two or more fingers

H01L 29/41766	{with at least part of the source or drain electrode having contact below the semiconductor surface, e.g. the source or drain electrode formed at least partially in a groove or with inclusions of conductor inside the semiconductor(H01L 29/41733 to H01L 29/41758 take precedence)}
H01L 29/41775	{characterised by the proximity or the relative position of the source or drain electrode and the gate electrode, e.g. the source or drain electrode separated from the gate electrode by side-walls or spreading around or above the gate electrode}
H01L 29/41783	{Raised source or drain electrodes self aligned with the gate}
H01L 29/41791	{for transistors with a horizontal current flow in a vertical sidewall, e.g. FinFET, MuGFET}
H01L 29/423	...	not carrying the current to be rectified, amplified or switched
H01L 29/42304	{Base electrodes for bipolar transistors}
H01L 29/42308	{Gate electrodes for thyristors}
H01L 29/42312	{Gate electrodes for field effect devices}
H01L 29/42316	{for field-effect transistors}
H01L 29/4232	{with insulated gate}
H01L 29/42324	{Gate electrodes for transistors with a floating gate}
H01L 29/42328	{with at least one additional gate other than the floating gate and the control gate, e.g. program gate, erase gate or select gate}
H01L 29/42332	{with the floating gate formed by two or more non connected parts, e.g. multi-particles flating gate}
H01L 29/42336	{with one gate at least partly formed in a trench}
H01L 29/4234	{Gate electrodes for transistors with charge trapping gate insulator}
H01L 29/42344	{with at least one additional gate, e.g. program gate, erase gate or select gate}
H01L 29/42348	{with trapping site formed by at least two separated sites, e.g. multi-particles trapping site}
H01L 29/42352	{with the gate at least partly formed in a trench}
H01L 29/42356	{Disposition, e.g. buried gate electrode(H01L 29/42324 and H01L 29/4234 take precedence)}{ WARNING: This group and subgroup thereof are not complete, see provisionally also H01L 29/78 , H01L 29/7801 and subgroups thereof, H01L 29/7827 and H01L 29/7834 }
H01L 29/4236	{within a trench, e.g. trench gate electrode, groove gate electrode}
H01L 29/42364	{characterised by the insulating layer, e.g. thickness or uniformity}(H01L 29/42324 and H01L 29/4234 take precedence)
H01L 29/42368	{the thickness being non-uniform}
H01L 29/42372	{characterised by the conducting layer, e.g. the length, the sectional shape or the lay-out(H01L 29/42324 takes precedence)}
H01L 29/42376	{characterised by the length or the sectional shape}
H01L 29/4238	{characterised by the surface lay-out}

H01L 29/42384	{for thin film field effect transistors, e.g. characterised by the thickness or the shape of the insulator or the dimensions, the shape or the lay-out of the conductor}
H01L 2029/42388	{characterised by the shape of the insulating material}
H01L 29/42392	{fully surrounding the channel, e.g. gate-all-around}
H01L 29/42396	{for charge coupled devices}
H01L 29/43	..	characterised by the materials of which they are formed
H01L 29/432	...	{Heterojunction gate for field effect devices}
H01L 29/435	...	{Resistive materials for field effect devices, e.g. resistive gate for MOSFET or MESFET}
H01L 29/437	...	{Superconductor materials}
H01L 29/45	...	Ohmic electrodes
H01L 29/452	{on AIII-BV compounds}
H01L 29/454	{on thin film AIII-BV compounds}
H01L 29/456	{on silicon}
H01L 29/458	{for thin film silicon, e.g. source or drain electrode}
H01L 29/47	...	Schottky barrier electrodes{(H01L 29/435 takes precedence)}
H01L 29/475	{on AIII-BV compounds}
H01L 29/49	...	Metal-insulator-semiconductor electrodes,{e.g. gates of MOSFET(H01L 29/435 takes precedence)}

NOTE

This group covers also devices using any other conductor material in place of metal

H01L 29/4908	{for thin film semiconductor, e.g. gate of TFT}
H01L 29/4916	{the conductor material next to the insulator being a silicon layer, e.g. polysilicon doped with boron, phosphorus or nitrogen(H01L 29/4908 , H01L 29/4983 take precedence)}
H01L 29/4925	{with a multiple layer structure, e.g. several silicon layers with different crystal structure or grain arrangement(with only a vertical doping structure or vertical doping variation H01L 29/4916)}
H01L 29/4933	{with a silicide layer contacting the silicon layer, e.g. Polycide gate(with a barrier layer between the silicide and silicon layers H01L 29/4941)}
H01L 29/4941	{with a barrier layer between the silicon and the metal or metal silicide upper layer, e.g. Silicide/TiN/Polysilicon}
H01L 29/495	{the conductor material next to the insulator being a simple metal, e.g. W, Mo(H01L 29/4908 , H01L 29/4983 take precedence)}
H01L 29/4958	{with a multiple layer structure}
H01L 29/4966	{the conductor material next to the insulator being a composite material, e.g. organic material, TiN, MoSi2(H01L 29/4908 , H01L 29/4983 take precedence)}
H01L 29/4975	{being a silicide layer, e.g. TiSi2}

H01L 29/4983	{with a lateral structure, e.g. a Polysilicon gate with a lateral doping variation or with a lateral composition variation or characterised by the sidewalls being composed of conductive, resistive or dielectric material}
H01L 29/4991	{comprising an air gap}{ Warning: Not complete, see provisionally also H01L 29/4983 }
H01L 29/51	Insulating materials associated therewith{(for MIS structures on thin film semiconductor H01L 29/4908)}
H01L 29/511	{with a compositional variation, e.g. multilayer structures(H01L 29/516 takes precedence)}
H01L 29/512	{the variation being parallel to the channel plane}
H01L 29/513	{the variation being perpendicular to the channel plane}
H01L 29/515	{with cavities, e.g. containing a gas}
H01L 29/516	{with at least one ferroelectric layer}
H01L 29/517	{the insulating material comprising a metallic compound, e.g. metal oxide, metal silicate(H01L 29/518 takes precedence)}
H01L 29/518	{the insulating material containing nitrogen, e.g. nitride, oxynitride, nitrogen-doped material}
H01L 29/66	.	Types of semiconductor device;{Multistep manufacturing processes therefor}
H01L 29/66007	..	{Multistep manufacturing processes}
H01L 29/66015	...	{of devices having a semiconductor body comprising semiconducting carbon, e.g. diamond, diamond-like carbon, graphene}
H01L 29/66022	{the devices being controllable only by variation of the electric current supplied or the electric potential applied, to one or more of the electrodes carrying the current to be rectified, amplified, oscillated or switched, e.g. two-terminal devices}
H01L 29/6603	{Diodes}
H01L 29/66037	{the devices being controllable only by the electric current supplied or the electric potential applied, to an electrode which does not carry the current to be rectified, amplified or switched, e.g. three-terminal devices}
H01L 29/66045	{Field-effect transistors}
H01L 29/66053	...	{of devices having a semiconductor body comprising crystalline silicon carbide}
H01L 29/6606	{the devices being controllable only by variation of the electric current supplied or the electric potential applied, to one or more of the electrodes carrying the current to be rectified, amplified, oscillated or switched, e.g. two-terminal devices}
H01L 29/66068	{the devices being controllable only by the electric current supplied or the electric potential applied, to an electrode which does not carry the current to be rectified, amplified or switched, e.g. three-terminal devices}
H01L 29/66075	...	{of devices having semiconductor bodies comprising group 14 or group 13/15 materials(comprising semiconducting carbon H01L 29/66015 ; comprising crystalline silicon carbide H01L 29/66053)}
H01L 29/66083	{the devices being controllable only by variation of the electric current supplied or the electric potential applied, to one or more of the electrodes carrying the current to be rectified, amplified, oscillated or switched, e.g. two-terminal devices}
H01L 29/6609	{Diodes}

H01L 29/66098	{Breakdown diodes}
H01L 29/66106	{Zener diodes}
H01L 29/66113	{Avalanche diodes}
H01L 29/66121	{Multilayer diodes, e.g. PNPN diodes}
H01L 29/66128	{Planar diodes}
H01L 29/66136	{PN junction diodes}
H01L 29/66143	{Schottky diodes}
H01L 29/66151	{Tunnel diodes(group 13/15 resonant tunneling diodes H01L 29/66219)}
H01L 29/66159	{Transit time diodes, e.g. IMPATT, TRAPATT diodes}
H01L 29/66166	{Resistors with PN junction}
H01L 29/66174	{Capacitors with PN or Schottky junction, e.g. varactors(capacitors with PN junction combined with MOS control H01L 29/66189)}
H01L 29/66181	{Conductor-insulator-semiconductor capacitors, e.g. trench capacitors}
H01L 29/66189	{with PN junction, e.g. hybrid capacitors}
H01L 29/66196	{with an active layer made of a group 13/15 material}
H01L 29/66204	{Diodes}
H01L 29/66212	{Schottky diodes}
H01L 29/66219	{with a heterojunction, e.g. resonant tunneling diodes [RTD]}
H01L 29/66227	{the devices being controllable only by the electric current supplied or the electric potential applied, to an electrode which does not carry the current to be rectified, amplified or switched, e.g. three-terminal devices}
H01L 29/66234	{Bipolar junction transistors [BJT]}
H01L 29/66242	{Heterojunction transistors [HBT]}(with an active layer made of a group 13/15 material H01L 29/66318)
H01L 29/6625	{Lateral transistors(H01L 29/66242 and H01L 29/66265 take precedence)}
H01L 29/66257	{Schottky transistors}
H01L 29/66265	{Thin film bipolar transistors(H01L 29/66242 takes precedence)}
H01L 29/66272	{Silicon vertical transistors(H01L 29/66242 , H01L 29/66257 and H01L 29/66265 take precedence)}
H01L 29/6628	{Inverse transistors}
H01L 29/66287	{with a single crystalline emitter, collector or base including extrinsic, link or graft base formed on the silicon substrate, e.g. by epitaxy, recrystallisation, after insulating device isolation(H01L 29/6628 takes precedence)}
H01L 29/66295	{with main current going through the whole silicon substrate, e.g. power bipolar transistor}
H01L 29/66303	{with multi-emitter, e.g. interdigitated, multi-cellular or distributed emitter}
H01L 29/6631	{with an active layer made of a group 13/15 material}
H01L 29/66318	{Heterojunction transistors}
H01L 29/66325	{controlled by field-effect, e.g. insulated gate bipolar transistors [IGBT]}

H01L 29/66333	{Vertical insulated gate bipolar transistors}
H01L 29/6634	{with a recess formed by etching in the source/emitter contact region(H01L 29/66348 takes precedence; etching of semiconductor bodies H01L 21/302)}
H01L 29/66348	{with a recessed gate}
H01L 29/66356	{Gated diodes, e.g. field controlled diodes [FCD], static induction thyristors [SITh], field controlled thyristors [FCTh]}
H01L 29/66363	{Thyristors}
H01L 29/66371	{structurally associated with another device, e.g. built-in diode(making integrated circuits H01L 21/82)}
H01L 29/66378	{the other device being a controlling field-effect device}
H01L 29/66386	{Bidirectional thyristors}
H01L 29/66393	{Lateral or planar thyristors}
H01L 29/66401	{with an active layer made of a group 13/15 material}
H01L 29/66409	{Unipolar field-effect transistors}
H01L 29/66416	{Static induction transistors [SIT]}(with an active layer made of a group 13/15 material H01L 29/66454)
H01L 29/66424	{Permeable base transistors [PBT]}
H01L 29/66431	{with a heterojunction interface channel or gate, e.g. HFET, HIGFET, SISFET, HJFET, HEMT(with an active layer made of a group 13/15 material H01L 29/66462)}
H01L 29/66439	{with a one- or zero-dimensional channel, e.g. quantum wire FET, in-plane gate transistor [IPG], single electron transistor [SET], striped channel transistor, Coulomb blockade transistor(with an active layer made of a group 13/15 material H01L 29/66469)}
H01L 29/66446	{with an active layer made of a group 13/15 material, e.g. group 13/15 velocity modulation transistor [VMT], group 13/15 negative resistance FET [NERFET]}
H01L 29/66454	{Static induction transistors [SIT], e.g. permeable base transistors [PBT]}
H01L 29/66462	{with a heterojunction interface channel or gate, e.g. HFET, HIGFET, SISFET, HJFET, HEMT}
H01L 29/66469	{with one- or zero-dimensional channel, e.g. quantum wire field-effect transistors, in-plane gate transistors [IPG], single electron transistors [SET], Coulomb blockade transistors, striped channel transistors}
H01L 29/66477	{with an insulated gate, i.e. MISFET}
H01L 29/66484	{with multiple gate, at least one gate being an insulated gate(H01L 29/66742 takes precedence)}
H01L 29/66492	{with a pocket or a lightly doped drain selectively formed at the side of the gate}
H01L 29/665	{using self aligned silicidation, i.e. salicide(formation of conductive layers comprising silicides H01L 21/28518)}
H01L 29/66507	{providing different silicide thicknesses on the gate and on source or drain}

H01L 29/66515	{using self aligned selective metal deposition simultaneously on the gate and on source or drain}
H01L 29/66522	{with an active layer made of a group 13/15 material(H01L 29/66446 takes precedence)}
H01L 29/6653	{using the removal of at least part of spacer, e.g. disposable spacer}
H01L 29/66537	{using a self aligned punch through stopper or threshold implant under the gate region(H01L 29/66606 takes precedence)}
H01L 29/66545	{using a dummy, i.e. replacement gate in a process wherein at least a part of the final gate is self aligned to the dummy gate}
H01L 29/66553	{using inside spacers, permanent or not}
H01L 29/6656	{using multiple spacer layers, e.g. multiple sidewall spacers}
H01L 29/66568	{Lateral single gate silicon transistors}
H01L 29/66575	{where the source and drain or source and drain extensions are self-aligned to the sides of the gate(H01L 29/66606 takes precedence)}
H01L 29/66583	{with initial gate mask or masking layer complementary to the prospective gate location, e.g. with dummy source and drain contacts}
H01L 29/6659	{with both lightly doped source and drain extensions and source and drain self-aligned to the sides of the gate, e.g. lightly doped drain [LDD] MOSFET, double diffused drain [DDD] MOSFET}
H01L 29/66598	{forming drain [D] and lightly doped drain [LDD] simultaneously, e.g. using implantation through the wings a T-shaped layer, or through a specially shaped layer}
H01L 29/66606	{with final source and drain contacts formation strictly before final or dummy gate formation, e.g. contact first technology(H01L 29/66621 takes precedence)}
H01L 29/66613	{with a gate recessing step, e.g. using local oxidation(making recessed gate LDMOS transistors H01L 29/66704)}
H01L 29/66621	{using etching to form a recess at the gate location(etching of semiconductor bodies H01L 21/302)}
H01L 29/66628	{recessing the gate by forming single crystalline semiconductor material at the source or drain location}
H01L 29/66636	{with source or drain recessed by etching or first recessed by etching and then refilled}
H01L 29/66643	{with source or drain regions formed by a Schottky barrier or a conductor-insulator-semiconductor structure}
H01L 29/66651	{with a single crystalline channel formed on the silicon substrate after insulating device isolation}
H01L 29/66659	{with asymmetry in the channel direction, e.g. lateral high-voltage MISFETs with drain offset region, extended drain MISFETs}
H01L 29/66666	{Vertical transistors(H01L 29/66712 , H01L 29/66742 take precedence)}

H01L 29/66674	{DMOS transistors, i.e. MISFETs with a channel accommodating body or base region adjoining a drain drift region(making lateral high-voltage MISFETs with channel well and drain offset region H01L 29/66659)}
H01L 29/66681	{Lateral DMOS transistors, i.e. LDMOS transistors}
<u>WARNING</u>		
H01L 29/66674		
H01L 29/66689	{with a step of forming an insulating sidewall spacer(forming insulating material on a substrate H01L 21/02107)}
H01L 29/66696	{with a step of recessing the source electrode}
H01L 29/66704	{with a step of recessing the gate electrode, e.g. to form a trench gate electrode}
H01L 29/66712	{Vertical DMOS transistors, i.e. VDMOS transistors}
H01L 29/66719	{With a step of forming an insulating sidewall spacer}
<u>WARNING</u>		
H01L 29/66712		
H01L 29/66727	{with a step of recessing the source electrode}
H01L 29/66734	{with a step of recessing the gate electrode, e.g. to form a trench gate electrode}
H01L 29/66742	{Thin film unipolar transistors}
H01L 29/6675	{Amorphous silicon or polysilicon transistors}
H01L 29/66757	{Lateral single gate single channel transistors with non-inverted structure, i.e. the channel layer is formed before the gate}
H01L 29/66765	{Lateral single gate single channel transistors with inverted structure, i.e. the channel layer is formed after the gate}
H01L 29/66772	{Monocrystalline silicon transistors on insulating substrates, e.g. quartz substrates(H01L 29/66666 takes precedence; thin film FinFETs H01L 29/66795)}
H01L 29/6678	{on sapphire substrates, e.g. SOS transistors}
H01L 29/66787	{with a gate at the side of the channel}
H01L 29/66795	{with a horizontal current flow in a vertical sidewall of a semiconductor body, e.g. FinFET, MuGFET}
H01L 29/66803	{with a step of doping the vertical sidewall, e.g. using tilted or multi-angled implants}
H01L 29/6681	{using dummy structures having essentially the same shape as the semiconductor body, e.g. to provide stability}
H01L 29/66818	{the channel being thinned after patterning, e.g. sacrificial oxidation on fin}
H01L 29/66825	{with a floating gate(H01L 29/6684 takes precedence)}
H01L 29/66833	{with a charge trapping gate insulator, e.g. MNOS transistors}

H01L 29/6684	{with a ferroelectric gate insulator}
H01L 29/66848	{with a Schottky gate, i.e. MESFET}
H01L 29/66856	{with an active layer made of a group 13/15 material(H01L 29/66446 takes precedence)}
H01L 29/66863	{Lateral single gate transistors}
H01L 29/66871	{Processes wherein the final gate is made after the formation of the source and drain regions in the active layer, e.g. dummy-gate processes}
H01L 29/66878	{Processes wherein the final gate is made before the formation, e.g. activation anneal, of the source and drain regions in the active layer}
H01L 29/66886	{Lateral transistors with two or more independent gates}
H01L 29/66893	{with a PN junction gate, i.e. JFET}
H01L 29/66901	{with a PN homojunction gate}
H01L 29/66909	{Vertical transistors, e.g. tecnetrans}
H01L 29/66916	{with a PN heterojunction gate}
H01L 29/66924	{with an active layer made of a group 13/15 material(H01L 29/66446 takes precedence)}
H01L 29/66931	{BJT-like unipolar transistors, e.g. hot electron transistors [HET], metal base transistors [MBT], resonant tunneling transistor [RTT], bulk barrier transistor [BBT], planar doped barrier transistor [PDBT], charge injection transistor [CHINT]}
H01L 29/66939	{with an active layer made of a group 13/15 material}
H01L 29/66946	{Charge transfer devices}
H01L 29/66954	{with an insulated gate}
H01L 29/66962	{with a Schottky gate}
H01L 29/66969	...	{of devices having semiconductor bodies not comprising group 14 or group 13/15 materials(comprising selenium or tellurium in uncombined form other than as impurities in semiconductor bodies of other materials, comprising cuprous oxide or cuprous iodide H01L 21/02365)}
H01L 29/66977	..	{Quantum effect devices, e.g. using quantum reflection, diffraction or interference effects, i.e. Bragg- or Aharonov-Bohm effects}
H01L 29/66984	..	{Devices using spin polarized carriers}
H01L 29/66992	..	{controllable only by the variation of applied heat(controllable by IR radiation H01L 31/00 ; measuring quantity of heat G01K 17/00)}
H01L 29/68	..	controllable by only the electric current supplied, or only the electric potential applied, to an electrode which does not carry the current to be rectified, amplified or switched
H01L 29/685	...	{Hi-Lo semiconductor devices, e.g. memory devices}
H01L 29/70	...	Bipolar devices
H01L 29/705	{Double base diodes}
H01L 29/72	Transistor-type devices, i.e. able to continuously respond to applied control signals
H01L 29/73	Bipolar junction transistors

H01L 29/7302	{structurally associated with other devices(assemblies of devices H01L 25/00 ; integrated circuits H01L 27/00 ; IGBT H01L 29/7393)}
H01L 29/7304	{the device being a resistive element, e.g. ballasting resistor(transistors integrated with resistors H01L 27/075)}
H01L 29/7306	{Point contact transistors}
H01L 29/7308	{Schottky transistors}
H01L 29/7311	{Tunnel transistors}
H01L 29/7313	{Avalanche transistors}
H01L 29/7315	{Transistors with hook collector}
H01L 29/7317	{Bipolar thin film transistors}
H01L 29/732	Vertical transistors
H01L 29/7322	{having emitter-base and base-collector junctions leaving at the same surface of the body, e.g. planar transistor}
H01L 29/7325	{having an emitter-base junction leaving at a main surface and a base-collector junction leaving at a peripheral surface of the body, e.g. mesa planar transistor}
H01L 29/7327	{Inverse vertical transistors}
H01L 29/735	Lateral transistors
H01L 29/737	Hetero-junction transistors
H01L 29/7371	{Vertical transistors}
H01L 29/7373	{having a two-dimensional base, e.g. modulation-doped base, inversion layer base, delta-doped base}
H01L 29/7375	{having an emitter comprising one or more non-monocrystalline elements of group IV, e.g. amorphous silicon, alloys comprising group IV elements}
H01L 29/7376	{Resonant tunnelling transistors}
H01L 29/7378	{comprising lattice mismatched active layers, e.g. SiGe strained layer transistors}
H01L 29/739	controlled by field-effect,{e.g. bipolar static induction transistors (BSIT)(unijunction transistors H01L 29/705)}
H01L 29/7391	{Gated diode structures}
H01L 29/7392	{with PN junction gate, e.g. field controlled thyristors (FCTh), static induction thyristors (SITh)}
H01L 29/7393	{Insulated gate bipolar mode transistors, i.e. IGBT; IGT; COMFET}
H01L 29/7394	{on an insulating layer or substrate, e.g. thin film device or device isolated from the bulk substrate(H01L 29/7398 takes precedence)}
H01L 29/7395	{Vertical transistors, e.g. vertical IGBT}

NOTE

The transistor is called vertical if the emitter and the collector are not on the same main surface or, if they are on the same main surface, at least a part of the main current has a component substantially not parallel to the main surface

H01L 29/7396	{with a non planar surface, e.g. with a non planar gate or with a trench or recess or pillar in the surface of the emitter, base or collector region for improving current density or short circuiting the emitter and base regions(H01L 29/7398 takes precedence)}
H01L 29/7397	{and a gate structure lying on a slanted or vertical surface or formed in a groove, e.g. trench gate IGBT}
H01L 29/7398	{with both emitter and collector contacts in the same substrate side}
H01L 29/74	Thyristor-type devices, e.g. having four-zone regenerative action{(two-terminal thyristors H01L 29/87)}
H01L 29/7404	{structurally associated with at least one other device(assemblies H01L 25/00 ; integrated circuits H01L 27/00)}
H01L 29/7408	{the device being a capacitor or a resistor}
H01L 29/7412	{the device being a diode}
H01L 29/7416	{the device being an antiparallel diode, e.g. RCT(shorted anode structures enabling reverse conduction H01L 29/0834)}
H01L 29/742	{the device being a field effect transistor(for turn-on or turn-off by field effect H01L 29/745 , H01L 29/749)}
H01L 29/7424	{having a built-in localised breakdown/breakover region, e.g. self-protected against destructive spontaneous, e.g. voltage breakover, firing}
H01L 29/7428	{having an amplifying gate structure, e.g. cascade (Darlington) configuration}
H01L 29/7432	{Asymmetrical thyristors(with a particular shorted anode structure H01L 29/0834)}
H01L 29/7436	{Lateral thyristors}
H01L 29/744	Gate-turn-off devices
H01L 29/745	with turn-off by field effect
H01L 29/7455	{produced by an insulated gate structure}
H01L 29/747	Bidirectional devices, e.g. triacs
H01L 29/749	with turn-on by field effect
H01L 29/76	...	Unipolar devices,{e.g. field effect transistors }
H01L 29/7606	{Transistor-like structures, e.g. hot electron transistor (HET); metal base transistor (MBT)}
H01L 29/7613	{Single electron transistors; Coulomb blockade devices(H01L 29/7888 takes precedence)}
H01L 29/762	Charge transfer devices
H01L 29/765	Charge-coupled devices{(peripheral circuits for CCD storage devices G11C 19/285)}
H01L 29/768	with field effect produced by an insulated gate
H01L 29/76808	{Input structures}
H01L 29/76816	{Output structures}
H01L 29/76825	{Structures for regeneration, refreshing, leakage compensation or the like}
H01L 29/76833	{Buried channel CCD}

H01L 29/76841	{Two-Phase CCD}
H01L 29/7685	{Three-Phase CCD}
H01L 29/76858	{Four-Phase CCD}
H01L 29/76866	{Surface Channel CCD}
H01L 29/76875	{Two-Phase CCD}
H01L 29/76883	{Three-Phase CCD}
H01L 29/76891	{Four-Phase CCD}
H01L 29/772	Field effect transistors
H01L 29/7722	{using static field induced regions, e.g. SIT, PBT}
H01L 29/7725	{with delta-doped channel(H01L 29/778 takes precedence)}
H01L 29/7727	{Velocity modulation transistors, i.e. VMT}
H01L 29/775	with one dimensional charge carrier gas channel, e.g. quantum wire FET
H01L 29/778	with two-dimensional charge carrier gas channel, e.g. HEMT;{with two-dimensional charge-carrier layer formed at a heterojunction interface(H01L 29/803 takes precedence)}
H01L 29/7781	{with inverted single heterostructure, i.e. with active layer formed on top of wide bandgap layer, e.g. IHEMT}
H01L 29/7782	{with confinement of carriers by at least two heterojunctions, e.g. DHHEMT, quantum well HEMT, DHMODFET}
H01L 29/7783	{using III-V semiconductor material}
H01L 29/7784	{with delta or planar doped donor layer(H01L 29/7785 takes precedence)}
H01L 29/7785	{with more than one donor layer}
H01L 29/7786	{with direct single heterostructure, i.e. with wide bandgap layer formed on top of active layer, e.g. direct single heterostructure MIS-like HEMT}
H01L 29/7787	{with wide bandgap charge-carrier supplying layer, e.g. direct single heterostructure MODFET}
H01L 29/7788	{Vertical transistors}
H01L 29/7789	{the two-dimensional charge carrier gas being at least partially not parallel to a main surface of the semiconductor body}
H01L 29/78	with field effect produced by an insulated gate{(H01L 29/7725 , H01L 29/775 , H01L 29/778 take precedence)}
H01L 29/7801	{DMOS transistors, i.e. MISFETs with a channel accommodating body or base region adjoining a drain drift region(lateral high-voltage MISFETs with channel well and drain offset region H01L 29/7835)}
H01L 29/7802	{Vertical DMOS transistors, i.e. VDMOS transistors}
H01L 29/7803	{structurally associated with at least one other device(assemblies H01L 25/00 ; integrated circuits H01L 27/00)}{WARNING: This group and subgroups thereof are not complete, see provisionally also H01L 29/7802 }
H01L 29/7804	{the other device being a pn-junction diode}
H01L 29/7805	{in antiparallel, e.g. freewheel diode}
H01L 29/7806	{the other device being a Schottky barrier diode}

H01L 29/7808	{the other device being a breakdown diode, e.g. Zener diode}
H01L 29/7809	{having both source and drain contacts on the same surface, i.e. Up-Drain VDMOS transistors}
H01L 29/781	{Inverted VDMOS transistors, i.e. Source-Down VDMOS transistors}
H01L 29/7811	{with an edge termination structure(guard regions per se H01L 29/0619 ; field plates per se H01L 29/402){ WARNING: This group is not complete, see provisionally also H01L 29/7802 , H01L 29/7809 and H01L 29/7813 }
H01L 29/7812	{with a substrate comprising an insulating layer, e.g. SOI-VDMOS transistors}
H01L 29/7813	{with trench gate electrode, e.g. U MOS transistors(trench gate electrodes per se H01L 29/4236)}
H01L 29/7815	{with voltage or current sensing structure, e.g. emulator section, overcurrent sensing cell}{ WARNING: This group is not complete, see provisionally also H01L 29/7802 , H01L 29/7809 and H01L 29/7813 }
H01L 29/7816	{Lateral DMOS transistors, i.e. LDMOS transistors}{ WARNING: This group and subgroups thereof are not complete, see provisionally also H01L 29/7801 }
H01L 29/7817	{structurally associated with at least one other device(assemblies H01L 25/00 ; integrated circuits H01L 27/00)}
H01L 29/7818	{the other device being a pn-junction diode}
H01L 29/7819	{in antiparallel, e.g. freewheel diode}
H01L 29/782	{the other device being a Schottky barrier diode}
H01L 29/7821	{the other device being a breakdown diode, e.g. Zener diode}
H01L 29/7823	{with an edge termination structure(guard regions per se H01L 29/0619 ; field plates per se H01L 29/402)}
H01L 29/7824	{with a substrate comprising an insulating layer, e.g. SOI-LDMOS transistors}
H01L 29/7825	{with trench gate electrode(trench gate electrodes per se H01L 29/4236)}
H01L 29/7826	{with voltage or current sensing structure, e.g. emulator section, overcurrent sensing cell}
H01L 29/7827	{Vertical transistors(H01L 29/7802 , H01L 29/78642 take precedence)}
H01L 29/7828	{without inversion channel, e.g. vertical ACCUFETs, normally-on vertical MISFETs}{ WARNING: This group is not complete, see provisionally also H01L 29/7827 }
H01L 29/783	{comprising a gate to body connection, i.e. bulk dynamic threshold voltage MOSFET(for thin film transistors H01L 29/78612 , H01L 29/78696)}
H01L 29/7831	{with multiple gate structure(FinFETs or MuGFETs H01L 29/7855 , thin film transistors H01L 29/78645)}

H01L 29/7832	{the structure comprising a MOS gate and at least one non-MOS gate, e.g. JFET or MESFET gate}
H01L 29/7833	{with lightly doped drain or source extension, e.g. LDD MOSFET's; DDD MOSFET's(for thin film transistors H01L 29/78618)}
H01L 29/7834	{with a non-planar structure, e.g. the gate or the source or the drain being non-planar}
NOTE		
Field oxide sunken in the substrate and not filling a groove is not an element characterising a non-planar structure		
H01L 29/7835	{with asymmetrical source and drain regions, e.g. lateral high-voltage MISFETs with drain offset region, extended drain MISFETs}
H01L 29/7836	{with a significant overlap between the lightly doped extension and the gate electrode(H01L 29/7834 , H01L 29/7835 take precedence)}
H01L 29/7838	{without inversion channel, e.g. buried channel lateral MISFETs, normally-on lateral MISFETs, depletion-mode lateral MISFETs}
H01L 29/7839	{with Schottky drain or source contact}
H01L 29/78391	{the gate comprising a layer which is used for its ferroelectric properties}
H01L 29/7841	{with floating body, e.g. programmable transistors}
H01L 29/7842	{means for exerting mechanical stress on the crystal lattice of the channel region, e.g. using a flexible substrate(variation of the composition of the channel H01L 29/1054) [Warning: The groups H01L 29/7843 to H01L 29/7849 are not complete, see provisionally also H01L 29/7842]
H01L 29/7843	{the means being an applied insulating layer}
H01L 29/7845	{the means being a conductive material, e.g. silicided S/D or Gate}
H01L 29/7846	{the means being located in the lateral device isolation region, e.g. STI}
H01L 29/7847	{using a memorization technique, e.g. re-crystallization under strain, bonding on a substrate having a thermal expansion coefficient different from the one of the region}
H01L 29/7848	{the means being located in the source/drain region, e.g. SiGe source and drain}
H01L 29/7849	{the means being provided under the channel}
H01L 29/785	{having a channel with a horizontal current flow in a vertical sidewall of a semiconductor body, e.g. FinFET, MuGFET}
H01L 29/7851	{with the body tied to the substrate}
H01L 29/7853	{the body having a non-rectangular crossection}
H01L 29/7854	{with rounded corners}
H01L 29/7855	{with at least two independent gates}

H01L 29/7856	{with an non-uniform gate, e.g. varying doping structure, shape or composition on different sides of the fin, or different gate insulator thickness or composition on opposing fin sides(H01L 29/7855 takes precedence)}
H01L 2029/7857	{of the accumulation type}
H01L 2029/7858	{having contacts specially adapted to the FinFET geometry, e.g. wrap-around contacts}
H01L 29/786	Thin film transistors,{i.e. transistors with a channel being at least partly a thin film(transistors having only the source or the drain region on an insulator layer H01L 29/0653 ; thin film FinFETs H01L 29/785)}
H01L 29/78603	{characterised by the insulating substrate or support(H01L 29/78657 takes precedence)}
H01L 29/78606	{with supplementary region or layer in the thin film or in the insulated bulk substrate supporting it for controlling or increasing the safety of the device(H01L 29/78642 , H01L 29/78645 take precedence)}
H01L 29/78609	{for preventing leakage current(H01L 29/78618 takes precedence)}
H01L 29/78612	{for preventing the kink- or the snapback effect, e.g. discharging the minority carriers of the channel region for preventing bipolar effect}
H01L 29/78615	{with a body contact}
H01L 29/78618	{characterised by the drain or the source properties, e.g. the doping structure, the composition, the sectional shape or the contact structure(silicide contacts , electrodes in general H01L 29/458)}
H01L 29/78621	{with LDD structure or an extension or an offset region or characterised by the doping profile}
H01L 29/78624	{the source and the drain regions being asymmetrical}
H01L 29/78627	{with a significant overlap between the lightly doped drain and the gate electrode, e.g. GOLDD}
H01L 2029/7863	{with an LDD consisting of more than one lightly doped zone or having a non-homogeneous dopant distribution, e.g. graded LDD}
H01L 29/78633	{with a light shield}
H01L 29/78636	{with supplementary region or layer for improving the flatness of the device}
H01L 29/78639	{with a drain or source connected to a bulk conducting substrate}
H01L 29/78642	{Vertical transistors}
H01L 29/78645	{with multiple gate}

NOTE

In groups [H01L 29/78651](#) to [H01L 29/78696](#) , the materials specified for the transistors are the material of the channel region

H01L 29/78648	{arranged on opposing sides of the channel}
H01L 29/78651	{Silicon transistors(H01L 29/78606 to H01L 29/78645 take precedence)}
H01L 29/78654	{Monocrystalline silicon transistors}
H01L 29/78657	{SOS transistors}
H01L 29/7866	{Non-monocrystalline silicon transistors}
H01L 29/78663	{Amorphous silicon transistors}
H01L 29/78666	{with normal-type structure, e.g. with top gate}
H01L 29/78669	{with inverted-type structure, e.g. with bottom gate}
H01L 29/78672	{Polycrystalline or microcrystalline silicon transistor}
H01L 29/78675	{with normal-type structure, e.g. with top gate}
H01L 29/78678	{with inverted-type structure, e.g. with bottom gate}
H01L 29/78681	{having a semiconductor body comprising AIII-BV or All-BVI or AIV-BVI semiconductor materials, or Se or Te}
H01L 29/78684	{having a semiconductor body comprising semiconductor materials of the fourth group not being silicon, or alloys including an element of the group IV, e.g. Ge, SiN alloys, SiC alloys(H01L 29/7869 takes precedence)}
H01L 29/78687	{with a multilayer structure or superlattice structure}
H01L 29/7869	{having a semiconductor body comprising an oxide semiconductor material, e.g. zinc oxide, copper aluminium oxide, cadmium stannate}
H01L 29/78693	{the semiconducting oxide being amorphous}
H01L 29/78696	{characterised by the structure of the channel, e.g. multichannel, transverse or longitudinal shape, length or width, doping structure, or the overlap or alignment between the channel and the gate, the source or the drain, or the contacting structure of the channel(H01L 29/78612 takes precedence; transistors having a drain offset region or a lightly doped drain (LDD) H01L 29/78621)}
H01L 29/788	with floating gate{(H01L 29/78391 takes precedence)}
H01L 29/7881	{Programmable transistors with only two possible levels of programming(H01L 29/7888 takes precedence)}
H01L 29/7882	{charging by injection of carriers through a conductive insulator, e.g. Poole-Frankel conduction}
H01L 29/7883	{charging by tunnelling of carriers, e.g. Fowler-Nordheim tunnelling}
H01L 29/7884	{charging by hot carrier injection}
H01L 29/7885	{Hot carrier injection from the channel}
H01L 29/7886	{Hot carrier produced by avalanche breakdown of a PN junction, e.g. FAMOS}
H01L 29/7887	{Programmable transistors with more than two possible different levels of programming}
H01L 29/7888	{Transistors programmable by two single electrons}
H01L 29/7889	{Vertical transistors, i.e. transistors having source and drain not in the same horizontal plane}

H01L 29/792	with charge trapping gate insulator, e.g. MNOS-memory transistors
H01L 29/7923	{Programmable transistors with more than two possible different levels of programming}
H01L 29/7926	{Vertical transistors, i.e. transistors having source and drain not in the same horizontal plane}
H01L 29/80	with field effect produced by a PN or other rectifying junction gate,{i.e. potential-jump barrier}
H01L 29/802	{with heterojunction gate, e.g. transistors with semiconductor layer acting as gate insulating layer, MIS-like transistors(H01L 29/806 takes precedence; with one dimensional electron gas H01L 29/775 ; with dimensional electron gas H01L 29/778)}
H01L 29/803	{Programmable transistors, e.g. with charge-trapping quantum well}
H01L 29/806	{with Schottky drain or source contact}
H01L 29/808	with a PN junction gate,{e.g. PN homojunction gate(H01L 29/7725 , H01L 29/775 , H01L 29/778 , H01L 29/806 take precedence)}
H01L 29/8083	{Vertical transistors(SIT H01L 29/7722)}
H01L 29/8086	{Thin film JFET`s}
H01L 29/812	with a Schottky gate{(H01L 29/7725 , H01L 29/775 , H01L 29/778 , H01L 29/806 take precedence; with Schottky contact on top of heterojunction gate H01L 29/802)}
H01L 29/8122	{Vertical transistors(SIT, PBT H01L 29/7722)}
H01L 29/8124	{with multiple gate}
H01L 29/8126	{Thin film MESFET`s}
H01L 29/8128	{with recessed gate}
H01L 29/82	..	controllable by variation of the magnetic field applied to the device
H01L 29/84	..	controllable by variation of applied mechanical force, e.g. of pressure
H01L 29/86	..	controllable only by variation of the electric current supplied, or only the electric potential applied, to one or more of the electrodes carrying the current to be rectified, amplified, oscillated or switched
H01L 29/8605	...	Resistors with PN junctions
H01L 29/861	...	Diodes
H01L 29/8611	{Planar PN junction diodes}
H01L 29/8613	{Mesa PN junction diodes}
H01L 29/8615	{Hi-Io semiconductor devices, e.g. memory devices}
H01L 29/8616	{Charge trapping diodes}
H01L 29/8618	{Diodes with bulk potential barrier, e.g. Camel diodes, Planar Doped Barrier diodes, Graded bandgap diodes}
H01L 29/862	Point contact diodes
H01L 29/864	Transit-time diodes, e.g. IMPATT, TRAPATT diodes
H01L 29/866	Zener diodes
H01L 29/868	PIN diodes
H01L 29/87	Thyristor diodes, e.g. Shockley diodes, break-over diodes
H01L 29/872	Schottky diodes

H01L 29/8725	{of the trench MOS barrier type [TMBS]}
H01L 29/88	Tunnel-effect diodes
H01L 29/882	{Resonant tunneling diodes, i.e. RTD, RTBD}
H01L 29/885	Esaki diodes
H01L 29/92	...	Capacitors with potential-jump barrier or surface barrier
H01L 29/93	Variable capacitance diodes, e.g. varactors
H01L 29/94	Metal-insulator-semiconductors, e.g. MOS
H01L 29/945	{Trench capacitors}

H01L 31/00

Semiconductor devices sensitive to infra-red radiation, light, electromagnetic radiation of shorter wavelength or corpuscular radiation and adapted either for the conversion of the energy of such radiation into electrical energy or for the control of electrical energy by such radiation; Processes or apparatus peculiar to the manufacture or treatment thereof or of parts thereof; Details thereof ([H01L 51/42](#) takes precedence; devices consisting of a plurality of solid state components formed in, or on, a common substrate, other than combinations of radiation-sensitive components with one or more electric light sources, [H01L 27/00](#) ; production of heat using solar heat [F24J 2/00](#) ; measurement of X-radiation, gamma radiation, corpuscular radiation or cosmic radiation with semiconductor detectors [G01T 1/24](#) , with resistance detectors [G01T 1/26](#) ; measurement of neutron radiation with semiconductor detectors [G01T 3/08](#) ; couplings of light guides with optoelectronic elements [G02B 6/42](#) ; obtaining energy from radioactive sources [G21H](#))

H01L 31/02	.	Details
H01L 31/02002	..	{Arrangements for conducting electric current to or from the device in operations}
H01L 31/02005	...	{for device characterised by at least one potential jump barrier or surface barrier}
H01L 31/02008	{for solar cells or solar cell modules}
H01L 31/0201	{comprising specially adapted module bus-bar structures}
H01L 31/02013	{comprising output lead wires elements}
H01L 31/02016	..	{Circuit arrangements of general character for the devices}
H01L 31/02019	...	{for devices characterised by at least one potential jump barrier or surface barrier}
H01L 31/02021	{for solar cells}
H01L 31/02024	{Position sensitive and lateral effect photodetectors; Quadrant photodiodes}
H01L 31/02027	{for devices working in avalanche mode}
H01L 31/0203	..	Containers; Encapsulations, {e.g. encapsulation of photodiodes(encapsulation or housing for solar cells H01L 31/048)}
H01L 31/0216	..	Coatings
H01L 31/02161	...	{for devices characterised by at least one potential jump barrier or surface barrier}
H01L 31/02162	{for filtering or shielding light, e.g. multicolour filters for photodetectors}
H01L 31/02164	{for shielding light, e.g. light blocking layers, cold shields for infra-red detectors}

H01L 31/02165	{using interference filters, e.g. multilayer dielectric filters(interference filters G02B 5/28)}
H01L 31/02167	{for solar cells}
H01L 31/02168	{the coatings being antireflective or having enhancing optical properties for the solar cells}
H01L 31/0224	..	Electrodes
H01L 31/022408	...	{for devices characterised by at least one potential jump barrier or surface barrier}
H01L 31/022416	{comprising ring electrodes}
H01L 31/022425	{for solar cells}
H01L 31/022433	{Particular geometry of the grid contacts}
H01L 31/022441	{Electrode arrangements specially adapted for back-contact solar cells}
H01L 31/02245	{for metallisation wrap-through [MWT]type solar cells}
H01L 31/022458	{for emitter wrap-through [EWT]type solar cells, e.g. interdigitated emitter-base back-contacts}
H01L 31/022466	...	{made of transparent conductive layers, e.g. TCO, ITO layers}
H01L 31/022475	{composed of indium tin oxide [ITO]}
H01L 31/022483	{composed of zinc oxide [ZnO]}
H01L 31/022491	{composed of a thin transparent metal layer, e.g. gold}
H01L 31/0232	..	Optical elements or arrangements associated with the device{(optical elements or arrangements for solar cells H01L 31/0522)}
H01L 31/02322	...	{comprising luminescent members, e.g. fluorescent sheets upon the device}
H01L 31/02325	...	{the optical elements not being integrated nor being directly associated with the device}
H01L 31/02327	...	{the optical elements being integrated or being directly associated to the device, e.g. back reflectors(optical coatings H01L 31/0216)}
H01L 31/0236	..	Special surface textures
H01L 31/02363	...	{of the semiconductor body itself, e.g. textured active layers}
H01L 31/02366	...	{of the substrate or of a layer on the substrate, e.g. textured ITO/glass substrate or superstrate, textured polymer layer on glass substrate}
H01L 31/024	..	Arrangements for cooling, heating, ventilating or temperature compensation{(cooling arrangements for solar cells H01L 31/052)}
H01L 31/0248	.	characterised by their semiconductor bodies
H01L 31/0256	..	characterised by the material
H01L 31/0264	...	Inorganic materials
H01L 31/0272	Selenium or tellurium
H01L 31/02725	{characterised by the doping material}
H01L 31/028	including, apart from doping material or other impurities, only elements of the fourth group of the Periodic System
H01L 31/0284	{comprising porous silicon as part of the active layer(s)(porous silicon as antireflective layer for photodiodes H01L 31/0216 ; for solar cells H01L 31/02168)}
H01L 31/0288	characterised by the doping material

H01L 31/0296	including, apart from doping material or other impurities, only AIIBVI compounds, e.g. CdS, ZnS, HgCdTe
H01L 31/02963	{characterised by the doping material}
H01L 31/02966	{including ternary compounds, e.g. HgCdTe}
H01L 31/0304	including, apart from doping materials or other impurities, only AIIBV compounds
H01L 31/03042	{characterised by the doping material}
H01L 31/03044	{comprising a nitride compounds, e.g. GaN}
H01L 31/03046	{including ternary or quaternary compounds, e.g. GaAlAs, InGaAs, InGaAsP}
H01L 31/03048	{comprising a nitride compounds, e.g. InGaN}
H01L 31/0312	including, apart from doping materials or other impurities, only AIVBIV compounds, e.g. SiC
H01L 31/03125	{characterised by the doping material}
H01L 31/032	including, apart from doping materials or other impurities, only compounds not provided for in groups H01L 31/0272 to H01L 31/0312
H01L 31/0321	{characterised by the doping material(H01L 31/0323 , H01L 31/0325 take precedence)}
H01L 31/0322	{comprising only AIBIIICVI chalcopyrite compounds, e.g. Cu In Se ₂ , Cu Ga Se ₂ , Cu In Ga Se ₂ }
H01L 31/0323	{characterised by the doping material}
H01L 31/0324	{comprising only AIVBVI or AIIBIVCIV chalcogenide compounds, e.g. Pb Sn Te}
H01L 31/0325	{characterised by the doping material}
H01L 31/0326	{comprising AIBIICIVDVI kesterite compounds, e.g. Cu ₂ ZnSnSe ₄ , Cu ₂ ZnSnS ₄ }
H01L 31/0327	{characterised by the doping material}
H01L 31/0328	including, apart from doping materials or other impurities, semiconductor materials provided for in two or more of groups H01L 31/0272 to H01L 31/032
H01L 31/0336	in different semiconductor regions, e.g. Cu ₂ X / CdX hetero-junctions, X being an element of the sixth group of the Periodic System
H01L 31/03365	{comprising only Cu ₂ X / CdX heterojunctions, X being an element of the sixth group of the Periodic System}
H01L 2031/0344	...	{Organic materials}
H01L 31/0352	..	characterised by their shape or by the shapes, relative sizes or disposition of the semiconductor regions
H01L 31/035209	...	{comprising a quantum structures}
H01L 31/035218	{the quantum structure being quantum dots}
H01L 31/035227	{the quantum structure being quantum wires, or nano-rods(carbon nano-tubes H01L 51/0048)}
H01L 31/035236	...	{Superlattices; Multiple quantum well structures}
H01L 31/035245	{characterised by amorphous semiconductor layers}
H01L 31/035254	{including, apart from doping materials or other impurities, only elements of the fourth group of the Periodic System, e.g. Si-SiGe superlattices}

H01L 31/035263	{Doping superlattices, e.g. nipi superlattices}
H01L 31/035272	...	{characterised by at least one potential jump barrier or surface barrier}
H01L 31/035281	{Shape of the body}
H01L 31/03529	{Shape of the potential jump barrier or surface barrier}
H01L 31/036	..	characterised by their crystalline structure or particular orientation of the crystalline planes
H01L 31/0368	...	including polycrystalline semiconductors(H01L 31/0392 takes precedence)
H01L 31/03682	{including only elements of the fourth group of the Periodic System}
H01L 31/03685	{including microcrystalline silicon, uc-Si}
H01L 31/03687	{including microcrystalline AIVBIV alloys, e.g. uc-SiGe, uc-SiC}
H01L 31/0376	...	including amorphous semiconductors(H01L 31/0392 takes precedence)
H01L 31/03762	{including only elements of the fourth group of the Periodic System}
H01L 31/03765	{including AIVBIV compounds or alloys, e.g. SiGe, SiC}
H01L 31/03767	{presenting light-induced characteristic variations, e.g. Staebler-Wronski effect}
H01L 31/0384	...	including other non-monocrystalline materials, e.g. semiconductor particles embedded in an insulating material(H01L 31/0392 takes precedence)
H01L 31/03845	{comprising semiconductor nano-particles embedded in a semiconductor matrix(in insulating matrix H01L 31/0384)}
H01L 31/0392	...	including thin films deposited on metallic or insulating substrates;{characterised by specific substrate materials or substrate features or by the presence of intermediate layers, e.g. barrier layers, on the substrate(textured substrates H01L 31/02366)}
H01L 31/03921	{including only elements of the fourth group of the Periodic System}
H01L 31/03923	{including AIBIIICVI compound materials, e.g. CIS, CIGS}
H01L 31/03925	{including AIIBVI compound materials, e.g. CdTe, CdS}
H01L 31/03926	{comprising a flexible substrate}
H01L 31/03928	{including AIBIIICVI compound, e.g. CIS, CIGS deposited on metal or polymer foils}
H01L 31/04	.	adapted as conversion devices
H01L 31/0406	..	{Thermophotovoltaic systems}
H01L 31/0413	..	{specially adapted for preventing damage caused by radiation,(H01L 31/0216 takes precedence)}
H01L 31/042	..	including a panel or array of photoelectric cells, e.g. solar cells
H01L 31/0422	...	{characterised by the supporting structure or by the frame structure(H01L 31/045 takes precedence)}
H01L 31/0424	{characterised by the frame structure of the solar panel}
H01L 31/0426	...	{specially adapted to be used in motorway sound barriers}
H01L 31/0428	...	{comprising DC/AC inverter means associated with the panel itself, e.g. AC module(DC/AC inverters per se H02M)}
H01L 31/045	...	collapsible or foldable
H01L 31/048	...	encapsulated or with housing

H01L 31/0481	{characterised by the composition of the encapsulation material}
H01L 31/0482	{specially adapted for house roof structures, e.g. roof tile elements}
H01L 31/0483	{Roof tile elements}
H01L 31/0484	{specially adapted for flat roofs}
H01L 31/0485	{comprising specially adapted electrical connection means to the solar panel, e.g. junction boxes}
H01L 31/0486	{with cooling means associated with the electrical connection means, e.g. cooling means associated with or applied to the junction box(cooling means for solar cells or solar cell modules H01L 31/052)}
H01L 31/0487	{Protective back-sheets}
H01L 31/0488	{Double glass encapsulation, e.g. photovoltaic cells arranged between front and rear glass sheets}
H01L 31/05	...	characterised by special interconnection means;{comprising interconnection means for series or parallel connection of solar cells in a module, or for electrical interconnection of two or more solar cell modules}
H01L 31/0504	{specially adapted for series or parallel connection of solar cells in a module}
H01L 31/0508	{the interconnection means having a particular shape}
H01L 31/0512	{made of a particular material or composition of materials}
H01L 31/0516	{specially adapted for interconnection of back-contact solar cells}
H01L 31/052	...	with cooling, light-reflecting or light-concentrating means{with passive cooling means, e.g. heatsinks}
H01L 31/0521	{using a gaseous or a liquid coolant, e.g. air flow ventilation, water circulation}
H01L 31/0522	{light reflecting or light concentrating means for solar cells or solar cells modules}
H01L 31/0524	{comprising light concentrating means of the refractive type, e.g. lenses}
H01L 31/0525	{comprising light concentrating means of the reflecting type, e.g. parabolic mirrors, concentrators using total internal reflection}
H01L 31/0527	{comprising light reflecting layers integrated to the solar cell, e.g. of the back surface reflector [BSR]type}
H01L 31/0528	{comprising spectrum splitting means, e.g. dichroic mirrors}
H01L 31/055	where light is absorbed and re-emitted at a different wavelength by the concentrator, e.g. by using luminescent material
H01L 31/058	...	including means to utilise heat energy, e.g. hybrid systems, or a supplementary source of electric energy(using solar heat per se F24J 2/00);{Photovoltaic systems comprising special energy storage means}
H01L 31/0583	{using a supplementary source of electric energy, e.g. hybrid wind-photovoltaic, thermoelectric-photovoltaic or diesel-photovoltaic energy systems}
H01L 31/0586	{comprising special energy storage means}
H01L 31/06	..	characterised by at least one potential-jump barrier or surface barrier

NOTE

Groups [H01L 31/061](#) to 31/078 are based on IPC2012.01]

H01L 31/061	...	the potential barriers being of the point-contact type(H01L 31/07 takes precedence)
H01L 31/062	...	the potential barriers being only of the metal-insulator-semiconductor type
H01L 31/065	...	the potential barriers being only of the graded gap type
H01L 31/068	...	the potential barriers being only of the PN homojunction type, e.g. bulk silicon PN homojunction solar cells or thin film polycrystalline silicon PN homojunction solar cells
H01L 31/0682	{back-junction, i.e. rearside emitter, solar cells, e.g. interdigitated base-emitter regions back-junction cells}
H01L 31/0684	{double emitter cells, e.g. bifacial solar cells}
H01L 31/0687	Multiple junction or tandem solar cells
H01L 31/06875	{inverted grown metamorphic [IMM]multiple junction solar cells, e.g. III-V compounds inverted metamorphic multi-junction cells}
H01L 31/0693	the devices including, apart from doping material or other impurities, only AIIIBV compounds, e.g. GaAs or InP solar cells
H01L 31/07	...	the potential barriers being only of the Schottky type
H01L 31/072	...	the potential barriers being only of the PN heterojunction type
H01L 31/0725	Multiple junction or tandem solar cells
H01L 31/073	comprising only AIIIBVI compound semiconductors, e.g. CdS/CdTe solar cells
H01L 31/0735	comprising only AIIIBV compound semiconductors, e.g. GaAs/AlGaAs or InP/GaInAs solar cells
H01L 31/074	comprising a heterojunction with an element of the fourth group of the Periodic System, e.g. ITO/Si, GaAs/Si or CdTe/Si solar cells
H01L 31/0745	comprising a AIVBIV heterojunction, e.g. Si/Ge, SiGe/Si or Si/SiC solar cells
H01L 31/0747	comprising a heterojunction of crystalline and amorphous materials, e.g. heterojunction with intrinsic thin layer or HIT® solar cells; solar cells
H01L 31/0749	including a AIBIIICVI compound, e.g. CdS/CuInSe ₂ [CIS] heterojunction solar cells
H01L 31/075	...	the potential barriers being only of the PIN type
H01L 31/076	Multiple junction or tandem solar cells
H01L 31/077	the devices comprising monocrystalline or polycrystalline materials
H01L 31/078	...	including different types of potential barriers provided for in two or more of groups H01L 31/062 to H01L 31/075
H01L 31/08	.	in which radiation controls flow of current through the device, e.g. photoresistors
H01L 31/085	..	{the device being sensitive to very short wavelength, e.g. X-ray, Gamma-rays}
H01L 31/09	..	Devices sensitive to infra-red, visible or ultraviolet radiation(H01L 31/101 takes precedence)
H01L 31/095	...	{comprising amorphous semiconductors}
H01L 31/10	..	characterised by at least one potential-jump barrier or surface barrier, e.g. phototransistors
H01L 31/101	...	Devices sensitive to infra-red, visible or ultra-violet radiation
H01L 31/1013	{devices sensitive to two or more wavelengths, e.g. multi-spectrum radiation detection devices}

H01L 31/1016	{comprising transparent or semitransparent devices}
H01L 31/102	characterised by only one potential barrier or surface barrier
H01L 31/1025	{the potential barrier being of the point contact type}
H01L 31/103	the potential barrier being of the PN homojunction type
H01L 31/1032	{the devices comprising active layers formed only by AIIIVI compounds, e.g. HgCdTe IR photodiodes}
H01L 31/1035	{the devices comprising active layers formed only by AIIIBV compounds}
H01L 31/1037	{the devices comprising active layers formed only by AIVBVI compounds}
H01L 31/105	the potential barrier being of the PIN type
H01L 31/1055	{the devices comprising amorphous materials of the fourth group of the Periodic System}
H01L 31/107	the potential barrier working in avalanche mode, e.g. avalanche photodiode
H01L 31/1075	{in which the active layers, e.g. absorption or multiplication layers, form an heterostructure, e.g. SAM structure}
H01L 31/108	the potential barrier being of the Schottky type
H01L 31/1085	{the devices being of the Metal-Semiconductor-Metal (MSM) Schottky barrier type}
H01L 31/109	the potential barrier being of the PN heterojunction type
H01L 31/11	characterised by two potential barriers or surface barriers, e.g. bipolar phototransistor
H01L 31/1105	{the device being a bipolar phototransistor}
H01L 31/111	characterised by at least three potential barriers, e.g. photothyristor
H01L 31/1113	{the device being a photothyristor}
H01L 31/1116	{of the static induction type}
H01L 31/112	characterised by field-effect operation, e.g. junction field-effect phototransistor
H01L 31/1121	{Devices with Schottky gate}
H01L 31/1122	{the device being a CCD device}
H01L 31/1123	{the device being a photo MESFET}
H01L 31/1124	{Devices with PN homojunction gate}
H01L 31/1125	{the device being a CCD device}
H01L 31/1126	{the device being a field-effect phototransistor}
H01L 31/1127	{Devices with PN heterojunction gate}
H01L 31/1128	{the device being a CCD device}
H01L 31/1129	{the device being a field-effect phototransistor}
H01L 31/113	being of the conductor-insulator-semiconductor type, e.g. metal-insulator-semiconductor field-effect transistor
H01L 31/1133	{the device being a conductor-insulator-semiconductor diode or a CCD device}

H01L 31/1136	{the device being a metal-insulator-semiconductor field-effect transistor}
H01L 31/115	...	Devices sensitive to very short wavelength, e.g. X-rays, gamma-rays or corpuscular radiation
H01L 31/117	of the bulk effect radiation detector type, e.g. Ge-Li compensated PIN gamma-ray detectors
H01L 31/1175	{Li compensated PIN gamma-ray detectors}
H01L 31/118	of the surface barrier or shallow PN junction detector type, e.g. surface barrier alpha-particle detectors
H01L 31/1185	{of the shallow PN junction detector type}
H01L 31/119	characterised by field-effect operation, e.g. MIS type detectors
H01L 31/12	.	Structurally associated with, e.g. formed in or on a common substrate with, one or more electric light sources, e.g. electroluminescent light sources, and electrically or optically coupled thereto(semiconductor devices with at least one potential barrier or surface barrier adapted for light emission H01L 33/00 ; amplifiers using electroluminescent element and photocell H03F 17/00 ; electroluminescent light sources per se H05B 33/00)
H01L 31/125	..	{Composite devices with photosensitive elements and electroluminescent elements within one single body}
H01L 31/14	..	the light source or sources being controlled by the semiconductor device sensitive to radiation, e.g. image converters, image amplifiers, image storage devices
H01L 31/141	...	{the semiconductor device sensitive to radiation being without a potential-jump barrier or surface barrier}
H01L 31/143	{the light source being a semiconductor device with at least one potential-jump barrier or surface barrier, e.g. light emitting diode}
H01L 31/145	...	{the semiconductor device sensitive to radiation being characterised by at least one potential-jump barrier or surface barrier}
H01L 31/147	...	the light sources and the devices sensitive to radiation all being semiconductor devices characterised by at least one potential or surface barrier
H01L 31/153	formed in, or on, a common substrate
H01L 31/16	..	the semiconductor device sensitive to radiation being controlled by the light source or sources
H01L 31/161	...	{Semiconductor device sensitive to radiation without a potential-jump or surface barrier, e.g. photoresistors}
H01L 31/162	{the light source being a semiconductor device with at least one potential-jump barrier or surface barrier e.g. a light emitting diode}
H01L 31/164	{Optical potentiometers}
H01L 31/165	...	{the semiconductor sensitive to radiation being characterised by at least one potential-jump or surface barrier}
H01L 31/167	...	the light sources and the devices sensitive to radiation all being semiconductor devices characterised by at least one potential or surface barrier
H01L 31/173	formed in, or on, a common substrate
H01L 31/18	.	Processes or apparatus peculiar to the manufacture or treatment of these devices or of parts thereof(not peculiar thereto H01L 21/00)
H01L 31/1804	..	{comprising only elements of the fourth group of the Periodic System}

H01L 31/1808	...	{including only Ge}
H01L 31/1812	...	{including only AIVBIV alloys, e.g. SiGe}
H01L 31/1816	{Special manufacturing methods for microcrystalline layers, e.g. uc-SiGe, uc-SiC}
H01L 31/182	...	{Special manufacturing methods for polycrystalline Si, e.g. Si ribbon, poly Si ingots, thin films of polycrystalline Si}
H01L 31/1824	{Special manufacturing methods for microcrystalline Si, uc-Si}
H01L 31/1828	..	{the active layers comprising only AIIBVI compounds, e.g. CdS, ZnS, CdTe}
H01L 31/1832	...	{comprising ternary compounds, e.g. Hg Cd Te}
H01L 31/1836	...	{comprising a growth substrate not being an AIIBVI compound}
H01L 31/184	..	{the active layers comprising only AIIBV compounds, e.g. GaAs, InP}
H01L 31/1844	...	{comprising ternary or quaternary compounds, e.g. Ga Al As, In Ga As P}
H01L 31/1848	{comprising nitride compounds, e.g. InGaN, InGaAlN}
H01L 31/1852	...	{comprising a growth substrate not being an AIIBV compound}
H01L 31/1856	...	{comprising nitride compounds, e.g. GaN}
H01L 31/186	..	{Particular post-treatment for the devices, e.g. annealing, impurity gettering, short-circuit elimination, recrystallisation}
H01L 31/1864	...	{Annealing}
H01L 31/1868	...	{Passivation}
H01L 31/1872	...	{Recrystallisation}
H01L 31/1876	..	{Particular processes or apparatus for batch treatment of the devices}
H01L 31/188	...	{Apparatus specially adapted for automatic interconnection of solar cells in a module}
H01L 31/1884	..	{Manufacture of transparent electrodes, e.g. TCO, ITO}
H01L 31/1888	...	{methods for etching transparent electrodes}
H01L 31/1892	..	{methods involving the use of temporary, removable substrates}
H01L 31/1896	...	{for thin-film semiconductors}
H01L 31/20	..	such devices or parts thereof comprising amorphous semiconductor materials
H01L 31/202	...	{including only elements of the fourth group of the Periodic System}
H01L 31/204	{including AIVBIV alloys, e.g. SiGe, SiC}
H01L 31/206	...	{Particular processes or apparatus for continuous treatment of the devices, e.g. roll-to roll processes, multi-chamber deposition}
H01L 31/208	...	{Particular post-treatment of the devices, e.g. annealing, short-circuit elimination}

H01L 33/00 **Semiconductor devices with at least one potential-jump barrier or surface barrier specially adapted for light emission; Processes or apparatus specially adapted for the manufacture or treatment thereof or of parts thereof; Details thereof** ([H01L 51/50](#) takes precedence; devices consisting of a plurality of semiconductor components formed in or on a common substrate and including semiconductor components with at least one potential-jump barrier or surface barrier, specially adapted for light emission [H01L 27/15](#) ; semiconductor lasers [H01S 5/00](#))

NOTE

1. This group covers light emitting diodes [LEDs] or superluminescent diodes [SLDs], including LEDs or SLDs emitting infra-red [IR] light or ultra-violet [UV] light.
2. In this group, at each hierarchical level, in the absence of an indication to the contrary, classification is made in the first appropriate place.

H01L 33/0004	. {Devices characterised by their operation}
H01L 33/0008	.. {having p-n or hi-lo junctions}
H01L 33/0012	... {p-i-n devices}
H01L 33/0016	... {having at least two p-n junctions}
H01L 33/002	.. {having heterojunctions or graded gap}
H01L 33/0025	... {comprising only AIIIBV compounds}
H01L 33/0029	... {comprising only AIIIVI compounds}
H01L 33/0033	.. {having Schottky barriers}
H01L 33/0037	.. {having a MIS barrier layer}
H01L 33/0041	.. {characterised by field-effect operation}
H01L 33/0045	.. {the devices being superluminescent diodes}
H01L 33/005	. {Processes}
H01L 33/0054	.. {for devices with an active region comprising only group IV elements}
H01L 33/0058	... {comprising amorphous semiconductors}
H01L 33/0062	.. {for devices with an active region comprising only III-V compounds}
H01L 33/0066	... {with a substrate not being a III-V compound}
H01L 33/007 {comprising nitride compounds}
H01L 33/0075	... {comprising nitride compounds}
H01L 33/0079	... {wafer bonding or at least partial removal of the growth substrate}
H01L 33/0083	.. {for devices with an active region comprising only II-VI compounds}
H01L 33/0087	... {with a substrate not being a II-VI compound}
H01L 33/0091	.. {for devices with an active region comprising only IV-VI compounds}
H01L 33/0095	.. {Post-treatments of the devices, e.g. annealing, recrystallisation, short-circuit elimination}
H01L 33/02	. characterised by the semiconductor bodies
H01L 33/025	.. {Physical imperfections, e.g. particular concentration or distribution of impurities}
H01L 33/04	.. with a quantum effect structure or superlattice e.g. tunnel junction
H01L 33/06	... within the light emitting region, e.g. quantum confinement structure or tunnel barrier
H01L 33/08	.. with a plurality of light emitting regions, e.g. laterally discontinuous light emitting layer or photo-luminescent region integrated within the semiconductor body(H01L 27/15 takes precedence)
H01L 33/10	.. with a light reflecting structure, e.g. semiconductor Bragg reflector
H01L 33/105	... {with a resonant cavity structure}
H01L 33/12	.. with a stress relaxation structure, e.g. buffer layer

- H01L 33/14 . . with a carrier transport control structure, e.g. highly-doped semiconductor layer or current-blocking structure
- H01L 33/145 . . . {with a current-blocking structure}
- H01L 33/16 . . with a particular crystal structure or orientation, e.g. polycrystalline, amorphous or porous
- H01L 33/18 . . . within the light emitting region

NOTE

When classifying in this group, classification is also made in group [H01L 33/26](#) or one of its subgroups in order to identify the chemical composition of the light emitting region

- H01L 33/20 . . with a particular shape, e.g. curved or truncated substrate
- H01L 33/22 . . . Roughened surfaces, e.g. at the interface between epitaxial layers
- H01L 33/24 . . . of the light emitting region, e.g. non-planar junction
- H01L 33/26 . . Materials of the light emitting region
- H01L 33/28 . . . containing only elements of group II and group VI of the periodic system
- H01L 33/285 {characterised by the doping materials}
- H01L 33/30 . . . containing only elements of group III and group V of the periodic system
- H01L 33/305 {characterised by the doping materials}
- H01L 33/32 containing nitrogen
- H01L 33/325 {characterised by the doping materials}
- H01L 33/34 . . . containing only elements of group IV of the periodic system
- H01L 33/343 {characterised by the doping materials}
- H01L 33/346 {containing porous silicon}

- H01L 33/36 . . characterised by the electrodes
- H01L 33/38 . . with a particular shape
- H01L 33/382 . . . {the electrode extending partially in or entirely through the semiconductor body}
- H01L 33/385 . . . {the electrode extending at least partially onto a side surface of the semiconductor body}
- H01L 33/387 . . . {with a plurality of electrode regions in direct contact with the semiconductor body and being electrically interconnected by another electrode layer}

- H01L 33/40 . . Materials therefor
- H01L 33/405 . . . {Reflective materials}
- H01L 33/42 . . . Transparent materials

- H01L 33/44 . . characterised by the coatings, e.g. passivation layer or anti-reflective coating
- H01L 33/46 . . Reflective coating, e.g. dielectric Bragg reflector
- H01L 33/465 . . . {with a resonant cavity structure}

- H01L 33/48 . . characterised by the semiconductor body packages

NOTE

This group covers elements in intimate contact with the semiconductor body or integrated with the package

- H01L 33/483 .. {Containers}
- H01L 33/486 ... {adapted for surface mounting}
- H01L 33/50 .. Wavelength conversion elements
- H01L 33/501 ... {characterised by the materials, e.g. binder}
- H01L 33/502 {Wavelength conversion materials}
- H01L 33/504 {Elements with two or more wavelength conversion materials}
- H01L 33/505 ... {characterised by the shape, e.g. plate or foil}
- H01L 33/507 ... {the elements being in intimate contact with parts other than the semiconductor body or integrated with parts other than the semiconductor body}
- H01L 33/508 ... {having a non-uniform spatial arrangement or non-uniform concentration, e.g. patterned wavelength conversion layer, wavelength conversion layer with a concentration gradient of the wavelength conversion material}

- H01L 33/52 .. Encapsulations
- H01L 33/54 ... having a particular shape
- H01L 33/56 ... Materials, e.g. epoxy or silicone resin
- H01L 33/58 .. Optical field-shaping elements
- H01L 33/60 ... Reflective elements
- H01L 33/62 .. Arrangements for conducting electric current to or from the semiconductor body, e.g. lead-frames, wire-bonds or solder balls

- H01L 33/64 .. Heat extraction or cooling elements
- H01L 33/641 ... {characterized by the materials}
- H01L 33/642 ... {characterized by the shape}
- H01L 33/644 ... {in intimate contact or integrated with parts of the device other than the semiconductor body}
- H01L 33/645 ... {the elements being electrically controlled, e.g. Peltier elements}
- H01L 33/647 ... {the elements conducting electric current to or from the semiconductor body}
- H01L 33/648 ... {the elements comprising fluids, e.g. heat-pipes}

- H01L 35/00** **Thermo-electric devices comprising a junction of dissimilar materials, i.e. exhibiting Seebeck or Peltier effect with or without other thermo-electric effects or thermomagnetic effects; Processes or apparatus peculiar to the manufacture or treatment thereof or of parts thereof; Details thereof** (devices consisting of a plurality of solid state components formed in or on a common substrate [H01L 27/00](#) ; refrigerating machines using electric or magnetic effects [F25B 21/00](#) ; thermometers using thermoelectric or thermomagnetic elements [G01K 7/00](#) ; obtaining energy from radioactive sources [G21H](#))

- H01L 35/02 . Details
- H01L 35/04 .. Structural details of the junction; Connection of leads
- H01L 35/06 ... detachable, e.g. using a spring
- H01L 35/08 ... non-detachable, e.g. cemented, sintered, soldered, {e.g. thin films}

- H01L 35/10 . . . Connections of leads
- H01L 35/12 . Selection of the material for the legs of the junction
- H01L 35/14 . . using inorganic compositions
- H01L 35/16 . . . comprising tellurium or selenium or sulfur
- H01L 35/18 . . . comprising arsenic or antimony or bismuth([H01L 35/16 takes precedence](#)),{e.g. [AllIBV compounds](#)}
- H01L 35/20 . . . comprising metals only([H01L 35/16](#) , [H01L 35/18 take precedence](#))
- H01L 35/22 . . . comprising compounds containing boron, carbon, oxygen or nitrogen{or [germanium or silicon, e.g. superconductors](#)}
- H01L 35/225 {[Superconducting materials](#)}
- H01L 35/24 . . using organic compositions
- H01L 35/26 . . using compositions changing continuously or discontinuously inside the material
- H01L 35/28 . operating with Peltier or Seebeck effect only
- H01L 35/30 . . characterised by the heat-exchanging means at the junction
- H01L 35/32 . . characterised by the structure or configuration of the cell or thermo-couple forming the device{[including details about, e.g., housing, insulation, geometry, module](#)}
- H01L 35/325 . . . {[Cascades of thermo-couples](#)}
- H01L 35/34 . Processes or apparatus peculiar to the manufacture or treatment of these devices or of parts thereof([not peculiar thereto H01L 21/00](#))
- H01L 37/00** **Thermoelectric devices without a junction of dissimilar materials; Thermomagnetic devices, e.g. using Nernst-Ettinghausen effect; Processes or apparatus peculiar to the manufacture or treatment thereof or of parts thereof**([devices consisting of a plurality of solid state components formed in or on a common substrate H01L 27/00](#) ; { [radiation pyrometers using pyroelectric detectors G01J 5/34](#) } [thermometers using thermo-electric or thermomagnetic elements G01K 7/00](#) ; [selection of materials for magnetography, e.g. for Curie-point writing G03G 5/00](#))
- H01L 37/02 . using thermal change of dielectric constant, e.g. working above and below Curie point{[e.g. pyroelectric devices](#)}
- H01L 37/025 . . {[Selection of materials](#)}
- H01L 37/04 . using thermal change of magnetic permeability, e.g. working above and below the Curie point{[e.g. pyromagnetic devices](#)}
- H01L 39/00** **Devices using superconductivity; Processes or apparatus peculiar to the manufacture or treatment thereof or of parts thereof**([devices consisting of a plurality of solid state components formed in or on a common substrate H01L 27/00](#) ; { [light detection G01J](#) , [G02F 2/00](#) ; [application to memories G11C 11/44](#) , [G11C 15/00](#) , [G11C 19/32](#) } ; [superconducting conductors cables or transmission lines H01B 12/00](#) ; { [microwaves H01P 7/00](#) , [H01P 11/00](#) } ; [superconductive coils or windings H01F](#) ; [amplifiers using superconductivity H03F 19/00](#) ; { [impulse generators and logic circuits H03K 3/38](#) , [H03K 17/92](#) , [H03K 19/195](#) ; [lasers H01S 3/00](#) , [H01S 5/00](#)})

NOTE

In this group, in the absence of an indication to the contrary, an invention is classified in the last appropriate place

- H01L 39/005 . {Alleged superconductivity}
- H01L 39/02 . Details
- H01L 39/025 .. {for Josephson devices}
- H01L 39/04 .. Containers; Mountings
- H01L 39/045 ... {for Josephson devices}
- H01L 39/06 .. characterised by the current path
- H01L 39/08 .. characterised by the shape of the element
- H01L 39/10 .. characterised by the means for switching{between superconductive and normal states}
- H01L 39/12 .. characterised by the material
- H01L 39/121 ... {Organic materials}
- H01L 39/123 {Fullerene superconductors, e.g. soccerball-shaped allotrope of carbon, e.g. C60, C94(fullerenes in general [C07C 13/00](#))}
- H01L 39/125 ... {Ceramic materials}
- H01L 39/126 {comprising copper oxide}
- H01L 39/128 {Multi-layered structures, e.g. super lattices}
- H01L 39/14 . Permanent superconductor devices
- H01L 39/141 .. {comprising metal borides, e.g. MgB2}
- H01L 39/143 .. {comprising high Tc ceramic materials}
- H01L 39/145 .. {Three or more electrode devices([H01L 39/228](#) takes precedence)}
- H01L 39/146 ... {Field effect devices}
- H01L 39/148 .. {Abrikosov vortex devices}
- H01L 39/16 . Devices switchable between superconductive and normal states,{e.g. switches, current limiters(circuits for current limitation using superconductor elements [H02H 9/023](#))}
- H01L 39/18 .. Cryotrons
- H01L 39/20 ... Power cryotrons
- H01L 39/22 . Devices comprising a junction of dissimilar materials, e.g. Josephson-effect devices
- H01L 39/221 .. {Single electron tunnelling devices}
- H01L 39/223 .. {Josephson-effect devices}
- H01L 39/225 ... {comprising high Tc ceramic materials}
- H01L 39/226 ... {comprising metal borides, e.g. MgB2}
- H01L 39/228 .. {three or more electrode devices, e.g. transistor-like structures}
- H01L 39/24 . Processes or apparatus peculiar to the manufacture or treatment of devices provided for in [H01L 39/00](#) or of parts thereof

- H01L 39/2403 .. {Processes peculiar to the manufacture or treatment of composite superconductor filaments(comprising copper oxide [H01L 39/2419](#))}
- H01L 39/2406 .. {of devices comprising Nb or an alloy of Nb with one or more of the elements of group 4, e.g. Ti, Zr, Hf}
- H01L 39/2409 .. {of devices comprising an intermetallic compound of type A-15, e.g. Nb₃Sn}
- H01L 39/2412 .. {of devices comprising molybdenum chalcogenides}
- H01L 39/2416 .. {of devices comprising nitrides or carbonitrides}
- H01L 39/2419 .. {the superconducting material comprising copper oxide}
- H01L 39/2422 ... {Processes for depositing or forming superconductor layers}
- H01L 39/2425 {from a solution}
- H01L 39/2429 {from a suspension or slurry, e.g. screen printing; doctor blade casting}
- H01L 39/2432 {by evaporation independent of heat source, e.g. MBE}
- H01L 39/2435 {by sputtering}
- H01L 39/2438 {by chemical vapour deposition (CVD)}
- H01L 39/2441 {by metalloorganic chemical vapour deposition (MOCVD)}
- H01L 39/2445 {by thermal spraying, e.g. plasma deposition}
- H01L 39/2448 {Pulsed laser deposition, e.g. laser sputtering; laser ablation}
- H01L 39/2451 {Precursor deposition followed by after?-treatment, e.g. oxidation}
- H01L 39/2454 {characterised by the substrate}
- H01L 39/2458 {Monocrystalline substrates, e.g. epitaxial growth}
- H01L 39/2461 {Intermediate layers, e.g. for growth control}
- H01L 39/2464 ... {After-treatment, e.g. patterning}
- H01L 39/2467 {Etching}
- H01L 39/247 {Passivation}
- H01L 39/2474 ... {Manufacture or deposition of contacts or electrodes}
- H01L 39/2477 ... {Processes including the use of precursors}
- H01L 39/248 ... {Processes peculiar to the manufacture or treatment of filaments or composite wires}
- H01L 39/2483 ... {Introducing flux pinning centres}
- H01L 39/2487 .. {of devices comprising metal borides, e.g. MgB₂}
- H01L 39/249 .. {Treatment of superconductive layers by irradiation, e.g. ion-beam, electron-beam, laser beam, X-rays(irradiation devices [G21K](#) , [H01J](#))}
- H01L 39/2493 .. {for Josephson devices}
- H01L 39/2496 ... {comprising high T_c ceramic materials}

H01L 41/00 Piezo-electric devices in general; Electrostrictive devices in general; Magnetostrictive devices in general; Processes or apparatus specially adapted for the manufacture or treatment thereof or of parts thereof; Details thereof(devices consisting of a plurality of solid-state components formed in or on a common substrate [H01L 27/00](#))

WARNING

1. Groups [H01L 41/22](#) - [H01L 41/47](#) correspond to IPC2013.01. Concordance CPC : IPC for these groups is as follows: - [H01L 41/22](#) - [H01L 41/37](#) : [H01L 41/22](#) - [H01L 41/39](#) - [H01L 41/43](#) : [H01L 41/24](#) - [H01L 41/45](#) : [H01L 41/26](#) - [H01L 41/47](#) : [H01L 41/22](#) 2. Pending reorganisation, the groups [H01L 41/23](#) to [H01L 41/47](#) are not complete; see provisionally also [H01L 41/22](#)

- [H01L 41/02](#) . Details
- [H01L 41/04](#) . . of piezo-electric or electrostrictive devices
- [H01L 41/042](#) . . . {Drive or control circuitry or methods for piezo-electric or electrostrictive devices not otherwise provided for}
- [H01L 41/044](#) {for piezoelectric transformers(conversion of DC or AC power [H02M](#); for operating discharge lamps [H05B 41/282](#))}
- [H01L 41/047](#) . . . Electrodes{or electrical connection arrangements}

WARNING

Pending reorganisation, the groups [H01L 41/0471](#) to [H01L 41/0477](#) are not complete, see provisionally also [H01L 41/047](#)

- [H01L 41/0471](#) {Individual layer electrodes of multilayer piezo-electric or electrostrictive devices, e.g. internal electrodes}
- [H01L 41/0472](#) {Connection electrodes of multilayer piezo-electric or electrostrictive devices, e.g. external electrodes}
- [H01L 41/0474](#) {embedded within piezo-electric or electrostrictive material, e.g. via connections}
- [H01L 41/0475](#) {Further connection or lead arrangements, e.g. flexible wiring boards, terminal pins}
- [H01L 41/0477](#) {Conductive materials(in general [H01B 1/00](#))}
- [H01L 41/0478](#) {the principal material being non-metallic, e.g. oxide or carbon based}
- [H01L 41/053](#) . . . Mounts, supports, enclosures or casings

WARNING

Pending reorganisation, the groups [H01L 41/0533](#) to [H01L 41/0536](#) are not complete, see provisionally also [H01L 41/053](#)

- [H01L 41/0533](#) {Further insulation means against electrical, physical or chemical damage, e.g. protective coatings}
- [H01L 41/0536](#) {Mechanical prestressing means, e.g. springs(in general [F16F 1/00](#))}
- [H01L 41/06](#) . . of magnetostrictive devices
- [H01L 41/08](#) . Piezo-electric or electrostrictive devices

WARNING

Pending reorganisation, the groups [H01L 41/08C](#), [H01L 41/08F](#), and [H01L 41/0825](#) are not complete, see provisionally also [H01L 41/08](#)

H01L 41/0805	..	{based on piezo-electric or electrostrictive films or coatings}
H01L 41/081	...	{characterised by the underlying base, e.g. substrates}
H01L 41/0815	{Intermediate layers, e.g. barrier, adhesion or growth control buffer layers}
H01L 41/082	..	{based on piezo-electric or electrostrictive fibres}
H01L 41/0825	..	{with electrical and mechanical input and output, e.g. having combined actuator and sensor parts}
H01L 41/083	..	having a stacked or multilayer structure

WARNING

Pending reorganisation, the groups [H01L 41/0831](#) to [H01L 41/0838](#) are not complete, see provisionally also [H01L 41/083](#)

H01L 41/0831	...	{with non-rectangular cross-section in stacking direction, e.g. polygonal, trapezoidal}
H01L 41/0833	...	{with non-rectangular cross-section orthogonal to the stacking direction, e.g. polygonal, circular}
H01L 41/0835	{Annular cross-section}
H01L 41/0836	...	{of cylindrical shape with stacking in radial direction, e.g. coaxial or spiral type rolls}
H01L 41/0838	...	{adapted for alleviating internal stress, e.g. cracking control layers ("Sollbruchstellen")}
H01L 41/087	..	formed as coaxial cables
H01L 41/09	..	{with electrical input and mechanical output e.g. actuators, vibrators}(in frequency selective networks H03H 9/00)
H01L 41/0906	...	{using longitudinal or thickness displacement combined with bending, shear or torsion displacement}

WARNING

Pending reorganisation, the groups [H01L 41/0913](#) to [H01L 41/092](#) are not complete, see provisionally also **[H01L 41/09B](#)**

H01L 41/0913	{with polygonal or rectangular shape}
H01L 41/092	{with cylindrical or annular shape}
H01L 41/0926	...	{using bending displacement, e.g. unimorph, bimorph or multimorph cantilever or membrane benders}

WARNING

Pending reorganisation, the groups [H01L 41/0933](#) to [H01L 41/098](#) are not complete, see provisionally also [H01L 41/0926](#)

H01L 41/0933	{Beam type}
H01L 41/094	{Cantilevers, i.e. having one fixed end}
H01L 41/0946	{connected at their free ends, e.g. parallelogram type}
H01L 41/0953	{with multiple segments mechanically connected in series, e.g. zig-zag type}

H01L 41/096	{adapted for in-plane bending displacement}
H01L 41/0966	{adapted for multi-directional bending displacement}
H01L 41/0973	{Membrane type}
H01L 41/098	N: with non-planar shape]
H01L 41/0986	...	{using longitudinal or thickness displacement only, e.g. d33 or d31 type devices}

WARNING

Pending reorganisation, this group is not complete, see provisionally also [H01L 41/09](#)

H01L 41/0993	...	{using shear or torsion displacement, e.g. d15 type devices}
--------------	-----	--

WARNING

Pending reorganisation, this group is not complete, see provisionally also [H01L 41/09](#)

H01L 41/107	..	with electrical input and electrical output{e.g. transformers}
H01L 41/113	..	with mechanical input and electrical output{e.g. generators, sensors}

WARNING

Pending reorganisation, the groups [H01L 41/113](#) to [H01L 41/1138](#) are not complete, see provisionally also [H01L 41/113](#) and [H02N 2/18](#)

H01L 41/1132	...	{Sensors}
H01L 41/1134	...	{Beam type}
H01L 41/1136	{Cantilevers}
H01L 41/1138	...	{Membrane type}

H01L 41/12	.	Magnetostrictive devices
H01L 41/125	..	{with mechanical input and electrical output, e.g. generators, sensors}

H01L 41/16	.	Selection of materials
H01L 41/18	..	for piezo-electric or electrostrictive devices{e.g. bulk piezo-electric crystals}
H01L 41/183	...	{Composite materials, e.g. having 1-3 or 2-2 type connectivity}

WARNING

Pending reorganisation, this group is not complete, see provisionally also [H01L 41/18](#)

H01L 41/187	...	Ceramic compositions{i.e. synthetic inorganic polycrystalline compounds incl. epitaxial, quasi-crystalline materials}
-------------	-----	---

WARNING

Pending reorganisation, the groups [H01L 41/1871](#) to [H01L 41/1878](#) are not complete, see provisionally also [H01L 41/187](#)]

- [H01L 41/1871](#) {Alkaline earth metal based oxides, e.g. barium titanates}
- [H01L 41/1873](#) {Alkali metal based oxides, e.g. lithium, sodium or potassium niobates}
- [H01L 41/1875](#) {Lead based oxides}
- [H01L 41/1876](#) {Lead zirconate titanate based}
- [H01L 41/1878](#) {Bismuth based oxides}
- [H01L 41/193](#) Macromolecular compositions{e.g. piezo-electric polymers}
- [H01L 41/20](#) . . . for magnetostrictive devices

- [H01L 41/22](#) . . . Processes or apparatus specially adapted for the assembly, manufacture or treatment of piezo-electric or electrostrictive devices or of parts thereof
- [H01L 41/23](#) . . . Forming enclosures or casings
- [H01L 41/25](#) . . . Assembling devices that include piezo-electric or electrostrictive parts
- [H01L 41/253](#) . . . Treating devices or parts thereof to modify a piezo-electric or electrostrictive property, e.g. polarisation characteristics, vibration characteristics or mode tuning
- [H01L 41/257](#) by polarising
- [H01L 41/27](#) . . . Manufacturing multilayered piezo-electric or electrostrictive devices or parts thereof, e.g. by stacking piezo-electric bodies and electrodes
- [H01L 41/273](#) by integrally sintering piezo-electric or electrostrictive bodies and electrodes
- [H01L 41/277](#) by stacking bulk piezo-electric or electrostrictive bodies and electrodes
- [H01L 41/29](#) . . . Forming electrodes, leads or terminal arrangements
- [H01L 41/293](#) Connection electrodes of multilayered piezo-electric or electrostrictive parts

NOTE

Integral individual layer electrode and connection electrode are classified in both [H01L 41/293](#) and [H01L 41/297](#)

- [H01L 41/297](#) Individual layer electrodes of multilayered piezo-electric or electrostrictive parts

NOTE

Integral individual layer electrode and connection electrode are classified in both [H01L 41/293](#) and [H01L 41/297](#)

- [H01L 41/31](#) . . . Applying piezo-electric or electrostrictive parts or bodies onto an electrical element or another base
- [H01L 41/311](#) Mounting of piezo-electric or electrostrictive parts together with semiconductor elements, or other circuit elements, on a common substrate
- [H01L 41/312](#) by laminating or bonding of piezo-electric or electrostrictive bodies
- [H01L 41/313](#) by metal fusing or with adhesives
- [H01L 41/314](#) by depositing piezo-electric or electrostrictive layers, e.g. aerosol or screen printing
- [H01L 41/316](#) by vapour phase deposition

H01L 41/317	by liquid phase deposition
H01L 41/318	by sol-gel deposition
H01L 41/319	using intermediate layers, e.g. for growth control
H01L 41/33	..	Shaping or machining of piezo-electric or electrostrictive bodies
H01L 41/331	...	by coating or depositing using masks, e.g. lift-off
H01L 41/332	...	by etching, e.g. lithography
H01L 41/333	...	by moulding or extrusion
H01L 41/335	...	by machining
H01L 41/337	by polishing or grinding
H01L 41/338	by cutting or dicing
H01L 41/339	by punching
H01L 41/35	..	Forming piezo-electric or electrostrictive materials
H01L 41/37	...	Composite materials
H01L 41/39	...	Inorganic materials
H01L 41/41	by melting
H01L 41/43	by sintering
H01L 41/45	...	Organic materials
H01L 41/47	.	Processes or apparatus specially adapted for the assembly, manufacture or treatment of magnetostrictive devices or of parts thereof
H01L 43/00		Devices using galvano-magnetic or similar magnetic effects; Processes or apparatus peculiar to the manufacture or treatment thereof or of parts thereof (devices consisting of a plurality of solid state components formed in or on a common substrate H01L 27/00 ; devices with potential-jump barrier, or surface barrier controllable by variation of a magnetic field H01L 29/82)
H01L 43/02	.	Details
H01L 43/04	..	of Hall-effect devices
H01L 43/06	.	Hall-effect devices
H01L 43/065	..	{Semiconductor Hall-effect devices}
H01L 43/08	.	Magnetic-field-controlled resistors
H01L 43/10	.	Selection of materials
H01L 43/12	.	Processes or apparatus peculiar to the manufacture or treatment of these devices or of parts thereof(not peculiar thereto H01L 21/00)
H01L 43/14	..	for Hall-effect devices

H01L 45/00

Solid state devices adapted for rectifying, amplifying, oscillating or switching without a potential-jump barrier or surface barrier, e.g. dielectric triodes; Ovshinsky-effect devices; Processes or apparatus peculiar to the manufacture or treatment thereof or of parts thereof(devices consisting of a plurality of solid state components formed in or on a common substrate [H01L 27/00](#) ; devices using superconductivity [H01L 39/00](#) ; piezo-electric devices [H01L 41/00](#) ; bulk negative resistance effect devices [H01L 47/00](#) ; { memories [G11C 11/34](#) ; [G11C 13/0002](#) ; amplifying circuits [H03F 11/00](#) ; pulse generation [H03K 3/02](#) ; electronic switching circuits [H03K 17/00](#) ; logic circuits [H03K 19/00](#)})

WARNING

Groups [H01L 45/04](#) - [H01L 45/16](#) do not correspond to former or current IPC groups. IPC concordance of said groups is - [H01L 45/04](#) - [H01L 45/16](#) : [H01L 45/00](#) . Groups [H01L 45/06](#) to [H01L 45/1691](#) are not complete pending reclassification; see provisionally also group [H01L 45/04](#)

- [H01L 45/005](#) . {Charge density wave transport devices}
- [H01L 45/02](#) . Solid state travelling-wave devices
- [H01L 45/04](#) . {Bistable or multistable switching devices, e.g. for resistance switching non-volatile memory}
- [H01L 45/06](#) .. {based on solid-state phase change, e.g. between amorphous and crystalline phases, Ovshinsky effect}
- [H01L 45/065](#) ... {between different crystalline phases, e.g. cubic and hexagonal}
- [H01L 45/08](#) .. {based on migration or redistribution of ionic species, e.g. anions, vacancies}
- [H01L 45/085](#) ... {the species being metal cations, e.g. programmable metallization cells}
- [H01L 45/10](#) .. {based on bulk electronic defects, e.g. trapping of electrons}
- [H01L 45/12](#) .. {Details}
- [H01L 45/1206](#) ... {Three or more terminal devices, e.g. transistor like devices}
- [H01L 45/1213](#) ... {Radiation or particle beam assisted switching devices, e.g. optically controlled devices}
- [H01L 45/122](#) ... {Device geometry}
- [H01L 45/1226](#) {adapted for essentially horizontal current flow, e.g. bridge type devices}
- [H01L 45/1233](#) {adapted for essentially vertical current flow, e.g. sandwich or pillar type devices}
- [H01L 45/124](#) {on sidewalls of dielectric structures, e.g. mesa or cup type devices}
- [H01L 45/1246](#) {Further means within the switching material region to limit current flow, e.g. constrictions}
- [H01L 45/1253](#) ... {Electrodes}
- [H01L 45/126](#) {adapted for resistive heating}
- [H01L 45/1266](#) {adapted for supplying ionic species}
- [H01L 45/1273](#) {adapted for electric field or current focusing, e.g. tip shaped}
- [H01L 45/128](#) ... {Thermal details}

H01L 45/1286	{Heating or cooling means other than resistive heating electrodes, e.g. heater in parallel}
H01L 45/1293	{Thermal insulation means}
H01L 45/14	..	{Selection of switching materials}
H01L 45/141	...	{Compounds of sulfur, selenium or tellurium, e.g. chalcogenides}
H01L 45/142	{Sulfides, e.g. CuS}
H01L 45/143	{Selenides, e.g. GeSe}
H01L 45/144	{Tellurides, e.g. GeSbTe}
H01L 45/145	...	{Oxides or nitrides}
H01L 45/146	{Binary metal oxides, e.g. TaOx}
H01L 45/147	{Complex metal oxides, e.g. perovskites, spinels}
H01L 45/148	...	{Other compounds of groups 13-15, e.g. elemental or compound semiconductors}
H01L 45/149	{Carbon or carbides}
H01L 45/16	..	{Manufacturing}
H01L 45/1608	...	{Formation of the switching material, e.g. layer deposition}
H01L 45/1616	{by chemical vapor deposition, e.g. MOCVD, ALD}
H01L 45/1625	{by physical vapor deposition, e.g. sputtering}
H01L 45/1633	{by conversion of electrode material, e.g. oxidation}
H01L 45/1641	...	{Modification of the switching material, e.g. post-treatment, doping}
H01L 45/165	{by implantation}
H01L 45/1658	{by diffusion, e.g. photo-dissolution}
H01L 45/1666	...	{Patterning of the switching material}
H01L 45/1675	{by etching of pre-deposited switching material layers, e.g. lithography}
H01L 45/1683	{by filling of openings, e.g. damascene method}
H01L 45/1691	{Patterning process specially adapted for achieving sub-lithographic dimensions, e.g. using spacers}
H01L 47/00		Bulk negative resistance effect devices, e.g. Gunn-effect devices; Processes or apparatus peculiar to the manufacture or treatment thereof or of parts thereof(devices consisting of a plurality of solid state components formed in or on a common substrate H01L 27/00)
H01L 47/005	.	{Processes or apparatus peculiar to the manufacture or treatment of these devices or of parts thereof(not peculiar thereto H01L 21/00)}
H01L 47/02	.	Gunn-effect devices{or transferred electron devices}
H01L 47/023	..	{controlled by electromagnetic radiation}
H01L 47/026	..	{Gunn diodes(H01L 47/02 takes precedence)}
H01L 49/00		Solid state devices not provided for in groups H01L 27/00 to H01L 47/00 and H01L 51/00 and not provided for in any other subclass ; Processes or apparatus peculiar to the manufacture or treatment thereof or of parts thereof

- H01L 49/003 . {Devices using Mott metal-insulator transition, e.g. field effect transistors}
- H01L 49/006 . {Quantum devices, e.g. Quantum Interference Devices, Metal Single Electron Transistor(using semiconductors in the active part [H01L 29/00](#))}
- H01L 49/02 . Thin-film or thick-film devices

H01L 51/00

Solid state devices using organic materials as the active part, or using a combination of organic materials with other materials as the active part; Processes or apparatus specially adapted for the manufacture or treatment of such devices, or of parts thereof(devices consisting of a plurality of components formed in or on a common substrate [H01L 27/28](#) ; thermoelectric devices using organic material [H01L 35/00](#) , [H01L 37/00](#) ; piezoelectric, electrostrictive or magnetostrictive elements using organic material [H01L 41/00](#))

- H01L 51/0001 . {Processes specially adapted for the manufacture or treatment of devices or of parts thereof(multistep processes [H01L 51/0098](#) , [H01L 51/05](#) , [H01L 51/42](#) , [H01L 51/50](#))}
- H01L 51/0002 .. {Deposition of organic semiconductor materials on a substrate}
- H01L 51/0003 ... {using liquid deposition, e.g. spin coating}
- H01L 51/0004 {using printing techniques, e.g. ink-jet printing, screen printing}
- H01L 51/0005 {ink-jet printing}
- H01L 51/0006 {Electrolytic deposition using an external electrical current, e.g. in-situ electropolymerisation}
- H01L 51/0007 {characterised by the solvent}
- H01L 51/0008 ... {using physical deposition, e.g. sublimation, sputtering}
- H01L 51/0009 {using laser ablation}
- H01L 51/001 {Vacuum deposition}
- H01L 51/0011 {selective deposition, e.g. using a mask}
- H01L 51/0012 ... {special provisions for the orientation or alignment of the layer to be deposited}
- H01L 51/0013 ... {using non liquid printing techniques, e.g. thermal transfer printing from a donor sheet}
- H01L 51/0014 .. {for changing the shape of the device layer, e.g. patterning}
- H01L 51/0015 ... {by selective transformation of an existing layer}
- H01L 51/0016 ... {lift off techniques}
- H01L 51/0017 ... {etching of an existing layer}
- H01L 51/0018 {using photolithographic techniques}
- H01L 51/0019 {using printing techniques, e.g. applying the etch liquid using an ink jet printer}
- H01L 51/002 .. {Making n- or p-doped regions}
- H01L 51/0021 .. {Formation of conductors}
- H01L 51/0022 ... {using printing techniques, e.g. ink jet printing}
- H01L 51/0023 ... {Patterning of conductive layers}
- H01L 51/0024 .. {for forming devices by joining two substrates together, e.g. lamination technique}
- H01L 51/0025 .. {Purification process of the organic semiconductor material}

- H01L 51/0026 .. {Thermal treatment of the active layer, e.g. annealing}
- H01L 51/0027 ... {using coherent electromagnetic radiation, e.g. laser annealing}
- H01L 51/0028 ... {Thermal treatment in the presence of solvent vapors, e.g. solvent annealing}
- H01L 51/0029 .. {Special provisions for controlling the atmosphere during processing([H01L 51/0026](#) takes precedence)}
- H01L 51/003 .. {using a temporary substrate}
- H01L 51/0031 .. {Testing, e.g. accelerated lifetime tests of photoelectric devices}
- H01L 51/0032 . {Selection of organic semiconducting materials, e.g. organic light sensitive or organic light emitting materials}

NOTE

This group only covers the selection of organic materials for their electrical or other properties insofar as they are specific for their use in devices covered by the group [H01L 51/00](#) .

For the materials per se, see the relevant subclasses.

Attention is drawn to the following places:

- organic materials in general [C07C](#), [C07D](#), [C07F](#), [C08L](#);
- organic materials as electrical conductors [H01B 1/12](#) ;
- organic materials as electrical insulators [H01B 3/18](#)

- H01L 51/0034 .. {Organic polymers or oligomers([organic macromolecular compounds or compositions per se C08](#))}
- H01L 51/0035 ... {comprising aromatic, heteroaromatic, or aryl chains, e.g. polyaniline([per se C08G 73/026](#)), polyphenylene([per se C08G 61/10](#)), polyphenylene vinylene([per se C08G 61/02](#))}
- H01L 51/0036 {Heteroaromatic compounds comprising sulfur or selen, e.g. polythiophene([per se C08G 61/126](#))}
- H01L 51/0037 {Polyethylene dioxythiophene (PEDOT) and derivatives}
- H01L 51/0038 {Poly-phenylenevinylene and derivatives([per se C08G 61/10](#))}
- H01L 51/0039 {Polyfluorene and derivatives}
- H01L 51/004 .. {comprising aliphatic or olefinic chains, e.g. poly N-vinylcarbazol, PVC, PTFE}
- H01L 51/0041 {Poly acetylene([per se C08G 61/04](#) , [C08F 38/02](#) , [C08F 138/02](#) , [C08F 238/02](#))or derivatives}
- H01L 51/0042 {poly N-vinylcarbazol and derivatives}
- H01L 51/0043 ... {Copolymers}
- H01L 51/0044 ... {Ladder-type polymers}
- H01L 51/0045 .. {Carbon containing materials, e.g. carbon nanotubes, fullerenes([per se C01B 31/0206](#))}
- H01L 51/0046 ... {Fullerenes, e.g. C60, C70}
- H01L 51/0047 {comprising substituents, e.g. PCBM}
- H01L 51/0048 ... {Carbon nanotubes}
- H01L 51/0049 {comprising substituents}
- H01L 51/005 .. {Macromolecular systems with low molecular weight, e.g. cyanine dyes, coumarine dyes, tetrathiafulvalene([H01L 51/0045](#) , [H01L 51/0077](#) , [H01L 51/0093](#) , [H01L 51/0094](#) take precedence)}

H01L 51/0051	...	{Charge transfer complexes}
H01L 51/0052	...	{Polycyclic condensed aromatic hydrocarbons, e.g. anthracene}
H01L 51/0053	{Aromatic anhydride or imide compounds, e.g. perylene tetra-carboxylic dianhydride, perylene tetracarboxylic diimide}
H01L 51/0054	{containing four rings, e.g. pyrene}
H01L 51/0055	{containing five rings, e.g. pentacene}
H01L 51/0056	{containing six or more rings}
H01L 51/0057	{containing at least one aromatic ring having 7 or more carbon atoms, e.g. azulene}
H01L 51/0058	{containing more than one polycyclic condensed aromatic rings, e.g. bis-anthracene}
H01L 51/0059	...	{Amine compounds having at least two aryl rest on at least one amine-nitrogen atom, e.g. triphenylamine(per se C07C 211/00)}
H01L 51/006	{comprising polycyclic condensed aromatic hydrocarbons as substituents on the nitrogen atom}
H01L 51/0061	{comprising heteroaromatic hydrocarbons as substituents on the nitrogen atom}
H01L 51/0062	...	{aromatic compounds comprising a hetero atom, e.g.: N,P,S}
H01L 2051/0063	{Oxadiazole Compounds}
H01L 51/0064	{Cyanine Dyes}
H01L 51/0065	{comprising only oxygen as heteroatom}
H01L 51/0067	{comprising only nitrogen as heteroatom(H01L 51/0064 takes precedence)}
H01L 51/0068	{comprising only sulfur as heteroatom}
H01L 51/0069	{comprising two or more different heteroatoms per ring, e.g. S and N(H01L 51/0064 takes precedence)}
H01L 51/007	{oxadiazole compounds}
H01L 51/0071	{Polycyclic condensed heteroaromatic hydrocarbons}
H01L 51/0072	{comprising only nitrogen in the heteroaromatic polycondensed ringsystem, e.g. phenanthroline, carbazole}
H01L 51/0073	{comprising only oxygen in the heteroaromatic polycondensed ringsystem, e.g. cumarine dyes}
H01L 51/0074	{comprising only sulfur in the heteroaromatic polycondensed ringsystem, e.g. benzothiophene}
H01L 51/0075	..	{Langmuir Blodgett films(per se B05D 1/202)}
H01L 51/0076	..	{Liquid crystalline materials(per se C09K 19/00)}
H01L 51/0077	..	{Coordination compounds, e.g. porphyrin}
H01L 51/0078	...	{Phthalocyanine(per se C09B 47/04)}
H01L 51/0079	...	{Metal complexes comprising a IIIB-metal(B, Al, Ga, In or Tl), e.g. Tris (8-hydroxyquinoline) gallium (Gaq3)}
H01L 51/008	{comprising boron}
H01L 51/0081	{comprising aluminium, e.g. Alq3}
H01L 51/0082	{comprising gallium}
H01L 51/0083	...	{Metal complexes comprising an iron-series metal, e.g. Fe, Co, Ni}

H01L 51/0084	...	{Transition metal complexes, e.g. Ru(II)polypyridine complexes}
H01L 51/0085	{comprising Iridium}
H01L 51/0086	{comprising Ruthenium}
H01L 51/0087	{comprising platinum}
H01L 51/0088	{comprising osmium}
H01L 51/0089	...	{Metal complexes comprising Lanthanides or Actinides, e.g. Eu}
H01L 51/009	...	{Polynuclear complexes, i.e. complexes having two or more metal centers}
H01L 51/0091	...	{Metal complexes comprising a IB-metal(Cu, Ag, Au)}
H01L 51/0092	...	{Metal complexes comprising a IIB-metal(Zn, Cd, Hg)}
H01L 51/0093	..	{Biomolecules or bio-macromolecules, e.g. proteines, ATP, chlorophyl, beta-carotene, lipids, enzymes}
H01L 51/0094	..	{Silicon-containing organic semiconductors}
H01L 51/0095	..	{Starburst compounds}
H01L 51/0096	.	{Substrates}
H01L 51/0097	..	{flexible substrates}
H01L 51/0098	.	{Molecular electronic devices(molecular computers G06F 15/80 ; molecular memories G11C 11/00 , G11C 13/02)}
H01L 51/05	.	specially adapted for rectifying, amplifying, oscillating or switching, or capacitors or resistors with at least one potential- jump barrier or surface barrier{multistep processes for their manufacture}
H01L 51/0504	..	{the devices being controllable only by the electric current supplied or the electric potential applied, to an electrode which does not carry the current to be rectified, amplified or swiched, e.g. three-terminal devices}
H01L 51/0508	...	{Field-effect devices, e.g. TFTs}
H01L 51/0512	{insulated gate field effect transistors}
H01L 51/0516	{characterised by the gate dielectric}
H01L 51/052	{the gate dielectric comprising only organic materials}
H01L 51/0525	{the gate dielectric comprising only inorganic materials}
H01L 51/0529	{the gate dielectric having a multilayered structure}
H01L 51/0533	{Combinations of organic and inorganic layers}
H01L 51/0537	{the gate dielectric comprising composite materials, e.g. TiO ₂ particles in a polymer matrix}
H01L 51/0541	{Lateral single gate single channel transistors with non inverted structure, i.e. the organic semiconductor layer is formed before the gate electode}
H01L 51/0545	{Lateral single gate single channel transistors with inverted structure, i.e. the organic semiconductor layer is formed after the gate electrode}
H01L 51/055	{characterised by the gate conductor}
H01L 51/0554	{the transistor having two or more gate electrodes}
H01L 51/0558	{characterised by the channel of the transistor}
H01L 51/0562	{the channel comprising two or more active layers, e.g. forming pn - hetero junction}

H01L 51/0566	{the channel comprising a composite layer, e.g. a mixture of donor and acceptor moieties, forming pn - bulk hetero junction}
H01L 51/057	{having a vertical structure, e.g. vertical carbon nanotube field effect transistors [CNT-FETs]}
H01L 51/0575	..	{the devices being controllable only by variation of the electric current supplied or the electric potential applied, to one or more of the electrodes carrying the current to be rectified, amplified, oscillated or switched, e.g. two-terminal devices}
H01L 51/0579	...	{Schottky diodes}
H01L 51/0583	...	{comprising an organic/organic junction, e.g. hetero-junction}
H01L 51/0587	...	{comprising an organic/inorganic hetero-junction, e.g. hetero-junction}
H01L 51/0591	...	{Bi-stable switching devices}
H01L 51/0595	...	{molecular electronic devices(molecular computers G06F 15/80 ; molecular memories G11C 11/00 , G11C 13/02)}
H01L 51/10	..	Details of devices
H01L 51/102	...	{Electrodes}
H01L 51/105	{Ohmic contacts, e.g. source and drain electrodes}
H01L 51/107	...	{Passivation, containers, encapsulations}
H01L 51/42	.	specially adapted for sensing infra-red radiation, light, electro-magnetic radiation of shorter wavelength or corpuscular radiation and adapted for the conversion of the energy of such radiation into electrical energy or for the control of electrical energy by such radiation{using organic materials as the active part, or using a combination of organic materials with other material as the active part; Multistep processes for their manufacture}
H01L 51/4206	..	{Metal-organic semiconductor-metal devices}
H01L 51/4213	..	{Comprising organic semiconductor-inorganic semiconductor hetero-junctions(H01L 51/4253 takes precedence)}
H01L 51/422	...	{Majority carrier devices using sensitisation of widebandgap semiconductors, e.g. TiO ₂ (photoelectrochemical devices with a liquid or solid electrolyte H01G 9/20)}
H01L 51/4226	{the wideband gap semiconductor comprising titanium oxide, e.g. TiO ₂ }
H01L 51/4233	{the wideband gap semiconductor comprising zinc oxide, e.g. ZnO}
H01L 51/424	..	{comprising organic semiconductor-organic semiconductor hetero-junctions(H01L 51/4253 takes precedence)}
H01L 51/4246	...	{comprising multi-junctions, e.g. double hetero-junctions}
H01L 51/4253	..	{comprising bulk hetero-junctions, e.g. interpenetrating networks}
H01L 51/426	...	{comprising inorganic nanostructures, e.g. CdSe nano particles}
H01L 51/4266	{the inorganic nanostructures being nano-tubes or nano-wires, e.g. CdTe nano-tubes in P3HT}
H01L 51/4273	...	{comprising blocking layers, e.g. exciton blocking layers}
H01L 51/428	..	{light sensitive field effect devices}
H01L 51/4286	..	{Devices having a m-i-s structure}
H01L 51/4293	..	{Devices having a p-i-n structure}
H01L 51/44	..	Details of devices
H01L 51/441	...	{Electrodes}

H01L 51/442	{transparent electrodes, e.g. ITO, TCO}
H01L 51/444	{comprising carbon nano-tubes}
H01L 51/445	{comprising arrangements for extracting the current from the cell, e.g. metal finger grid systems to reduce the serial resistance of transparent electrodes}
H01L 51/447	...	{Light trapping means}
H01L 51/448	...	{Passivation, containers, encapsulations}
H01L 51/50	.	specially adapted for light emission, e.g. organic light emitting diodes(OLED)or polymer light emitting devices (PLED);{Multistep processes for their manufacture}{organic semiconductor lasers H01S 5/36 ; { circuit arrangements for OLED or PLED H05B 33/0896 ; control arrangements for organic electroluminescent displays G09G 3/3208 }
H01L 51/5004	..	{characterised by the interrelation between parameters of constituting active layers, e.g. HOMO-LUMO relation}
H01L 51/5008	..	{Intermediate layers comprising a mixture of materials of the adjoining active layers}
H01L 51/5012	..	{Electroluminescent (EL) layer}
H01L 51/5016	...	{Triplet emission}
H01L 51/502	...	{comprising active inorganic nanostructures, e.g. luminescent quantum dots}
H01L 51/5024	...	{having a host comprising an emissive dopant and further additive materials, e.g. for improving the dispersability, for improving the stabilisation, for assisting energy transfer}
H01L 51/5028	{for assisting energy transfer e.g. sensitization}
H01L 51/5032	...	{Light emitting electrochemical cells (LEC), i.e. with mobile ions in the active layer}
H01L 51/5036	...	{Multi-colour light emission, e.g. colour tuning, polymer blend, stack of electroluminescent layers}
H01L 51/504	{Stack of electroluminescent layers}
H01L 51/5044	{with spacer layers between the emissive layers}
H01L 51/5048	..	{Carrier transporting layer}
H01L 51/5052	...	{Doped transporting layer}
H01L 51/5056	...	{Hole transporting layer}
H01L 51/506	{comprising a dopant}
H01L 51/5064	{having a multilayered structure}
H01L 51/5068	{arranged between the light emitting layer and the cathode}
H01L 51/5072	...	{Electron transporting layer}
H01L 51/5076	{comprising a dopant}
H01L 51/508	{having a multilayered structure}
H01L 51/5084	{arranged between the light emitting layer and the anode}
H01L 51/5088	..	{Carrier injection layer}
H01L 51/5092	...	{Electron injection layer}
H01L 51/5096	..	{Carrier blocking layer}
H01L 51/52	..	Details of devices

H01L 51/5203	...	{Electrodes}
H01L 51/5206	{Anodes, i.e. with high work-function material}

WARNING

The subgroups of [H01L 51/5206](#) are not complete pending a reorganisation, see provisionally also this group

H01L 51/5209	{characterised by the shape}
H01L 51/5212	{combined with auxiliary electrode, e.g. ITO layer combined with metal lines}
H01L 51/5215	{composed of transparent multilayers}
H01L 51/5218	{Reflective anodes, e.g. ITO combined with thick metallic layer}
H01L 51/5221	{Cathodes, i.e. with low work-function material}

WARNING

The subgroups of [H01L 51/5221](#) are not complete pending a reorganisation, see provisionally also this group

H01L 51/5225	{characterised by the shape}
H01L 51/5228	{combined with auxiliary electrodes}
H01L 51/5231	{composed of opaque multilayers}
H01L 51/5234	{Transparent, e.g. including thin metal film}
H01L 51/5237	...	{Passivation; Containers; Encapsulation, e.g. against humidity}

WARNING

The subgroups of [H01L 51/5237](#) are not complete pending a reorganisation, see provisionally also this group

H01L 51/524	{Sealing arrangements having a self-supporting structure, e.g. containers}
H01L 51/5243	{the sealing arrangements being made of metallic material}
H01L 51/5246	{characterised by the peripheral sealing arrangements, e.g. adhesives, sealants}
H01L 51/525	{Vertical spacers, e.g. arranged between the sealing arrangement and the OLED}
H01L 51/5253	{Protective coatings}
H01L 51/5256	{having repetitive multilayer structures}
H01L 51/5259	{including getter material or desiccant}
H01L 51/5262	...	{Arrangements for extracting light from the device}
H01L 51/5265	{comprising a resonant cavity structure, e.g. Bragg reflector pair}
H01L 51/5268	{Scattering means}
H01L 51/5271	{Reflective means}
H01L 51/5275	{Refractive means, e.g. lens}

- H01L 51/5278 {comprising a repetitive electroluminescent unit between one set of electrodes}
- H01L 51/5281 . . . {Arrangements for contrast improvement, e.g. preventing reflection of ambient light}
- H01L 51/5284 {comprising a light absorbing layer, e.g. black layer}
- H01L 51/5287 . . . {OLED having a fiber structure}
- H01L 51/529 . . . {Arrangements for heating or cooling}
- H01L 51/5293 . . . {Arrangements for polarized light emission([H01L 51/5281](#) takes precedence)}
- H01L 51/5296 . . . {Light emitting organic transistors}
- H01L 51/56 . . Processes or apparatus specially adapted for the manufacture or treatment of such devices or of parts thereof

H01L 2221/00 Processes or apparatus adapted for the manufacture or treatment of semiconductor or solid state devices or of parts thereof covered by [H01L 21/00](#)

- H01L 2221/10 . Applying interconnections to be used for carrying current between separate components within a device
- H01L 2221/1005 . . Formation and after-treatment of dielectrics
- H01L 2221/101 . . . Forming openings in dielectrics
- H01L 2221/1015 for dual damascene structures
- H01L 2221/1021 Pre-forming the dual damascene structure in a resist layer
- H01L 2221/1026 the via being formed by burying a sacrificial pillar in the dielectric and removing the pillar
- H01L 2221/1031 Dual damascene by forming vias in the via-level dielectric prior to deposition of the trench-level dielectric
- H01L 2221/1036 Dual damascene with different via-level and trench-level dielectrics
- H01L 2221/1042 . . . the dielectric comprising air gaps
- H01L 2221/1047 the air gaps being formed by pores in the dielectric
- H01L 2221/1052 . . . Formation of thin functional dielectric layers
- H01L 2221/1057 in via holes or trenches
- H01L 2221/1063 Sacrificial or temporary thin dielectric films in openings in a dielectric
- H01L 2221/1068 . . Formation and after-treatment of conductors
- H01L 2221/1073 . . . Barrier, adhesion or liner layers
- H01L 2221/1078 Multiple stacked thin films not being formed in openings in dielectrics
- H01L 2221/1084 Layers specifically deposited to enhance or enable the nucleation of further layers, i.e. seed layers
- H01L 2221/1089 Stacks of seed layers
- H01L 2221/1094 . . . Conducting structures comprising nanotubes or nanowires
- H01L 2221/67 . Apparatus for handling semiconductor or electric solid state devices during manufacture or treatment thereof; Apparatus for handling wafers during manufacture or treatment of semiconductor or electric solid state devices or components; Apparatus not specifically provided for elsewhere
- H01L 2221/683 . . for supporting or gripping

H01L 2221/68304	...	using temporarily an auxiliary support
H01L 2221/68309	Auxiliary support including alignment aids
H01L 2221/68313	Auxiliary support including a cavity for storing a finished device, e.g. IC package, or a partly finished device, e.g. die, during manufacturing or mounting
H01L 2221/68318	Auxiliary support including means facilitating the separation of a device or wafer from the auxiliary support
H01L 2221/68322	Auxiliary support including means facilitating the selective separation of some of a plurality of devices from the auxiliary support
H01L 2221/68327	used during dicing or grinding
H01L 2221/68331	of passive members, e.g. die mounting substrate
H01L 2221/68336	involving stretching of the auxiliary support post dicing
H01L 2221/6834	used to protect an active side of a device or wafer
H01L 2221/68345	used as a support during the manufacture of self supporting substrates
H01L 2221/6835	used as a support during build up manufacturing of active devices
H01L 2221/68354	used to support diced chips prior to mounting
H01L 2221/68359	used as a support during manufacture of interconnect decals or build up layers
H01L 2221/68363	used in a transfer process involving transfer directly from an origin substrate to a target substrate without use of an intermediate handle substrate
H01L 2221/68368	used in a transfer process involving at least two transfer steps, i.e. including an intermediate handle substrate
H01L 2221/68372	used to support a device or wafer when forming electrical connections thereto(when forming bonding pads H01L 24/03 ; when forming bump connectors H01L 24/11 ; when forming layer connectors H01L 24/27)
H01L 2221/68377	with parts of the auxiliary support remaining in the finished device
H01L 2221/68381	Details of chemical or physical process used for separating the auxiliary support from a device or wafer
H01L 2221/68386	Separation by peeling
H01L 2221/6839	using peeling wedge or knife or bar
H01L 2221/68395	using peeling wheel
H01L 2223/00		Details relating to semiconductor or other solid state devices covered by the group H01L 23/00
H01L 2223/544	.	Marks applied to semiconductor devices or parts
H01L 2223/54406	..	comprising alphanumeric information
H01L 2223/54413	..	comprising digital information, e.g. bar codes, data matrix
H01L 2223/5442	..	comprising non digital, non alphanumeric information, e.g. symbols
H01L 2223/54426	..	for alignment
H01L 2223/54433	..	containing identification or tracking information
H01L 2223/5444	...	for electrical read out
H01L 2223/54446	Wireless electrical read out

H01L 2223/54453	..	for use prior to dicing
H01L 2223/5446	...	Located in scribe lines
H01L 2223/54466	...	Located in a dummy or reference die
H01L 2223/54473	..	for use after dicing
H01L 2223/5448	...	Located on chip prior to dicing and remaining on chip after dicing
H01L 2223/54486	...	Located on package parts, e.g. encapsulation, leads, package substrate
H01L 2223/54493	..	Peripheral marks on wafers, e.g. orientation flats, notches, lot number
H01L 2223/58	.	Structural electrical arrangements for semiconductor devices not otherwise provided for
H01L 2223/64	..	Impedance arrangements
H01L 2223/66	...	High-frequency adaptations
H01L 2223/6605	High-frequency electrical connections
H01L 2223/6611	Wire connections
H01L 2223/6616	Vertical connections, e.g. vias
H01L 2223/6622	Coaxial feed-throughs in active or passive substrates
H01L 2223/6627	Waveguides, e.g. microstrip line, strip line, coplanar line
H01L 2223/6633	Transition between different waveguide types
H01L 2223/6638	Differential pair signal lines
H01L 2223/6644	Packaging aspects of high-frequency amplifiers(amplifiers per se H03F)
H01L 2223/665	Bias feed arrangements
H01L 2223/6655	Matching arrangements, e.g. arrangement of inductive and capacitive components
H01L 2223/6661	for passive devices(passive components per se H01L 28/00)
H01L 2223/6666	for decoupling, e.g. bypass capacitors
H01L 2223/6672	for integrated passive components, e.g. semiconductor device with passive components only(integrated circuits with passive components only per se H01L 27/01)
H01L 2223/6677	for antenna, e.g. antenna included within housing of semiconductor device(antennas per se H01Q)
H01L 2223/6683	for monolithic microwave integrated circuit [MMIC]
H01L 2223/6688	Mixed frequency adaptations, i.e. for operation at different frequencies
H01L 2223/6694	Optical signal interface included within high-frequency semiconductor device housing
H01L 2224/00		Indexing scheme for arrangements for connecting or disconnecting semiconductor or solid-state bodies and methods related thereto as covered by H01L 24/00
H01L 2224/01	.	Means for bonding being attached to, or being formed on, the surface to be connected, e.g. chip-to-package, die-attach, "first-level" interconnects; Manufacturing methods related thereto
H01L 2224/02	..	Bonding areas; Manufacturing methods related thereto
H01L 2224/0212	...	Auxiliary members for bonding areas, e.g. spacers

H01L 2224/02122	being formed on the semiconductor or solid-state body
H01L 2224/02123	inside the bonding area
H01L 2224/02125	Reinforcing structures
H01L 2224/02126	Collar structures
H01L 2224/0213	Alignment aids
H01L 2224/02135	Flow barrier
H01L 2224/0214	Structure of the auxiliary member
H01L 2224/02141	Multilayer auxiliary member
H01L 2224/02145	Shape of the auxiliary member
H01L 2224/0215	Material of the auxiliary member
H01L 2224/02163	on the bonding area
H01L 2224/02165	Reinforcing structures
H01L 2224/02166	Collar structures
H01L 2224/0217	Alignment aids
H01L 2224/02175	Flow barrier
H01L 2224/0218	Structure of the auxiliary member
H01L 2224/02181	Multilayer auxiliary member
H01L 2224/02185	Shape of the auxiliary member
H01L 2224/0219	Material of the auxiliary member
H01L 2224/022	Protective coating, i.e. protective bond-through coating
H01L 2224/02205	Structure of the protective coating
H01L 2224/02206	Multilayer protective coating
H01L 2224/0221	Shape of the protective coating
H01L 2224/02215	Material of the protective coating
H01L 2224/02233	not in direct contact with the bonding area
H01L 2224/02235	Reinforcing structures
H01L 2224/0224	Alignment aids
H01L 2224/02245	Flow barrier
H01L 2224/0225	Structure of the auxiliary member
H01L 2224/02251	Multilayer auxiliary member
H01L 2224/02255	Shape of the auxiliary member
H01L 2224/0226	Material of the auxiliary member
H01L 2224/023	...	Redistribution layers [RDL] for bonding areas
H01L 2224/0231	Manufacturing methods of the redistribution layers
H01L 2224/02311	Additive methods
H01L 2224/02313	Subtractive methods
H01L 2224/02315	Self-assembly processes
H01L 2224/02317	by local deposition
H01L 2224/02319	by using a preform
H01L 2224/02321	Reworking

H01L 2224/0233	Structure of the redistribution layers
H01L 2224/02331	Multilayer structure
H01L 2224/02333	being a bump
H01L 2224/02335	Free-standing redistribution layers
H01L 2224/0235	Shape of the redistribution layers
H01L 2224/02351	comprising interlocking features
H01L 2224/0236	Shape of the insulating layers therebetween
H01L 2224/0237	Disposition of the redistribution layers
H01L 2224/02371	connecting the bonding area on a surface of the semiconductor or solid-state body with another surface of the semiconductor or solid-state body
H01L 2224/02372	connecting to a via connection in the semiconductor or solid-state body
H01L 2224/02373	Layout of the redistribution layers
H01L 2224/02375	Top view
H01L 2224/02377	Fan-in arrangement
H01L 2224/02379	Fan-out arrangement
H01L 2224/02381	Side view
H01L 2224/0239	Material of the redistribution layers
H01L 2224/024	Material of the insulating layers therebetween
H01L 2224/03	...	Manufacturing methods
H01L 2224/03001	Involving a temporary auxiliary member not forming part of the manufacturing apparatus, e.g. removable or sacrificial coating, film or substrate
H01L 2224/03002	for supporting the semiconductor or solid-state body
H01L 2224/03003	for holding or transferring a preform
H01L 2224/03005	for aligning the bonding area, e.g. marks, spacers
H01L 2224/03009	for protecting parts during manufacture
H01L 2224/03011	Involving a permanent auxiliary member, i.e. a member which is left at least partly in the finished device, e.g. coating, dummy feature
H01L 2224/03013	for holding or confining the bonding area, e.g. solder flow barrier
H01L 2224/03015	for aligning the bonding area, e.g. marks, spacers
H01L 2224/03019	for protecting parts during the process
H01L 2224/031	Manufacture and pre-treatment of the bonding area preform
H01L 2224/0311	Shaping
H01L 2224/0312	Applying permanent coating
H01L 2224/033	by local deposition of the material of the bonding area
H01L 2224/0331	in liquid form
H01L 2224/03312	Continuous flow, e.g. using a micro-syringe, a pump, a nozzle or extrusion
H01L 2224/03318	by dispensing droplets
H01L 2224/0332	Screen printing, i.e. using a stencil
H01L 2224/0333	in solid form

H01L 2224/03332	using a powder
H01L 2224/03334	using a preform
H01L 2224/034	by blanket deposition of the material of the bonding area
H01L 2224/0341	in liquid form
H01L 2224/03416	Spin coating
H01L 2224/03418	Spray coating
H01L 2224/0342	Curtain coating
H01L 2224/03422	by dipping, e.g. in a solder bath(hot-dipping C23C 2/00)
H01L 2224/03424	Immersion coating, e.g. in a solder bath(immersion processes C23C 2/00)
H01L 2224/03426	Chemical solution deposition [CSD], i.e. using a liquid precursor
H01L 2224/03428	Wave coating
H01L 2224/0343	in solid form
H01L 2224/03436	Lamination of a preform, e.g. foil, sheet or layer
H01L 2224/03438	the preform being at least partly pre-patterned
H01L 2224/0344	by transfer printing
H01L 2224/03442	using a powder
H01L 2224/03444	in gaseous form
H01L 2224/0345	Physical vapour deposition [PVD], e.g. evaporation, or sputtering
H01L 2224/03452	Chemical vapour deposition [CVD], e.g. laser CVD
H01L 2224/0346	Plating
H01L 2224/03462	Electroplating
H01L 2224/03464	Electroless plating
H01L 2224/03466	Conformal deposition, i.e. blanket deposition of a conformal layer on a patterned surface
H01L 2224/0347	using a lift-off mask
H01L 2224/03472	Profile of the lift-off mask
H01L 2224/03474	Multilayer masks
H01L 2224/0348	Permanent masks, i.e. masks left in the finished device, e.g. passivation layers
H01L 2224/035	by chemical or physical modification of a pre-existing or pre-deposited material
H01L 2224/03502	Pre-existing or pre-deposited material
H01L 2224/03505	Sintering
H01L 2224/0351	Anodisation
H01L 2224/03515	Curing and solidification, e.g. of a photosensitive material
H01L 2224/0352	Self-assembly, e.g. self-agglomeration of the material in a fluid
H01L 2224/03522	Auxiliary means therefor, e.g. for self-assembly activation
H01L 2224/03524	with special adaptation of the surface of the body to be connected or of an auxiliary substrate, e.g. surface shape specially adapted for the self-assembly process
H01L 2224/0355	Selective modification

H01L 2224/03552	using a laser or a focussed ion beam [FIB]
H01L 2224/03554	Stereolithography, i.e. solidification of a pattern defined by a laser trace in a photosensitive resin
H01L 2224/036	by patterning a pre-deposited material(treatment of parts prior to assembly of the devices H01L 21/48)
H01L 2224/03602	Mechanical treatment, e.g. polishing, grinding
H01L 2224/0361	Physical or chemical etching
H01L 2224/03612	by physical means only
H01L 2224/03614	by chemical means only
H01L 2224/03616	Chemical mechanical polishing [CMP]
H01L 2224/03618	with selective exposure, development and removal of a photosensitive material, e.g. of a photosensitive conductive resin
H01L 2224/0362	Photolithography
H01L 2224/03622	using masks
H01L 2224/0363	using a laser or a focused ion beam [FIB]
H01L 2224/03632	Ablation by means of a laser or focused ion beam [FIB]
H01L 2224/037	involving monitoring, e.g. feedback loop
H01L 2224/038	Post-treatment of the bonding area
H01L 2224/0381	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/0382	Applying permanent coating, e.g. in-situ coating
H01L 2224/03821	Spray coating
H01L 2224/03822	by dipping, e.g. in a solder bath
H01L 2224/03823	Immersion coating, e.g. in a solder bath
H01L 2224/03824	Chemical solution deposition [CSD], i.e. using a liquid precursor
H01L 2224/03825	Plating, e.g. electroplating, electroless plating
H01L 2224/03826	Physical vapour deposition [PVD], e.g. evaporation, or sputtering
H01L 2224/03827	Chemical vapour deposition [CVD], e.g. laser CVD
H01L 2224/03828	Applying flux
H01L 2224/03829	Applying a precursor material
H01L 2224/0383	Reworking, e.g. shaping(reflowing H01L 2224/03849)
H01L 2224/03831	involving a chemical process, e.g. etching the bonding area
H01L 2224/0384	involving a mechanical process, e.g. planarising the bonding area
H01L 2224/03845	Chemical mechanical polishing [CMP]
H01L 2224/03848	Thermal treatments, e.g. annealing, controlled cooling
H01L 2224/03849	Reflowing
H01L 2224/039	Methods of manufacturing bonding areas involving a specific sequence of method steps
H01L 2224/03901	with repetition of the same manufacturing step
H01L 2224/03902	Multiple masking steps
H01L 2224/03903	using different masks
H01L 2224/03906	with modification of the same mask

H01L 2224/0391	Forming a passivation layer after forming the bonding area
H01L 2224/03912	the bump being used as a mask for patterning the bonding area
H01L 2224/03914	the bonding area, e.g. under bump metallisation [UBM], being used as a mask for patterning other parts
H01L 2224/03916	a passivation layer being used as a mask for patterning the bonding area
H01L 2224/0392	specifically adapted to include a probing step
H01L 2224/03921	by repairing the bonding area damaged by the probing step
H01L 2224/04	...	Structure, shape, material or disposition of the bonding areas prior to the connecting process
H01L 2224/0401	Bonding areas specifically adapted for bump connectors, e.g. under bump metallisation [UBM]
H01L 2224/04026	Bonding areas specifically adapted for layer connectors
H01L 2224/04034	Bonding areas specifically adapted for strap connectors
H01L 2224/04042	Bonding areas specifically adapted for wire connectors, e.g. wirebond pads
H01L 2224/0405	Bonding areas specifically adapted for tape automated bonding [TAB] connectors
H01L 2224/04073	Bonding areas specifically adapted for connectors of different types
H01L 2224/04105	Bonding areas formed on an encapsulation of the semiconductor or solid-state body, e.g. bonding areas on chip-scale packages
H01L 2224/05	of an individual bonding area
H01L 2224/05001	Internal layers
H01L 2224/05005	Structure
H01L 2224/05006	Dual damascene structure
H01L 2224/05007	comprising a core and a coating
H01L 2224/05008	Bonding area integrally formed with a redistribution layer on the semiconductor or solid-state body, e.g.
H01L 2224/05009	Bonding area integrally formed with a via connection of the semiconductor or solid-state body
H01L 2224/0501	Shape
H01L 2224/05011	comprising apertures or cavities
H01L 2224/05012	in top view
H01L 2224/05013	being rectangular
H01L 2224/05014	being square
H01L 2224/05015	being circular or elliptic
H01L 2224/05016	in side view
H01L 2224/05017	comprising protrusions or indentations
H01L 2224/05018	being a conformal layer on a patterned surface
H01L 2224/05019	being a non conformal layer on a patterned surface
H01L 2224/0502	Disposition
H01L 2224/05022	the internal layer being at least partially embedded in the surface
H01L 2224/05023	the whole internal layer protruding from the surface

H01L 2224/05024	the internal layer being disposed on a redistribution layer on the semiconductor or solid-state body
H01L 2224/05025	the internal layer being disposed on a via connection of the semiconductor or solid-state body
H01L 2224/05026	the internal layer being disposed in a recess of the surface
H01L 2224/05027	the internal layer extending out of an opening
H01L 2224/05073	Single internal layer
H01L 2224/05075	Plural internal layers
H01L 2224/05076	being mutually engaged together, e.g. through inserts
H01L 2224/05078	being disposed next to each other, e.g. side-to-side arrangements
H01L 2224/0508	being stacked
H01L 2224/05082	Two-layer arrangements
H01L 2224/05083	Three-layer arrangements
H01L 2224/05084	Four-layer arrangements
H01L 2224/05085	with additional elements, e.g. vias arrays, interposed between the stacked layers
H01L 2224/05086	Structure of the additional element
H01L 2224/05087	being a via with at least a lining layer
H01L 2224/05088	Shape of the additional element
H01L 2224/05089	Disposition of the additional element
H01L 2224/0509	of a single via
H01L 2224/05091	at the center of the internal layers
H01L 2224/05092	at the periphery of the internal layers
H01L 2224/05093	of a plurality of vias
H01L 2224/05094	at the center of the internal layers
H01L 2224/05095	at the periphery of the internal layers
H01L 2224/05096	Uniform arrangement, i.e. array
H01L 2224/05097	Random arrangement
H01L 2224/05098	Material of the additional element
H01L 2224/05099	Material
H01L 2224/051	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/05101	the principal constituent melting at a temperature of less than 400°C
H01L 2224/05105	Gallium [Ga] as principal constituent
H01L 2224/05109	Indium [In] as principal constituent
H01L 2224/05111	Tin [Sn] as principal constituent
H01L 2224/05113	Bismuth [Bi] as principal constituent
H01L 2224/05114	Thallium [Tl] as principal constituent
H01L 2224/05116	Lead [Pb] as principal constituent

H01L 2224/05117	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/05118	Zinc [Zn] as principal constituent
H01L 2224/0512	Antimony [Sb] as principal constituent
H01L 2224/05123	Magnesium [Mg] as principal constituent
H01L 2224/05124	Aluminium [Al] as principal constituent
H01L 2224/05138	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/05139	Silver [Ag] as principal constituent
H01L 2224/05144	Gold [Au] as principal constituent
H01L 2224/05147	Copper [Cu] as principal constituent
H01L 2224/05149	Manganese [Mn] as principal constituent
H01L 2224/05155	Nickel [Ni] as principal constituent
H01L 2224/05157	Cobalt [Co] as principal constituent
H01L 2224/0516	Iron [Fe] as principal constituent
H01L 2224/05163	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/05164	Palladium [Pd] as principal constituent
H01L 2224/05166	Titanium [Ti] as principal constituent
H01L 2224/05169	Platinum [Pt] as principal constituent
H01L 2224/0517	Zirconium [Zr] as principal constituent
H01L 2224/05171	Chromium [Cr] as principal constituent
H01L 2224/05172	Vanadium [V] as principal constituent
H01L 2224/05173	Rhodium [Rh] as principal constituent
H01L 2224/05176	Ruthenium [Ru] as principal constituent
H01L 2224/05178	Iridium [Ir] as principal constituent
H01L 2224/05179	Niobium [Nb] as principal constituent
H01L 2224/0518	Molybdenum [Mo] as principal constituent
H01L 2224/05181	Tantalum [Ta] as principal constituent
H01L 2224/05183	Rhenium [Re] as principal constituent
H01L 2224/05184	Tungsten [W] as principal constituent
H01L 2224/05186	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/05187	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/05188)
H01L 2224/05188	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/0519	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/05191	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene

H01L 2224/05193	with a principal constituent of the material being a solid not provided for in groups H01L 2224/051 to H01L 2224/05191 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/05194	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/051 to H01L 2224/05191
H01L 2224/05195	with a principal constituent of the material being a gas not provided for in groups H01L 2224/051 to H01L 2224/05191
H01L 2224/05198	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/05199	Material of the matrix
H01L 2224/052	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/05201	the principal constituent melting at a temperature of less than 400°C
H01L 2224/05205	Gallium [Ga] as principal constituent
H01L 2224/05209	Indium [In] as principal constituent
H01L 2224/05211	Tin [Sn] as principal constituent
H01L 2224/05213	Bismuth [Bi] as principal constituent
H01L 2224/05214	Thallium [Tl] as principal constituent
H01L 2224/05216	Lead [Pb] as principal constituent
H01L 2224/05217	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/05218	Zinc [Zn] as principal constituent
H01L 2224/0522	Antimony [Sb] as principal constituent
H01L 2224/05223	Magnesium [Mg] as principal constituent
H01L 2224/05224	Aluminium [Al] as principal constituent
H01L 2224/05238	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/05239	Silver [Ag] as principal constituent
H01L 2224/05244	Gold [Au] as principal constituent
H01L 2224/05247	Copper [Cu] as principal constituent
H01L 2224/05249	Manganese [Mn] as principal constituent
H01L 2224/05255	Nickel [Ni] as principal constituent
H01L 2224/05257	Cobalt [Co] as principal constituent
H01L 2224/0526	Iron [Fe] as principal constituent
H01L 2224/05263	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/05264	Palladium [Pd] as principal constituent
H01L 2224/05266	Titanium [Ti] as principal constituent
H01L 2224/05269	Platinum [Pt] as principal constituent

H01L 2224/0527	Zirconium [Zr] as principal constituent
H01L 2224/05271	Chromium [Cr] as principal constituent
H01L 2224/05272	Vanadium [V] as principal constituent
H01L 2224/05273	Rhodium [Rh] as principal constituent
H01L 2224/05276	Ruthenium [Ru] as principal constituent
H01L 2224/05278	Iridium [Ir] as principal constituent
H01L 2224/05279	Niobium [Nb] as principal constituent
H01L 2224/0528	Molybdenum [Mo] as principal constituent
H01L 2224/05281	Tantalum [Ta] as principal constituent
H01L 2224/05283	Rhenium [Re] as principal constituent
H01L 2224/05284	Tungsten [W] as principal constituent
H01L 2224/05286	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/05287	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/05288)
H01L 2224/05288	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/0529	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/05291	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/05293	with a principal constituent of the material being a solid not provided for in groups H01L 2224/052 to H01L 2224/05291 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/05294	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/052 to H01L 2224/05291
H01L 2224/05295	with a principal constituent of the material being a gas not provided for in groups H01L 2224/052 to H01L 2224/05291
H01L 2224/05298	Fillers
H01L 2224/05299	Base material
H01L 2224/053	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/05301	the principal constituent melting at a temperature of less than 400°C
H01L 2224/05305	Gallium [Ga] as principal constituent
H01L 2224/05309	Indium [In] as principal constituent
H01L 2224/05311	Tin [Sn] as principal constituent
H01L 2224/05313	Bismuth [Bi] as principal constituent
H01L 2224/05314	Thallium [Tl] as principal constituent
H01L 2224/05316	Lead [Pb] as principal constituent
H01L 2224/05317	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C

H01L 2224/05318	Zinc [Zn] as principal constituent
H01L 2224/0532	Antimony [Sb] as principal constituent
H01L 2224/05323	Magnesium [Mg] as principal constituent
H01L 2224/05324	Aluminium [Al] as principal constituent
H01L 2224/05338	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/05339	Silver [Ag] as principal constituent
H01L 2224/05344	Gold [Au] as principal constituent
H01L 2224/05347	Copper [Cu] as principal constituent
H01L 2224/05349	Manganese [Mn] as principal constituent
H01L 2224/05355	Nickel [Ni] as principal constituent
H01L 2224/05357	Cobalt [Co] as principal constituent
H01L 2224/0536	Iron [Fe] as principal constituent
H01L 2224/05363	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/05364	Palladium [Pd] as principal constituent
H01L 2224/05366	Titanium [Ti] as principal constituent
H01L 2224/05369	Platinum [Pt] as principal constituent
H01L 2224/0537	Zirconium [Zr] as principal constituent
H01L 2224/05371	Chromium [Cr] as principal constituent
H01L 2224/05372	Vanadium [V] as principal constituent
H01L 2224/05373	Rhodium [Rh] as principal constituent
H01L 2224/05376	Ruthenium [Ru] as principal constituent
H01L 2224/05378	Iridium [Ir] as principal constituent
H01L 2224/05379	Niobium [Nb] as principal constituent
H01L 2224/0538	Molybdenum [Mo] as principal constituent
H01L 2224/05381	Tantalum [Ta] as principal constituent
H01L 2224/05383	Rhenium [Re] as principal constituent
H01L 2224/05384	Tungsten [W] as principal constituent
H01L 2224/05386	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/05387	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/05388)
H01L 2224/05388	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/0539	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/05391	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/05393	with a principal constituent of the material being a solid not provided for in groups H01L 2224/053 to H01L 2224/05391 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond

H01L 2224/05394	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/053 to H01L 2224/05391
H01L 2224/05395	with a principal constituent of the material being a gas not provided for in groups H01L 2224/053 to H01L 2224/05391
H01L 2224/05398	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/05399	Coating material
H01L 2224/054	
		with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/05401	the principal constituent melting at a temperature of less than 400°C
H01L 2224/05405	Gallium [Ga] as principal constituent
H01L 2224/05409	Indium [In] as principal constituent
H01L 2224/05411	Tin [Sn] as principal constituent
H01L 2224/05413	Bismuth [Bi] as principal constituent
H01L 2224/05414	Thallium [Tl] as principal constituent
H01L 2224/05416	Lead [Pb] as principal constituent
H01L 2224/05417	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/05418	Zinc [Zn] as principal constituent
H01L 2224/0542	Antimony [Sb] as principal constituent
H01L 2224/05423	Magnesium [Mg] as principal constituent
H01L 2224/05424	Aluminium [Al] as principal constituent
H01L 2224/05438	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/05439	Silver [Ag] as principal constituent
H01L 2224/05444	Gold [Au] as principal constituent
H01L 2224/05447	Copper [Cu] as principal constituent
H01L 2224/05449	Manganese [Mn] as principal constituent
H01L 2224/05455	Nickel [Ni] as principal constituent
H01L 2224/05457	Cobalt [Co] as principal constituent
H01L 2224/0546	Iron [Fe] as principal constituent
H01L 2224/05463	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/05464	Palladium [Pd] as principal constituent
H01L 2224/05466	Titanium [Ti] as principal constituent
H01L 2224/05469	Platinum [Pt] as principal constituent
H01L 2224/0547	Zirconium [Zr] as principal constituent

H01L 2224/05471	Chromium [Cr] as principal constituent
H01L 2224/05472	Vanadium [V] as principal constituent
H01L 2224/05473	Rhodium [Rh] as principal constituent
H01L 2224/05476	Ruthenium [Ru] as principal constituent
H01L 2224/05478	Iridium [Ir] as principal constituent
H01L 2224/05479	Niobium [Nb] as principal constituent
H01L 2224/0548	Molybdenum [Mo] as principal constituent
H01L 2224/05481	Tantalum [Ta] as principal constituent
H01L 2224/05483	Rhenium [Re] as principal constituent
H01L 2224/05484	Tungsten [W] as principal constituent
H01L 2224/05486	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/05487	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/05488)
H01L 2224/05488	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/0549	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/05491	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/05493	with a principal constituent of the material being a solid not provided for in groups H01L 2224/054 to H01L 2224/05491 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/05494	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/054 to H01L 2224/05491
H01L 2224/05495	with a principal constituent of the material being a gas not provided for in groups H01L 2224/054 to H01L 2224/05491
H01L 2224/05498	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/05499	Shape or distribution of the fillers
H01L 2224/0554	External layer
H01L 2224/05541	Structure
H01L 2224/05546	Dual damascene structure
H01L 2224/05547	comprising a core and a coating
H01L 2224/05548	Bonding area integrally formed with a redistribution layer on the semiconductor or solid-state body
H01L 2224/0555	Shape
H01L 2224/05551	comprising apertures or cavities
H01L 2224/05552	in top view
H01L 2224/05553	being rectangular

H01L 2224/05554	being square
H01L 2224/05555	being circular or elliptic
H01L 2224/05556	in side view
H01L 2224/05557	comprising protrusions or indentations
H01L 2224/05558	conformal layer on a patterned surface
H01L 2224/05559	non conformal layer on a patterned surface
H01L 2224/0556	Disposition
H01L 2224/05561	On the entire surface of the internal layer
H01L 2224/05562	On the entire exposed surface of the internal layer
H01L 2224/05563	Only on parts of the surface of the internal layer
H01L 2224/05564	Only on the bonding interface of the bonding area
H01L 2224/05565	Only outside the bonding interface of the bonding area
H01L 2224/05566	Both on and outside the bonding interface of the bonding area
H01L 2224/05567	the external layer being at least partially embedded in the surface
H01L 2224/05568	the whole external layer protruding from the surface
H01L 2224/05569	the external layer being disposed on a redistribution layer on the semiconductor or solid-state body
H01L 2224/0557	the external layer being disposed on a via connection of the semiconductor or solid-state body
H01L 2224/05571	the external layer being disposed in a recess of the surface
H01L 2224/05572	the external layer extending out of an opening
H01L 2224/05573	Single external layer
H01L 2224/05575	Plural external layers
H01L 2224/05576	being mutually engaged together, e.g. through inserts
H01L 2224/05578	being disposed next to each other, e.g. side-to-side arrangements
H01L 2224/0558	being stacked
H01L 2224/05582	Two-layer coating
H01L 2224/05583	Three-layer coating
H01L 2224/05584	Four-layer coating
H01L 2224/05599	Material
H01L 2224/056	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/05601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/05605	Gallium [Ga] as principal constituent
H01L 2224/05609	Indium [In] as principal constituent
H01L 2224/05611	Tin [Sn] as principal constituent
H01L 2224/05613	Bismuth [Bi] as principal constituent
H01L 2224/05614	Thallium [Tl] as principal constituent
H01L 2224/05616	Lead [Pb] as principal constituent

H01L 2224/05617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/05618	Zinc [Zn] as principal constituent
H01L 2224/0562	Antimony [Sb] as principal constituent
H01L 2224/05623	Magnesium [Mg] as principal constituent
H01L 2224/05624	Aluminium [Al] as principal constituent
H01L 2224/05638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/05639	Silver [Ag] as principal constituent
H01L 2224/05644	Gold [Au] as principal constituent
H01L 2224/05647	Copper [Cu] as principal constituent
H01L 2224/05649	Manganese [Mn] as principal constituent
H01L 2224/05655	Nickel [Ni] as principal constituent
H01L 2224/05657	Cobalt [Co] as principal constituent
H01L 2224/0566	Iron [Fe] as principal constituent
H01L 2224/05663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/05664	Palladium [Pd] as principal constituent
H01L 2224/05666	Titanium [Ti] as principal constituent
H01L 2224/05669	Platinum [Pt] as principal constituent
H01L 2224/0567	Zirconium [Zr] as principal constituent
H01L 2224/05671	Chromium [Cr] as principal constituent
H01L 2224/05672	Vanadium [V] as principal constituent
H01L 2224/05673	Rhodium [Rh] as principal constituent
H01L 2224/05676	Ruthenium [Ru] as principal constituent
H01L 2224/05678	Iridium [Ir] as principal constituent
H01L 2224/05679	Niobium [Nb] as principal constituent
H01L 2224/0568	Molybdenum [Mo] as principal constituent
H01L 2224/05681	Tantalum [Ta] as principal constituent
H01L 2224/05683	Rhenium [Re] as principal constituent
H01L 2224/05684	Tungsten [W] as principal constituent
H01L 2224/05686	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/05687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/05688)
H01L 2224/05688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/0569	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/05691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene

H01L 2224/05693	with a principal constituent of the material being a solid not provided for in groups H01L 2224/056 to H01L 2224/05691 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/05694	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/056 to H01L 2224/05691
H01L 2224/05695	with a principal constituent of the material being a gas not provided for in groups H01L 2224/056 to H01L 2224/05691
H01L 2224/05698	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/05699	Material of the matrix
H01L 2224/057	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/05701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/05705	Gallium [Ga] as principal constituent
H01L 2224/05709	Indium [In] as principal constituent
H01L 2224/05711	Tin [Sn] as principal constituent
H01L 2224/05713	Bismuth [Bi] as principal constituent
H01L 2224/05714	Thallium [Tl] as principal constituent
H01L 2224/05716	Lead [Pb] as principal constituent
H01L 2224/05717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/05718	Zinc [Zn] as principal constituent
H01L 2224/0572	Antimony [Sb] as principal constituent
H01L 2224/05723	Magnesium [Mg] as principal constituent
H01L 2224/05724	Aluminium [Al] as principal constituent
H01L 2224/05738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/05739	Silver [Ag] as principal constituent
H01L 2224/05744	Gold [Au] as principal constituent
H01L 2224/05747	Copper [Cu] as principal constituent
H01L 2224/05749	Manganese [Mn] as principal constituent
H01L 2224/05755	Nickel [Ni] as principal constituent
H01L 2224/05757	Cobalt [Co] as principal constituent
H01L 2224/0576	Iron [Fe] as principal constituent
H01L 2224/05763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/05764	Palladium [Pd] as principal constituent
H01L 2224/05766	Titanium [Ti] as principal constituent
H01L 2224/05769	Platinum [Pt] as principal constituent

H01L 2224/0577	Zirconium [Zr] as principal constituent
H01L 2224/05771	Chromium [Cr] as principal constituent
H01L 2224/05772	Vanadium [V] as principal constituent
H01L 2224/05773	Rhodium [Rh] as principal constituent
H01L 2224/05776	Ruthenium [Ru] as principal constituent
H01L 2224/05778	Iridium [Ir] as principal constituent
H01L 2224/05779	Niobium [Nb] as principal constituent
H01L 2224/0578	Molybdenum [Mo] as principal constituent
H01L 2224/05781	Tantalum [Ta] as principal constituent
H01L 2224/05783	Rhenium [Re] as principal constituent
H01L 2224/05784	Tungsten [W] as principal constituent
H01L 2224/05786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/05787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/05788)
H01L 2224/05788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/0579	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/05791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/05793	with a principal constituent of the material being a solid not provided for in groups H01L 2224/057 to H01L 2224/05791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/05794	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/057 to H01L 2224/05791
H01L 2224/05795	with a principal constituent of the material being a gas not provided for in groups H01L 2224/057 to H01L 2224/05791
H01L 2224/05798	Fillers
H01L 2224/05799	Base material
H01L 2224/058	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/05801	the principal constituent melting at a temperature of less than 400°C
H01L 2224/05805	Gallium [Ga] as principal constituent
H01L 2224/05809	Indium [In] as principal constituent
H01L 2224/05811	Tin [Sn] as principal constituent
H01L 2224/05813	Bismuth [Bi] as principal constituent
H01L 2224/05814	Thallium [Tl] as principal constituent
H01L 2224/05816	Lead [Pb] as principal constituent
H01L 2224/05817	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C

H01L 2224/05818	Zinc [Zn] as principal constituent
H01L 2224/0582	Antimony [Sb] as principal constituent
H01L 2224/05823	Magnesium [Mg] as principal constituent
H01L 2224/05824	Aluminium [Al] as principal constituent
H01L 2224/05838	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/05839	Silver [Ag] as principal constituent
H01L 2224/05844	Gold [Au] as principal constituent
H01L 2224/05847	Copper [Cu] as principal constituent
H01L 2224/05849	Manganese [Mn] as principal constituent
H01L 2224/05855	Nickel [Ni] as principal constituent
H01L 2224/05857	Cobalt [Co] as principal constituent
H01L 2224/0586	Iron [Fe] as principal constituent
H01L 2224/05863	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/05864	Palladium [Pd] as principal constituent
H01L 2224/05866	Titanium [Ti] as principal constituent
H01L 2224/05869	Platinum [Pt] as principal constituent
H01L 2224/0587	Zirconium [Zr] as principal constituent
H01L 2224/05871	Chromium [Cr] as principal constituent
H01L 2224/05872	Vanadium [V] as principal constituent
H01L 2224/05873	Rhodium [Rh] as principal constituent
H01L 2224/05876	Ruthenium [Ru] as principal constituent
H01L 2224/05878	Iridium [Ir] as principal constituent
H01L 2224/05879	Niobium [Nb] as principal constituent
H01L 2224/0588	Molybdenum [Mo] as principal constituent
H01L 2224/05881	Tantalum [Ta] as principal constituent
H01L 2224/05883	Rhenium [Re] as principal constituent
H01L 2224/05884	Tungsten [W] as principal constituent
H01L 2224/05886	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/05887	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/05888)
H01L 2224/05888	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/0589	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/05891	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/05893	with a principal constituent of the material being a solid not provided for in groups H01L 2224/058 to H01L 2224/05891 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond

H01L 2224/05894	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/058 to H01L 2224/05891
H01L 2224/05895	with a principal constituent of the material being a gas not provided for in groups H01L 2224/058 to H01L 2224/05891
H01L 2224/05898	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/05899	Coating material
H01L 2224/059	
		with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/05901	the principal constituent melting at a temperature of less than 400°C
H01L 2224/05905	Gallium [Ga] as principal constituent
H01L 2224/05909	Indium [In] as principal constituent
H01L 2224/05911	Tin [Sn] as principal constituent
H01L 2224/05913	Bismuth [Bi] as principal constituent
H01L 2224/05914	Thallium [Tl] as principal constituent
H01L 2224/05916	Lead [Pb] as principal constituent
H01L 2224/05917	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/05918	Zinc [Zn] as principal constituent
H01L 2224/0592	Antimony [Sb] as principal constituent
H01L 2224/05923	Magnesium [Mg] as principal constituent
H01L 2224/05924	Aluminium [Al] as principal constituent
H01L 2224/05938	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/05939	Silver [Ag] as principal constituent
H01L 2224/05944	Gold [Au] as principal constituent
H01L 2224/05947	Copper [Cu] as principal constituent
H01L 2224/05949	Manganese [Mn] as principal constituent
H01L 2224/05955	Nickel [Ni] as principal constituent
H01L 2224/05957	Cobalt [Co] as principal constituent
H01L 2224/0596	Iron [Fe] as principal constituent
H01L 2224/05963	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/05964	Palladium [Pd] as principal constituent
H01L 2224/05966	Titanium [Ti] as principal constituent
H01L 2224/05969	Platinum [Pt] as principal constituent
H01L 2224/0597	Zirconium [Zr] as principal constituent

H01L 2224/05971	Chromium [Cr] as principal constituent
H01L 2224/05972	Vanadium [V] as principal constituent
H01L 2224/05973	Rhodium [Rh] as principal constituent
H01L 2224/05976	Ruthenium [Ru] as principal constituent
H01L 2224/05978	Iridium [Ir] as principal constituent
H01L 2224/05979	Niobium [Nb] as principal constituent
H01L 2224/0598	Molybdenum [Mo] as principal constituent
H01L 2224/05981	Tantalum [Ta] as principal constituent
H01L 2224/05983	Rhenium [Re] as principal constituent
H01L 2224/05984	Tungsten [W] as principal constituent
H01L 2224/05986	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/05987	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/05988)
H01L 2224/05988	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/0599	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/05991	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/05993	with a principal constituent of the material being a solid not provided for in groups H01L 2224/059 to H01L 2224/05991 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/05994	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/059 to H01L 2224/05991
H01L 2224/05995	with a principal constituent of the material being a gas not provided for in groups H01L 2224/059 to H01L 2224/05991
H01L 2224/05998	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/05999	Shape or distribution of the fillers
H01L 2224/06	of a plurality of bonding areas
H01L 2224/0601	Structure
H01L 2224/0603	Bonding areas having different sizes, e.g. different heights or widths
H01L 2224/0605	Shape
H01L 2224/06051	Bonding areas having different shapes
H01L 2224/061	Disposition
H01L 2224/06102	the bonding areas being at different heights
H01L 2224/0612	Layout
H01L 2224/0613	Square or rectangular array
H01L 2224/06131	being uniform, i.e. having a uniform pitch across the array

H01L 2224/06132	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/06133	with a staggered arrangement, e.g. depopulated array
H01L 2224/06134	covering only portions of the surface to be connected
H01L 2224/06135	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/06136	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/06137	with specially adapted redistribution layers [RDL]
H01L 2224/06138	being disposed in a single wiring level, i.e. planar layout
H01L 2224/06139	being disposed in different wiring levels, i.e. resurf layout
H01L 2224/0614	Circular array, i.e. array with radial symmetry
H01L 2224/06141	being uniform, i.e. having a uniform pitch across the array
H01L 2224/06142	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/06143	with a staggered arrangement, e.g. depopulated array
H01L 2224/06144	covering only portions of the surface to be connected
H01L 2224/06145	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/06146	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/06147	with specially adapted redistribution layers [RDL]
H01L 2224/06148	being disposed in a single wiring level, i.e. planar layout
H01L 2224/06149	being disposed in different wiring levels, i.e. resurf layout
H01L 2224/0615	Mirror array, i.e. array having only a reflection symmetry, i.e. bilateral symmetry
H01L 2224/06151	being uniform, i.e. having a uniform pitch across the array
H01L 2224/06152	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/06153	with a staggered arrangement, e.g. depopulated array
H01L 2224/06154	covering only portions of the surface to be connected
H01L 2224/06155	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/06156	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/06157	with specially adapted redistribution layers [RDL]
H01L 2224/06158	being disposed in a single wiring level, i.e. planar layout
H01L 2224/06159	being disposed in different wiring levels, i.e. resurf layout
H01L 2224/0616	Random array, i.e. array with no symmetry
H01L 2224/06163	with a staggered arrangement
H01L 2224/06164	covering only portions of the surface to be connected
H01L 2224/06165	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements

H01L 2224/06166	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/06167	with specially adapted redistribution layers [RDL]
H01L 2224/06168	being disposed in a single wiring level, i.e. planar layout
H01L 2224/06169	being disposed in different wiring levels, i.e. resurf layout
H01L 2224/06177	Combinations of arrays with different layouts
H01L 2224/06179	Corner adaptations, i.e. disposition of the bonding areas at the corners of the semiconductor or solid-state body
H01L 2224/0618	being disposed on at least two different sides of the body, e.g. dual array
H01L 2224/06181	On opposite sides of the body
H01L 2224/06182	with specially adapted redistribution layers [RDL]
H01L 2224/06183	On contiguous sides of the body
H01L 2224/06187	with specially adapted redistribution layers [RDL]
H01L 2224/06188	being disposed in a single wiring level, i.e. planar layout
H01L 2224/06189	being disposed in different wiring levels, i.e. resurf layout
H01L 2224/065	Material
H01L 2224/06505	Bonding areas having different materials
H01L 2224/0651	Function
H01L 2224/06515	Bonding areas having different functions
H01L 2224/06517	including bonding areas providing primarily mechanical bonding
H01L 2224/06519	including bonding areas providing primarily thermal dissipation
H01L 2224/07	...	Structure, shape, material or disposition of the bonding areas after the connecting process
H01L 2224/08	of an individual bonding area
H01L 2224/0801	Structure
H01L 2224/0805	Shape
H01L 2224/08052	in top view
H01L 2224/08053	being non uniform along the bonding area
H01L 2224/08054	being rectangular
H01L 2224/08055	being square
H01L 2224/08056	being circular or elliptic
H01L 2224/08057	in side view
H01L 2224/08058	being non uniform along the bonding area
H01L 2224/08059	comprising protrusions or indentations
H01L 2224/0807	of bonding interfaces, e.g. interlocking features
H01L 2224/081	Disposition
H01L 2224/08111	the bonding area being disposed in a recess of the surface of the body
H01L 2224/08112	the bonding area being at least partially embedded in the surface of the body
H01L 2224/08113	the whole bonding area protruding from the surface of the body

H01L 2224/0812	the bonding area connecting directly to another bonding area, i.e. connectorless bonding, e.g. bumpless bonding
H01L 2224/08121	the connected bonding areas being not aligned with respect to each other
H01L 2224/08123	the bonding area connecting directly to at least two bonding areas
H01L 2224/08135	the bonding area connecting between different semiconductor or solid-state bodies i.e. chip-to-chip
H01L 2224/08137	the bodies being arranged next to each other, e.g. on a common substrate
H01L 2224/08145	the bodies being stacked
H01L 2224/08146	the bonding area connecting to a via connection in the body
H01L 2224/08147	the bonding area connecting to a bonding area disposed in a recess of the surface of the body
H01L 2224/08148	the bonding area connecting to a bonding area protruding from the surface of the body
H01L 2224/08151	the bonding area connecting between a semiconductor or solid-state body and an item not being a semiconductor or solid-state body, e.g. chip-to-substrate, chip-to-passive
H01L 2224/08153	the body and the item being arranged next to each other, e.g. on a common substrate
H01L 2224/08155	the item being non-metallic, e.g. being an insulating substrate with or without metallisation
H01L 2224/0816	the bonding area connecting to a pin of the item
H01L 2224/08163	the bonding area connecting to a potential ring of the item
H01L 2224/08165	the bonding area connecting to a via metallisation of the item
H01L 2224/08167	the bonding area connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/08168	the bonding area connecting to a bonding area protruding from the surface of the item
H01L 2224/08175	the item being metallic
H01L 2224/08183	the bonding area connecting to a potential ring of the item
H01L 2224/08187	the bonding area connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/08188	the bonding area connecting to a bonding area protruding from the surface of the item
H01L 2224/08195	the item being a discrete passive component
H01L 2224/08197	the bonding area connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/08198	the bonding area connecting to a bonding area protruding from the surface of the item
H01L 2224/08221	the body and the item being stacked
H01L 2224/08225	the item being non-metallic, e.g. insulating substrate with or without metallisation

H01L 2224/0823	the bonding area connecting to a pin of the item
H01L 2224/08233	the bonding area connecting to a potential ring of the item
H01L 2224/08235	the bonding area connecting to a via metallisation of the item
H01L 2224/08237	the bonding area connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/08238	the bonding area connecting to a bonding area protruding from the surface of the item
H01L 2224/08245	the item being metallic
H01L 2224/08253	the bonding area connecting to a potential ring of the item
H01L 2224/08257	the bonding area connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/08258	the bonding area connecting to a bonding area protruding from the surface of the item
H01L 2224/08265	the item being a discrete passive component
H01L 2224/08267	the bonding area connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/08268	the bonding area connecting to a bonding area protruding from the surface of the item
H01L 2224/085	Material
H01L 2224/08501	at the bonding interface
H01L 2224/08502	comprising an eutectic alloy
H01L 2224/08503	comprising an intermetallic compound
H01L 2224/08505	outside the bonding interface
H01L 2224/08506	comprising an eutectic alloy
H01L 2224/09	of a plurality of bonding areas
H01L 2224/0901	Structure
H01L 2224/0903	Bonding areas having different sizes, e.g. different diameters, heights or widths
H01L 2224/0905	Shape
H01L 2224/09051	Bonding areas having different shapes
H01L 2224/09055	of their bonding interfaces
H01L 2224/091	Disposition
H01L 2224/09102	the bonding areas being at different heights
H01L 2224/09103	on the semiconductor or solid-state body
H01L 2224/09104	outside the semiconductor or solid-state body
H01L 2224/0912	Layout(layout of bonding areas prior to the connecting process H01L 2224/0612)
H01L 2224/0913	Square or rectangular array
H01L 2224/09132	being non uniform, i.e. having a non uniform pitch across the array

H01L 2224/09133	with a staggered arrangement, e.g. depopulated array
H01L 2224/09134	covering only portions of the surface to be connected
H01L 2224/09135	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/0914	Circular array, i.e. array with radial symmetry
H01L 2224/09142	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/09143	with a staggered arrangement
H01L 2224/09144	covering only portions of the surface to be connected
H01L 2224/09145	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/0915	Mirror array, i.e. array having only a reflection symmetry, i.e. bilateral symmetry
H01L 2224/09151	being uniform, i.e. having a uniform pitch across the array
H01L 2224/09152	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/09153	with a staggered arrangement, e.g. depopulated array
H01L 2224/09154	covering only portions of the surface to be connected
H01L 2224/09155	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/09156	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/0916	Random array, i.e. array with no symmetry
H01L 2224/09163	with a staggered arrangement
H01L 2224/09164	covering only portions of the surface to be connected
H01L 2224/09165	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/09177	Combinations of arrays with different layouts
H01L 2224/09179	Corner adaptations, i.e. disposition of the bonding areas at the corners of the semiconductor or solid-state body
H01L 2224/0918	being disposed on at least two different sides of the body, e.g. dual array
H01L 2224/09181	On opposite sides of the body
H01L 2224/09183	On contiguous sides of the body
H01L 2224/095	Material
H01L 2224/09505	Bonding areas having different materials
H01L 2224/0951	Function
H01L 2224/09515	Bonding areas having different functions
H01L 2224/09517	including bonding areas providing primarily mechanical support
H01L 2224/09519	including bonding areas providing primarily thermal dissipation
H01L 2224/10	..	Bump connectors; Manufacturing methods related thereto
H01L 2224/1012	...	Auxiliary members for bump connectors, e.g. spacers
H01L 2224/10122	being formed on the semiconductor or solid-state body to be connected

H01L 2224/10125	Reinforcing structures
H01L 2224/10126	Bump collar
H01L 2224/10135	Alignment aids
H01L 2224/10145	Flow barriers
H01L 2224/10152	being formed on an item to be connected not being a semiconductor or solid-state body
H01L 2224/10155	Reinforcing structures
H01L 2224/10156	Bump collar
H01L 2224/10165	Alignment aids
H01L 2224/10175	Flow barriers
H01L 2224/11	...	Manufacturing methods
H01L 2224/11001	Involving a temporary auxiliary member not forming part of the manufacturing apparatus, e.g. removable or sacrificial coating, film or substrate
H01L 2224/11002	for supporting the semiconductor or solid-state body
H01L 2224/11003	for holding or transferring the bump preform
H01L 2224/11005	for aligning the bump connector, e.g. marks, spacers
H01L 2224/11009	for protecting parts during manufacture
H01L 2224/11011	Involving a permanent auxiliary member, i.e. a member which is left at least partly in the finished device, e.g. coating, dummy feature
H01L 2224/11013	for holding or confining the bump connector, e.g. solder flow barrier
H01L 2224/11015	for aligning the bump connector, e.g. marks, spacers
H01L 2224/11019	for protecting parts during the process
H01L 2224/111	Manufacture and pre-treatment of the bump connector preform
H01L 2224/1111	Shaping
H01L 2224/1112	Applying permanent coating
H01L 2224/113	by local deposition of the material of the bump connector
H01L 2224/1131	in liquid form
H01L 2224/11312	Continuous flow, e.g. using a micro-syringe, a pump, a nozzle or extrusion
H01L 2224/11318	by dispensing droplets
H01L 2224/1132	Screen printing, i.e. using a stencil
H01L 2224/1133	in solid form
H01L 2224/11332	using a powder
H01L 2224/11334	using preformed bumps
H01L 2224/1134	Stud bumping, i.e. using a wire-bonding apparatus
H01L 2224/114	by blanket deposition of the material of the bump connector
H01L 2224/1141	in liquid form
H01L 2224/11416	Spin coating
H01L 2224/11418	Spray coating
H01L 2224/1142	Curtain coating

H01L 2224/11422	by dipping, e.g. in a solder bath(hot-dipping C23C 2/00)
H01L 2224/11424	Immersion coating, e.g. in a solder bath(immersion processes C23C 2/00)
H01L 2224/11426	Chemical solution deposition [CSD], i.e. using a liquid precursor
H01L 2224/11428	Wave coating
H01L 2224/1143	in solid form
H01L 2224/11436	Lamination of a preform, e.g. foil, sheet or layer
H01L 2224/11438	the preform being at least partly pre-patterned
H01L 2224/1144	by transfer printing
H01L 2224/11442	using a powder
H01L 2224/11444	in gaseous form
H01L 2224/1145	Physical vapour deposition [PVD], e.g. evaporation, or sputtering
H01L 2224/11452	Chemical vapour deposition [CVD], e.g. laser CVD
H01L 2224/1146	Plating
H01L 2224/11462	Electroplating
H01L 2224/11464	Electroless plating
H01L 2224/11466	Conformal deposition, i.e. blanket deposition of a conformal layer on a patterned surface
H01L 2224/1147	using a lift-off mask
H01L 2224/11472	Profile of the lift-off mask
H01L 2224/11474	Multilayer masks
H01L 2224/1148	Permanent masks, i.e. masks left in the finished device, e.g. passivation layers
H01L 2224/115	by chemical or physical modification of a pre-existing or pre-deposited material
H01L 2224/11502	Pre-existing or pre-deposited material
H01L 2224/11505	Sintering
H01L 2224/1151	Anodisation
H01L 2224/11515	Curing and solidification, e.g. of a photosensitive bump material
H01L 2224/1152	Self-assembly, e.g. self-agglomeration of the bump material in a fluid
H01L 2224/11522	Auxiliary means therefor, e.g. for self-assembly activation
H01L 2224/11524	with special adaptation of the surface or of an auxiliary substrate, e.g. surface shape specially adapted for the self-assembly process
H01L 2224/11526	involving the material of the bonding area, e.g. bonding pad or under bump metallisation [UBM]
H01L 2224/1155	Selective modification
H01L 2224/11552	using a laser or a focussed ion beam [FIB]
H01L 2224/11554	Stereolithography, i.e. solidification of a pattern defined by a laser trace in a photosensitive resin
H01L 2224/116	by patterning a pre-deposited material(treatment of parts prior to assembly of the devices H01L 21/48)
H01L 2224/11602	Mechanical treatment, e.g. polishing, grinding

H01L 2224/1161	Physical or chemical etching
H01L 2224/11612	by physical means only
H01L 2224/11614	by chemical means only
H01L 2224/11616	Chemical mechanical polishing [CMP]
H01L 2224/11618	with selective exposure, development and removal of a photosensitive bump material, e.g. of a photosensitive conductive resin
H01L 2224/1162	using masks
H01L 2224/11622	Photolithography
H01L 2224/1163	using a laser or a focused ion beam [FIB]
H01L 2224/11632	Ablation by means of a laser or focused ion beam [FIB]
H01L 2224/117	involving monitoring, e.g. feedback loop
H01L 2224/118	Post-treatment of the bump connector
H01L 2224/1181	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/1182	Applying permanent coating, e.g. in-situ coating
H01L 2224/11821	Spray coating
H01L 2224/11822	by dipping, e.g. in a solder bath
H01L 2224/11823	Immersion coating, e.g. in a solder bath
H01L 2224/11824	Chemical solution deposition [CSD], i.e. using a liquid precursor
H01L 2224/11825	Plating, e.g. electroplating, electroless plating
H01L 2224/11826	Physical vapour deposition [PVD], e.g. evaporation, or sputtering
H01L 2224/11827	Chemical vapour deposition [CVD], e.g. laser CVD
H01L 2224/1183	Reworking, e.g. shaping(reflowing H01L 2224/11849)
H01L 2224/11831	involving a chemical process, e.g. etching the bump connector
H01L 2224/1184	involving a mechanical process, e.g. planarising the bump connector
H01L 2224/11845	Chemical mechanical polishing [CMP]
H01L 2224/11848	Thermal treatments, e.g. annealing, controlled cooling
H01L 2224/11849	Reflowing
H01L 2224/119	Methods of manufacturing bump connectors involving a specific sequence of method steps
H01L 2224/11901	with repetition of the same manufacturing step
H01L 2224/11902	Multiple masking steps
H01L 2224/11903	using different masks
H01L 2224/11906	with modification of the same mask
H01L 2224/1191	Forming a passivation layer after forming the bump connector
H01L 2224/11912	the bump being used as a mask for patterning other parts
H01L 2224/11914	the under bump metallisation [UBM] being used as a mask for patterning other parts
H01L 2224/11916	a passivation layer being used as a mask for patterning other parts
H01L 2224/12	...	Structure, shape, material or disposition of the bump connectors prior to the connecting process

H01L 2224/12105	Bump connectors formed on an encapsulation of the semiconductor or solid-state body, e.g. bumps on chip-scale packages
H01L 2224/13	of an individual bump connector
H01L 2224/13001	Core members of the bump connector
H01L 2224/13005	Structure
H01L 2224/13006	Bump connector larger than the underlying bonding area, e.g. than the under bump metallisation [UBM]
H01L 2224/13007	Bump connector smaller than the underlying bonding area, e.g. than the under bump metallisation [UBM]
H01L 2224/13008	Bump connector integrally formed with a redistribution layer on the semiconductor or solid-state body
H01L 2224/13009	Bump connector integrally formed with a via connection of the semiconductor or solid-state body
H01L 2224/1301	Shape
H01L 2224/13011	comprising apertures or cavities, e.g. hollow bump
H01L 2224/13012	in top view
H01L 2224/13013	being rectangular or square
H01L 2224/13014	being circular or elliptic
H01L 2224/13015	comprising protrusions or indentations
H01L 2224/13016	in side view
H01L 2224/13017	being non uniform along the bump connector
H01L 2224/13018	comprising protrusions or indentations
H01L 2224/13019	at the bonding interface of the bump connector, i.e. on the surface of the bump connector
H01L 2224/1302	Disposition
H01L 2224/13021	the bump connector being disposed in a recess of the surface
H01L 2224/13022	the bump connector being at least partially embedded in the surface
H01L 2224/13023	the whole bump connector protruding from the surface
H01L 2224/13024	the bump connector being disposed on a redistribution layer on the semiconductor or solid-state body
H01L 2224/13025	the bump connector being disposed on a via connection of the semiconductor or solid-state body
H01L 2224/13026	relative to the bonding area, e.g. bond pad, of the semiconductor or solid-state body
H01L 2224/13027	the bump connector being offset with respect to the bonding area, e.g. bond pad
H01L 2224/13028	the bump connector being disposed on at least two separate bonding areas, e.g. bond pads
H01L 2224/13075	Plural core members
H01L 2224/13076	being mutually engaged together, e.g. through inserts
H01L 2224/13078	being disposed next to each other, e.g. side-to-side arrangements
H01L 2224/1308	being stacked

H01L 2224/13082	Two-layer arrangements
H01L 2224/13083	Three-layer arrangements
H01L 2224/13084	Four-layer arrangements
H01L 2224/13099	Material
H01L 2224/131	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/13101	the principal constituent melting at a temperature of less than 400°C
H01L 2224/13105	Gallium [Ga] as principal constituent
H01L 2224/13109	Indium [In] as principal constituent
H01L 2224/13111	Tin [Sn] as principal constituent
H01L 2224/13113	Bismuth [Bi] as principal constituent
H01L 2224/13114	Thallium [Tl] as principal constituent
H01L 2224/13116	Lead [Pb] as principal constituent
H01L 2224/13117	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/13118	Zinc [Zn] as principal constituent
H01L 2224/1312	Antimony [Sb] as principal constituent
H01L 2224/13123	Magnesium [Mg] as principal constituent
H01L 2224/13124	Aluminium [Al] as principal constituent
H01L 2224/13138	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/13139	Silver [Ag] as principal constituent
H01L 2224/13144	Gold [Au] as principal constituent
H01L 2224/13147	Copper [Cu] as principal constituent
H01L 2224/13149	Manganese [Mn] as principal constituent
H01L 2224/13155	Nickel [Ni] as principal constituent
H01L 2224/13157	Cobalt [Co] as principal constituent
H01L 2224/1316	Iron [Fe] as principal constituent
H01L 2224/13163	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/13164	Palladium [Pd] as principal constituent
H01L 2224/13166	Titanium [Ti] as principal constituent
H01L 2224/13169	Platinum [Pt] as principal constituent
H01L 2224/1317	Zirconium [Zr] as principal constituent
H01L 2224/13171	Chromium [Cr] as principal constituent
H01L 2224/13172	Vanadium [V] as principal constituent
H01L 2224/13173	Rhodium [Rh] as principal constituent
H01L 2224/13176	Ruthenium [Ru] as principal constituent
H01L 2224/13178	Iridium [Ir] as principal constituent
H01L 2224/13179	Niobium [Nb] as principal constituent

H01L 2224/1318	Molybdenum [Mo] as principal constituent
H01L 2224/13181	Tantalum [Ta] as principal constituent
H01L 2224/13183	Rhenium [Re] as principal constituent
H01L 2224/13184	Tungsten [W] as principal constituent
H01L 2224/13186	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/13187	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/13188)
H01L 2224/13188	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/1319	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/13191	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/13193	with a principal constituent of the material being a solid not provided for in groups H01L 2224/131 to H01L 2224/13191 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/13194	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/131 to H01L 2224/13191
H01L 2224/13195	with a principal constituent of the material being a gas not provided for in groups H01L 2224/131 to H01L 2224/13191
H01L 2224/13198	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/13199	Material of the matrix
H01L 2224/132	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/13201	the principal constituent melting at a temperature of less than 400°C
H01L 2224/13205	Gallium [Ga] as principal constituent
H01L 2224/13209	Indium [In] as principal constituent
H01L 2224/13211	Tin [Sn] as principal constituent
H01L 2224/13213	Bismuth [Bi] as principal constituent
H01L 2224/13214	Thallium [Tl] as principal constituent
H01L 2224/13216	Lead [Pb] as principal constituent
H01L 2224/13217	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/13218	Zinc [Zn] as principal constituent
H01L 2224/1322	Antimony [Sb] as principal constituent
H01L 2224/13223	Magnesium [Mg] as principal constituent
H01L 2224/13224	Aluminium [Al] as principal constituent
H01L 2224/13238	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C

H01L 2224/13239	Silver [Ag] as principal constituent
H01L 2224/13244	Gold [Au] as principal constituent
H01L 2224/13247	Copper [Cu] as principal constituent
H01L 2224/13249	Manganese [Mn] as principal constituent
H01L 2224/13255	Nickel [Ni] as principal constituent
H01L 2224/13257	Cobalt [Co] as principal constituent
H01L 2224/1326	Iron [Fe] as principal constituent
H01L 2224/13263	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/13264	Palladium [Pd] as principal constituent
H01L 2224/13266	Titanium [Ti] as principal constituent
H01L 2224/13269	Platinum [Pt] as principal constituent
H01L 2224/1327	Zirconium [Zr] as principal constituent
H01L 2224/13271	Chromium [Cr] as principal constituent
H01L 2224/13272	Vanadium [V] as principal constituent
H01L 2224/13273	Rhodium [Rh] as principal constituent
H01L 2224/13276	Ruthenium [Ru] as principal constituent
H01L 2224/13278	Iridium [Ir] as principal constituent
H01L 2224/13279	Niobium [Nb] as principal constituent
H01L 2224/1328	Molybdenum [Mo] as principal constituent
H01L 2224/13281	Tantalum [Ta] as principal constituent
H01L 2224/13283	Rhenium [Re] as principal constituent
H01L 2224/13284	Tungsten [W] as principal constituent
H01L 2224/13286	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/13287	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/13288)
H01L 2224/13288	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/1329	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/13291	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/13293	with a principal constituent of the material being a solid not provided for in groups H01L 2224/132 to H01L 2224/13291 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/13294	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/132 to H01L 2224/13291
H01L 2224/13295	with a principal constituent of the material being a gas not provided for in groups H01L 2224/132 to H01L 2224/13291
H01L 2224/13298	Fillers
H01L 2224/13299	Base material

H01L 2224/133	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/13301	the principal constituent melting at a temperature of less than 400°C
H01L 2224/13305	Gallium [Ga] as principal constituent
H01L 2224/13309	Indium [In] as principal constituent
H01L 2224/13311	Tin [Sn] as principal constituent
H01L 2224/13313	Bismuth [Bi] as principal constituent
H01L 2224/13314	Thallium [Tl] as principal constituent
H01L 2224/13316	Lead [Pb] as principal constituent
H01L 2224/13317	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/13318	Zinc [Zn] as principal constituent
H01L 2224/1332	Antimony [Sb] as principal constituent
H01L 2224/13323	Magnesium [Mg] as principal constituent
H01L 2224/13324	Aluminium [Al] as principal constituent
H01L 2224/13338	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/13339	Silver [Ag] as principal constituent
H01L 2224/13344	Gold [Au] as principal constituent
H01L 2224/13347	Copper [Cu] as principal constituent
H01L 2224/13349	Manganese [Mn] as principal constituent
H01L 2224/13355	Nickel [Ni] as principal constituent
H01L 2224/13357	Cobalt [Co] as principal constituent
H01L 2224/1336	Iron [Fe] as principal constituent
H01L 2224/13363	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/13364	Palladium [Pd] as principal constituent
H01L 2224/13366	Titanium [Ti] as principal constituent
H01L 2224/13369	Platinum [Pt] as principal constituent
H01L 2224/1337	Zirconium [Zr] as principal constituent
H01L 2224/13371	Chromium [Cr] as principal constituent
H01L 2224/13372	Vanadium [V] as principal constituent
H01L 2224/13373	Rhodium [Rh] as principal constituent
H01L 2224/13376	Ruthenium [Ru] as principal constituent
H01L 2224/13378	Iridium [Ir] as principal constituent
H01L 2224/13379	Niobium [Nb] as principal constituent
H01L 2224/1338	Molybdenum [Mo] as principal constituent
H01L 2224/13381	Tantalum [Ta] as principal constituent
H01L 2224/13383	Rhenium [Re] as principal constituent

H01L 2224/13384	Tungsten [W] as principal constituent
H01L 2224/13386	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/13387	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/13388)
H01L 2224/13388	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/1339	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/13391	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/13393	with a principal constituent of the material being a solid not provided for in groups H01L 2224/133 to H01L 2224/13391 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/13394	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/133 to H01L 2224/13391
H01L 2224/13395	with a principal constituent of the material being a gas not provided for in groups H01L 2224/133 to H01L 2224/13391
H01L 2224/13398	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/13399	Coating material
H01L 2224/134	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/13401	the principal constituent melting at a temperature of less than 400°C
H01L 2224/13405	Gallium [Ga] as principal constituent
H01L 2224/13409	Indium [In] as principal constituent
H01L 2224/13411	Tin [Sn] as principal constituent
H01L 2224/13413	Bismuth [Bi] as principal constituent
H01L 2224/13414	Thallium [Tl] as principal constituent
H01L 2224/13416	Lead [Pb] as principal constituent
H01L 2224/13417	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/13418	Zinc [Zn] as principal constituent
H01L 2224/1342	Antimony [Sb] as principal constituent
H01L 2224/13423	Magnesium [Mg] as principal constituent
H01L 2224/13424	Aluminium [Al] as principal constituent
H01L 2224/13438	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/13439	Silver [Ag] as principal constituent

H01L 2224/13444	Gold [Au] as principal constituent
H01L 2224/13447	Copper [Cu] as principal constituent
H01L 2224/13449	Manganese [Mn] as principal constituent
H01L 2224/13455	Nickel [Ni] as principal constituent
H01L 2224/13457	Cobalt [Co] as principal constituent
H01L 2224/1346	Iron [Fe] as principal constituent
H01L 2224/13463	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/13464	Palladium [Pd] as principal constituent
H01L 2224/13466	Titanium [Ti] as principal constituent
H01L 2224/13469	Platinum [Pt] as principal constituent
H01L 2224/1347	Zirconium [Zr] as principal constituent
H01L 2224/13471	Chromium [Cr] as principal constituent
H01L 2224/13472	Vanadium [V] as principal constituent
H01L 2224/13473	Rhodium [Rh] as principal constituent
H01L 2224/13476	Ruthenium [Ru] as principal constituent
H01L 2224/13478	Iridium [Ir] as principal constituent
H01L 2224/13479	Niobium [Nb] as principal constituent
H01L 2224/1348	Molybdenum [Mo] as principal constituent
H01L 2224/13481	Tantalum [Ta] as principal constituent
H01L 2224/13483	Rhenium [Re] as principal constituent
H01L 2224/13484	Tungsten [W] as principal constituent
H01L 2224/13486	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/13487	Ceramics, e.g. crystalline carbides, nitrides or oxides [glass ceramics H01L 2224/13488]
H01L 2224/13488	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/1349	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/13491	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/13493	with a principal constituent of the material being a solid not provided for in groups H01L 2224/134 to H01L 2224/13491 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/13494	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/134 to H01L 2224/13491
H01L 2224/13495	with a principal constituent of the material being a gas not provided for in groups H01L 2224/134 to H01L 2224/13491

H01L 2224/13498	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/13499	Shape or distribution of the fillers
H01L 2224/1354	Coating
H01L 2224/13541	Structure
H01L 2224/1355	Shape
H01L 2224/13551	being non uniform
H01L 2224/13552	comprising protrusions or indentations
H01L 2224/13553	at the bonding interface of the bump connector, i.e. on the surface of the bump connector
H01L 2224/1356	Disposition
H01L 2224/13561	On the entire surface of the core, i.e. integral coating
H01L 2224/13562	On the entire exposed surface of the core
H01L 2224/13563	Only on parts of the surface of the core, i.e. partial coating
H01L 2224/13564	Only on the bonding interface of the bump connector
H01L 2224/13565	Only outside the bonding interface of the bump connector
H01L 2224/13566	Both on and outside the bonding interface of the bump connector
H01L 2224/1357	Single coating layer
H01L 2224/13575	Plural coating layers
H01L 2224/13576	being mutually engaged together, e.g. through inserts
H01L 2224/13578	being disposed next to each other, e.g. side-to-side arrangements
H01L 2224/1358	being stacked
H01L 2224/13582	Two-layer coating
H01L 2224/13583	Three-layer coating
H01L 2224/13584	Four-layer coating
H01L 2224/13599	Material
H01L 2224/136	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/13601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/13605	Gallium [Ga] as principal constituent
H01L 2224/13609	Indium [In] as principal constituent
H01L 2224/13611	Tin [Sn] as principal constituent
H01L 2224/13613	Bismuth [Bi] as principal constituent
H01L 2224/13614	Thallium [Tl] as principal constituent
H01L 2224/13616	Lead [Pb] as principal constituent
H01L 2224/13617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C

H01L 2224/13618	Zinc [Zn] as principal constituent
H01L 2224/1362	Antimony [Sb] as principal constituent
H01L 2224/13623	Magnesium [Mg] as principal constituent
H01L 2224/13624	Aluminium [Al] as principal constituent
H01L 2224/13638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/13639	Silver [Ag] as principal constituent
H01L 2224/13644	Gold [Au] as principal constituent
H01L 2224/13647	Copper [Cu] as principal constituent
H01L 2224/13649	Manganese [Mn] as principal constituent
H01L 2224/13655	Nickel [Ni] as principal constituent
H01L 2224/13657	Cobalt [Co] as principal constituent
H01L 2224/1366	Iron [Fe] as principal constituent
H01L 2224/13663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/13664	Palladium [Pd] as principal constituent
H01L 2224/13666	Titanium [Ti] as principal constituent
H01L 2224/13669	Platinum [Pt] as principal constituent
H01L 2224/1367	Zirconium [Zr] as principal constituent
H01L 2224/13671	Chromium [Cr] as principal constituent
H01L 2224/13672	Vanadium [V] as principal constituent
H01L 2224/13673	Rhodium [Rh] as principal constituent
H01L 2224/13676	Ruthenium [Ru] as principal constituent
H01L 2224/13678	Iridium [Ir] as principal constituent
H01L 2224/13679	Niobium [Nb] as principal constituent
H01L 2224/1368	Molybdenum [Mo] as principal constituent
H01L 2224/13681	Tantalum [Ta] as principal constituent
H01L 2224/13683	Rhenium [Re] as principal constituent
H01L 2224/13684	Tungsten [W] as principal constituent
H01L 2224/13686	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/13687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/13688)
H01L 2224/13688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/1369	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/13691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/13693	with a principal constituent of the material being a solid not provided for in groups H01L 2224/136 to H01L 2224/13691 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond

H01L 2224/13694	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/136 to H01L 2224/13691
H01L 2224/13695	with a principal constituent of the material being a gas not provided for in groups H01L 2224/136 to H01L 2224/13691
H01L 2224/13698	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/13699	Material of the matrix
H01L 2224/137	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/13701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/13705	Gallium [Ga] as principal constituent
H01L 2224/13709	Indium [In] as principal constituent
H01L 2224/13711	Tin [Sn] as principal constituent
H01L 2224/13713	Bismuth [Bi] as principal constituent
H01L 2224/13714	Thallium [Tl] as principal constituent
H01L 2224/13716	Lead [Pb] as principal constituent
H01L 2224/13717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/13718	Zinc [Zn] as principal constituent
H01L 2224/1372	Antimony [Sb] as principal constituent
H01L 2224/13723	Magnesium [Mg] as principal constituent
H01L 2224/13724	Aluminium [Al] as principal constituent
H01L 2224/13738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/13739	Silver [Ag] as principal constituent
H01L 2224/13744	Gold [Au] as principal constituent
H01L 2224/13747	Copper [Cu] as principal constituent
H01L 2224/13749	Manganese [Mn] as principal constituent
H01L 2224/13755	Nickel [Ni] as principal constituent
H01L 2224/13757	Cobalt [Co] as principal constituent
H01L 2224/1376	Iron [Fe] as principal constituent
H01L 2224/13763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/13764	Palladium [Pd] as principal constituent
H01L 2224/13766	Titanium [Ti] as principal constituent
H01L 2224/13769	Platinum [Pt] as principal constituent
H01L 2224/1377	Zirconium [Zr] as principal constituent
H01L 2224/13771	Chromium [Cr] as principal constituent
H01L 2224/13772	Vanadium [V] as principal constituent

H01L 2224/13773	Rhodium [Rh] as principal constituent
H01L 2224/13776	Ruthenium [Ru] as principal constituent
H01L 2224/13778	Iridium [Ir] as principal constituent
H01L 2224/13779	Niobium [Nb] as principal constituent
H01L 2224/1378	Molybdenum [Mo] as principal constituent
H01L 2224/13781	Tantalum [Ta] as principal constituent
H01L 2224/13783	Rhenium [Re] as principal constituent
H01L 2224/13784	Tungsten [W] as principal constituent
H01L 2224/13786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/13787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/13788)
H01L 2224/13788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/1379	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/13791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/13793	with a principal constituent of the material being a solid not provided for in groups H01L 2224/137 to H01L 2224/13791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/13794	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/137 to H01L 2224/13791
H01L 2224/13795	with a principal constituent of the material being a gas not provided for in groups H01L 2224/137 to H01L 2224/13791
H01L 2224/13798	Fillers
H01L 2224/13799	Base material
H01L 2224/138	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/13801	the principal constituent melting at a temperature of less than 400°C
H01L 2224/13805	Gallium [Ga] as principal constituent
H01L 2224/13809	Indium [In] as principal constituent
H01L 2224/13811	Tin [Sn] as principal constituent
H01L 2224/13813	Bismuth [Bi] as principal constituent
H01L 2224/13814	Thallium [Tl] as principal constituent
H01L 2224/13816	Lead [Pb] as principal constituent
H01L 2224/13817	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/13818	Zinc [Zn] as principal constituent
H01L 2224/1382	Antimony [Sb] as principal constituent
H01L 2224/13823	Magnesium [Mg] as principal constituent

H01L 2224/13824	Aluminium [Al] as principal constituent
H01L 2224/13838	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/13839	Silver [Ag] as principal constituent
H01L 2224/13844	Gold [Au] as principal constituent
H01L 2224/13847	Copper [Cu] as principal constituent
H01L 2224/13849	Manganese [Mn] as principal constituent
H01L 2224/13855	Nickel [Ni] as principal constituent
H01L 2224/13857	Cobalt [Co] as principal constituent
H01L 2224/1386	Iron [Fe] as principal constituent
H01L 2224/13863	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/13864	Palladium [Pd] as principal constituent
H01L 2224/13866	Titanium [Ti] as principal constituent
H01L 2224/13869	Platinum [Pt] as principal constituent
H01L 2224/1387	Zirconium [Zr] as principal constituent
H01L 2224/13871	Chromium [Cr] as principal constituent
H01L 2224/13872	Vanadium [V] as principal constituent
H01L 2224/13873	Rhodium [Rh] as principal constituent
H01L 2224/13876	Ruthenium [Ru] as principal constituent
H01L 2224/13878	Iridium [Ir] as principal constituent
H01L 2224/13879	Niobium [Nb] as principal constituent
H01L 2224/1388	Molybdenum [Mo] as principal constituent
H01L 2224/13881	Tantalum [Ta] as principal constituent
H01L 2224/13883	Rhenium [Re] as principal constituent
H01L 2224/13884	Tungsten [W] as principal constituent
H01L 2224/13886	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/13887	Ceramics, e.g. crystalline carbides, nitrides or oxides [glass ceramics H01L 2224/13888]
H01L 2224/13888	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/1389	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/13891	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/13893	with a principal constituent of the material being a solid not provided for in groups H01L 2224/138 to H01L 2224/13891 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/13894	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/138 to H01L 2224/13891

H01L 2224/13895	with a principal constituent of the material being a gas not provided for in groups H01L 2224/138 to H01L 2224/13891
H01L 2224/13898	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/13899	Coating material
H01L 2224/139	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/13901	the principal constituent melting at a temperature of less than 400°C
H01L 2224/13905	Gallium [Ga] as principal constituent
H01L 2224/13909	Indium [In] as principal constituent
H01L 2224/13911	Tin [Sn] as principal constituent
H01L 2224/13913	Bismuth [Bi] as principal constituent
H01L 2224/13914	Thallium [Tl] as principal constituent
H01L 2224/13916	Lead [Pb] as principal constituent
H01L 2224/13917	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/13918	Zinc [Zn] as principal constituent
H01L 2224/1392	Antimony [Sb] as principal constituent
H01L 2224/13923	Magnesium [Mg] as principal constituent
H01L 2224/13924	Aluminium [Al] as principal constituent
H01L 2224/13938	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/13939	Silver [Ag] as principal constituent
H01L 2224/13944	Gold [Au] as principal constituent
H01L 2224/13947	Copper [Cu] as principal constituent
H01L 2224/13949	Manganese [Mn] as principal constituent
H01L 2224/13955	Nickel [Ni] as principal constituent
H01L 2224/13957	Cobalt [Co] as principal constituent
H01L 2224/1396	Iron [Fe] as principal constituent
H01L 2224/13963	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/13964	Palladium [Pd] as principal constituent
H01L 2224/13966	Titanium [Ti] as principal constituent
H01L 2224/13969	Platinum [Pt] as principal constituent
H01L 2224/1397	Zirconium [Zr] as principal constituent
H01L 2224/13971	Chromium [Cr] as principal constituent
H01L 2224/13972	Vanadium [V] as principal constituent

H01L 2224/13973	Rhodium [Rh] as principal constituent
H01L 2224/13976	Ruthenium [Ru] as principal constituent
H01L 2224/13978	Iridium [Ir] as principal constituent
H01L 2224/13979	Niobium [Nb] as principal constituent
H01L 2224/1398	Molybdenum [Mo] as principal constituent
H01L 2224/13981	Tantalum [Ta] as principal constituent
H01L 2224/13983	Rhenium [Re] as principal constituent
H01L 2224/13984	Tungsten [W] as principal constituent
H01L 2224/13986	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/13987	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/13988)
H01L 2224/13988	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/1399	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/13991	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/13993	with a principal constituent of the material being a solid not provided for in groups H01L 2224/139 to H01L 2224/13991 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/13994	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/139 to H01L 2224/13991
H01L 2224/13995	with a principal constituent of the material being a gas not provided for in groups H01L 2224/139 to H01L 2224/13991
H01L 2224/13998	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/13999	Shape or distribution of the fillers
H01L 2224/14	of a plurality of bump connectors
H01L 2224/1401	Structure
H01L 2224/1403	Bump connectors having different sizes, e.g. different diameters, heights or widths
H01L 2224/1405	Shape
H01L 2224/14051	Bump connectors having different shapes
H01L 2224/141	Disposition
H01L 2224/14104	relative to the bonding areas, e.g. bond pads, of the semiconductor or solid-state body
H01L 2224/1411	the bump connectors being bonded to at least one common bonding area
H01L 2224/1412	Layout
H01L 2224/1413	Square or rectangular array

H01L 2224/14131	being uniform, i.e. having a uniform pitch across the array
H01L 2224/14132	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/14133	with a staggered arrangement, e.g. depopulated array
H01L 2224/14134	covering only portions of the surface to be connected
H01L 2224/14135	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/14136	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/1414	Circular array, i.e. array with radial symmetry
H01L 2224/14141	being uniform, i.e. having a uniform pitch across the array
H01L 2224/14142	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/14143	with a staggered arrangement, e.g. depopulated array
H01L 2224/14144	covering only portions of the surface to be connected
H01L 2224/14145	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/14146	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/1415	Mirror array, i.e. array having only a reflection symmetry, i.e. bilateral symmetry
H01L 2224/14151	being uniform, i.e. having a uniform pitch across the array
H01L 2224/14152	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/14153	with a staggered arrangement, e.g. depopulated array
H01L 2224/14154	covering only portions of the surface to be connected
H01L 2224/14155	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/14156	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/1416	Random layout, i.e. layout with no symmetry
H01L 2224/14163	with a staggered arrangement
H01L 2224/14164	covering only portions of the surface to be connected
H01L 2224/14165	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/14166	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/14177	Combinations of arrays with different layouts
H01L 2224/14179	Corner adaptations, i.e. disposition of the bump connectors at the corners of the semiconductor or solid-state body
H01L 2224/1418	being disposed on at least two different sides of the body, e.g. dual array
H01L 2224/14181	On opposite sides of the body
H01L 2224/14183	On contiguous sides of the body

H01L 2224/145	Material
H01L 2224/14505	Bump connectors having different materials
H01L 2224/1451	Function
H01L 2224/14515	Bump connectors having different functions
H01L 2224/14517	including bump connectors providing primarily mechanical bonding
H01L 2224/14519	including bump connectors providing primarily thermal dissipation
H01L 2224/15	...	Structure, shape, material or disposition of the bump connectors after the connecting process
H01L 2224/16	of an individual bump connector
H01L 2224/1601	Structure
H01L 2224/16012	relative to the bonding area, e.g. bond pad
H01L 2224/16013	the bump connector being larger than the bonding area, e.g. bond pad
H01L 2224/16014	the bump connector being smaller than the bonding area, e.g. bond pad
H01L 2224/1605	Shape
H01L 2224/16052	in top view
H01L 2224/16054	being rectangular or square
H01L 2224/16055	being circular or elliptic
H01L 2224/16056	comprising protrusions or indentations
H01L 2224/16057	in side view
H01L 2224/16058	being non uniform along the bump connector
H01L 2224/16059	comprising protrusions or indentations
H01L 2224/1607	of bonding interfaces, e.g. interlocking features
H01L 2224/161	Disposition
H01L 2224/16104	relative to the bonding area, e.g. bond pad
H01L 2224/16105	the bump connector connecting bonding areas being not aligned with respect to each other
H01L 2224/16106	the bump connector connecting one bonding area to at least two respective bonding areas
H01L 2224/16108	the bump connector not being orthogonal to the surface
H01L 2224/16111	the bump connector being disposed in a recess of the surface
H01L 2224/16112	the bump connector being at least partially embedded in the surface
H01L 2224/16113	the whole bump connector protruding from the surface
H01L 2224/1613	the bump connector connecting within a semiconductor or solid-state body, i.e. connecting two bonding areas on the same semiconductor or solid-state body
H01L 2224/16135	the bump connector connecting between different semiconductor or solid-state bodies i.e. chip-to-chip
H01L 2224/16137	the bodies being arranged next to each other, e.g. on a common substrate
H01L 2224/16141	the bodies being arranged on opposite sides of a substrate, e.g. mirror arrangements

H01L 2224/16145	the bodies being stacked
H01L 2224/16146	the bump connector connecting to a via connection in the semiconductor or solid-state body
H01L 2224/16147	the bump connector connecting to a bonding area disposed in a recess of the surface
H01L 2224/16148	the bump connector connecting to a bonding area protruding from the surface
H01L 2224/16151	the bump connector connecting between a semiconductor or solid-state body and an item not being a semiconductor or solid-state body, e.g. chip-to-substrate, chip-to-passive
H01L 2224/16153	the body and the item being arranged next to each other, e.g. on a common substrate
H01L 2224/16155	the item being non-metallic, e.g. being an insulating substrate with or without metallisation
H01L 2224/16157	the bump connector connecting to a bond pad of the item
H01L 2224/1616	the bump connector connecting to a pin of the item
H01L 2224/16163	the bump connector connecting to a potential ring of the item
H01L 2224/16165	the bump connector connecting to a via metallisation of the item
H01L 2224/16167	the bump connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/16168	the bump connector connecting to a bonding area protruding from the surface of the item
H01L 2224/16175	the item being metallic
H01L 2224/16183	the bump connector connecting to a potential ring of the item
H01L 2224/16187	the bump connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/16188	the bump connector connecting to a bonding area protruding from the surface of the item
H01L 2224/16195	the item being a discrete passive component
H01L 2224/16197	the bump connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/16198	the bump connector connecting to a bonding area protruding from the surface of the item
H01L 2224/16221	the body and the item being stacked
H01L 2224/16225	the item being non-metallic, e.g. insulating substrate with or without metallisation
H01L 2224/16227	the bump connector connecting to a bond pad of the item
H01L 2224/1623	the bump connector connecting to a pin of the item
H01L 2224/16233	the bump connector connecting to a potential ring of the item
H01L 2224/16235	the bump connector connecting to a via metallisation of the item
H01L 2224/16237	the bump connector connecting to a bonding area disposed in a recess of the surface of the item

H01L 2224/16238	the bump connector connecting to a bonding area protruding from the surface of the item
H01L 2224/1624	the bump connector connecting between the body and an opposite side of the item with respect to the body
H01L 2224/16245	the item being metallic
H01L 2224/16253	the bump connector connecting to a potential ring of the item
H01L 2224/16257	the bump connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/16258	the bump connector connecting to a bonding area protruding from the surface of the item
H01L 2224/1626	the bump connector connecting between the body and an opposite side of the item with respect to the body
H01L 2224/16265	the item being a discrete passive component
H01L 2224/16267	the bump connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/16268	the bump connector connecting to a bonding area protruding from the surface of the item
H01L 2224/165	Material
H01L 2224/16501	at the bonding interface
H01L 2224/16502	comprising an eutectic alloy
H01L 2224/16503	comprising an intermetallic compound
H01L 2224/16505	outside the bonding interface, e.g. in the bulk of the bump connector
H01L 2224/16506	comprising an eutectic alloy
H01L 2224/16507	comprising an intermetallic compound
H01L 2224/17	of a plurality of bump connectors
H01L 2224/1701	Structure
H01L 2224/1703	Bump connectors having different sizes, e.g. different diameters, heights or widths
H01L 2224/1705	Shape
H01L 2224/17051	Bump connectors having different shapes
H01L 2224/17055	of their bonding interfaces
H01L 2224/171	Disposition
H01L 2224/17104	relative to the bonding areas, e.g. bond pads
H01L 2224/17106	the bump connectors being bonded to at least one common bonding area
H01L 2224/17107	the bump connectors connecting two common bonding areas
H01L 2224/1712	Layout(layout of bump connectors prior to the connecting process H01L 2224/1412)
H01L 2224/1713	Square or rectangular array
H01L 2224/17132	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/17133	with a staggered arrangement, e.g. depopulated array
H01L 2224/17134	covering only portions of the surface to be connected

H01L 2224/17135	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/17136	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/1714	Circular array, i.e. array with radial symmetry
H01L 2224/17142	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/17143	with a staggered arrangement
H01L 2224/17144	covering only portions of the surface to be connected
H01L 2224/17145	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/17146	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/1715	Mirror array, i.e. array having only a reflection symmetry, i.e. bilateral symmetry
H01L 2224/17151	being uniform, i.e. having a uniform pitch across the array
H01L 2224/17152	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/17153	with a staggered arrangement, e.g. depopulated array
H01L 2224/17154	covering only portions of the surface to be connected
H01L 2224/17155	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/17156	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/1716	Random layout, i.e. layout with no symmetry
H01L 2224/17163	with a staggered arrangement
H01L 2224/17164	covering only portions of the surface to be connected
H01L 2224/17165	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/17166	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/17177	Combinations of arrays with different layouts
H01L 2224/17179	Corner adaptations, i.e. disposition of the bump connectors at the corners of the semiconductor or solid-state body
H01L 2224/1718	being disposed on at least two different sides of the body, e.g. dual array
H01L 2224/17181	On opposite sides of the body
H01L 2224/17183	On contiguous sides of the body
H01L 2224/175	Material
H01L 2224/17505	Bump connectors having different materials
H01L 2224/1751	Function
H01L 2224/17515	Bump connectors having different functions
H01L 2224/17517	including bump connectors providing primarily mechanical support
H01L 2224/17519	including bump connectors providing primarily thermal dissipation

H01L 2224/18	..	High density interconnect [HDI] connectors; Manufacturing methods related thereto
H01L 2224/19	...	Manufacturing methods of high density interconnect preforms
H01L 2224/20	...	Structure, shape, material or disposition of high density interconnect preforms
H01L 2224/21	of an individual HDI interconnect
H01L 2224/2101	Structure
H01L 2224/2105	Shape
H01L 2224/211	Disposition
H01L 2224/214	Connecting portions
H01L 2224/215	Material
H01L 2224/22	of a plurality of HDI interconnects
H01L 2224/2201	Structure
H01L 2224/2205	Shape
H01L 2224/221	Disposition
H01L 2224/224	Connecting portions
H01L 2224/225	Material
H01L 2224/22505	HDI interconnects having different materials
H01L 2224/23	...	Structure, shape, material or disposition of the high density interconnect connectors after the connecting process
H01L 2224/24	of an individual high density interconnect connector
H01L 2224/2401	Structure
H01L 2224/24011	Deposited, e.g. MCM-D type
H01L 2224/2402	Laminated, e.g. MCM-L type
H01L 2224/2405	Shape
H01L 2224/24051	Conformal with the semiconductor or solid-state device
H01L 2224/241	Disposition
H01L 2224/24101	Connecting bonding areas at the same height
H01L 2224/24105	Connecting bonding areas at different heights
H01L 2224/2413	Connecting within a semiconductor or solid-state body
H01L 2224/24135	Connecting between different semiconductor or solid-state bodies i.e. chip-to-chip
H01L 2224/24137	the bodies being arranged next to each other, e.g. on a common substrate
H01L 2224/24141	the bodies being arranged on opposite sides of a substrate, e.g. mirror arrangements
H01L 2224/24145	the bodies being stacked
H01L 2224/24146	the HDI interconnect connecting to the same level of the lower semiconductor or solid-state body at which the upper semiconductor or solid-state body is mounted
H01L 2224/24147	the HDI interconnect not connecting to the same level of the lower semiconductor or solid-state body at which the upper semiconductor or solid-state body is mounted, e.g. the upper semiconductor or solid-state body being mounted in a cavity or on a protrusion of the lower semiconductor or solid-state body

H01L 2224/24151	Connecting between a semiconductor or solid-state body and an item not being a semiconductor or solid-state body, e.g. chip-to-substrate, chip-to-passive
H01L 2224/24153	the body and the item being arranged next to each other, e.g. on a common substrate
H01L 2224/24155	the item being non-metallic, e.g. insulating substrate with or without metallisation
H01L 2224/24175	the item being metallic
H01L 2224/24195	the item being a discrete passive component
H01L 2224/24221	the body and the item being stacked
H01L 2224/24225	the item being non-metallic, e.g. insulating substrate with or without metallisation
H01L 2224/24226	the HDI interconnect connecting to the same level of the item at which the semiconductor or solid-state body is mounted e.g. the item being planar
H01L 2224/24227	the HDI interconnect not connecting to the same level of the item at which the semiconductor or solid-state body is mounted, e.g. the semiconductor or solid-state body being mounted in a cavity or on a protrusion of the item
H01L 2224/24245	the item being metallic
H01L 2224/24246	the HDI interconnect connecting to the same level of the item at which the semiconductor or solid-state body is mounted e.g. the item being planar
H01L 2224/24247	the HDI interconnect not connecting to the same level of the item at which the semiconductor or solid-state body is mounted, e.g. the semiconductor or solid-state body being mounted in a cavity or on a protrusion of the item
H01L 2224/24265	the item being a discrete passive component
H01L 2224/244	Connecting portions
H01L 2224/245	Material
H01L 2224/2499	Auxiliary members for HDI interconnects, e.g. spacers, alignment aids
H01L 2224/24991	being formed on the semiconductor or solid-state body to be connected
H01L 2224/24992	Flow barrier
H01L 2224/24996	being formed on an item to be connected not being a semiconductor or solid-state body
H01L 2224/24997	Flow barrier
H01L 2224/24998	Reinforcing structures, e.g. ramp-like support
H01L 2224/25	of a plurality of high density interconnect connectors
H01L 2224/2501	Structure
H01L 2224/2505	Shape
H01L 2224/251	Disposition
H01L 2224/25105	Connecting at different heights
H01L 2224/2511	the connectors being bonded to at least one common bonding area
H01L 2224/25111	the connectors connecting two common bonding areas

H01L 2224/25112	the connectors connecting a common bonding area on the semiconductor or solid-state body to different bonding areas outside the body
H01L 2224/25113	the connectors connecting different bonding areas on the semiconductor or solid-state body to a common bonding area outside the body
H01L 2224/2512	Layout
H01L 2224/25171	Fan-out arrangements
H01L 2224/25174	Stacked arrangements
H01L 2224/25175	Parallel arrangements
H01L 2224/25177	Combinations of a plurality of arrangements
H01L 2224/2518	being disposed on at least two different sides of the body, e.g. dual array
H01L 2224/254	Connecting portions
H01L 2224/2541	the connecting portions being stacked
H01L 2224/2543	the connecting portions being staggered
H01L 2224/255	Material
H01L 2224/26	..	Layer connectors, e.g. plate connectors, solder or adhesive layers; Manufacturing methods related thereto
H01L 2224/2612	...	Auxiliary members for layer connectors, e.g. spacers
H01L 2224/26122	being formed on the semiconductor or solid-state body to be connected
H01L 2224/26125	Reinforcing structures
H01L 2224/26135	Alignment aids
H01L 2224/26145	Flow barriers
H01L 2224/26152	being formed on an item to be connected not being a semiconductor or solid-state body
H01L 2224/26155	Reinforcing structures
H01L 2224/26165	Alignment aids
H01L 2224/26175	Flow barriers
H01L 2224/27	...	Manufacturing methods
H01L 2224/27001	Involving a temporary auxiliary member not forming part of the manufacturing apparatus, e.g. removable or sacrificial coating, film or substrate
H01L 2224/27002	for supporting the semiconductor or solid-state body
H01L 2224/27003	for holding or transferring the layer preform
H01L 2224/27005	for aligning the layer connector, e.g. marks, spacers
H01L 2224/27009	for protecting parts during manufacture
H01L 2224/27011	Involving a permanent auxiliary member, i.e. a member which is left at least partly in the finished device, e.g. coating, dummy feature
H01L 2224/27013	for holding or confining the layer connector, e.g. solder flow barrier
H01L 2224/27015	for aligning the layer connector, e.g. marks, spacers
H01L 2224/27019	for protecting parts during the process
H01L 2224/271	Manufacture and pre-treatment of the layer connector preform

H01L 2224/2711	Shaping
H01L 2224/2712	Applying permanent coating
H01L 2224/273	by local deposition of the material of the layer connector
H01L 2224/2731	in liquid form
H01L 2224/27312	Continuous flow, e.g. using a micro-syringe, a pump, a nozzle or extrusion
H01L 2224/27318	by dispensing droplets
H01L 2224/2732	Screen printing, i.e. using a stencil
H01L 2224/2733	in solid form
H01L 2224/27332	using a powder
H01L 2224/27334	using preformed layer
H01L 2224/274	by blanket deposition of the material of the layer connector
H01L 2224/2741	in liquid form
H01L 2224/27416	Spin coating
H01L 2224/27418	Spray coating
H01L 2224/2742	Curtain coating
H01L 2224/27422	by dipping, e.g. in a solder bath(hot-dipping C23C 2/00)
H01L 2224/27424	Immersion coating, e.g. in a solder bath(immersion processes C23C 2/00)
H01L 2224/27426	Chemical solution deposition [CSD], i.e. using a liquid precursor
H01L 2224/27428	Wave coating
H01L 2224/2743	in solid form
H01L 2224/27436	Lamination of a preform, e.g. foil, sheet or layer
H01L 2224/27438	the preform being at least partly pre-patterned
H01L 2224/2744	by transfer printing
H01L 2224/27442	using a powder
H01L 2224/27444	in gaseous form
H01L 2224/2745	Physical vapour deposition [PVD], e.g. evaporation, or sputtering
H01L 2224/27452	Chemical vapour deposition [CVD], e.g. laser CVD
H01L 2224/2746	Plating
H01L 2224/27462	Electroplating
H01L 2224/27464	Electroless plating
H01L 2224/27466	Conformal deposition, i.e. blanket deposition of a conformal layer on a patterned surface
H01L 2224/2747	using a lift-off mask
H01L 2224/27472	Profile of the lift-off mask
H01L 2224/27474	Multilayer masks
H01L 2224/2748	Permanent masks, i.e. masks left in the finished device, e.g. passivation layers
H01L 2224/275	by chemical or physical modification of a pre-existing or pre-deposited material

H01L 2224/27502	Pre-existing or pre-deposited material
H01L 2224/27505	Sintering
H01L 2224/2751	Anodisation
H01L 2224/27515	Curing and solidification, e.g. of a photosensitive layer material
H01L 2224/2752	Self-assembly, e.g. self-agglomeration of the layer material in a fluid
H01L 2224/27522	Auxiliary means therefor, e.g. for self-assembly activation
H01L 2224/27524	with special adaptation of the surface or of an auxiliary substrate, e.g. surface shape specially adapted for the self-assembly process
H01L 2224/27526	involving the material of the bonding area, e.g. bonding pad
H01L 2224/2755	Selective modification
H01L 2224/27552	using a laser or a focussed ion beam [FIB]
H01L 2224/27554	Stereolithography, i.e. solidification of a pattern defined by a laser trace in a photosensitive resin
H01L 2224/276	by patterning a pre-deposited material(treatment of parts prior to assembly of the devices H01L 21/48)
H01L 2224/27602	Mechanical treatment, e.g. polishing, grinding
H01L 2224/2761	Physical or chemical etching
H01L 2224/27612	by physical means only
H01L 2224/27614	by chemical means only
H01L 2224/27616	Chemical mechanical polishing [CMP]
H01L 2224/27618	with selective exposure, development and removal of a photosensitive layer material, e.g. of a photosensitive conductive resin
H01L 2224/2762	using masks
H01L 2224/27622	Photolithography
H01L 2224/2763	using a laser or a focused ion beam [FIB]
H01L 2224/27632	Ablation by means of a laser or focused ion beam [FIB]
H01L 2224/277	involving monitoring, e.g. feedback loop
H01L 2224/278	Post-treatment of the layer connector
H01L 2224/2781	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/2782	Applying permanent coating, e.g. in-situ coating
H01L 2224/27821	Spray coating
H01L 2224/27822	by dipping, e.g. in a solder bath
H01L 2224/27823	Immersion coating, e.g. in a solder bath
H01L 2224/27824	Chemical solution deposition [CSD], i.e. using a liquid precursor
H01L 2224/27825	Plating, e.g. electroplating, electroless plating
H01L 2224/27826	Physical vapour deposition [PVD], e.g. evaporation, or sputtering
H01L 2224/27827	Chemical vapour deposition [CVD], e.g. laser CVD
H01L 2224/2783	Reworking, e.g. shaping(reflowing H01L 2224/27849)
H01L 2224/27831	involving a chemical process, e.g. etching the layer connector
H01L 2224/2784	involving a mechanical process, e.g. planarising the layer connector
H01L 2224/27845	Chemical mechanical polishing [CMP]

H01L 2224/27848	Thermal treatments, e.g. annealing, controlled cooling
H01L 2224/27849	Reflowing
H01L 2224/279	Methods of manufacturing layer connectors involving a specific sequence of method steps
H01L 2224/27901	with repetition of the same manufacturing step
H01L 2224/27902	Multiple masking steps
H01L 2224/27903	using different masks
H01L 2224/27906	with modification of the same mask
H01L 2224/2791	Forming a passivation layer after forming the layer connector
H01L 2224/27912	the layer being used as a mask for patterning other parts
H01L 2224/27916	a passivation layer being used as a mask for patterning other parts
H01L 2224/28	...	Structure, shape, material or disposition of the layer connectors prior to the connecting process
H01L 2224/28105	Layer connectors formed on an encapsulation of the semiconductor or solid-state body, e.g. layer connectors on chip-scale packages
H01L 2224/29	of an individual layer connector
H01L 2224/29001	Core members of the layer connector
H01L 2224/29005	Structure
H01L 2224/29006	Layer connector larger than the underlying bonding area
H01L 2224/29007	Layer connector smaller than the underlying bonding area
H01L 2224/29008	Layer connector integrally formed with a redistribution layer on the semiconductor or solid-state body
H01L 2224/29009	Layer connector integrally formed with a via connection of the semiconductor or solid-state body
H01L 2224/2901	Shape
H01L 2224/29011	comprising apertures or cavities
H01L 2224/29012	in top view
H01L 2224/29013	being rectangular or square
H01L 2224/29014	being circular or elliptic
H01L 2224/29015	comprising protrusions or indentations
H01L 2224/29016	in side view
H01L 2224/29017	being non uniform along the layer connector
H01L 2224/29018	comprising protrusions or indentations
H01L 2224/29019	at the bonding interface of the layer connector, i.e. on the surface of the layer connector
H01L 2224/2902	Disposition
H01L 2224/29021	the layer connector being disposed in a recess of the surface(embedded layer connector H01L 2224/29022)
H01L 2224/29022	the layer connector being at least partially embedded in the surface
H01L 2224/29023	the whole layer connector protruding from the surface
H01L 2224/29024	the layer connector being disposed on a redistribution layer on the semiconductor or solid-state body

H01L 2224/29025	the layer connector being disposed on a via connection of the semiconductor or solid-state body
H01L 2224/29026	relative to the bonding area, e.g. bond pad, of the semiconductor or solid-state body
H01L 2224/29027	the layer connector being offset with respect to the bonding area, e.g. bond pad
H01L 2224/29028	the layer connector being disposed on at least two separate bonding areas, e.g. bond pads
H01L 2224/29034	the layer connector covering only portions of the surface to be connected
H01L 2224/29035	covering only the peripheral area of the surface to be connected
H01L 2224/29036	covering only the central area of the surface to be connected
H01L 2224/29075	Plural core members
H01L 2224/29076	being mutually engaged together, e.g. through inserts
H01L 2224/29078	being disposed next to each other, e.g. side-to-side arrangements
H01L 2224/2908	being stacked
H01L 2224/29082	Two-layer arrangements
H01L 2224/29083	Three-layer arrangements
H01L 2224/29084	Four-layer arrangements
H01L 2224/29099	Material
H01L 2224/291	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/29101	the principal constituent melting at a temperature of less than 400°C
H01L 2224/29105	Gallium [Ga] as principal constituent
H01L 2224/29109	Indium [In] as principal constituent
H01L 2224/29111	Tin [Sn] as principal constituent
H01L 2224/29113	Bismuth [Bi] as principal constituent
H01L 2224/29114	Thallium [Tl] as principal constituent
H01L 2224/29116	Lead [Pb] as principal constituent
H01L 2224/29117	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/29118	Zinc [Zn] as principal constituent
H01L 2224/2912	Antimony [Sb] as principal constituent
H01L 2224/29123	Magnesium [Mg] as principal constituent
H01L 2224/29124	Aluminium [Al] as principal constituent
H01L 2224/29138	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/29139	Silver [Ag] as principal constituent
H01L 2224/29144	Gold [Au] as principal constituent
H01L 2224/29147	Copper [Cu] as principal constituent
H01L 2224/29149	Manganese [Mn] as principal constituent

H01L 2224/29155	Nickel [Ni] as principal constituent
H01L 2224/29157	Cobalt [Co] as principal constituent
H01L 2224/2916	Iron [Fe] as principal constituent
H01L 2224/29163	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/29164	Palladium [Pd] as principal constituent
H01L 2224/29166	Titanium [Ti] as principal constituent
H01L 2224/29169	Platinum [Pt] as principal constituent
H01L 2224/2917	Zirconium [Zr] as principal constituent
H01L 2224/29171	Chromium [Cr] as principal constituent
H01L 2224/29172	Vanadium [V] as principal constituent
H01L 2224/29173	Rhodium [Rh] as principal constituent
H01L 2224/29176	Ruthenium [Ru] as principal constituent
H01L 2224/29178	Iridium [Ir] as principal constituent
H01L 2224/29179	Niobium [Nb] as principal constituent
H01L 2224/2918	Molybdenum [Mo] as principal constituent
H01L 2224/29181	Tantalum [Ta] as principal constituent
H01L 2224/29183	Rhenium [Re] as principal constituent
H01L 2224/29184	Tungsten [W] as principal constituent
H01L 2224/29186	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/29187	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/29188)
H01L 2224/29188	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/2919	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/29191	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/29193	with a principal constituent of the material being a solid not provided for in groups H01L 2224/291 to H01L 2224/29191 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/29194	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/291 to H01L 2224/29191
H01L 2224/29195	with a principal constituent of the material being a gas not provided for in groups H01L 2224/291 to H01L 2224/29191
H01L 2224/29198	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/29199	Material of the matrix
H01L 2224/292	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof

H01L 2224/29201	the principal constituent melting at a temperature of less than 400°C
H01L 2224/29205	Gallium [Ga] as principal constituent
H01L 2224/29209	Indium [In] as principal constituent
H01L 2224/29211	Tin [Sn] as principal constituent
H01L 2224/29213	Bismuth [Bi] as principal constituent
H01L 2224/29214	Thallium [Tl] as principal constituent
H01L 2224/29216	Lead [Pb] as principal constituent
H01L 2224/29217	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/29218	Zinc [Zn] as principal constituent
H01L 2224/2922	Antimony [Sb] as principal constituent
H01L 2224/29223	Magnesium [Mg] as principal constituent
H01L 2224/29224	Aluminium [Al] as principal constituent
H01L 2224/29238	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/29239	Silver [Ag] as principal constituent
H01L 2224/29244	Gold [Au] as principal constituent
H01L 2224/29247	Copper [Cu] as principal constituent
H01L 2224/29249	Manganese [Mn] as principal constituent
H01L 2224/29255	Nickel [Ni] as principal constituent
H01L 2224/29257	Cobalt [Co] as principal constituent
H01L 2224/2926	Iron [Fe] as principal constituent
H01L 2224/29263	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/29264	Palladium [Pd] as principal constituent
H01L 2224/29266	Titanium [Ti] as principal constituent
H01L 2224/29269	Platinum [Pt] as principal constituent
H01L 2224/2927	Zirconium [Zr] as principal constituent
H01L 2224/29271	Chromium [Cr] as principal constituent
H01L 2224/29272	Vanadium [V] as principal constituent
H01L 2224/29273	Rhodium [Rh] as principal constituent
H01L 2224/29276	Ruthenium [Ru] as principal constituent
H01L 2224/29278	Iridium [Ir] as principal constituent
H01L 2224/29279	Niobium [Nb] as principal constituent
H01L 2224/2928	Molybdenum [Mo] as principal constituent
H01L 2224/29281	Tantalum [Ta] as principal constituent
H01L 2224/29283	Rhenium [Re] as principal constituent
H01L 2224/29284	Tungsten [W] as principal constituent
H01L 2224/29286	with a principal constituent of the material being a non metallic, non metalloid inorganic material

H01L 2224/29287	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/29288)
H01L 2224/29288	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/2929	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/29291	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/29293	with a principal constituent of the material being a solid not provided for in groups H01L 2224/292 to H01L 2224/29291 , e.g. allotropes of carbon, fullerene, graphite, carbon- nanotubes, diamond
H01L 2224/29294	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/292 to H01L 2224/29291
H01L 2224/29295	with a principal constituent of the material being a gas not provided for in groups H01L 2224/292 to H01L 2224/29291
H01L 2224/29298	Fillers
H01L 2224/29299	Base material
H01L 2224/293	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/29301	the principal constituent melting at a temperature of less than 400°C
H01L 2224/29305	Gallium [Ga] as principal constituent
H01L 2224/29309	Indium [In] as principal constituent
H01L 2224/29311	Tin [Sn] as principal constituent
H01L 2224/29313	Bismuth [Bi] as principal constituent
H01L 2224/29314	Thallium [Tl] as principal constituent
H01L 2224/29316	Lead [Pb] as principal constituent
H01L 2224/29317	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/29318	Zinc [Zn] as principal constituent
H01L 2224/2932	Antimony [Sb] as principal constituent
H01L 2224/29323	Magnesium [Mg] as principal constituent
H01L 2224/29324	Aluminium [Al] as principal constituent
H01L 2224/29338	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/29339	Silver [Ag] as principal constituent
H01L 2224/29344	Gold [Au] as principal constituent
H01L 2224/29347	Copper [Cu] as principal constituent
H01L 2224/29349	Manganese [Mn] as principal constituent
H01L 2224/29355	Nickel [Ni] as principal constituent
H01L 2224/29357	Cobalt [Co] as principal constituent
H01L 2224/2936	Iron [Fe] as principal constituent

H01L 2224/29363	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/29364	Palladium [Pd] as principal constituent
H01L 2224/29366	Titanium [Ti] as principal constituent
H01L 2224/29369	Platinum [Pt] as principal constituent
H01L 2224/2937	Zirconium [Zr] as principal constituent
H01L 2224/29371	Chromium [Cr] as principal constituent
H01L 2224/29372	Vanadium [V] as principal constituent
H01L 2224/29373	Rhodium [Rh] as principal constituent
H01L 2224/29376	Ruthenium [Ru] as principal constituent
H01L 2224/29378	Iridium [Ir] as principal constituent
H01L 2224/29379	Niobium [Nb] as principal constituent
H01L 2224/2938	Molybdenum [Mo] as principal constituent
H01L 2224/29381	Tantalum [Ta] as principal constituent
H01L 2224/29383	Rhenium [Re] as principal constituent
H01L 2224/29384	Tungsten [W] as principal constituent
H01L 2224/29386	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/29387	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/29388)
H01L 2224/29388	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/2939	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/29391	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/29393	with a principal constituent of the material being a solid not provided for in groups H01L 2224/293 to H01L 2224/29391 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/29394	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/293 to H01L 2224/29391
H01L 2224/29395	with a principal constituent of the material being a gas not provided for in groups H01L 2224/293 to H01L 2224/29391
H01L 2224/29398	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/29399	Coating material
H01L 2224/294	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof

H01L 2224/29401	the principal constituent melting at a temperature of less than 400°C
H01L 2224/29405	Gallium [Ga] as principal constituent
H01L 2224/29409	Indium [In] as principal constituent
H01L 2224/29411	Tin [Sn] as principal constituent
H01L 2224/29413	Bismuth [Bi] as principal constituent
H01L 2224/29414	Thallium [Tl] as principal constituent
H01L 2224/29416	Lead [Pb] as principal constituent
H01L 2224/29417	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/29418	Zinc [Zn] as principal constituent
H01L 2224/2942	Antimony [Sb] as principal constituent
H01L 2224/29423	Magnesium [Mg] as principal constituent
H01L 2224/29424	Aluminium [Al] as principal constituent
H01L 2224/29438	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/29439	Silver [Ag] as principal constituent
H01L 2224/29444	Gold [Au] as principal constituent
H01L 2224/29447	Copper [Cu] as principal constituent
H01L 2224/29449	Manganese [Mn] as principal constituent
H01L 2224/29455	Nickel [Ni] as principal constituent
H01L 2224/29457	Cobalt [Co] as principal constituent
H01L 2224/2946	Iron [Fe] as principal constituent
H01L 2224/29463	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/29464	Palladium [Pd] as principal constituent
H01L 2224/29466	Titanium [Ti] as principal constituent
H01L 2224/29469	Platinum [Pt] as principal constituent
H01L 2224/2947	Zirconium [Zr] as principal constituent
H01L 2224/29471	Chromium [Cr] as principal constituent
H01L 2224/29472	Vanadium [V] as principal constituent
H01L 2224/29473	Rhodium [Rh] as principal constituent
H01L 2224/29476	Ruthenium [Ru] as principal constituent
H01L 2224/29478	Iridium [Ir] as principal constituent
H01L 2224/29479	Niobium [Nb] as principal constituent
H01L 2224/2948	Molybdenum [Mo] as principal constituent
H01L 2224/29481	Tantalum [Ta] as principal constituent
H01L 2224/29483	Rhenium [Re] as principal constituent
H01L 2224/29484	Tungsten [W] as principal constituent
H01L 2224/29486	with a principal constituent of the material being a non metallic, non metalloid inorganic material

H01L 2224/29487	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/29488)
H01L 2224/29488	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/2949	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/29491	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/29493	with a principal constituent of the material being a solid not provided for in groups H01L 2224/294 to H01L 2224/29491 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/29494	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/294 to H01L 2224/29491
H01L 2224/29495	with a principal constituent of the material being a gas not provided for in groups H01L 2224/294 to H01L 2224/29491
H01L 2224/29498	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/29499	Shape or distribution of the fillers
H01L 2224/2954	Coating
H01L 2224/29541	Structure
H01L 2224/2955	Shape
H01L 2224/29551	being non uniform
H01L 2224/29552	comprising protrusions or indentations
H01L 2224/29553	at the bonding interface of the layer connector, i.e. on the surface of the layer connector
H01L 2224/2956	Disposition
H01L 2224/29561	On the entire surface of the core, i.e. integral coating
H01L 2224/29562	On the entire exposed surface of the core
H01L 2224/29563	Only on parts of the surface of the core, i.e. partial coating
H01L 2224/29564	Only on the bonding interface of the layer connector
H01L 2224/29565	Only outside the bonding interface of the layer connector
H01L 2224/29566	Both on and outside the bonding interface of the layer connector
H01L 2224/2957	Single coating layer
H01L 2224/29575	Plural coating layers
H01L 2224/29576	being mutually engaged together, e.g. through inserts
H01L 2224/29578	being disposed next to each other, e.g. side-to-side arrangements
H01L 2224/2958	being stacked
H01L 2224/29582	Two-layer coating
H01L 2224/29583	Three-layer coating

H01L 2224/29584	Four-layer coating
H01L 2224/29599	Material
H01L 2224/296	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/29601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/29605	Gallium [Ga] as principal constituent
H01L 2224/29609	Indium [In] as principal constituent
H01L 2224/29611	Tin [Sn] as principal constituent
H01L 2224/29613	Bismuth [Bi] as principal constituent
H01L 2224/29614	Thallium [Tl] as principal constituent
H01L 2224/29616	Lead [Pb] as principal constituent
H01L 2224/29617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/29618	Zinc [Zn] as principal constituent
H01L 2224/2962	Antimony [Sb] as principal constituent
H01L 2224/29623	Magnesium [Mg] as principal constituent
H01L 2224/29624	Aluminium [Al] as principal constituent
H01L 2224/29638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/29639	Silver [Ag] as principal constituent
H01L 2224/29644	Gold [Au] as principal constituent
H01L 2224/29647	Copper [Cu] as principal constituent
H01L 2224/29649	Manganese [Mn] as principal constituent
H01L 2224/29655	Nickel [Ni] as principal constituent
H01L 2224/29657	Cobalt [Co] as principal constituent
H01L 2224/2966	Iron [Fe] as principal constituent
H01L 2224/29663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/29664	Palladium [Pd] as principal constituent
H01L 2224/29666	Titanium [Ti] as principal constituent
H01L 2224/29669	Platinum [Pt] as principal constituent
H01L 2224/2967	Zirconium [Zr] as principal constituent
H01L 2224/29671	Chromium [Cr] as principal constituent
H01L 2224/29672	Vanadium [V] as principal constituent
H01L 2224/29673	Rhodium [Rh] as principal constituent
H01L 2224/29676	Ruthenium [Ru] as principal constituent
H01L 2224/29678	Iridium [Ir] as principal constituent
H01L 2224/29679	Niobium [Nb] as principal constituent
H01L 2224/2968	Molybdenum [Mo] as principal constituent
H01L 2224/29681	Tantalum [Ta] as principal constituent

H01L 2224/29683	Rhenium [Re] as principal constituent
H01L 2224/29684	Tungsten [W] as principal constituent
H01L 2224/29686	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/29687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/29688)
H01L 2224/29688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/2969	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/29691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/29693	with a principal constituent of the material being a solid not provided for in groups H01L 2224/296 to H01L 2224/29691 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/29694	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/296 to H01L 2224/29691
H01L 2224/29695	with a principal constituent of the material being a gas not provided for in groups H01L 2224/296 to H01L 2224/29691
H01L 2224/29698	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/29699	Material of the matrix
H01L 2224/297	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/29701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/29705	Gallium [Ga] as principal constituent
H01L 2224/29709	Indium [In] as principal constituent
H01L 2224/29711	Tin [Sn] as principal constituent
H01L 2224/29713	Bismuth [Bi] as principal constituent
H01L 2224/29714	Thallium [Tl] as principal constituent
H01L 2224/29716	Lead [Pb] as principal constituent
H01L 2224/29717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/29718	Zinc [Zn] as principal constituent
H01L 2224/2972	Antimony [Sb] as principal constituent
H01L 2224/29723	Magnesium [Mg] as principal constituent
H01L 2224/29724	Aluminium [Al] as principal constituent
H01L 2224/29738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/29739	Silver [Ag] as principal constituent
H01L 2224/29744	Gold [Au] as principal constituent

H01L 2224/29747	Copper [Cu] as principal constituent
H01L 2224/29749	Manganese [Mn] as principal constituent
H01L 2224/29755	Nickel [Ni] as principal constituent
H01L 2224/29757	Cobalt [Co] as principal constituent
H01L 2224/2976	Iron [Fe] as principal constituent
H01L 2224/29763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/29764	Palladium [Pd] as principal constituent
H01L 2224/29766	Titanium [Ti] as principal constituent
H01L 2224/29769	Platinum [Pt] as principal constituent
H01L 2224/2977	Zirconium [Zr] as principal constituent
H01L 2224/29771	Chromium [Cr] as principal constituent
H01L 2224/29772	Vanadium [V] as principal constituent
H01L 2224/29773	Rhodium [Rh] as principal constituent
H01L 2224/29776	Ruthenium [Ru] as principal constituent
H01L 2224/29778	Iridium [Ir] as principal constituent
H01L 2224/29779	Niobium [Nb] as principal constituent
H01L 2224/2978	Molybdenum [Mo] as principal constituent
H01L 2224/29781	Tantalum [Ta] as principal constituent
H01L 2224/29783	Rhenium [Re] as principal constituent
H01L 2224/29784	Tungsten [W] as principal constituent
H01L 2224/29786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/29787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/29788)
H01L 2224/29788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/2979	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/29791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/29793	with a principal constituent of the material being a solid not provided for in groups H01L 2224/297 to H01L 2224/29791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/29794	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/297 to H01L 2224/29791
H01L 2224/29795	with a principal constituent of the material being a gas not provided for in groups H01L 2224/297 to H01L 2224/29791
H01L 2224/29798	Fillers
H01L 2224/29799	Base material
H01L 2224/298	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof

H01L 2224/29801	the principal constituent melting at a temperature of less than 400°C
H01L 2224/29805	Gallium [Ga] as principal constituent
H01L 2224/29809	Indium [In] as principal constituent
H01L 2224/29811	Tin [Sn] as principal constituent
H01L 2224/29813	Bismuth [Bi] as principal constituent
H01L 2224/29814	Thallium [Tl] as principal constituent
H01L 2224/29816	Lead [Pb] as principal constituent
H01L 2224/29817	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/29818	Zinc [Zn] as principal constituent
H01L 2224/2982	Antimony [Sb] as principal constituent
H01L 2224/29823	Magnesium [Mg] as principal constituent
H01L 2224/29824	Aluminium [Al] as principal constituent
H01L 2224/29838	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/29839	Silver [Ag] as principal constituent
H01L 2224/29844	Gold [Au] as principal constituent
H01L 2224/29847	Copper [Cu] as principal constituent
H01L 2224/29849	Manganese [Mn] as principal constituent
H01L 2224/29855	Nickel [Ni] as principal constituent
H01L 2224/29857	Cobalt [Co] as principal constituent
H01L 2224/2986	Iron [Fe] as principal constituent
H01L 2224/29863	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/29864	Palladium [Pd] as principal constituent
H01L 2224/29866	Titanium [Ti] as principal constituent
H01L 2224/29869	Platinum [Pt] as principal constituent
H01L 2224/2987	Zirconium [Zr] as principal constituent
H01L 2224/29871	Chromium [Cr] as principal constituent
H01L 2224/29872	Vanadium [V] as principal constituent
H01L 2224/29873	Rhodium [Rh] as principal constituent
H01L 2224/29876	Ruthenium [Ru] as principal constituent
H01L 2224/29878	Iridium [Ir] as principal constituent
H01L 2224/29879	Niobium [Nb] as principal constituent
H01L 2224/2988	Molybdenum [Mo] as principal constituent
H01L 2224/29881	Tantalum [Ta] as principal constituent
H01L 2224/29883	Rhenium [Re] as principal constituent
H01L 2224/29884	Tungsten [W] as principal constituent
H01L 2224/29886	with a principal constituent of the material being a non metallic, non metalloid inorganic material

H01L 2224/29887	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/29888)
H01L 2224/29888	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/2989	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/29891	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/29893	with a principal constituent of the material being a solid not provided for in groups H01L 2224/298 to H01L 2224/29891 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/29894	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/298 to H01L 2224/29891
H01L 2224/29895	with a principal constituent of the material being a gas not provided for in groups H01L 2224/298 to H01L 2224/29891
H01L 2224/29898	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/29899	Coating material
H01L 2224/299	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/29901	the principal constituent melting at a temperature of less than 400°C
H01L 2224/29905	Gallium [Ga] as principal constituent
H01L 2224/29909	Indium [In] as principal constituent
H01L 2224/29911	Tin [Sn] as principal constituent
H01L 2224/29913	Bismuth [Bi] as principal constituent
H01L 2224/29914	Thallium [Tl] as principal constituent
H01L 2224/29916	Lead [Pb] as principal constituent
H01L 2224/29917	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/29918	Zinc [Zn] as principal constituent
H01L 2224/2992	Antimony [Sb] as principal constituent
H01L 2224/29923	Magnesium [Mg] as principal constituent
H01L 2224/29924	Aluminium [Al] as principal constituent
H01L 2224/29938	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/29939	Silver [Ag] as principal constituent
H01L 2224/29944	Gold [Au] as principal constituent
H01L 2224/29947	Copper [Cu] as principal constituent

H01L 2224/29949	Manganese [Mn] as principal constituent
H01L 2224/29955	Nickel [Ni] as principal constituent
H01L 2224/29957	Cobalt [Co] as principal constituent
H01L 2224/2996	Iron [Fe] as principal constituent
H01L 2224/29963	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/29964	Palladium [Pd] as principal constituent
H01L 2224/29966	Titanium [Ti] as principal constituent
H01L 2224/29969	Platinum [Pt] as principal constituent
H01L 2224/2997	Zirconium [Zr] as principal constituent
H01L 2224/29971	Chromium [Cr] as principal constituent
H01L 2224/29972	Vanadium [V] as principal constituent
H01L 2224/29973	Rhodium [Rh] as principal constituent
H01L 2224/29976	Ruthenium [Ru] as principal constituent
H01L 2224/29978	Iridium [Ir] as principal constituent
H01L 2224/29979	Niobium [Nb] as principal constituent
H01L 2224/2998	Molybdenum [Mo] as principal constituent
H01L 2224/29981	Tantalum [Ta] as principal constituent
H01L 2224/29983	Rhenium [Re] as principal constituent
H01L 2224/29984	Tungsten [W] as principal constituent
H01L 2224/29986	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/29987	Ceramics, e.g. crystalline carbides, nitrides or oxides [glass ceramics H01L 2224/29988]
H01L 2224/29988	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/2999	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/29991	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/29993	with a principal constituent of the material being a solid not provided for in groups H01L 2224/299 to H01L 2224/29991 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/29994	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/299 to H01L 2224/29991
H01L 2224/29995	with a principal constituent of the material being a gas not provided for in groups H01L 2224/299 to H01L 2224/29991
H01L 2224/29998	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/29999	Shape or distribution of the fillers

H01L 2224/30	of a plurality of layer connectors
H01L 2224/3001	Structure
H01L 2224/3003	Layer connectors having different sizes, e.g. different heights or widths
H01L 2224/3005	Shape
H01L 2224/30051	Layer connectors having different shapes
H01L 2224/301	Disposition
H01L 2224/30104	relative to the bonding areas, e.g. bond pads, of the semiconductor or solid-state body
H01L 2224/3011	the layer connectors being bonded to at least one common bonding area
H01L 2224/3012	Layout
H01L 2224/3013	Square or rectangular array
H01L 2224/30131	being uniform, i.e. having a uniform pitch across the array
H01L 2224/30132	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/30133	with a staggered arrangement, e.g. depopulated array
H01L 2224/30134	covering only portions of the surface to be connected
H01L 2224/30135	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/30136	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/3014	Circular array, i.e. array with radial symmetry
H01L 2224/30141	being uniform, i.e. having a uniform pitch across the array
H01L 2224/30142	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/30143	covering only portions of the surface to be connected
H01L 2224/30145	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/30146	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/3015	Mirror array, i.e. array having only a reflection symmetry, i.e. bilateral symmetry
H01L 2224/30151	being uniform, i.e. having a uniform pitch across the array
H01L 2224/30152	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/30153	with a staggered arrangement, e.g. depopulated array
H01L 2224/30154	covering only portions of the surface to be connected
H01L 2224/30155	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/30156	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/3016	Random layout, i.e. layout with no symmetry
H01L 2224/30163	with a staggered arrangement

H01L 2224/30164	covering only portions of the surface to be connected
H01L 2224/30165	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/30166	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/30177	Combinations of arrays with different layouts
H01L 2224/30179	Corner adaptations, i.e. disposition of the layer connectors at the corners of the semiconductor or solid-state body
H01L 2224/3018	being disposed on at least two different sides of the body, e.g. dual array
H01L 2224/30181	On opposite sides of the body
H01L 2224/30183	On contiguous sides of the body
H01L 2224/305	Material
H01L 2224/30505	Layer connectors having different materials
H01L 2224/3051	Function
H01L 2224/30515	Layer connectors having different functions
H01L 2224/30517	including layer connectors providing primarily mechanical bonding
H01L 2224/30519	including layer connectors providing primarily thermal dissipation
H01L 2224/31	...	Structure, shape, material or disposition of the layer connectors after the connecting process
H01L 2224/32	of an individual layer connector
H01L 2224/3201	Structure
H01L 2224/32012	relative to the bonding area, e.g. bond pad
H01L 2224/32013	the layer connector being larger than the bonding area, e.g. bond pad
H01L 2224/32014	the layer connector being smaller than the bonding area, e.g. bond pad
H01L 2224/3205	Shape
H01L 2224/32052	in top view
H01L 2224/32053	being non uniform along the layer connector
H01L 2224/32054	being rectangular or square
H01L 2224/32055	being circular or elliptic
H01L 2224/32056	comprising protrusions or indentations
H01L 2224/32057	in side view
H01L 2224/32058	being non uniform along the layer connector
H01L 2224/32059	comprising protrusions or indentations
H01L 2224/3207	of bonding interfaces, e.g. interlocking features
H01L 2224/321	Disposition
H01L 2224/32104	relative to the bonding area, e.g. bond pad
H01L 2224/32105	the layer connector connecting bonding areas being not aligned with respect to each other

H01L 2224/32106	the layer connector connecting one bonding area to at least two respective bonding areas
H01L 2224/32111	the layer connector being disposed in a recess of the surface
H01L 2224/32112	the layer connector being at least partially embedded in the surface
H01L 2224/32113	the whole layer connector protruding from the surface
H01L 2224/3213	the layer connector connecting within a semiconductor or solid-state body, i.e. connecting two bonding areas on the same semiconductor or solid-state body
H01L 2224/32135	the layer connector connecting between different semiconductor or solid-state bodies i.e. chip-to-chip
H01L 2224/32137	the bodies being arranged next to each other, e.g. on a common substrate
H01L 2224/32141	the bodies being arranged on opposite sides of a substrate, e.g. mirror arrangements
H01L 2224/32145	the bodies being stacked
H01L 2224/32146	the layer connector connecting to a via connection in the semiconductor or solid-state body
H01L 2224/32147	the layer connector connecting to a bonding area disposed in a recess of the surface
H01L 2224/32148	the layer connector connecting to a bonding area protruding from the surface
H01L 2224/32151	the layer connector connecting between a semiconductor or solid-state body and an item not being a semiconductor or solid-state body, e.g. chip-to-substrate, chip-to-passive
H01L 2224/32153	the body and the item being arranged next to each other, e.g. on a common substrate
H01L 2224/32155	the item being non-metallic, e.g. being an insulating substrate with or without metallisation
H01L 2224/32157	the layer connector connecting to a bond pad of the item
H01L 2224/3216	the layer connector connecting to a pin of the item
H01L 2224/32163	the layer connector connecting to a potential ring of the item
H01L 2224/32165	the layer connector connecting to a via metallisation of the item
H01L 2224/32167	the layer connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/32168	the layer connector connecting to a bonding area protruding from the surface of the item
H01L 2224/32175	the item being metallic
H01L 2224/32183	the layer connector connecting to a potential ring of the item
H01L 2224/32187	the layer connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/32188	the layer connector connecting to a bonding area protruding from the surface of the item
H01L 2224/32195	the item being a discrete passive component

H01L 2224/32197	the layer connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/32198	the layer connector connecting to a bonding area protruding from the surface of the item
H01L 2224/32221	the body and the item being stacked
H01L 2224/32225	the item being non-metallic, e.g. insulating substrate with or without metallisation
H01L 2224/32227	the layer connector connecting to a bond pad of the item
H01L 2224/3223	the layer connector connecting to a pin of the item
H01L 2224/32233	the layer connector connecting to a potential ring of the item
H01L 2224/32235	the layer connector connecting to a via metallisation of the item
H01L 2224/32237	the layer connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/32238	the layer connector connecting to a bonding area protruding from the surface of the item
H01L 2224/3224	the layer connector connecting between the body and an opposite side of the item with respect to the body
H01L 2224/32245	the item being metallic
H01L 2224/32253	the layer connector connecting to a potential ring of the item
H01L 2224/32257	the layer connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/32258	the layer connector connecting to a bonding area protruding from the surface of the item
H01L 2224/3226	the layer connector connecting between the body and an opposite side of the item with respect to the body
H01L 2224/32265	the item being a discrete passive component
H01L 2224/32267	the layer connector connecting to a bonding area disposed in a recess of the surface of the item
H01L 2224/32268	the layer connector connecting to a bonding area protruding from the surface of the item
H01L 2224/325	Material
H01L 2224/32501	at the bonding interface
H01L 2224/32502	comprising an eutectic alloy
H01L 2224/32503	comprising an intermetallic compound
H01L 2224/32505	outside the bonding interface, e.g. in the bulk of the layer connector
H01L 2224/32506	comprising an eutectic alloy
H01L 2224/32507	comprising an intermetallic compound
H01L 2224/33	of a plurality of layer connectors
H01L 2224/3301	Structure
H01L 2224/3303	Layer connectors having different sizes, e.g. different heights or widths
H01L 2224/3305	Shape
H01L 2224/33051	Layer connectors having different shapes

H01L 2224/33055	of their bonding interfaces
H01L 2224/331	Disposition
H01L 2224/33104	relative to the bonding areas, e.g. bond pads
H01L 2224/33106	the layer connectors being bonded to at least one common bonding area
H01L 2224/33107	the layer connectors connecting two common bonding areas
H01L 2224/3312	Layout(layout of layer connectors prior to the connecting process H01L 2224/3012)
H01L 2224/3313	Square or rectangular array
H01L 2224/33132	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/33133	with a staggered arrangement, e.g. depopulated array
H01L 2224/33134	covering only portions of the surface to be connected
H01L 2224/33135	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/3314	Circular array, i.e. array with radial symmetry
H01L 2224/33142	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/33143	with a staggered arrangement
H01L 2224/33144	covering only portions of the surface to be connected
H01L 2224/33145	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/3315	Mirror array, i.e. array having only a reflection symmetry, i.e. bilateral symmetry
H01L 2224/33151	being uniform, i.e. having a uniform pitch across the array
H01L 2224/33152	being non uniform, i.e. having a non uniform pitch across the array
H01L 2224/33153	with a staggered arrangement, e.g. depopulated array
H01L 2224/33154	covering only portions of the surface to be connected
H01L 2224/33155	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/33156	Covering only the central area of the surface to be connected, i.e. central arrangements
H01L 2224/3316	Random layout, i.e. layout with no symmetry
H01L 2224/33163	with a staggered arrangement
H01L 2224/33164	covering only portions of the surface to be connected
H01L 2224/33165	Covering only the peripheral area of the surface to be connected, i.e. peripheral arrangements
H01L 2224/33177	Combinations of arrays with different layouts
H01L 2224/33179	Corner adaptations, i.e. disposition of the layer connectors at the corners of the semiconductor or solid-state body
H01L 2224/3318	being disposed on at least two different sides of the body, e.g. dual array
H01L 2224/33181	On opposite sides of the body

H01L 2224/33183	On contiguous sides of the body
H01L 2224/335	Material
H01L 2224/33505	Layer connectors having different materials
H01L 2224/3351	Function
H01L 2224/33515	Layer connectors having different functions
H01L 2224/33517	including layer connectors providing primarily mechanical support
H01L 2224/33519	including layer connectors providing primarily thermal dissipation
H01L 2224/34	..	Strap connectors, e.g. copper straps for grounding power devices; Manufacturing methods related thereto
H01L 2224/35	...	Manufacturing methods
H01L 2224/35001	Involving a temporary auxiliary member not forming part of the manufacturing apparatus, e.g. removable or sacrificial coating, film or substrate
H01L 2224/351	Pre-treatment of the preform connector
H01L 2224/3512	Applying permanent coating, e.g. in-situ coating
H01L 2224/35125	Plating, e.g. electroplating, electroless plating
H01L 2224/352	Mechanical processes
H01L 2224/3521	Pulling
H01L 2224/355	Modification of a pre-existing material
H01L 2224/3551	Sintering
H01L 2224/3552	Anodisation
H01L 2224/357	Involving monitoring, e.g. feedback loop
H01L 2224/358	Post-treatment of the connector
H01L 2224/3581	Cleaning , e.g. oxide removal step, desmearing
H01L 2224/3582	Applying permanent coating, e.g. in-situ coating
H01L 2224/35821	Spray coating
H01L 2224/35822	Dip coating
H01L 2224/35823	Immersion coating, e.g. solder bath
H01L 2224/35824	Chemical solution deposition [CSD], i.e. using a liquid precursor
H01L 2224/35825	Plating, e.g. electroplating, electroless plating
H01L 2224/35826	Physical vapour deposition [PVD], e.g. evaporation, sputtering
H01L 2224/35827	Chemical vapour deposition [CVD], e.g. laser CVD
H01L 2224/3583	Reworking
H01L 2224/35831	with a chemical process, e.g. with etching of the connector
H01L 2224/35847	with a mechanical process, e.g. with flattening of the connector
H01L 2224/35848	Thermal treatments, e.g. annealing, controlled cooling
H01L 2224/35985	Methods of manufacturing strap connectors involving a specific sequence of method steps
H01L 2224/35986	with repetition of the same manufacturing step
H01L 2224/36	...	Structure, shape, material or disposition of the strap connectors prior to the connecting process

H01L 2224/37	of an individual strap connector
H01L 2224/37001	Core members of the connector
H01L 2224/37005	Structure
H01L 2224/3701	Shape
H01L 2224/37011	comprising apertures or cavities
H01L 2224/37012	Cross-sectional shape
H01L 2224/37013	being non uniform along the connector
H01L 2224/3702	Disposition
H01L 2224/37025	Plural core members
H01L 2224/37026	being mutually engaged together, e.g. through inserts
H01L 2224/37028	Side-to-side arrangements
H01L 2224/3703	Stacked arrangements
H01L 2224/37032	Two-layer arrangements
H01L 2224/37033	Three-layer arrangements
H01L 2224/37034	Four-layer arrangements
H01L 2224/37099	Material
H01L 2224/371	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/37101	the principal constituent melting at a temperature of less than 400°C
H01L 2224/37105	Gallium [Ga] as principal constituent
H01L 2224/37109	Indium [In] as principal constituent
H01L 2224/37111	Tin [Sn] as principal constituent
H01L 2224/37113	Bismuth [Bi] as principal constituent
H01L 2224/37114	Thallium [Tl] as principal constituent
H01L 2224/37116	Lead [Pb] as principal constituent
H01L 2224/37117	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/37118	Zinc [Zn] as principal constituent
H01L 2224/3712	Antimony [Sb] as principal constituent
H01L 2224/37123	Magnesium [Mg] as principal constituent
H01L 2224/37124	Aluminium [Al] as principal constituent
H01L 2224/37138	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/37139	Silver [Ag] as principal constituent
H01L 2224/37144	Gold [Au] as principal constituent
H01L 2224/37147	Copper [Cu] as principal constituent
H01L 2224/37149	Manganese [Mn] as principal constituent
H01L 2224/37155	Nickel [Ni] as principal constituent
H01L 2224/37157	Cobalt [Co] as principal constituent

H01L 2224/3716	Iron [Fe] as principal constituent
H01L 2224/37163	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/37164	Palladium [Pd] as principal constituent
H01L 2224/37166	Titanium [Ti] as principal constituent
H01L 2224/37169	Platinum [Pt] as principal constituent
H01L 2224/3717	Zirconium [Zr] as principal constituent
H01L 2224/37171	Chromium [Cr] as principal constituent
H01L 2224/37172	Vanadium [V] as principal constituent
H01L 2224/37173	Rhodium [Rh] as principal constituent
H01L 2224/37176	Ruthenium [Ru] as principal constituent
H01L 2224/37178	Iridium [Ir] as principal constituent
H01L 2224/37179	Niobium [Nb] as principal constituent
H01L 2224/3718	Molybdenum [Mo] as principal constituent
H01L 2224/37181	Tantalum [Ta] as principal constituent
H01L 2224/37183	Rhenium [Re] as principal constituent
H01L 2224/37184	Tungsten [W] as principal constituent
H01L 2224/37186	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/37187	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/37188)
H01L 2224/37188	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/3719	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/37191	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/37193	with a principal constituent of the material being a solid not provided for in groups H01L 2224/371 to H01L 2224/37191 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/37194	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/371 to H01L 2224/37191
H01L 2224/37195	with a principal constituent of the material being a gas not provided for in groups T01L 224/44100 to T01L 224/44191
H01L 2224/37198	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/37199	Material of the matrix
H01L 2224/372	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/37201	the principal constituent melting at a temperature of less than 400°C
H01L 2224/37205	Gallium [Ga] as principal constituent

H01L 2224/37209	Indium [In] as principal constituent
H01L 2224/37211	Tin [Sn] as principal constituent
H01L 2224/37213	Bismuth [Bi] as principal constituent
H01L 2224/37214	Thallium [Tl] as principal constituent
H01L 2224/37216	Lead [Pb] as principal constituent
H01L 2224/37217	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/37218	Zinc [Zn] as principal constituent
H01L 2224/3722	Antimony [Sb] as principal constituent
H01L 2224/37223	Magnesium [Mg] as principal constituent
H01L 2224/37224	Aluminium [Al] as principal constituent
H01L 2224/37238	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/37239	Silver [Ag] as principal constituent
H01L 2224/37244	Gold [Au] as principal constituent
H01L 2224/37247	Copper [Cu] as principal constituent
H01L 2224/37249	Manganese [Mn] as principal constituent
H01L 2224/37255	Nickel [Ni] as principal constituent
H01L 2224/37257	Cobalt [Co] as principal constituent
H01L 2224/3726	Iron [Fe] as principal constituent
H01L 2224/37263	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/37264	Palladium [Pd] as principal constituent
H01L 2224/37266	Titanium [Ti] as principal constituent
H01L 2224/37269	Platinum [Pt] as principal constituent
H01L 2224/3727	Zirconium [Zr] as principal constituent
H01L 2224/37271	Chromium [Cr] as principal constituent
H01L 2224/37272	Vanadium [V] as principal constituent
H01L 2224/37273	Rhodium [Rh] as principal constituent
H01L 2224/37276	Ruthenium [Ru] as principal constituent
H01L 2224/37278	Iridium [Ir] as principal constituent
H01L 2224/37279	Niobium [Nb] as principal constituent
H01L 2224/3728	Molybdenum [Mo] as principal constituent
H01L 2224/37281	Tantalum [Ta] as principal constituent
H01L 2224/37283	Rhenium [Re] as principal constituent
H01L 2224/37284	Tungsten [W] as principal constituent
H01L 2224/37286	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/37287	Ceramics, e.g. crystalline carbides, nitrides or oxides [glass ceramics H01L 2224/37288]
H01L 2224/37288	Glasses, e.g. amorphous oxides, nitrides or fluorides

H01L 2224/3729	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/37291	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/37293	with a principal constituent of the material being a solid not provided for in groups H01L 2224/372 to H01L 2224/37291 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/37294	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/372 to H01L 2224/37291
H01L 2224/37295	with a principal constituent of the material being a gas not provided for in groups H01L 2224/372 to H01L 2224/37291
H01L 2224/37298	Fillers
H01L 2224/37299	
H01L 2224/373	
		Base material
		with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/37301	the principal constituent melting at a temperature of less than 400°C
H01L 2224/37305	Gallium [Ga] as principal constituent
H01L 2224/37309	Indium [In] as principal constituent
H01L 2224/37311	Tin [Sn] as principal constituent
H01L 2224/37313	Bismuth [Bi] as principal constituent
H01L 2224/37314	Thallium [Tl] as principal constituent
H01L 2224/37316	Lead [Pb] as principal constituent
H01L 2224/37317	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/37318	Zinc [Zn] as principal constituent
H01L 2224/3732	Antimony [Sb] as principal constituent
H01L 2224/37323	Magnesium [Mg] as principal constituent
H01L 2224/37324	Aluminium [Al] as principal constituent
H01L 2224/37338	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/37339	Silver [Ag] as principal constituent
H01L 2224/37344	Gold [Au] as principal constituent
H01L 2224/37347	Copper [Cu] as principal constituent
H01L 2224/37349	Manganese [Mn] as principal constituent
H01L 2224/37355	Nickel [Ni] as principal constituent
H01L 2224/37357	Cobalt [Co] as principal constituent
H01L 2224/3736	Iron [Fe] as principal constituent
H01L 2224/37363	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/37364	Palladium [Pd] as principal constituent

H01L 2224/37366	Titanium [Ti] as principal constituent
H01L 2224/37369	Platinum [Pt] as principal constituent
H01L 2224/3737	Zirconium [Zr] as principal constituent
H01L 2224/37371	Chromium [Cr] as principal constituent
H01L 2224/37372	Vanadium [V] as principal constituent
H01L 2224/37373	Rhodium [Rh] as principal constituent
H01L 2224/37376	Ruthenium [Ru] as principal constituent
H01L 2224/37378	Iridium [Ir] as principal constituent
H01L 2224/37379	Niobium [Nb] as principal constituent
H01L 2224/3738	Molybdenum [Mo] as principal constituent
H01L 2224/37381	Tantalum [Ta] as principal constituent
H01L 2224/37383	Rhenium [Re] as principal constituent
H01L 2224/37384	Tungsten [W] as principal constituent
H01L 2224/37386	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/37387	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/37388)
H01L 2224/37388	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/3739	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/37391	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/37393	with a principal constituent of the material being a solid not provided for in groups H01L 2224/373 to H01L 2224/37391 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/37394	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/373 to H01L 2224/37391
H01L 2224/37395	with a principal constituent of the material being a gas not provided for in groups H01L 2224/373 to H01L 2224/37391
H01L 2224/37398	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/37399	Coating material
H01L 2224/374	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/37401	the principal constituent melting at a temperature of less than 400°C
H01L 2224/37405	Gallium [Ga] as principal constituent
H01L 2224/37409	Indium [In] as principal constituent

H01L 2224/37411	Tin [Sn] as principal constituent
H01L 2224/37413	Bismuth [Bi] as principal constituent
H01L 2224/37414	Thallium [Tl] as principal constituent
H01L 2224/37416	Lead [Pb] as principal constituent
H01L 2224/37417	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/37418	Zinc [Zn] as principal constituent
H01L 2224/3742	Antimony [Sb] as principal constituent
H01L 2224/37423	Magnesium [Mg] as principal constituent
H01L 2224/37424	Aluminium [Al] as principal constituent
H01L 2224/37438	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/37439	Silver [Ag] as principal constituent
H01L 2224/37444	Gold [Au] as principal constituent
H01L 2224/37447	Copper [Cu] as principal constituent
H01L 2224/37449	Manganese [Mn] as principal constituent
H01L 2224/37455	Nickel [Ni] as principal constituent
H01L 2224/37457	Cobalt [Co] as principal constituent
H01L 2224/3746	Iron [Fe] as principal constituent
H01L 2224/37463	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/37464	Palladium [Pd] as principal constituent
H01L 2224/37466	Titanium [Ti] as principal constituent
H01L 2224/37469	Platinum [Pt] as principal constituent
H01L 2224/3747	Zirconium [Zr] as principal constituent
H01L 2224/37471	Chromium [Cr] as principal constituent
H01L 2224/37472	Vanadium [V] as principal constituent
H01L 2224/37473	Rhodium [Rh] as principal constituent
H01L 2224/37476	Ruthenium [Ru] as principal constituent
H01L 2224/37478	Iridium [Ir] as principal constituent
H01L 2224/37479	Niobium [Nb] as principal constituent
H01L 2224/3748	Molybdenum [Mo] as principal constituent
H01L 2224/37481	Tantalum [Ta] as principal constituent
H01L 2224/37483	Rhenium [Re] as principal constituent
H01L 2224/37484	Tungsten [W] as principal constituent
H01L 2224/37486	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/37487	Ceramics, e.g. crystalline carbides, nitrides or oxides [glass ceramics H01L 2224/37488]
H01L 2224/37488	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/3749	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy

H01L 2224/37491	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/37493	with a principal constituent of the material being a solid not provided for in groups H01L 2224/374 to H01L 2224/37491 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/37494	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/374 to H01L 2224/37491
H01L 2224/37495	with a principal constituent of the material being a gas not provided for in groups H01L 2224/374 to H01L 2224/37491
H01L 2224/37498	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/37499	Shape or distribution of the fillers
H01L 2224/3754	Coating
H01L 2224/37541	Structure
H01L 2224/3755	Shape
H01L 2224/3756	Disposition, e.g. coating on a part of the core
H01L 2224/37565	Single coating layer
H01L 2224/3757	Plural coating layers
H01L 2224/37572	Two-layer stack coating
H01L 2224/37573	Three-layer stack coating
H01L 2224/37574	Four-layer stack coating
H01L 2224/37576	being mutually engaged together, e.g. through inserts
H01L 2224/37578	being disposed next to each other, e.g. side-to-side arrangements
H01L 2224/37599	Material
H01L 2224/376	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/37601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/37605	Gallium [Ga] as principal constituent
H01L 2224/37609	Indium [In] as principal constituent
H01L 2224/37611	Tin [Sn] as principal constituent
H01L 2224/37613	Bismuth [Bi] as principal constituent
H01L 2224/37614	Thallium [Tl] as principal constituent
H01L 2224/37616	Lead [Pb] as principal constituent
H01L 2224/37617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/37618	Zinc [Zn] as principal constituent
H01L 2224/3762	Antimony [Sb] as principal constituent

H01L 2224/37623	Magnesium [Mg] as principal constituent
H01L 2224/37624	Aluminium [Al] as principal constituent
H01L 2224/37638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/37639	Silver [Ag] as principal constituent
H01L 2224/37644	Gold [Au] as principal constituent
H01L 2224/37647	Copper [Cu] as principal constituent
H01L 2224/37649	Manganese [Mn] as principal constituent
H01L 2224/37655	Nickel [Ni] as principal constituent
H01L 2224/37657	Cobalt [Co] as principal constituent
H01L 2224/3766	Iron [Fe] as principal constituent
H01L 2224/37663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/37664	Palladium [Pd] as principal constituent
H01L 2224/37666	Titanium [Ti] as principal constituent
H01L 2224/37669	Platinum [Pt] as principal constituent
H01L 2224/3767	Zirconium [Zr] as principal constituent
H01L 2224/37671	Chromium [Cr] as principal constituent
H01L 2224/37672	Vanadium [V] as principal constituent
H01L 2224/37673	Rhodium [Rh] as principal constituent
H01L 2224/37676	Ruthenium [Ru] as principal constituent
H01L 2224/37678	Iridium [Ir] as principal constituent
H01L 2224/37679	Niobium [Nb] as principal constituent
H01L 2224/3768	Molybdenum [Mo] as principal constituent
H01L 2224/37681	Tantalum [Ta] as principal constituent
H01L 2224/37683	Rhenium [Re] as principal constituent
H01L 2224/37684	Tungsten [W] as principal constituent
H01L 2224/37686	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/37687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/37688)
H01L 2224/37688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/3769	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/37691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/37693	with a principal constituent of the material being a solid not provided for in groups H01L 2224/376 to H01L 2224/37691 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/37694	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/376 to H01L 2224/37691

H01L 2224/37695	with a principal constituent of the material being a gas not provided for in groups H01L 2224/376 to H01L 2224/37691
H01L 2224/37698	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/37699	Material of the matrix
H01L 2224/377	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/37701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/37705	Gallium [Ga] as principal constituent
H01L 2224/37709	Indium [In] as principal constituent
H01L 2224/37711	Tin [Sn] as principal constituent
H01L 2224/37713	Bismuth [Bi] as principal constituent
H01L 2224/37714	Thallium [Tl] as principal constituent
H01L 2224/37716	Lead [Pb] as principal constituent
H01L 2224/37717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/37718	Zinc [Zn] as principal constituent
H01L 2224/3772	Antimony [Sb] as principal constituent
H01L 2224/37723	Magnesium [Mg] as principal constituent
H01L 2224/37724	Aluminium [Al] as principal constituent
H01L 2224/37738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/37739	Silver [Ag] as principal constituent
H01L 2224/37744	Gold [Au] as principal constituent
H01L 2224/37747	Copper [Cu] as principal constituent
H01L 2224/37749	Manganese [Mn] as principal constituent
H01L 2224/37755	Nickel [Ni] as principal constituent
H01L 2224/37757	Cobalt [Co] as principal constituent
H01L 2224/3776	Iron [Fe] as principal constituent
H01L 2224/37763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/37764	Palladium [Pd] as principal constituent
H01L 2224/37766	Titanium [Ti] as principal constituent
H01L 2224/37769	Platinum [Pt] as principal constituent
H01L 2224/3777	Zirconium [Zr] as principal constituent
H01L 2224/37771	Chromium [Cr] as principal constituent
H01L 2224/37772	Vanadium [V] as principal constituent
H01L 2224/37773	Rhodium [Rh] as principal constituent
H01L 2224/37776	Ruthenium [Ru] as principal constituent

H01L 2224/37778	Iridium [Ir] as principal constituent
H01L 2224/37779	Niobium [Nb] as principal constituent
H01L 2224/3778	Molybdenum [Mo] as principal constituent
H01L 2224/37781	Tantalum [Ta] as principal constituent
H01L 2224/37783	Rhenium [Re] as principal constituent
H01L 2224/37784	Tungsten [W] as principal constituent
H01L 2224/37786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/37787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/37788)
H01L 2224/37788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/3779	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/37791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/37793	with a principal constituent of the material being a solid not provided for in groups H01L 2224/377 to H01L 2224/37791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/37794	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/377 to H01L 2224/37791
H01L 2224/37795	with a principal constituent of the material being a gas not provided for in groups H01L 2224/377 to H01L 2224/37791
H01L 2224/37798	Fillers
H01L 2224/37799	Base material
H01L 2224/378	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/37801	the principal constituent melting at a temperature of less than 400°C
H01L 2224/37805	Gallium [Ga] as principal constituent
H01L 2224/37809	Indium [In] as principal constituent
H01L 2224/37811	Tin [Sn] as principal constituent
H01L 2224/37813	Bismuth [Bi] as principal constituent
H01L 2224/37814	Thallium [Tl] as principal constituent
H01L 2224/37816	Lead [Pb] as principal constituent
H01L 2224/37817	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/37818	Zinc [Zn] as principal constituent
H01L 2224/3782	Antimony [Sb] as principal constituent
H01L 2224/37823	Magnesium [Mg] as principal constituent
H01L 2224/37824	Aluminium [Al] as principal constituent

H01L 2224/37838	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/37839	Silver [Ag] as principal constituent
H01L 2224/37844	Gold [Au] as principal constituent
H01L 2224/37847	Copper [Cu] as principal constituent
H01L 2224/37849	Manganese [Mn] as principal constituent
H01L 2224/37855	Nickel [Ni] as principal constituent
H01L 2224/37857	Cobalt [Co] as principal constituent
H01L 2224/3786	Iron [Fe] as principal constituent
H01L 2224/37863	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/37864	Palladium [Pd] as principal constituent
H01L 2224/37866	Titanium [Ti] as principal constituent
H01L 2224/37869	Platinum [Pt] as principal constituent
H01L 2224/3787	Zirconium [Zr] as principal constituent
H01L 2224/37871	Chromium [Cr] as principal constituent
H01L 2224/37872	Vanadium [V] as principal constituent
H01L 2224/37873	Rhodium [Rh] as principal constituent
H01L 2224/37876	Ruthenium [Ru] as principal constituent
H01L 2224/37878	Iridium [Ir] as principal constituent
H01L 2224/37879	Niobium [Nb] as principal constituent
H01L 2224/3788	Molybdenum [Mo] as principal constituent
H01L 2224/37881	Tantalum [Ta] as principal constituent
H01L 2224/37883	Rhenium [Re] as principal constituent
H01L 2224/37884	Tungsten [W] as principal constituent
H01L 2224/37886	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/37887	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/37888)
H01L 2224/37888	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/3789	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/37891	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/37893	with a principal constituent of the material being a solid not provided for in groups H01L 2224/378 to H01L 2224/37891 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/37894	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/378 to H01L 2224/37891
H01L 2224/37895	with a principal constituent of the material being a gas not provided for in groups H01L 2224/378 to H01L 2224/37891

H01L 2224/37898	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/37899	Coating material
H01L 2224/379	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/37901	the principal constituent melting at a temperature of less than 400°C
H01L 2224/37905	Gallium [Ga] as principal constituent
H01L 2224/37909	Indium [In] as principal constituent
H01L 2224/37911	Tin [Sn] as principal constituent
H01L 2224/37913	Bismuth [Bi] as principal constituent
H01L 2224/37914	Thallium [Tl] as principal constituent
H01L 2224/37916	Lead [Pb] as principal constituent
H01L 2224/37917	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/37918	Zinc [Zn] as principal constituent
H01L 2224/3792	Antimony [Sb] as principal constituent
H01L 2224/37923	Magnesium [Mg] as principal constituent
H01L 2224/37924	Aluminium [Al] as principal constituent
H01L 2224/37938	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/37939	Silver [Ag] as principal constituent
H01L 2224/37944	Gold [Au] as principal constituent
H01L 2224/37947	Copper [Cu] as principal constituent
H01L 2224/37949	Manganese [Mn] as principal constituent
H01L 2224/37955	Nickel [Ni] as principal constituent
H01L 2224/37957	Cobalt [Co] as principal constituent
H01L 2224/3796	Iron [Fe] as principal constituent
H01L 2224/37963	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/37964	Palladium [Pd] as principal constituent
H01L 2224/37966	Titanium [Ti] as principal constituent
H01L 2224/37969	Platinum [Pt] as principal constituent
H01L 2224/3797	Zirconium [Zr] as principal constituent
H01L 2224/37971	Chromium [Cr] as principal constituent
H01L 2224/37972	Vanadium [V] as principal constituent
H01L 2224/37973	Rhodium [Rh] as principal constituent
H01L 2224/37976	Ruthenium [Ru] as principal constituent
H01L 2224/37978	Iridium [Ir] as principal constituent

H01L 2224/37979	Niobium [Nb] as principal constituent
H01L 2224/3798	Molybdenum [Mo] as principal constituent
H01L 2224/37981	Tantalum [Ta] as principal constituent
H01L 2224/37983	Rhenium [Re] as principal constituent
H01L 2224/37984	Tungsten [W] as principal constituent
H01L 2224/37986	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/37987	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/37988)
H01L 2224/37988	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/3799	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/37991	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/37993	with a principal constituent of the material being a solid not provided for in groups H01L 2224/379 to H01L 2224/37991 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/37994	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/379 to H01L 2224/37991
H01L 2224/37995	with a principal constituent of the material being a gas not provided for in groups H01L 2224/379 to H01L 2224/37991
H01L 2224/37998	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/37999	Shape or distribution of the fillers
H01L 2224/38	of a plurality of strap connectors
H01L 2224/39	...	Structure, shape, material or disposition of the strap connectors after the connecting process
H01L 2224/40	of an individual strap connector
H01L 2224/4001	Structure
H01L 2224/4005	Shape
H01L 2224/4007	of bonding interfaces, e.g. interlocking features
H01L 2224/4009	Loop shape
H01L 2224/40091	Arched
H01L 2224/40095	Kinked
H01L 2224/401	Disposition
H01L 2224/40101	Connecting bonding areas at the same height, e.g. horizontal bond
H01L 2224/40105	Connecting bonding areas at different heights
H01L 2224/40106	the connector being orthogonal to a side surface of the semiconductor or solid-state body, e.g. parallel layout

H01L 2224/40108	the connector not being orthogonal to a side surface of the semiconductor or solid-state body, e.g. fanned-out connectors, radial layout
H01L 2224/40111	the strap connector extending above another semiconductor or solid-state body
H01L 2224/4013	Connecting within a semiconductor or solid-state body i.e. fly strap, bridge strap
H01L 2224/40132	with an intermediate bond, e.g. continuous strap daisy chain
H01L 2224/40135	Connecting between different semiconductor or solid-state bodies i.e. chip-to-chip
H01L 2224/40137	the bodies being arranged next to each other, e.g. on a common substrate
H01L 2224/40139	with an intermediate bond, e.g. continuous strap daisy chain
H01L 2224/40141	the bodies being arranged on opposite sides of a substrate, e.g. mirror arrangements
H01L 2224/40145	the bodies being stacked
H01L 2224/40147	with an intermediate bond, e.g. continuous strap daisy chain
H01L 2224/40151	Connecting between a semiconductor or solid-state body and an item not being a semiconductor or solid-state body, e.g. chip-to-substrate, chip-to-passive
H01L 2224/40153	the body and the item being arranged next to each other, e.g. on a common substrate
H01L 2224/40155	the item being non-metallic, e.g. insulating substrate with or without metallisation
H01L 2224/40157	Connecting the strap to a bond pad of the item
H01L 2224/40158	the bond pad being disposed in a recess of the surface of the item
H01L 2224/40159	the bond pad protruding from the surface of the item
H01L 2224/4016	Connecting the strap to a pin of the item
H01L 2224/40163	Connecting the strap to a potential ring of the item
H01L 2224/40165	Connecting the strap to a via metallisation of the item
H01L 2224/40175	the item being metallic
H01L 2224/40177	Connecting the strap to a bond pad of the item
H01L 2224/40178	the bond pad being disposed in a recess of the surface of the item
H01L 2224/40179	the bond pad protruding from the surface of the item
H01L 2224/40183	Connecting the strap to a potential ring of the item
H01L 2224/40195	the item being a discrete passive component
H01L 2224/40221	the body and the item being stacked
H01L 2224/40225	the item being non-metallic, e.g. insulating substrate with or without metallisation
H01L 2224/40227	Connecting the strap to a bond pad of the item
H01L 2224/40228	the bond pad being disposed in a recess of the surface of the item

H01L 2224/40229	the bond pad protruding from the surface of the item
H01L 2224/4023	Connecting the strap to a pin of the item
H01L 2224/40233	Connecting the strap to a potential ring of the item
H01L 2224/40235	Connecting the strap to a via metallisation of the item
H01L 2224/40237	Connecting the strap to a die pad of the item
H01L 2224/4024	Connecting between the body and an opposite side of the item with respect to the body
H01L 2224/40245	the item being metallic
H01L 2224/40247	Connecting the strap to a bond pad of the item
H01L 2224/40248	the bond pad being disposed in a recess of the surface of the item
H01L 2224/40249	the bond pad protruding from the surface of the item
H01L 2224/40253	Connecting the strap to a potential ring of the item
H01L 2224/40257	Connecting the strap to a die pad of the item
H01L 2224/4026	Connecting between the body and an opposite side of the item with respect to the body
H01L 2224/40265	the item being a discrete passive component
H01L 2224/404	Connecting portions
H01L 2224/4046	with multiple bonds on the same bonding area
H01L 2224/40475	connected to auxiliary connecting means on the bonding areas
H01L 2224/40477	being a pre-ball(i.e. a ball formed by capillary bonding)
H01L 2224/40479	on the semiconductor or solid-state body
H01L 2224/4048	outside the semiconductor or solid-state body
H01L 2224/40484	being a plurality of pre-balls disposed side-to-side
H01L 2224/40486	on the semiconductor or solid-state body
H01L 2224/40487	outside the semiconductor or solid-state body
H01L 2224/40491	being an additional member attached to the bonding area through an adhesive or solder, e.g. buffer pad
H01L 2224/40496	not being interposed between the connector and the bonding area
H01L 2224/40499	Material of the auxiliary connecting means
H01L 2224/405	Material
H01L 2224/40505	at the bonding interface
H01L 2224/40506	comprising an eutectic alloy
H01L 2224/40507	comprising an intermetallic compound
H01L 2224/4051	Morphology of the connecting portion, e.g. grain size distribution
H01L 2224/4052	Bonding interface between the connecting portion and the bonding area
H01L 2224/4099	Auxiliary members for strap connectors, e.g. flow-barriers, spacers
H01L 2224/40991	being formed on the semiconductor or solid-state body to be connected
H01L 2224/40992	Reinforcing structures
H01L 2224/40993	Alignment aids

H01L 2224/40996	being formed on an item to be connected not being a semiconductor or solid-state body
H01L 2224/40997	Reinforcing structures
H01L 2224/40998	Alignment aids
H01L 2224/41	of a plurality of strap connectors
H01L 2224/4101	Structure
H01L 2224/4103	Connectors having different sizes
H01L 2224/4105	Shape
H01L 2224/41051	Connectors having different shapes
H01L 2224/41052	Different loop heights
H01L 2224/411	Disposition
H01L 2224/41105	Connecting at different heights
H01L 2224/41107	on the semiconductor or solid-state body being
H01L 2224/41109	outside the semiconductor or solid-state body
H01L 2224/4111	the connectors being bonded to at least one common bonding area, e.g. daisy chain
H01L 2224/41111	the connectors connecting two common bonding areas
H01L 2224/41112	the connectors connecting a common bonding area on the semiconductor or solid-state body to different bonding areas outside the body, e.g. diverging straps
H01L 2224/41113	the connectors connecting different bonding areas on the semiconductor or solid-state body to a common bonding area outside the body, e.g. converging straps
H01L 2224/4112	Layout
H01L 2224/4117	Crossed straps
H01L 2224/41171	Fan-out arrangements
H01L 2224/41173	Radial fan-out arrangements
H01L 2224/41174	Stacked arrangements
H01L 2224/41175	Parallel arrangements
H01L 2224/41176	Strap connectors having the same loop shape and height
H01L 2224/41177	Combinations of different arrangements
H01L 2224/41179	Corner adaptations, i.e. disposition of the strap connectors at the corners of the semiconductor or solid-state body
H01L 2224/4118	being disposed on at least two different sides of the body, e.g. dual array
H01L 2224/414	Connecting portions
H01L 2224/4141	the connecting portions being stacked
H01L 2224/41421	on the semiconductor or solid-state body
H01L 2224/41422	outside the semiconductor or solid-state body
H01L 2224/4143	the connecting portions being staggered
H01L 2224/415	Material
H01L 2224/41505	Connectors having different materials

H01L 2224/42	..	Wire connectors; Manufacturing methods related thereto
H01L 2224/43	...	Manufacturing methods
H01L 2224/43001	Involving a temporary auxiliary member not forming part of the manufacturing apparatus, e.g. removable or sacrificial coating, film or substrate
H01L 2224/431	Pre-treatment of the preform connector
H01L 2224/4312	Applying permanent coating, e.g. in-situ coating
H01L 2224/43125	Plating, e.g. electroplating, electroless plating
H01L 2224/432	Mechanical processes
H01L 2224/4321	Pulling
H01L 2224/435	Modification of a pre-existing material
H01L 2224/4351	Sintering
H01L 2224/4352	Anodisation
H01L 2224/437	Involving monitoring, e.g. feedback loop
H01L 2224/438	Post-treatment of the connector
H01L 2224/4381	Cleaning , e.g. oxide removal step, desmearing
H01L 2224/4382	Applying permanent coating, e.g. in-situ coating
H01L 2224/43821	Spray coating
H01L 2224/43822	Dip coating
H01L 2224/43823	Immersion coating, e.g. solder bath
H01L 2224/43824	Chemical solution deposition [CSD], i.e. using a liquid precursor
H01L 2224/43825	Plating, e.g. electroplating, electroless plating
H01L 2224/43826	Physical vapour deposition [PVD], e.g. evaporation, sputtering
H01L 2224/43827	Chemical vapour deposition [CVD], e.g. laser CVD
H01L 2224/4383	Reworking
H01L 2224/43831	with a chemical process, e.g. with etching of the connector
H01L 2224/43847	with a mechanical process, e.g. with flattening of the connector
H01L 2224/43848	Thermal treatments, e.g. annealing, controlled cooling
H01L 2224/43985	Methods of manufacturing wire connectors involving a specific sequence of method steps
H01L 2224/43986	with repetition of the same manufacturing step
H01L 2224/44	...	Structure, shape, material or disposition of the wire connectors prior to the connecting process
H01L 2224/45	of an individual wire connector
H01L 2224/45001	Core members of the connector
H01L 2224/45005	Structure
H01L 2224/4501	Shape
H01L 2224/45012	Cross-sectional shape
H01L 2224/45013	being non uniform along the connector
H01L 2224/45014	Ribbon connectors, e.g. rectangular cross-section
H01L 2224/45015	being circular

H01L 2224/45016	being elliptic
H01L 2224/4502	Disposition
H01L 2224/45025	Plural core members
H01L 2224/45026	being mutually engaged together, e.g. through inserts
H01L 2224/45028	Side-to-side arrangements
H01L 2224/4503	Stacked arrangements
H01L 2224/45032	Two-layer arrangements
H01L 2224/45033	Three-layer arrangements
H01L 2224/45034	Four-layer arrangements
H01L 2224/45099	Material
H01L 2224/451	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/45101	the principal constituent melting at a temperature of less than 400°C
H01L 2224/45105	Gallium (Ga) as principal constituent
H01L 2224/45109	Indium (In) as principal constituent
H01L 2224/45111	Tin (Sn) as principal constituent
H01L 2224/45113	Bismuth (Bi) as principal constituent
H01L 2224/45114	Thallium (Tl) as principal constituent
H01L 2224/45116	Lead (Pb) as principal constituent
H01L 2224/45117	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/45118	Zinc (Zn) as principal constituent
H01L 2224/4512	Antimony (Sb) as principal constituent
H01L 2224/45123	Magnesium (Mg) as principal constituent
H01L 2224/45124	Aluminium (Al) as principal constituent
H01L 2224/45138	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/45139	Silver (Ag) as principal constituent
H01L 2224/45144	Gold (Au) as principal constituent
H01L 2224/45147	Copper (Cu) as principal constituent
H01L 2224/45149	Manganese (Mn) as principal constituent
H01L 2224/45155	Nickel (Ni) as principal constituent
H01L 2224/45157	Cobalt (Co) as principal constituent
H01L 2224/4516	Iron (Fe) as principal constituent
H01L 2224/45163	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/45164	Palladium (Pd) as principal constituent
H01L 2224/45166	Titanium (Ti) as principal constituent
H01L 2224/45169	Platinum (Pt) as principal constituent

H01L 2224/4517	Zirconium (Zr) as principal constituent
H01L 2224/45171	Chromium (Cr) as principal constituent
H01L 2224/45172	Vanadium (V) as principal constituent
H01L 2224/45173	Rhodium (Rh) as principal constituent
H01L 2224/45176	Ruthenium (Ru) as principal constituent
H01L 2224/45178	Iridium (Ir) as principal constituent
H01L 2224/45179	Niobium (Nb) as principal constituent
H01L 2224/4518	Molybdenum (Mo) as principal constituent
H01L 2224/45181	Tantalum (Ta) as principal constituent
H01L 2224/45183	Rhenium (Re) as principal constituent
H01L 2224/45184	Tungsten (W) as principal constituent
H01L 2224/45186	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/45187	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/45188)
H01L 2224/45188	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/4519	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/45191	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/45193	with a principal constituent of the material being a solid not provided for in groups H01L 2224/451 to H01L 2224/45191 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/45194	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/451 to H01L 2224/45191
H01L 2224/45195	with a principal constituent of the material being a gas not provided for in groups H01L 2224/451 to H01L 2224/45191
H01L 2224/45198	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/45199	Material of the matrix
H01L 2224/452	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/45201	the principal constituent melting at a temperature of less than 400°C
H01L 2224/45205	Gallium (Ga) as principal constituent
H01L 2224/45209	Indium (In) as principal constituent
H01L 2224/45211	Tin (Sn) as principal constituent
H01L 2224/45213	Bismuth (Bi) as principal constituent
H01L 2224/45214	Thallium (Tl) as principal constituent
H01L 2224/45216	Lead (Pb) as principal constituent

H01L 2224/45217	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/45218	Zinc (Zn) as principal constituent
H01L 2224/4522	Antimony (Sb) as principal constituent
H01L 2224/45223	Magnesium (Mg) as principal constituent
H01L 2224/45224	Aluminium (Al) as principal constituent
H01L 2224/45238	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/45239	Silver (Ag) as principal constituent
H01L 2224/45244	Gold (Au) as principal constituent
H01L 2224/45247	Copper (Cu) as principal constituent
H01L 2224/45249	Manganese (Mn) as principal constituent
H01L 2224/45255	Nickel (Ni) as principal constituent
H01L 2224/45257	Cobalt (Co) as principal constituent
H01L 2224/4526	Iron (Fe) as principal constituent
H01L 2224/45263	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/45264	Palladium (Pd) as principal constituent
H01L 2224/45266	Titanium (Ti) as principal constituent
H01L 2224/45269	Platinum (Pt) as principal constituent
H01L 2224/4527	Zirconium (Zr) as principal constituent
H01L 2224/45271	Chromium (Cr) as principal constituent
H01L 2224/45272	Vanadium (V) as principal constituent
H01L 2224/45273	Rhodium (Rh) as principal constituent
H01L 2224/45276	Ruthenium (Ru) as principal constituent
H01L 2224/45278	Iridium (Ir) as principal constituent
H01L 2224/45279	Niobium (Nb) as principal constituent
H01L 2224/4528	Molybdenum (Mo) as principal constituent
H01L 2224/45281	Tantalum (Ta) as principal constituent
H01L 2224/45283	Rhenium (Re) as principal constituent
H01L 2224/45284	Tungsten (W) as principal constituent
H01L 2224/45286	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/45287	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/45288)
H01L 2224/45288	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/4529	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/45291	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene

H01L 2224/45293	with a principal constituent of the material being a solid not provided for in groups H01L 2224/452 to H01L 2224/45291 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/45294	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/452 to H01L 2224/45291
H01L 2224/45295	with a principal constituent of the material being a gas not provided for in groups H01L 2224/452 to H01L 2224/45291
H01L 2224/45298	Fillers
H01L 2224/45299	
H01L 2224/453	
		Base material
		with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/45301	the principal constituent melting at a temperature of less than 400°C
H01L 2224/45305	Gallium (Ga) as principal constituent
H01L 2224/45309	Indium (In) as principal constituent
H01L 2224/45311	Tin (Sn) as principal constituent
H01L 2224/45313	Bismuth (Bi) as principal constituent
H01L 2224/45314	Thallium (Tl) as principal constituent
H01L 2224/45316	Lead (Pb) as principal constituent
H01L 2224/45317	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/45318	Zinc (Zn) as principal constituent
H01L 2224/4532	Antimony (Sb) as principal constituent
H01L 2224/45323	Magnesium (Mg) as principal constituent
H01L 2224/45324	Aluminium (Al) as principal constituent
H01L 2224/45338	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/45339	Silver (Ag) as principal constituent
H01L 2224/45344	Gold (Au) as principal constituent
H01L 2224/45347	Copper (Cu) as principal constituent
H01L 2224/45349	Manganese (Mn) as principal constituent
H01L 2224/45355	Nickel (Ni) as principal constituent
H01L 2224/45357	Cobalt (Co) as principal constituent
H01L 2224/4536	Iron (Fe) as principal constituent
H01L 2224/45363	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/45364	Palladium (Pd) as principal constituent
H01L 2224/45366	Titanium (Ti) as principal constituent
H01L 2224/45369	Platinum (Pt) as principal constituent
H01L 2224/4537	Zirconium (Zr) as principal constituent

H01L 2224/45371	Chromium (Cr) as principal constituent
H01L 2224/45372	Vanadium (V) as principal constituent
H01L 2224/45373	Rhodium (Rh) as principal constituent
H01L 2224/45376	Ruthenium (Ru) as principal constituent
H01L 2224/45378	Iridium (Ir) as principal constituent
H01L 2224/45379	Niobium (Nb) as principal constituent
H01L 2224/4538	Molybdenum (Mo) as principal constituent
H01L 2224/45381	Tantalum (Ta) as principal constituent
H01L 2224/45383	Rhenium (Re) as principal constituent
H01L 2224/45384	Tungsten (W) as principal constituent
H01L 2224/45386	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/45387	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/45388)
H01L 2224/45388	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/4539	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/45391	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/45393	with a principal constituent of the material being a solid not provided for in groups H01L 2224/453 to H01L 2224/45391 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/45394	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/453 to H01L 2224/45391
H01L 2224/45395	with a principal constituent of the material being a gas not provided for in groups H01L 2224/453 to H01L 2224/45391
H01L 2224/45398	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/45399	Coating material
H01L 2224/454	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/45401	the principal constituent melting at a temperature of less than 400°C
H01L 2224/45405	Gallium (Ga) as principal constituent
H01L 2224/45409	Indium (In) as principal constituent
H01L 2224/45411	Tin (Sn) as principal constituent
H01L 2224/45413	Bismuth (Bi) as principal constituent
H01L 2224/45414	Thallium (Tl) as principal constituent

H01L 2224/45416	Lead (Pb) as principal constituent
H01L 2224/45417	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/45418	Zinc (Zn) as principal constituent
H01L 2224/4542	Antimony (Sb) as principal constituent
H01L 2224/45423	Magnesium (Mg) as principal constituent
H01L 2224/45424	Aluminium (Al) as principal constituent
H01L 2224/45438	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/45439	Silver (Ag) as principal constituent
H01L 2224/45444	Gold (Au) as principal constituent
H01L 2224/45447	Copper (Cu) as principal constituent
H01L 2224/45449	Manganese (Mn) as principal constituent
H01L 2224/45455	Nickel (Ni) as principal constituent
H01L 2224/45457	Cobalt (Co) as principal constituent
H01L 2224/4546	Iron (Fe) as principal constituent
H01L 2224/45463	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/45464	Palladium (Pd) as principal constituent
H01L 2224/45466	Titanium (Ti) as principal constituent
H01L 2224/45469	Platinum (Pt) as principal constituent
H01L 2224/4547	Zirconium (Zr) as principal constituent
H01L 2224/45471	Chromium (Cr) as principal constituent
H01L 2224/45472	Vanadium (V) as principal constituent
H01L 2224/45473	Rhodium (Rh) as principal constituent
H01L 2224/45476	Ruthenium (Ru) as principal constituent
H01L 2224/45478	Iridium (Ir) as principal constituent
H01L 2224/45479	Niobium (Nb) as principal constituent
H01L 2224/4548	Molybdenum (Mo) as principal constituent
H01L 2224/45481	Tantalum (Ta) as principal constituent
H01L 2224/45483	Rhenium (Re) as principal constituent
H01L 2224/45484	Tungsten (W) as principal constituent
H01L 2224/45486	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/45487	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/45488)
H01L 2224/45488	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/4549	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/45491	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene

H01L 2224/45493	with a principal constituent of the material being a solid not provided for in groups H01L 2224/454 to H01L 2224/45491 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/45494	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/454 to H01L 2224/45491
H01L 2224/45495	with a principal constituent of the material being a gas not provided for in groups H01L 2224/454 to H01L 2224/45491
H01L 2224/45498	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/45499	Shape or distribution of the fillers
H01L 2224/4554	Coating
H01L 2224/45541	Structure
H01L 2224/4555	Shape
H01L 2224/4556	Disposition, e.g. coating on a part of the core
H01L 2224/45565	Single coating layer
H01L 2224/4557	Plural coating layers
H01L 2224/45572	Two-layer stack coating
H01L 2224/45573	Three-layer stack coating
H01L 2224/45574	Four-layer stack coating
H01L 2224/45576	being mutually engaged together, e.g. through inserts
H01L 2224/45578	being disposed next to each other, e.g. side-to-side arrangements
H01L 2224/45599	Material
H01L 2224/456	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/45601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/45605	Gallium (Ga) as principal constituent
H01L 2224/45609	Indium (In) as principal constituent
H01L 2224/45611	Tin (Sn) as principal constituent
H01L 2224/45613	Bismuth (Bi) as principal constituent
H01L 2224/45614	Thallium (Tl) as principal constituent
H01L 2224/45616	Lead (Pb) as principal constituent
H01L 2224/45617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/45618	Zinc (Zn) as principal constituent
H01L 2224/4562	Antimony (Sb) as principal constituent
H01L 2224/45623	Magnesium (Mg) as principal constituent

H01L 2224/45624	Aluminium (Al) as principal constituent
H01L 2224/45638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/45639	Silver (Ag) as principal constituent
H01L 2224/45644	Gold (Au) as principal constituent
H01L 2224/45647	Copper (Cu) as principal constituent
H01L 2224/45649	Manganese (Mn) as principal constituent
H01L 2224/45655	Nickel (Ni) as principal constituent
H01L 2224/45657	Cobalt (Co) as principal constituent
H01L 2224/4566	Iron (Fe) as principal constituent
H01L 2224/45663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/45664	Palladium (Pd) as principal constituent
H01L 2224/45666	Titanium (Ti) as principal constituent
H01L 2224/45669	Platinum (Pt) as principal constituent
H01L 2224/4567	Zirconium (Zr) as principal constituent
H01L 2224/45671	Chromium (Cr) as principal constituent
H01L 2224/45672	Vanadium (V) as principal constituent
H01L 2224/45673	Rhodium (Rh) as principal constituent
H01L 2224/45676	Ruthenium (Ru) as principal constituent
H01L 2224/45678	Iridium (Ir) as principal constituent
H01L 2224/45679	Niobium (Nb) as principal constituent
H01L 2224/4568	Molybdenum (Mo) as principal constituent
H01L 2224/45681	Tantalum (Ta) as principal constituent
H01L 2224/45683	Rhenium (Re) as principal constituent
H01L 2224/45684	Tungsten (W) as principal constituent
H01L 2224/45686	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/45687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/45688)
H01L 2224/45688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/4569	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/45691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/45693	with a principal constituent of the material being a solid not provided for in groups H01L 2224/456 to H01L 2224/45691 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/45694	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/456 to H01L 2224/45691
H01L 2224/45695	with a principal constituent of the material being a gas not provided for in groups H01L 2224/456 to H01L 2224/45691

H01L 2224/45698	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/45699	Material of the matrix
H01L 2224/457	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/45701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/45705	Gallium (Ga) as principal constituent
H01L 2224/45709	Indium (In) as principal constituent
H01L 2224/45711	Tin (Sn) as principal constituent
H01L 2224/45713	Bismuth (Bi) as principal constituent
H01L 2224/45714	Thallium (Tl) as principal constituent
H01L 2224/45716	Lead (Pb) as principal constituent
H01L 2224/45717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/45718	Zinc (Zn) as principal constituent
H01L 2224/4572	Antimony (Sb) as principal constituent
H01L 2224/45723	Magnesium (Mg) as principal constituent
H01L 2224/45724	Aluminium (Al) as principal constituent
H01L 2224/45738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/45739	Silver (Ag) as principal constituent
H01L 2224/45744	Gold (Au) as principal constituent
H01L 2224/45747	Copper (Cu) as principal constituent
H01L 2224/45749	Manganese (Mn) as principal constituent
H01L 2224/45755	Nickel (Ni) as principal constituent
H01L 2224/45757	Cobalt (Co) as principal constituent
H01L 2224/4576	Iron (Fe) as principal constituent
H01L 2224/45763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/45764	Palladium (Pd) as principal constituent
H01L 2224/45766	Titanium (Ti) as principal constituent
H01L 2224/45769	Platinum (Pt) as principal constituent
H01L 2224/4577	Zirconium (Zr) as principal constituent
H01L 2224/45771	Chromium (Cr) as principal constituent
H01L 2224/45772	Vanadium (V) as principal constituent
H01L 2224/45773	Rhodium (Rh) as principal constituent
H01L 2224/45776	Ruthenium (Ru) as principal constituent
H01L 2224/45778	Iridium (Ir) as principal constituent

H01L 2224/45779	Niobium (Nb) as principal constituent
H01L 2224/4578	Molybdenum (Mo) as principal constituent
H01L 2224/45781	Tantalum (Ta) as principal constituent
H01L 2224/45783	Rhenium (Re) as principal constituent
H01L 2224/45784	Tungsten (W) as principal constituent
H01L 2224/45786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/45787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/45788)
H01L 2224/45788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/4579	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/45791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/45793	with a principal constituent of the material being a solid not provided for in groups H01L 2224/457 to H01L 2224/45791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/45794	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/457 to H01L 2224/45791
H01L 2224/45795	with a principal constituent of the material being a gas not provided for in groups H01L 2224/457 to H01L 2224/45791
H01L 2224/45798	Fillers
H01L 2224/45799	Base material
H01L 2224/458	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/45801	the principal constituent melting at a temperature of less than 400°C
H01L 2224/45805	Gallium (Ga) as principal constituent
H01L 2224/45809	Indium (In) as principal constituent
H01L 2224/45811	Tin (Sn) as principal constituent
H01L 2224/45813	Bismuth (Bi) as principal constituent
H01L 2224/45814	Thallium (Tl) as principal constituent
H01L 2224/45816	Lead (Pb) as principal constituent
H01L 2224/45817	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/45818	Zinc (Zn) as principal constituent
H01L 2224/4582	Antimony (Sb) as principal constituent
H01L 2224/45823	Magnesium (Mg) as principal constituent
H01L 2224/45824	Aluminium (Al) as principal constituent
H01L 2224/45838	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C

H01L 2224/45839	Silver (Ag) as principal constituent
H01L 2224/45844	Gold (Au) as principal constituent
H01L 2224/45847	Copper (Cu) as principal constituent
H01L 2224/45849	Manganese (Mn) as principal constituent
H01L 2224/45855	Nickel (Ni) as principal constituent
H01L 2224/45857	Cobalt (Co) as principal constituent
H01L 2224/4586	Iron (Fe) as principal constituent
H01L 2224/45863	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/45864	Palladium (Pd) as principal constituent
H01L 2224/45866	Titanium (Ti) as principal constituent
H01L 2224/45869	Platinum (Pt) as principal constituent
H01L 2224/4587	Zirconium (Zr) as principal constituent
H01L 2224/45871	Chromium (Cr) as principal constituent
H01L 2224/45872	Vanadium (V) as principal constituent
H01L 2224/45873	Rhodium (Rh) as principal constituent
H01L 2224/45876	Ruthenium (Ru) as principal constituent
H01L 2224/45878	Iridium (Ir) as principal constituent
H01L 2224/45879	Niobium (Nb) as principal constituent
H01L 2224/4588	Molybdenum (Mo) as principal constituent
H01L 2224/45881	Tantalum (Ta) as principal constituent
H01L 2224/45883	Rhenium (Re) as principal constituent
H01L 2224/45884	Tungsten (W) as principal constituent
H01L 2224/45886	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/45887	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/45888)
H01L 2224/45888	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/4589	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/45891	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/45893	with a principal constituent of the material being a solid not provided for in groups H01L 2224/458 to H01L 2224/45891 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/45894	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/458 to H01L 2224/45891
H01L 2224/45895	with a principal constituent of the material being a gas not provided for in groups H01L 2224/458 to H01L 2224/45891

H01L 2224/45898	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/45899	Coating material
H01L 2224/459	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/45901	the principal constituent melting at a temperature of less than 400°C
H01L 2224/45905	Gallium (Ga) as principal constituent
H01L 2224/45909	Indium (In) as principal constituent
H01L 2224/45911	Tin (Sn) as principal constituent
H01L 2224/45913	Bismuth (Bi) as principal constituent
H01L 2224/45914	Thallium (Tl) as principal constituent
H01L 2224/45916	Lead (Pb) as principal constituent
H01L 2224/45917	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/45918	Zinc (Zn) as principal constituent
H01L 2224/4592	Antimony (Sb) as principal constituent
H01L 2224/45923	Magnesium (Mg) as principal constituent
H01L 2224/45924	Aluminium (Al) as principal constituent
H01L 2224/45938	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/45939	Silver (Ag) as principal constituent
H01L 2224/45944	Gold (Au) as principal constituent
H01L 2224/45947	Copper (Cu) as principal constituent
H01L 2224/45949	Manganese (Mn) as principal constituent
H01L 2224/45955	Nickel (Ni) as principal constituent
H01L 2224/45957	Cobalt (Co) as principal constituent
H01L 2224/4596	Iron (Fe) as principal constituent
H01L 2224/45963	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/45964	Palladium (Pd) as principal constituent
H01L 2224/45966	Titanium (Ti) as principal constituent
H01L 2224/45969	Platinum (Pt) as principal constituent
H01L 2224/4597	Zirconium (Zr) as principal constituent
H01L 2224/45971	Chromium (Cr) as principal constituent
H01L 2224/45972	Vanadium (V) as principal constituent
H01L 2224/45973	Rhodium (Rh) as principal constituent
H01L 2224/45976	Ruthenium (Ru) as principal constituent
H01L 2224/45978	Iridium (Ir) as principal constituent

H01L 2224/45979	Niobium (Nb) as principal constituent
H01L 2224/4598	Molybdenum (Mo) as principal constituent
H01L 2224/45981	Tantalum (Ta) as principal constituent
H01L 2224/45983	Rhenium (Re) as principal constituent
H01L 2224/45984	Tungsten (W) as principal constituent
H01L 2224/45986	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/45987	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/45988)
H01L 2224/45988	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/4599	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/45991	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/45993	with a principal constituent of the material being a solid not provided for in groups H01L 2224/459 to H01L 2224/45991 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/45994	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/459 to H01L 2224/45991
H01L 2224/45995	with a principal constituent of the material being a gas not provided for in groups H01L 2224/459 to H01L 2224/45991
H01L 2224/45998	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/45999	Shape or distribution of the fillers
H01L 2224/46	of a plurality of wire connectors
H01L 2224/47	...	Structure, shape, material or disposition of the wire connectors after the connecting process
H01L 2224/48	of an individual wire connector
H01L 2224/4801	Structure
H01L 2224/48011	Length
H01L 2224/4805	Shape
H01L 2224/4807	of bonding interfaces, e.g. interlocking features
H01L 2224/4809	Loop shape
H01L 2224/48091	Arched
H01L 2224/48092	Helix
H01L 2224/48095	Kinked
H01L 2224/48096	the kinked part being in proximity to the bonding area on the semiconductor or solid-state body
H01L 2224/48097	the kinked part being in proximity to the bonding area outside the semiconductor or solid-state body

H01L 2224/481	Disposition
H01L 2224/48101	Connecting bonding areas at the same height, e.g. horizontal bond
H01L 2224/48105	Connecting bonding areas at different heights
H01L 2224/48106	the connector being orthogonal to a side surface of the semiconductor or solid-state body, e.g. parallel layout
H01L 2224/48108	the connector not being orthogonal to a side surface of the semiconductor or solid-state body, e.g. fanned-out connectors, radial layout
H01L 2224/4811	Connecting to a bonding area of the semiconductor or solid-state body located at the far end of the body with respect to the bonding area outside the semiconductor or solid-state body
H01L 2224/48111	the wire connector extending above another semiconductor or solid-state body
H01L 2224/4813	Connecting within a semiconductor or solid-state body i.e. fly wire, bridge wire
H01L 2224/48132	with an intermediate bond, e.g. continuous wire daisy chain
H01L 2224/48135	Connecting between different semiconductor or solid-state bodies i.e. chip-to-chip
H01L 2224/48137	the bodies being arranged next to each other, e.g. on a common substrate
H01L 2224/48138	the wire connector connecting to a bonding area disposed in a recess of the surface
H01L 2224/48139	with an intermediate bond, e.g. continuous wire daisy chain
H01L 2224/4814	the wire connector connecting to a bonding area protruding from the surface
H01L 2224/48141	the bodies being arranged on opposite sides of a substrate, e.g. mirror arrangements
H01L 2224/48145	the bodies being stacked
H01L 2224/48147	with an intermediate bond, e.g. continuous wire daisy chain
H01L 2224/48148	the wire connector connecting to a bonding area disposed in a recess of the surface
H01L 2224/48149	the wire connector connecting to a bonding area protruding from the surface
H01L 2224/48151	Connecting between a semiconductor or solid-state body and an item not being a semiconductor or solid-state body, e.g. chip-to-substrate, chip-to-passive
H01L 2224/48153	the body and the item being arranged next to each other, e.g. on a common substrate
H01L 2224/48155	the item being non-metallic, e.g. insulating substrate with or without metallisation
H01L 2224/48157	connecting the wire to a bond pad of the item
H01L 2224/48158	the bond pad being disposed in a recess of the surface of the item
H01L 2224/48159	the bond pad protruding from the surface of the item
H01L 2224/4816	connecting the wire to a pin of the item

H01L 2224/48163	connecting the wire to a potential ring of the item
H01L 2224/48165	connecting the wire to a via metallisation of the item
H01L 2224/48175	the item being metallic
H01L 2224/48177	connecting the wire to a bond pad of the item
H01L 2224/48178	the bond pad being disposed in a recess of the surface of the item
H01L 2224/48179	the bond pad protruding from the surface of the item
H01L 2224/48183	connecting the wire to a potential ring of the item
H01L 2224/48195	the item being a discrete passive component
H01L 2224/48221	the body and the item being stacked
H01L 2224/48225	the item being non-metallic, e.g. insulating substrate with or without metallisation
H01L 2224/48227	connecting the wire to a bond pad of the item
H01L 2224/48228	the bond pad being disposed in a recess of the surface of the item
H01L 2224/48229	the bond pad protruding from the surface of the item
H01L 2224/4823	connecting the wire to a pin of the item
H01L 2224/48233	connecting the wire to a potential ring of the item
H01L 2224/48235	connecting the wire to a via metallisation of the item
H01L 2224/48237	connecting the wire to a die pad of the item
H01L 2224/4824	Connecting between the body and an opposite side of the item with respect to the body
H01L 2224/48245	the item being metallic
H01L 2224/48247	connecting the wire to a bond pad of the item
H01L 2224/48248	the bond pad being disposed in a recess of the surface of the item
H01L 2224/48249	the bond pad protruding from the surface of the item
H01L 2224/48253	connecting the wire to a potential ring of the item
H01L 2224/48257	connecting the wire to a die pad of the item
H01L 2224/4826	Connecting between the body and an opposite side of the item with respect to the body
H01L 2224/48265	the item being a discrete passive component
H01L 2224/484	Connecting portions
H01L 2224/4845	Details of ball bonds
H01L 2224/48451	Shape
H01L 2224/48453	of the interface with the bonding area
H01L 2224/48455	Details of wedge bonds
H01L 2224/48456	Shape
H01L 2224/48458	of the interface with the bonding area
H01L 2224/4846	with multiple bonds on the same bonding area
H01L 2224/48463	the connecting portion on the bonding area of the semiconductor or solid-state body being a ball bond

H01L 2224/48464	the other connecting portion not on the bonding area also being a ball bond, i.e. ball-to-ball
H01L 2224/48465	the other connecting portion not on the bonding area being a wedge bond, i.e. ball-to-wedge, regular stitch
H01L 2224/4847	the connecting portion on the bonding area of the semiconductor or solid-state body being a wedge bond
H01L 2224/48471	the other connecting portion not on the bonding area being a ball bond, i.e. wedge-to-ball, reverse stitch
H01L 2224/48472	the other connecting portion not on the bonding area also being a wedge bond, i.e. wedge-to-wedge
H01L 2224/48475	connected to auxiliary connecting means on the bonding areas, e.g. pre-ball, wedge-on-ball, ball-on-ball
H01L 2224/48476	between the wire connector and the bonding area
H01L 2224/48477	being a pre-ball(i.e. a ball formed by capillary bonding)
H01L 2224/48478	the connecting portion being a wedge bond, i.e. wedge on pre-ball
H01L 2224/48479	on the semiconductor or solid-state body
H01L 2224/4848	outside the semiconductor or solid-state body
H01L 2224/48481	the connecting portion being a ball bond, i.e. ball on pre-ball
H01L 2224/48482	on the semiconductor or solid-state body
H01L 2224/48483	outside the semiconductor or solid-state body
H01L 2224/48484	being a plurality of pre-balls disposed side-to-side
H01L 2224/48485	the connecting portion being a wedge bond, i.e. wedge on pre-ball
H01L 2224/48486	on the semiconductor or solid-state body
H01L 2224/48487	outside the semiconductor or solid-state body
H01L 2224/48488	the connecting portion being a ball bond, i.e. ball on pre-ball
H01L 2224/48489	on the semiconductor or solid-state body
H01L 2224/4849	outside the semiconductor or solid-state body
H01L 2224/48491	being an additional member attached to the bonding area through an adhesive or solder, e.g. buffer pad
H01L 2224/48496	not being interposed between the wire connector and the bonding area
H01L 2224/48499	Material of the auxiliary connecting means
H01L 2224/485	Material
H01L 2224/48505	at the bonding interface
H01L 2224/48506	comprising an eutectic alloy
H01L 2224/48507	comprising an intermetallic compound
H01L 2224/4851	Morphology of the connecting portion, e.g. grain size distribution
H01L 2224/48511	Heat affected zone [HAZ]
H01L 2224/4852	Bonding interface between the connecting portion and the bonding area

H01L 2224/48599	Principal constituent of the connecting portion of the wire connector being Gold (Au)
H01L 2224/486	with a principal constituent of the bonding area being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/48601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/48605	Gallium (Ga) as principal constituent
H01L 2224/48609	Indium (In) as principal constituent
H01L 2224/48611	Tin (Sn) as principal constituent
H01L 2224/48613	Bismuth (Bi) as principal constituent
H01L 2224/48614	Thallium (Tl) as principal constituent
H01L 2224/48616	Lead (Pb) as principal constituent
H01L 2224/48617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950 °C
H01L 2224/48618	Zinc (Zn) as principal constituent
H01L 2224/4862	Antimony (Sb) as principal constituent
H01L 2224/48623	Magnesium (Mg) as principal constituent
H01L 2224/48624	Aluminium (Al) as principal constituent
H01L 2224/48638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/48639	Silver (Ag) as principal constituent
H01L 2224/48644	Gold (Au) as principal constituent
H01L 2224/48647	Copper (Cu) as principal constituent
H01L 2224/48649	Manganese (Mn) as principal constituent
H01L 2224/48655	Nickel (Ni) as principal constituent
H01L 2224/48657	Cobalt (Co) as principal constituent
H01L 2224/4866	Iron (Fe) as principal constituent
H01L 2224/48663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/48664	Palladium (Pd) as principal constituent
H01L 2224/48666	Titanium (Ti) as principal constituent
H01L 2224/48669	Platinum (Pt) as principal constituent
H01L 2224/4867	Zirconium (Zr) as principal constituent
H01L 2224/48671	Chromium (Cr) as principal constituent
H01L 2224/48672	Vanadium (V) as principal constituent
H01L 2224/48673	Rhodium (Rh) as principal constituent
H01L 2224/48678	Iridium (Ir) as principal constituent
H01L 2224/48679	Niobium (Nb) as principal constituent
H01L 2224/4868	Molybdenum (Mo) as principal constituent
H01L 2224/48681	Tantalum (Ta) as principal constituent

H01L 2224/48683	Rhenium (Re) as principal constituent
H01L 2224/48684	Tungsten (W) as principal constituent
H01L 2224/48686	with a principal constituent of the bonding area being a non metallic, non metalloid inorganic material
H01L 2224/48687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/48688)
H01L 2224/48688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/4869	with a principal constituent of the bonding area being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/48691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/48693	with a principal constituent of the bonding area being a solid not provided for in groups H01L 2224/486 to H01L 2224/4869 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/48694	with a principal constituent of the bonding area being a liquid not provided for in groups H01L 2224/486 to H01L 2224/4869
H01L 2224/48698	with a principal constituent of the bonding area being a combination of two or more material regions i.e. being a hybrid material, e.g. segmented structures, island patterns
H01L 2224/48699	Principal constituent of the connecting portion of the wire connector being Aluminium (Al)
H01L 2224/487	with a principal constituent of the bonding area being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/48701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/48705	Gallium (Ga) as principal constituent
H01L 2224/48709	Indium (In) as principal constituent
H01L 2224/48711	Tin (Sn) as principal constituent
H01L 2224/48713	Bismuth (Bi) as principal constituent
H01L 2224/48714	Thallium (Tl) as principal constituent
H01L 2224/48716	Lead (Pb) as principal constituent
H01L 2224/48717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950 °C
H01L 2224/48718	Zinc (Zn) as principal constituent
H01L 2224/4872	Antimony (Sb) as principal constituent
H01L 2224/48723	Magnesium (Mg) as principal constituent
H01L 2224/48724	Aluminium (Al) as principal constituent
H01L 2224/48738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/48739	Silver (Ag) as principal constituent
H01L 2224/48744	Gold (Au) as principal constituent
H01L 2224/48747	Copper (Cu) as principal constituent

H01L 2224/48749	Manganese (Mn) as principal constituent
H01L 2224/48755	Nickel (Ni) as principal constituent
H01L 2224/48757	Cobalt (Co) as principal constituent
H01L 2224/4876	Iron (Fe) as principal constituent
H01L 2224/48763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/48764	Palladium (Pd) as principal constituent
H01L 2224/48766	Titanium (Ti) as principal constituent
H01L 2224/48769	Platinum (Pt) as principal constituent
H01L 2224/4877	Zirconium (Zr) as principal constituent
H01L 2224/48771	Chromium (Cr) as principal constituent
H01L 2224/48772	Vanadium (V) as principal constituent
H01L 2224/48773	Rhodium (Rh) as principal constituent
H01L 2224/48778	Iridium (Ir) as principal constituent
H01L 2224/48779	Niobium (Nb) as principal constituent
H01L 2224/4878	Molybdenum (Mo) as principal constituent
H01L 2224/48781	Tantalum (Ta) as principal constituent
H01L 2224/48783	Rhenium (Re) as principal constituent
H01L 2224/48784	Tungsten (W) as principal constituent
H01L 2224/48786	with a principal constituent of the bonding area being a non metallic, non metalloid inorganic material
H01L 2224/48787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/48788)
H01L 2224/48788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/4879	with a principal constituent of the bonding area being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/48791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/48793	with a principal constituent of the bonding area being a solid not provided for in groups H01L 2224/487 to H01L 2224/4879 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/48794	with a principal constituent of the bonding area being a liquid not provided for in groups H01L 2224/487 to H01L 2224/4879
H01L 2224/48798	with a principal constituent of the bonding area being a combination of two or more material regions i.e. being a hybrid material, e.g. segmented structures, island patterns
H01L 2224/48799	Principal constituent of the connecting portion of the wire connector being Copper (Cu)
H01L 2224/488	with a principal constituent of the bonding area being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/48801	the principal constituent melting at a temperature of less than 400°C

H01L 2224/48805	Gallium (Ga) as principal constituent
H01L 2224/48809	Indium (In) as principal constituent
H01L 2224/48811	Tin (Sn) as principal constituent
H01L 2224/48813	Bismuth (Bi) as principal constituent
H01L 2224/48814	Thallium (Tl) as principal constituent
H01L 2224/48816	Lead (Pb) as principal constituent
H01L 2224/48817	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950 °C
H01L 2224/48818	Zinc (Zn) as principal constituent
H01L 2224/4882	Antimony (Sb) as principal constituent
H01L 2224/48823	Magnesium (Mg) as principal constituent
H01L 2224/48824	Aluminium (Al) as principal constituent
H01L 2224/48838	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/48839	Silver (Ag) as principal constituent
H01L 2224/48844	Gold (Au) as principal constituent
H01L 2224/48847	Copper (Cu) as principal constituent
H01L 2224/48849	Manganese (Mn) as principal constituent
H01L 2224/48855	Nickel (Ni) as principal constituent
H01L 2224/48857	Cobalt (Co) as principal constituent
H01L 2224/4886	Iron (Fe) as principal constituent
H01L 2224/48863	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/48864	Palladium (Pd) as principal constituent
H01L 2224/48866	Titanium (Ti) as principal constituent
H01L 2224/48869	Platinum (Pt) as principal constituent
H01L 2224/4887	Zirconium (Zr) as principal constituent
H01L 2224/48871	Chromium (Cr) as principal constituent
H01L 2224/48872	Vanadium (V) as principal constituent
H01L 2224/48873	Rhodium (Rh) as principal constituent
H01L 2224/48878	Iridium (Ir) as principal constituent
H01L 2224/48879	Niobium (Nb) as principal constituent
H01L 2224/4888	Molybdenum (Mo) as principal constituent
H01L 2224/48881	Tantalum (Ta) as principal constituent
H01L 2224/48883	Rhenium (Re) as principal constituent
H01L 2224/48884	Tungsten (W) as principal constituent
H01L 2224/48886	with a principal constituent of the bonding area being a non metallic, non metalloid inorganic material
H01L 2224/48887	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/48888)
H01L 2224/48888	Glasses, e.g. amorphous oxides, nitrides or fluorides

H01L 2224/4889	with a principal constituent of the bonding area being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/48891	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/48893	with a principal constituent of the bonding area being a solid not provided for in groups H01L 2224/488 to H01L 2224/4889 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/48894	with a principal constituent of the bonding area being a liquid not provided for in groups H01L 2224/488 to H01L 2224/4889
H01L 2224/48898	with a principal constituent of the bonding area being a combination of two or more material regions i.e. being a hybrid material, e.g. segmented structures, island patterns
H01L 2224/4899	Auxiliary members for wire connectors, e.g. flow-barriers, reinforcing structures, spacers, alignment aids
H01L 2224/48991	being formed on the semiconductor or solid-state body to be connected
H01L 2224/48992	Reinforcing structures
H01L 2224/48993	Alignment aids
H01L 2224/48996	being formed on an item to be connected not being a semiconductor or solid-state body
H01L 2224/48997	Reinforcing structures
H01L 2224/48998	Alignment aids
H01L 2224/49	of a plurality of wire connectors
H01L 2224/4901	Structure
H01L 2224/4903	Connectors having different sizes, e.g. different diameters
H01L 2224/4905	Shape
H01L 2224/49051	Connectors having different shapes
H01L 2224/49052	Different loop heights
H01L 2224/4909	Loop shape arrangement
H01L 2224/49095	parallel in plane
H01L 2224/49096	horizontal
H01L 2224/49097	vertical
H01L 2224/491	Disposition
H01L 2224/49105	Connecting at different heights
H01L 2224/49107	on the semiconductor or solid-state body
H01L 2224/49109	outside the semiconductor or solid-state body
H01L 2224/4911	the connectors being bonded to at least one common bonding area, e.g. daisy chain
H01L 2224/49111	the connectors connecting two common bonding areas, e.g. Litz or braid wires
H01L 2224/49112	the connectors connecting a common bonding area on the semiconductor or solid-state body to different bonding areas outside the body, e.g. diverging wires

H01L 2224/49113	the connectors connecting different bonding areas on the semiconductor or solid-state body to a common bonding area outside the body, e.g. converging wires
H01L 2224/4912	Layout
H01L 2224/4917	Crossed wires
H01L 2224/49171	Fan-out arrangements
H01L 2224/49173	Radial fan-out arrangements
H01L 2224/49174	Stacked arrangements
H01L 2224/49175	Parallel arrangements
H01L 2224/49176	Wire connectors having the same loop shape and height
H01L 2224/49177	Combinations of different arrangements
H01L 2224/49179	Corner adaptations, i.e. disposition of the wire connectors at the corners of the semiconductor or solid-state body
H01L 2224/4918	being disposed on at least two different sides of the body, e.g. dual array
H01L 2224/494	Connecting portions
H01L 2224/4941	the connecting portions being stacked
H01L 2224/4942	Ball bonds
H01L 2224/49421	on the semiconductor or solid-state body
H01L 2224/49422	outside the semiconductor or solid-state body
H01L 2224/49425	Wedge bonds
H01L 2224/49426	on the semiconductor or solid-state body
H01L 2224/49427	outside the semiconductor or solid-state body
H01L 2224/49429	Wedge and ball bonds
H01L 2224/4943	the connecting portions being staggered
H01L 2224/49431	on the semiconductor or solid-state body
H01L 2224/49433	outside the semiconductor or solid-state body
H01L 2224/4945	Wire connectors having connecting portions of different types on the semiconductor or solid-state body, e.g. regular and reverse stitches
H01L 2224/495	Material
H01L 2224/49505	Connectors having different materials
H01L 2224/50	..	Tape automated bonding [TAB] connectors, i.e. film carriers; Manufacturing methods related thereto
H01L 2224/63	..	Connectors not provided for in any of the groups H01L 2224/10 to H01L 2224/50 and subgroups ; Manufacturing methods related thereto
H01L 2224/64	...	Manufacturing methods
H01L 2224/65	...	Structure, shape, material or disposition of the connectors prior to the connecting process
H01L 2224/66	of an individual connector
H01L 2224/67	of a plurality of connectors
H01L 2224/68	...	Structure, shape, material or disposition of the connectors after the connecting process

H01L 2224/69	of an individual connector
H01L 2224/70	of a plurality of connectors
H01L 2224/71	.	Means for bonding not being attached to, or not being formed on, the surface to be connected
H01L 2224/72	..	Detachable connecting means consisting of mechanical auxiliary parts connecting the device, e.g. pressure contacts using springs or clips
H01L 2224/73	.	Means for bonding being of different types provided for in two or more of groups H01L 2224/10 , H01L 2224/18 , H01L 2224/26 , H01L 2224/34 , H01L 2224/42 , H01L 2224/50 , H01L 2224/63 , H01L 2224/71
H01L 2224/731	..	Location prior to the connecting process
H01L 2224/73101	...	on the same surface
H01L 2224/73103	Bump and layer connectors
H01L 2224/73104	the bump connector being embedded into the layer connector
H01L 2224/73151	...	on different surfaces
H01L 2224/73153	Bump and layer connectors
H01L 2224/732	..	Location after the connecting process
H01L 2224/73201	...	on the same surface
H01L 2224/73203	Bump and layer connectors
H01L 2224/73204	the bump connector being embedded into the layer connector
H01L 2224/73205	Bump and strap connectors
H01L 2224/73207	Bump and wire connectors
H01L 2224/73209	Bump and HDI connectors
H01L 2224/73211	Bump and TAB connectors
H01L 2224/73213	Layer and strap connectors
H01L 2224/73215	Layer and wire connectors
H01L 2224/73217	Layer and HDI connectors
H01L 2224/73219	Layer and TAB connectors
H01L 2224/73221	Strap and wire connectors
H01L 2224/73223	Strap and HDI connectors
H01L 2224/73225	Strap and TAB connectors
H01L 2224/73227	Wire and HDI connectors
H01L 2224/73229	Wire and TAB connectors
H01L 2224/73231	HDI and TAB connectors
H01L 2224/73251	...	on different surfaces
H01L 2224/73253	Bump and layer connectors
H01L 2224/73255	Bump and strap connectors
H01L 2224/73257	Bump and wire connectors
H01L 2224/73259	Bump and HDI connectors
H01L 2224/73261	Bump and TAB connectors
H01L 2224/73263	Layer and strap connectors

H01L 2224/73265	Layer and wire connectors
H01L 2224/73267	Layer and HDI connectors
H01L 2224/73269	Layer and TAB connectors
H01L 2224/73271	Strap and wire connectors
H01L 2224/73273	Strap and HDI connectors
H01L 2224/73275	Strap and TAB connectors
H01L 2224/73277	Wire and HDI connectors
H01L 2224/73279	Wire and TAB connectors
H01L 2224/73281	HDI and TAB connectors
H01L 2224/74	.	Apparatus for manufacturing arrangements for connecting or disconnecting semiconductor or solid-state bodies and for methods related thereto
H01L 2224/741	..	Apparatus for manufacturing means for bonding, e.g. connectors
H01L 2224/742	...	Apparatus for manufacturing bump connectors
H01L 2224/743	...	Apparatus for manufacturing layer connectors
H01L 2224/744	...	Apparatus for manufacturing strap connectors
H01L 2224/745	...	Apparatus for manufacturing wire connectors
H01L 2224/749	...	Tools for reworking, e.g. for shaping
H01L 2224/75	..	Apparatus for connecting with bump connectors or layer connectors
H01L 2224/75001	...	Calibration means
H01L 2224/7501	...	Means for cleaning, e.g. brushes, for hydro blasting, for ultrasonic cleaning, for dry ice blasting, using gas-flow, by etching, by applying flux or plasma
H01L 2224/751	...	Means for controlling the bonding environment, e.g. valves, vacuum pumps
H01L 2224/75101	Chamber
H01L 2224/75102	Vacuum chamber
H01L 2224/7511	High pressure chamber
H01L 2224/7515	...	Means for applying permanent coating, e.g. in-situ coating
H01L 2224/75151	Means for direct writing
H01L 2224/75152	Syringe
H01L 2224/75153	integrated into the bonding head
H01L 2224/75155	Jetting means, e.g. ink jet
H01L 2224/75158	including a laser
H01L 2224/75161	Means for screen printing, e.g. roller, squeegee, screen stencil
H01L 2224/7517	Means for applying a preform, e.g. laminator
H01L 2224/75171	including a vacuum-bag
H01L 2224/7518	Means for blanket deposition
H01L 2224/75181	for spin coating, i.e. spin coater
H01L 2224/75182	for curtain coating
H01L 2224/75183	for immersion coating, i.e. bath
H01L 2224/75184	for spray coating, i.e. nozzle
H01L 2224/75185	Means for physical vapour deposition [PVD], e.g. evaporation, sputtering

H01L 2224/75186	Means for sputtering, e.g. target
H01L 2224/75187	Means for evaporation
H01L 2224/75188	Means for chemical vapour deposition [CVD], e.g. for laser CVD
H01L 2224/75189	Means for plating, e.g. for electroplating, electroless plating
H01L 2224/752	...	Protection means against electrical discharge
H01L 2224/7525	...	Means for applying energy, e.g. heating means
H01L 2224/75251	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75252	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75253	adapted for localised heating
H01L 2224/7526	Polychromatic heating lamp
H01L 2224/75261	Laser
H01L 2224/75262	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75263	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75264	by induction heating, i.e. coils
H01L 2224/75265	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75266	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75267	Flame torch, e.g. hydrogen torch
H01L 2224/75268	Discharge electrode
H01L 2224/75269	Shape of the discharge electrode
H01L 2224/7527	Material of the discharge electrode
H01L 2224/75271	Circuitry of the discharge electrode
H01L 2224/75272	Oven
H01L 2224/7528	Resistance welding electrodes, i.e. for ohmic heating
H01L 2224/75281	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75282	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75283	by infrared heating, e.g. infrared heating lamp
H01L 2224/753	by means of pressure
H01L 2224/75301	Bonding head
H01L 2224/75302	Shape
H01L 2224/75303	of the pressing surface
H01L 2224/75304	being curved
H01L 2224/75305	comprising protrusions
H01L 2224/7531	of other parts
H01L 2224/75312	Material
H01L 2224/75313	Removable bonding head
H01L 2224/75314	Auxiliary members on the pressing surface
H01L 2224/75315	Elastomer inlay
H01L 2224/75316	with retaining mechanisms
H01L 2224/75317	Removable auxiliary member
H01L 2224/75318	Shape of the auxiliary member

H01L 2224/7532	Material of the auxiliary member
H01L 2224/75343	by ultrasonic vibrations
H01L 2224/75344	Eccentric cams
H01L 2224/75345	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75346	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75347	Piezoelectric transducers
H01L 2224/75348	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75349	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/7535	Stable and mobile yokes
H01L 2224/75351	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75352	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75353	Ultrasonic horns
H01L 2224/75354	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75355	Design, e.g. of the wave guide
H01L 2224/755	...	Cooling means
H01L 2224/75501	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75502	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/7555	...	Mechanical means, e.g. for planarising, pressing, stamping
H01L 2224/756	...	Means for supplying the connector to be connected in the bonding apparatus
H01L 2224/75601	Storing means
H01L 2224/75611	Feeding means
H01L 2224/75621	Holding means
H01L 2224/7565	...	Means for transporting the components to be connected
H01L 2224/75651	Belt conveyor
H01L 2224/75652	Chain conveyor
H01L 2224/75653	Vibrating conveyor
H01L 2224/75654	Pneumatic conveyor
H01L 2224/75655	in a fluid
H01L 2224/757	...	Means for aligning
H01L 2224/75701	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75702	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75703	Mechanical holding means
H01L 2224/75704	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75705	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75723	Electrostatic holding means

H01L 2224/75724	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75725	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75733	Magnetic holding means
H01L 2224/75734	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75735	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75743	Suction holding means
H01L 2224/75744	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75745	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/75753	Means for optical alignment, e.g. sensors
H01L 2224/75754	Guiding structures
H01L 2224/75755	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/75756	in the upper part of the bonding apparatus, e.g. in the bonding head
H01L 2224/758	...	Means for moving parts
H01L 2224/75801	Lower part of the bonding apparatus, e.g. XY table
H01L 2224/75802	Rotational mechanism
H01L 2224/75803	Pivoting mechanism
H01L 2224/75804	Translational mechanism
H01L 2224/75821	Upper part of the bonding apparatus, i.e. bonding head
H01L 2224/75822	Rotational mechanism
H01L 2224/75823	Pivoting mechanism
H01L 2224/75824	Translational mechanism
H01L 2224/75841	of the bonding head
H01L 2224/75842	Rotational mechanism
H01L 2224/75843	Pivoting mechanism
H01L 2224/759	...	Means for monitoring the connection process
H01L 2224/75901	using a computer, e.g. fully- or semi-automatic bonding
H01L 2224/7592	Load or pressure adjusting means, e.g. sensors
H01L 2224/75925	Vibration adjusting means, e.g. sensors
H01L 2224/7595	...	Means for forming additional members
H01L 2224/7598	...	specially adapted for batch processes
H01L 2224/75981	...	Apparatus chuck
H01L 2224/75982	Shape
H01L 2224/75983	of the mounting surface
H01L 2224/75984	of other portions
H01L 2224/75985	Material
H01L 2224/75986	Auxiliary members on the pressing surface
H01L 2224/75987	Shape of the auxiliary member
H01L 2224/75988	Material of the auxiliary member
H01L 2224/76	..	Apparatus for connecting with build-up interconnects
H01L 2224/76001	...	Calibration means

H01L 2224/7601	...	Means for cleaning, e.g. brushes, for hydro blasting, for ultrasonic cleaning, for dry ice blasting, using gas-flow, by etching, by applying flux or plasma
H01L 2224/761	...	Means for controlling the bonding environment, e.g. valves, vacuum pumps
H01L 2224/76101	Chamber
H01L 2224/76102	Vacuum chamber
H01L 2224/7611	High pressure chamber
H01L 2224/7615	...	Means for depositing
H01L 2224/76151	Means for direct writing
H01L 2224/76152	Syringe
H01L 2224/76155	Jetting means, e.g. ink jet
H01L 2224/76158	including a laser
H01L 2224/76161	Means for screen printing, e.g. roller, squeegee, screen stencil
H01L 2224/7617	Means for applying a preform, e.g. laminator
H01L 2224/76171	including a vacuum-bag
H01L 2224/7618	Means for blanket deposition
H01L 2224/76181	for spin coating, i.e. spin coater
H01L 2224/76182	for curtain coating
H01L 2224/76183	for immersion coating, i.e. bath
H01L 2224/76184	for spray coating, i.e. nozzle
H01L 2224/76185	Means for physical vapour deposition [PVD]
H01L 2224/76186	Means for sputtering, e.g. target
H01L 2224/76187	Means for evaporation
H01L 2224/76188	Means for chemical vapour deposition [CVD], e.g. for laser CVD
H01L 2224/76189	Means for plating, e.g. for electroplating, electroless plating
H01L 2224/762	...	Protection means against electrical discharge
H01L 2224/7625	...	Means for applying energy, e.g. heating means
H01L 2224/76251	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76252	in the upper part of the bonding apparatus
H01L 2224/76253	adapted for localised heating
H01L 2224/7626	Polychromatic heating lamp
H01L 2224/76261	Laser
H01L 2224/76262	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76263	in the upper part of the bonding apparatus
H01L 2224/76264	by induction heating, i.e. coils
H01L 2224/76265	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76266	in the upper part of the bonding apparatus
H01L 2224/76267	Flame torch, e.g. hydrogen torch
H01L 2224/76268	Discharge electrode
H01L 2224/76269	Shape of the discharge electrode
H01L 2224/7627	Material of the discharge electrode

H01L 2224/76271	Circuitry of the discharge electrode
H01L 2224/76272	Oven
H01L 2224/7628	Resistance welding electrodes, i.e. for ohmic heating
H01L 2224/76281	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76282	in the upper part of the bonding apparatus
H01L 2224/76283	by infrared heating, e.g. infrared heating lamp
H01L 2224/763	by means of pressure
H01L 2224/76301	Pressing head
H01L 2224/76302	Shape
H01L 2224/76303	of the pressing surface
H01L 2224/76304	being curved
H01L 2224/76305	comprising protrusions
H01L 2224/7631	of other parts
H01L 2224/76312	Material
H01L 2224/76313	Removable pressing head
H01L 2224/76314	Auxiliary members on the pressing surface
H01L 2224/76315	Elastomer inlay
H01L 2224/76316	with retaining mechanisms
H01L 2224/76317	Removable auxiliary member
H01L 2224/76318	Shape of the auxiliary member
H01L 2224/7632	Material of the auxiliary member
H01L 2224/76343	by ultrasonic vibrations
H01L 2224/76344	Eccentric cams
H01L 2224/76345	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76346	in the upper part of the bonding apparatus
H01L 2224/76347	Piezoelectric transducers
H01L 2224/76348	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76349	in the upper part of the bonding apparatus
H01L 2224/7635	Stable and mobile yokes
H01L 2224/76351	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76352	in the upper part of the bonding apparatus
H01L 2224/76353	Ultrasonic horns
H01L 2224/76354	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76355	Design, e.g. of the wave guide
H01L 2224/765	...	Cooling means
H01L 2224/76501	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76502	in the upper part of the bonding apparatus

H01L 2224/7655	...	Mechanical means, e.g. for planarising, pressing, stamping
H01L 2224/76552	for drilling
H01L 2224/76554	for abrasive blasting, e.g. sand blasting, wet blasting, hydro-blasting, dry ice blasting
H01L 2224/766	...	Means for supplying the material of the interconnect
H01L 2224/76601	Storing means
H01L 2224/76611	Feeding means
H01L 2224/76621	Holding means
H01L 2224/7665	...	Means for transporting the components to be connected
H01L 2224/76651	Belt conveyor
H01L 2224/76652	Chain conveyor
H01L 2224/76653	Vibrating conveyor
H01L 2224/76654	Pneumatic conveyor
H01L 2224/76655	in a fluid
H01L 2224/767	...	Means for aligning
H01L 2224/76701	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76702	in the upper part of the bonding apparatus
H01L 2224/76703	Mechanical holding means
H01L 2224/76704	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76705	in the upper part of the bonding apparatus
H01L 2224/76723	Electrostatic holding means
H01L 2224/76724	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76725	in the upper part of the bonding apparatus
H01L 2224/76733	Magnetic holding means
H01L 2224/76734	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76735	in the upper part of the bonding apparatus
H01L 2224/76743	Suction holding means
H01L 2224/76744	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76745	in the upper part of the bonding apparatus
H01L 2224/76753	Means for optical alignment, e.g. sensors
H01L 2224/76754	Guiding structures
H01L 2224/76755	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/76756	in the upper part of the bonding apparatus
H01L 2224/768	...	Means for moving parts
H01L 2224/76801	Lower part of the bonding apparatus, e.g. XY table
H01L 2224/76802	Rotational mechanism
H01L 2224/76803	Pivoting mechanism
H01L 2224/76804	Translational mechanism
H01L 2224/76821	Upper part of the bonding apparatus, i.e. bonding head
H01L 2224/76822	Rotational mechanism

H01L 2224/76823	Pivoting mechanism
H01L 2224/76824	Translational mechanism
H01L 2224/76841	of the bonding head
H01L 2224/76842	Rotational mechanism
H01L 2224/76843	Pivoting mechanism
H01L 2224/769	...	Means for monitoring the connection process
H01L 2224/76901	using a computer, e.g. fully- or semi-automatic bonding
H01L 2224/7692	Load or pressure adjusting means, e.g. sensors
H01L 2224/76925	Vibration adjusting means, e.g. sensors
H01L 2224/7695	...	Means for forming additional members
H01L 2224/7698	...	specially adapted for batch processes
H01L 2224/76981	...	Apparatus chuck
H01L 2224/76982	Shape
H01L 2224/76983	of the mounting surface
H01L 2224/76984	of other portions
H01L 2224/76985	Material
H01L 2224/76986	Auxiliary members on the pressing surface
H01L 2224/76987	Shape of the auxiliary member
H01L 2224/76988	Material of the auxiliary member
H01L 2224/77	..	Apparatus for connecting with strap connectors
H01L 2224/77001	...	Calibration means
H01L 2224/7701	...	Means for cleaning, e.g. brushes, for hydro blasting, for ultrasonic cleaning, for dry ice blasting, using gas-flow, by etching, by applying flux or plasma
H01L 2224/771	...	Means for controlling the bonding environment, e.g. valves, vacuum pumps
H01L 2224/77101	Chamber
H01L 2224/77102	Vacuum chamber
H01L 2224/7711	High pressure chamber
H01L 2224/7715	...	Means for applying permanent coating, e.g. in-situ coating
H01L 2224/77151	Means for direct writing
H01L 2224/77152	Syringe
H01L 2224/77153	integrated into the capillary or wedge
H01L 2224/77155	Jetting means, e.g. ink jet
H01L 2224/77158	including a laser
H01L 2224/77161	Means for screen printing, e.g. roller, squeegee, screen stencil
H01L 2224/7717	Means for applying a preform, e.g. laminator
H01L 2224/77171	including a vacuum-bag
H01L 2224/7718	Means for blanket deposition
H01L 2224/77181	for spin coating, i.e. spin coater
H01L 2224/77182	for curtain coating
H01L 2224/77183	for immersion coating, i.e. bath

H01L 2224/77184	for spray coating, i.e. nozzle
H01L 2224/77185	Means for physical vapour deposition [PVD], e.g. evaporation, sputtering
H01L 2224/77186	Means for sputtering, e.g. target
H01L 2224/77187	Means for evaporation
H01L 2224/77188	Means for chemical vapour deposition [CVD], e.g. for laser CVD
H01L 2224/77189	Means for plating, e.g. for electroplating, electroless plating
H01L 2224/772	...	Protection means against electrical discharge
H01L 2224/7725	...	Means for applying energy, e.g. heating means
H01L 2224/77251	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77252	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77253	adapted for localised heating
H01L 2224/7726	Polychromatic heating lamp
H01L 2224/77261	Laser
H01L 2224/77262	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77263	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77264	by induction heating, i.e. coils
H01L 2224/77265	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77266	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77267	Flame torch, e.g. hydrogen torch
H01L 2224/77268	Discharge electrode
H01L 2224/77269	Shape of the discharge electrode
H01L 2224/7727	Material of the discharge electrode
H01L 2224/77271	Circuitry of the discharge electrode
H01L 2224/77272	Oven
H01L 2224/7728	Resistance welding electrodes, i.e. for ohmic heating
H01L 2224/77281	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77282	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77283	by infrared heating, e.g. infrared heating lamp
H01L 2224/773	by means of pressure
H01L 2224/77313	Wedge
H01L 2224/77314	Shape
H01L 2224/77315	of the pressing surface, e.g. tip or head
H01L 2224/77316	comprising protrusions
H01L 2224/77317	of other portions
H01L 2224/77318	inside the capillary
H01L 2224/77319	outside the capillary
H01L 2224/7732	Removable wedge
H01L 2224/77321	Material
H01L 2224/77325	Auxiliary members on the pressing surface
H01L 2224/77326	Removable auxiliary member

H01L 2224/77327	Shape of the auxiliary member
H01L 2224/77328	Material of the auxiliary member
H01L 2224/77343	by ultrasonic vibrations
H01L 2224/77344	Eccentric cams
H01L 2224/77345	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77346	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77347	Piezoelectric transducers
H01L 2224/77348	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77349	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/7735	Stable and mobile yokes
H01L 2224/77351	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77352	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77353	Ultrasonic horns
H01L 2224/77354	in the lower part of the bonding apparatus, e.g. in the mounting chuck
H01L 2224/77355	Design, e.g. of the wave guide
H01L 2224/775	...	Cooling means
H01L 2224/77501	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77502	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/7755	...	Mechanical means, e.g. for severing, pressing, stamping
H01L 2224/776	...	Means for supplying the connector to be connected in the bonding apparatus
H01L 2224/77601	Storing means
H01L 2224/77611	Feeding means
H01L 2224/77621	Holding means, e.g. wire claspers
H01L 2224/77631	Means for wire tension adjustments
H01L 2224/7765	...	Means for transporting the components to be connected
H01L 2224/77651	Belt conveyor
H01L 2224/77652	Chain conveyor
H01L 2224/77653	Vibrating conveyor
H01L 2224/77654	Pneumatic conveyor
H01L 2224/77655	in a fluid
H01L 2224/777	...	Means for aligning
H01L 2224/77701	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77702	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77703	Mechanical holding means
H01L 2224/77704	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77705	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77723	Electrostatic holding means

H01L 2224/77724	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77725	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77733	Magnetic holding means
H01L 2224/77734	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77735	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77743	Suction holding means
H01L 2224/77744	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77745	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/77753	Means for optical alignment, e.g. sensors
H01L 2224/77754	Guiding structures
H01L 2224/77755	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/77756	in the upper part of the bonding apparatus, e.g. in the wedge
H01L 2224/778	...	Means for moving parts
H01L 2224/77801	Lower part of the bonding apparatus, e.g. XY table
H01L 2224/77802	Rotational mechanism
H01L 2224/77803	Pivoting mechanism
H01L 2224/77804	Translational mechanism
H01L 2224/77821	Upper part of the bonding apparatus, i.e. bonding head, e.g. capillary or wedge
H01L 2224/77822	Rotational mechanism
H01L 2224/77823	Pivoting mechanism
H01L 2224/77824	Translational mechanism
H01L 2224/77841	of the pressing portion, e.g. tip or head
H01L 2224/77842	Rotational mechanism
H01L 2224/77843	Pivoting mechanism
H01L 2224/779	...	Means for monitoring the connection process
H01L 2224/77901	using a computer, e.g. fully- or semi-automatic bonding
H01L 2224/7792	Load or pressure adjusting means, e.g. sensors
H01L 2224/77925	Vibration adjusting means, e.g. sensors
H01L 2224/7795	...	Means for forming additional members
H01L 2224/7798	...	specially adapted for batch processes
H01L 2224/77981	...	Apparatus chuck
H01L 2224/77982	Shape
H01L 2224/77983	of the mounting surface
H01L 2224/77984	of other portions
H01L 2224/77985	Material
H01L 2224/77986	Auxiliary members on the pressing surface
H01L 2224/77987	Shape of the auxiliary member
H01L 2224/77988	Material of the auxiliary member
H01L 2224/78	..	Apparatus for connecting with wire connectors

H01L 2224/78001	...	Calibration means
H01L 2224/7801	...	Means for cleaning, e.g. brushes, for hydro blasting, for ultrasonic cleaning, for dry ice blasting, using gas-flow, by etching, by applying flux or plasma
H01L 2224/781	...	Means for controlling the bonding environment, e.g. valves, vacuum pumps
H01L 2224/78101	Chamber
H01L 2224/78102	Vacuum chamber
H01L 2224/7811	High pressure chamber
H01L 2224/7815	...	Means for applying permanent coating, e.g. in-situ coating
H01L 2224/782	...	Protection means against electrical discharge
H01L 2224/7825	...	Means for applying energy, e.g. heating means
H01L 2224/78251	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78252	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78253	adapted for localised heating
H01L 2224/7826	Polychromatic heating lamp
H01L 2224/78261	Laser
H01L 2224/78262	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78263	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78264	by induction heating, i.e. coils
H01L 2224/78265	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78266	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78267	Flame torch, e.g. hydrogen torch
H01L 2224/78268	Discharge electrode
H01L 2224/78269	Shape of the discharge electrode
H01L 2224/7827	Material of the discharge electrode
H01L 2224/78271	Circuitry of the discharge electrode
H01L 2224/78272	Oven
H01L 2224/7828	Resistance welding electrodes, i.e. for ohmic heating
H01L 2224/78281	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78282	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78283	by infrared heating, e.g. infrared heating lamp
H01L 2224/783	by means of pressure
H01L 2224/78301	Capillary
H01L 2224/78302	Shape
H01L 2224/78303	of the pressing surface, e.g. tip or head
H01L 2224/78304	comprising protrusions
H01L 2224/78305	of other portions
H01L 2224/78306	inside the capillary
H01L 2224/78307	outside the capillary
H01L 2224/78308	Removable capillary
H01L 2224/78309	Material

H01L 2224/7831	Auxiliary members on the pressing surface
H01L 2224/78311	Removable auxiliary member
H01L 2224/78312	Shape of the auxiliary member
H01L 2224/78313	Wedge
H01L 2224/78314	Shape
H01L 2224/78315	of the pressing surface, e.g. tip or head
H01L 2224/78316	comprising protrusions
H01L 2224/78317	of other portions
H01L 2224/78318	inside the capillary
H01L 2224/78319	outside the capillary
H01L 2224/7832	Removable wedge
H01L 2224/78321	Material
H01L 2224/78325	Auxiliary members on the pressing surface
H01L 2224/78326	Removable auxiliary member
H01L 2224/78327	Shape of the auxiliary member
H01L 2224/78328	Material of the auxiliary member
H01L 2224/78343	by ultrasonic vibrations
H01L 2224/78344	Eccentric cams
H01L 2224/78345	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78346	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78347	Piezoelectric transducers
H01L 2224/78348	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78349	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/7835	Stable and mobile yokes
H01L 2224/78351	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78352	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78353	Ultrasonic horns
H01L 2224/78354	in the lower part of the bonding apparatus, e.g. in the mounting chuck
H01L 2224/78355	Design, e.g. of the wave guide
H01L 2224/785	...	Cooling means
H01L 2224/78501	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78502	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/7855	...	Mechanical means, e.g. for severing, pressing, stamping
H01L 2224/786	...	Means for supplying the connector to be connected in the bonding apparatus
H01L 2224/78601	Storing means

H01L 2224/78611	Feeding means
H01L 2224/78621	Holding means, e.g. wire clampers
H01L 2224/78631	Means for wire tension adjustments
H01L 2224/7865	...	Means for transporting the components to be connected
H01L 2224/78651	Belt conveyor
H01L 2224/78652	Chain conveyor
H01L 2224/78653	Vibrating conveyor
H01L 2224/78654	Pneumatic conveyor
H01L 2224/78655	in a fluid
H01L 2224/787	...	Means for aligning
H01L 2224/78701	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78702	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78703	Mechanical holding means
H01L 2224/78704	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78705	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78723	Electrostatic holding means
H01L 2224/78724	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78725	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78733	Magnetic holding means
H01L 2224/78734	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78735	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78743	Suction holding means
H01L 2224/78744	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78745	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/78753	Means for optical alignment, e.g. sensors
H01L 2224/78754	Guiding structures
H01L 2224/78755	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/78756	in the upper part of the bonding apparatus, e.g. in the capillary or wedge
H01L 2224/788	...	Means for moving parts
H01L 2224/78801	Lower part of the bonding apparatus, e.g. XY table
H01L 2224/78802	Rotational mechanism
H01L 2224/78803	Pivoting mechanism
H01L 2224/78804	Translational mechanism
H01L 2224/78821	Upper part of the bonding apparatus, i.e. bonding head, e.g. capillary or wedge
H01L 2224/78822	Rotational mechanism
H01L 2224/78823	Pivoting mechanism
H01L 2224/78824	Translational mechanism
H01L 2224/78841	of the pressing portion, e.g. tip or head
H01L 2224/78842	Rotational mechanism

H01L 2224/78843	Pivoting mechanism
H01L 2224/789	...	Means for monitoring the connection process
H01L 2224/78901	using a computer, e.g. fully- or semi-automatic bonding
H01L 2224/7892	Load or pressure adjusting means, e.g. sensors
H01L 2224/78925	Vibration adjusting means, e.g. sensors
H01L 2224/7895	...	Means for forming additional members
H01L 2224/7898	...	specially adapted for batch processes
H01L 2224/78981	...	Apparatus chuck
H01L 2224/78982	Shape
H01L 2224/78983	of the mounting surface
H01L 2224/78984	of other portions
H01L 2224/78985	Material
H01L 2224/78986	Auxiliary members on the pressing surface
H01L 2224/78987	Shape of the auxiliary member
H01L 2224/78988	Material of the auxiliary member
H01L 2224/79	..	Apparatus for Tape Automated Bonding [TAB]
H01L 2224/79001	...	Calibration means
H01L 2224/7901	...	Means for cleaning, e.g. brushes, for hydro blasting, for ultrasonic cleaning, for dry ice blasting, using gas-flow, by etching, by applying flux or plasma
H01L 2224/791	...	Means for controlling the bonding environment, e.g. valves, vacuum pumps
H01L 2224/79101	Chamber
H01L 2224/79102	Vacuum chamber
H01L 2224/7911	High pressure chamber
H01L 2224/7915	...	Means for applying permanent coating
H01L 2224/79151	Means for direct writing
H01L 2224/79152	Syringe
H01L 2224/79153	integrated into the pressing head
H01L 2224/79155	Jetting means, e.g. ink jet
H01L 2224/79158	including a laser
H01L 2224/79161	Means for screen printing, e.g. roller, squeegee, screen stencil
H01L 2224/7917	Means for applying a preform, e.g. laminator
H01L 2224/79171	including a vacuum-bag
H01L 2224/7918	Means for blanket deposition
H01L 2224/79181	for spin coating, i.e. spin coater
H01L 2224/79182	for curtain coating
H01L 2224/79183	for immersion coating, i.e. bath
H01L 2224/79184	for spray coating, i.e. nozzle
H01L 2224/79185	Means for physical vapour deposition [PVD], e.g. evaporation, sputtering
H01L 2224/79186	Means for sputtering, e.g. target
H01L 2224/79187	Means for evaporation

H01L 2224/79188	Means for chemical vapour deposition [CVD], e.g. for laser CVD
H01L 2224/79189	Means for plating, e.g. for electroplating, electroless plating
H01L 2224/792	...	Protection means against electrical discharge
H01L 2224/7925	...	Means for applying energy, e.g. heating means
H01L 2224/79251	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79252	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/79253	adapted for localised heating
H01L 2224/7926	Polychromatic heating lamp
H01L 2224/79261	Laser
H01L 2224/79262	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79263	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/79264	by induction heating, i.e. coils
H01L 2224/79265	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79266	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/79267	Flame torch, e.g. hydrogen torch
H01L 2224/79268	Discharge electrode
H01L 2224/79269	Shape of the discharge electrode
H01L 2224/7927	Material of the discharge electrode
H01L 2224/79271	Circuitry of the discharge electrode
H01L 2224/79272	Oven
H01L 2224/7928	Resistance welding electrodes, i.e. for ohmic heating
H01L 2224/79281	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79282	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/79283	by infrared heating, e.g. infrared heating lamp
H01L 2224/793	by means of pressure
H01L 2224/79301	Pressing head
H01L 2224/79302	Shape
H01L 2224/79303	of the pressing surface
H01L 2224/79304	being curved
H01L 2224/79305	comprising protrusions
H01L 2224/7931	of other parts
H01L 2224/79312	Material
H01L 2224/79313	Removable pressing head
H01L 2224/79314	Auxiliary members on the pressing surface
H01L 2224/79315	Elastomer inlay
H01L 2224/79316	with retaining mechanisms
H01L 2224/79317	Removable auxiliary member
H01L 2224/79318	Shape of the auxiliary member
H01L 2224/7932	Material of the auxiliary member
H01L 2224/79343	by ultrasonic vibrations

H01L 2224/79344	Eccentric cams
H01L 2224/79345	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79346	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/79347	Piezoelectric transducers
H01L 2224/79348	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79349	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/7935	Stable and mobile yokes
H01L 2224/79351	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79352	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/79353	Ultrasonic horns
H01L 2224/79354	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79355	Design, e.g. of the wave guide
H01L 2224/795	...	Cooling means
H01L 2224/79501	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79502	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/7955	...	Mechanical means, e.g. for pressing, stamping
H01L 2224/796	...	Means for supplying the connector to be connected in the bonding apparatus
H01L 2224/79601	Storing means
H01L 2224/79611	Feeding means
H01L 2224/79621	Holding means
H01L 2224/7965	...	Means for transporting the components to be connected
H01L 2224/79651	Belt conveyor
H01L 2224/79652	Chain conveyor
H01L 2224/79653	Vibrating conveyor
H01L 2224/79654	Pneumatic conveyor
H01L 2224/79655	in a fluid
H01L 2224/797	...	Means for aligning
H01L 2224/79701	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79702	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/79703	Mechanical holding means
H01L 2224/79704	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79705	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/79723	Electrostatic holding means
H01L 2224/79724	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79725	in the upper part of the bonding apparatus, e.g. in the pressing head

H01L 2224/79733	Magnetic holding means
H01L 2224/79734	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79735	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/79743	Suction holding means
H01L 2224/79744	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79745	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/79753	Means for optical alignment, e.g. sensors
H01L 2224/79754	Guiding structures
H01L 2224/79755	in the lower part of the bonding apparatus, e.g. in the apparatus chuck
H01L 2224/79756	in the upper part of the bonding apparatus, e.g. in the pressing head
H01L 2224/798	...	Means for moving parts
H01L 2224/79801	Lower part of the bonding apparatus, e.g. XY table
H01L 2224/79802	Rotational mechanism
H01L 2224/79803	Pivoting mechanism
H01L 2224/79804	Translational mechanism
H01L 2224/79821	Upper part of the bonding apparatus, i.e. pressing head
H01L 2224/79822	Rotational mechanism
H01L 2224/79823	Pivoting mechanism
H01L 2224/79824	Translational mechanism
H01L 2224/79841	of the pressing head
H01L 2224/79842	Rotational mechanism
H01L 2224/79843	Pivoting mechanism
H01L 2224/799	...	Means for monitoring the connection process
H01L 2224/79901	using a computer, e.g. fully- or semi-automatic bonding
H01L 2224/7992	Load or pressure adjusting means, e.g. sensors
H01L 2224/79925	Vibration adjusting means, e.g. sensors
H01L 2224/7995	...	Means for forming additional members
H01L 2224/7998	...	specially adapted for batch processes
H01L 2224/79981	...	Apparatus chuck
H01L 2224/79982	Shape
H01L 2224/79983	of the mounting surface
H01L 2224/79984	of other portions
H01L 2224/79985	Material
H01L 2224/79986	Auxiliary members on the pressing surface
H01L 2224/79987	Shape of the auxiliary member
H01L 2224/79988	Material of the auxiliary member
H01L 2224/7999	..	{for disconnecting}
H01L 2224/80	.	Methods for connecting semiconductor or other solid state bodies using means for bonding being attached to, or being formed on, the surface to be connected

H01L 2224/80001	..	by connecting a bonding area directly to another bonding area, i.e. connectorless bonding, e.g. bumpless bonding
H01L 2224/80003	...	involving a temporary auxiliary member not forming part of the bonding apparatus
H01L 2224/80004	being a removable or sacrificial coating
H01L 2224/80006	being a temporary or sacrificial substrate
H01L 2224/80007	...	involving a permanent auxiliary member being left in the finished device e.g. aids for protecting the bonding area during or after the bonding process
H01L 2224/80009	...	Pre-treatment of the bonding area
H01L 2224/8001	Cleaning the bonding area, e.g. oxide removal step, desmearing
H01L 2224/80011	Chemical cleaning, e.g. etching, flux
H01L 2224/80012	Mechanical cleaning, e.g. abrasion using hydro blasting, brushes, ultrasonic cleaning, dry ice blasting, gas-flow
H01L 2224/80013	Plasma cleaning
H01L 2224/80014	Thermal cleaning, e.g. decomposition, sublimation
H01L 2224/80019	Combinations of two or more cleaning methods provided for in at least two different groups from H01L 2224/8001 to H01L 2224/80014
H01L 2224/8002	Applying permanent coating to the bonding area in the bonding apparatus, e.g. in-situ coating
H01L 2224/80024	Applying flux to the bonding area in the bonding apparatus
H01L 2224/8003	Reshaping the bonding area in the bonding apparatus, e.g. flattening the bonding area
H01L 2224/80031	by chemical means, e.g. etching, anodisation
H01L 2224/80035	by heating means
H01L 2224/80037	using a polychromatic heating lamp
H01L 2224/80039	using a laser
H01L 2224/80041	Induction heating, i.e. eddy currents
H01L 2224/80047	by mechanical means, e.g. severing, pressing, stamping
H01L 2224/80048	Thermal treatments, e.g. annealing, controlled pre-heating or pre-cooling
H01L 2224/80051	Forming additional members
H01L 2224/80052	...	Detaching bonding areas, e.g. after testing(unsoldering in general B23K 1/018)
H01L 2224/80053	...	Bonding environment
H01L 2224/80054	Composition of the atmosphere
H01L 2224/80055	being oxidating
H01L 2224/80065	being reducing
H01L 2224/80075	being inert
H01L 2224/80085	being a liquid, e.g. for fluidic self-assembly
H01L 2224/8009	Vacuum
H01L 2224/80091	Under pressure
H01L 2224/80092	Atmospheric pressure
H01L 2224/80093	Transient conditions, e.g. gas-flow
H01L 2224/80095	Temperature settings

H01L 2224/80096	Transient conditions
H01L 2224/80097	Heating
H01L 2224/80098	Cooling
H01L 2224/80099	Ambient temperature
H01L 2224/8011	...	involving protection against electrical discharge, e.g. removing electrostatic charge
H01L 2224/8012	...	Aligning
H01L 2224/80121	Active alignment, i.e. by apparatus steering, e.g. optical alignment using marks or sensors
H01L 2224/80122	by detecting inherent features of, or outside, the semiconductor or solid-state body
H01L 2224/80123	Shape or position of the body
H01L 2224/80125	Bonding areas on the body
H01L 2224/80127	Bonding areas outside the body
H01L 2224/80129	Shape or position of the other item
H01L 2224/8013	using marks formed on the semiconductor or solid-state body
H01L 2224/80132	using marks formed outside the semiconductor or solid-state body, i.e. ? off-chip?
H01L 2224/80136	involving guiding structures, e.g. spacers or supporting members
H01L 2224/80138	the guiding structures being at least partially left in the finished device
H01L 2224/80139	Guiding structures on the body
H01L 2224/8014	Guiding structures outside the body
H01L 2224/80141	Guiding structures both on and outside the body
H01L 2224/80143	Passive alignment, i.e. self alignment, e.g. using surface energy, chemical reactions, thermal equilibrium
H01L 2224/80148	involving movement of a part of the bonding apparatus
H01L 2224/80149	being the lower part of the bonding apparatus, i.e. holding means for the bodies to be connected, e.g. XY table
H01L 2224/8015	Rotational movements
H01L 2224/8016	Translational movements
H01L 2224/80169	being the upper part of the bonding apparatus, i.e. bonding head
H01L 2224/8017	Rotational movements
H01L 2224/8018	Translational movements
H01L 2224/8019	...	Arrangement of the bonding areas prior to mounting
H01L 2224/80194	Lateral distribution of the bonding areas
H01L 2224/802	...	Applying energy for connecting
H01L 2224/80201	Compression bonding
H01L 2224/80203	Thermocompression bonding, e.g. diffusion bonding, pressure joining, thermocompression welding or solid-state welding
H01L 2224/80204	with a graded temperature profile
H01L 2224/80205	Ultrasonic bonding
H01L 2224/80206	Direction of oscillation

H01L 2224/80207	Thermosonic bonding
H01L 2224/80209	applying unidirectional static pressure
H01L 2224/80211	applying isostatic pressure, e.g. degassing using vacuum or a pressurised liquid
H01L 2224/80213	using a reflow oven
H01L 2224/80215	with a graded temperature profile
H01L 2224/8022	with energy being in the form of electromagnetic radiation
H01L 2224/80222	Induction heating, i.e. eddy currents
H01L 2224/80224	using a laser
H01L 2224/8023	Polychromatic or infrared lamp heating
H01L 2224/80232	using an autocatalytic reaction, e.g. exothermic brazing
H01L 2224/80234	using means for applying energy being within the device, e.g. integrated heater
H01L 2224/80236	using electro-static corona discharge
H01L 2224/80237	using an electron beam(electron beam welding in general B23K 15/00)
H01L 2224/80238	using electric resistance welding, i.e. ohmic heating
H01L 2224/8034	...	Bonding interfaces of the bonding area
H01L 2224/80345	Shape, e.g. interlocking features
H01L 2224/80355	having an external coating, e.g. protective bond-through coating
H01L 2224/80357	being flush with the surface
H01L 2224/80359	Material
H01L 2224/8036	...	Bonding interfaces of the semiconductor or solid state body
H01L 2224/80365	Shape, e.g. interlocking features
H01L 2224/80375	having an external coating, e.g. protective bond-through coating
H01L 2224/80379	Material(material of the bonding area prior to the connecting process H01L 2224/05099 and H01L 2224/05599)
H01L 2224/8038	...	Bonding interfaces outside the semiconductor or solid-state body
H01L 2224/80385	Shape, e.g. interlocking features
H01L 2224/80395	having an external coating, e.g. protective bond-through coating
H01L 2224/80399	Material
H01L 2224/804	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/80401	the principal constituent melting at a temperature of less than 400°C
H01L 2224/80405	Gallium [Ga] as principal constituent
H01L 2224/80409	Indium [In] as principal constituent
H01L 2224/80411	Tin [Sn] as principal constituent
H01L 2224/80413	Bismuth [Bi] as principal constituent
H01L 2224/80414	Thallium [Tl] as principal constituent
H01L 2224/80416	Lead [Pb] as principal constituent
H01L 2224/80417	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C

H01L 2224/80418	Zinc [Zn] as principal constituent
H01L 2224/8042	Antimony [Sb] as principal constituent
H01L 2224/80423	Magnesium [Mg] as principal constituent
H01L 2224/80424	Aluminium [Al] as principal constituent
H01L 2224/80438	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/80439	Silver [Ag] as principal constituent
H01L 2224/80444	Gold [Au] as principal constituent
H01L 2224/80447	Copper [Cu] as principal constituent
H01L 2224/80449	Manganese [Mn] as principal constituent
H01L 2224/80455	Nickel [Ni] as principal constituent
H01L 2224/80457	Cobalt [Co] as principal constituent
H01L 2224/8046	Iron [Fe] as principal constituent
H01L 2224/80463	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/80464	Palladium [Pd] as principal constituent
H01L 2224/80466	Titanium [Ti] as principal constituent
H01L 2224/80469	Platinum [Pt] as principal constituent
H01L 2224/8047	Zirconium [Zr] as principal constituent
H01L 2224/80471	Chromium [Cr] as principal constituent
H01L 2224/80472	Vanadium [V] as principal constituent
H01L 2224/80473	Rhodium [Rh] as principal constituent
H01L 2224/80476	Ruthenium [Ru] as principal constituent
H01L 2224/80478	Iridium [Ir] as principal constituent
H01L 2224/80479	Niobium [Nb] as principal constituent
H01L 2224/8048	Molybdenum [Mo] as principal constituent
H01L 2224/80481	Tantalum [Ta] as principal constituent
H01L 2224/80483	Rhenium [Re] as principal constituent
H01L 2224/80484	Tungsten [W] as principal constituent
H01L 2224/80486	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/80487	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/80488)
H01L 2224/80488	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8049	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/80491	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/80493	with a principal constituent of the material being a solid not provided for in groups H01L 2224/804 to H01L 2224/80491 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond

H01L 2224/80494	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/804 to H01L 2224/80491
H01L 2224/80495	with a principal constituent of the material being a gas not provided for in groups H01L 2224/804 to H01L 2224/80491
H01L 2224/80498	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/80499	Material of the matrix
H01L 2224/805	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/80501	the principal constituent melting at a temperature of less than 400°C
H01L 2224/80505	Gallium [Ga] as principal constituent
H01L 2224/80509	Indium [In] as principal constituent
H01L 2224/80511	Tin [Sn] as principal constituent
H01L 2224/80513	Bismuth [Bi] as principal constituent
H01L 2224/80514	Thallium [Tl] as principal constituent
H01L 2224/80516	Lead [Pb] as principal constituent
H01L 2224/80517	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/80518	Zinc [Zn] as principal constituent
H01L 2224/8052	Antimony [Sb] as principal constituent
H01L 2224/80523	Magnesium [Mg] as principal constituent
H01L 2224/80524	Aluminium [Al] as principal constituent
H01L 2224/80538	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/80539	Silver [Ag] as principal constituent
H01L 2224/80544	Gold [Au] as principal constituent
H01L 2224/80547	Copper [Cu] as principal constituent
H01L 2224/80549	Manganese [Mn] as principal constituent
H01L 2224/80555	Nickel [Ni] as principal constituent
H01L 2224/80557	Cobalt [Co] as principal constituent
H01L 2224/8056	Iron [Fe] as principal constituent
H01L 2224/80563	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/80564	Palladium [Pd] as principal constituent
H01L 2224/80566	Titanium [Ti] as principal constituent
H01L 2224/80569	Platinum [Pt] as principal constituent
H01L 2224/8057	Zirconium [Zr] as principal constituent
H01L 2224/80571	Chromium [Cr] as principal constituent
H01L 2224/80572	Vanadium [V] as principal constituent
H01L 2224/80573	Rhodium [Rh] as principal constituent

H01L 2224/80576	Ruthenium [Ru] as principal constituent
H01L 2224/80578	Iridium [Ir] as principal constituent
H01L 2224/80579	Niobium [Nb] as principal constituent
H01L 2224/8058	Molybdenum [Mo] as principal constituent
H01L 2224/80581	Tantalum [Ta] as principal constituent
H01L 2224/80583	Rhenium [Re] as principal constituent
H01L 2224/80584	Tungsten [W] as principal constituent
H01L 2224/80586	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/80587	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/80588)
H01L 2224/80588	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8059	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/80591	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/80593	with a principal constituent of the material being a solid not provided for in groups H01L 2224/805 to H01L 2224/80591 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/80594	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/805 to H01L 2224/80591
H01L 2224/80595	with a principal constituent of the material being a gas not provided for in groups H01L 2224/805 to H01L 2224/80591
H01L 2224/80598	Fillers
H01L 2224/80599	Base material
H01L 2224/806	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/80601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/80605	Gallium [Ga] as principal constituent
H01L 2224/80609	Indium [In] as principal constituent
H01L 2224/80611	Tin [Sn] as principal constituent
H01L 2224/80613	Bismuth [Bi] as principal constituent
H01L 2224/80614	Thallium [Tl] as principal constituent
H01L 2224/80616	Lead [Pb] as principal constituent
H01L 2224/80617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/80618	Zinc [Zn] as principal constituent
H01L 2224/8062	Antimony [Sb] as principal constituent
H01L 2224/80623	Magnesium [Mg] as principal constituent
H01L 2224/80624	Aluminium [Al] as principal constituent

H01L 2224/80638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/80639	Silver [Ag] as principal constituent
H01L 2224/80644	Gold [Au] as principal constituent
H01L 2224/80647	Copper [Cu] as principal constituent
H01L 2224/80649	Manganese [Mn] as principal constituent
H01L 2224/80655	Nickel [Ni] as principal constituent
H01L 2224/80657	Cobalt [Co] as principal constituent
H01L 2224/8066	Iron [Fe] as principal constituent
H01L 2224/80663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/80664	Palladium [Pd] as principal constituent
H01L 2224/80666	Titanium [Ti] as principal constituent
H01L 2224/80669	Platinum [Pt] as principal constituent
H01L 2224/8067	Zirconium [Zr] as principal constituent
H01L 2224/80671	Chromium [Cr] as principal constituent
H01L 2224/80672	Vanadium [V] as principal constituent
H01L 2224/80673	Rhodium [Rh] as principal constituent
H01L 2224/80676	Ruthenium [Ru] as principal constituent
H01L 2224/80678	Iridium [Ir] as principal constituent
H01L 2224/80679	Niobium [Nb] as principal constituent
H01L 2224/8068	Molybdenum [Mo] as principal constituent
H01L 2224/80681	Tantalum [Ta] as principal constituent
H01L 2224/80683	Rhenium [Re] as principal constituent
H01L 2224/80684	Tungsten [W] as principal constituent
H01L 2224/80686	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/80687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/80688)
H01L 2224/80688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8069	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/80691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/80693	with a principal constituent of the material being a solid not provided for in groups H01L 2224/806 to H01L 2224/80691 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/80694	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/806 to H01L 2224/80691
H01L 2224/80695	with a principal constituent of the material being a gas not provided for in groups H01L 2224/806 to H01L 2224/80691

H01L 2224/80698	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/80699	Coating material
H01L 2224/807	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/80701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/80705	Gallium [Ga] as principal constituent
H01L 2224/80709	Indium [In] as principal constituent
H01L 2224/80711	Tin [Sn] as principal constituent
H01L 2224/80713	Bismuth [Bi] as principal constituent
H01L 2224/80714	Thallium [Tl] as principal constituent
H01L 2224/80716	Lead [Pb] as principal constituent
H01L 2224/80717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/80718	Zinc [Zn] as principal constituent
H01L 2224/8072	Antimony [Sb] as principal constituent
H01L 2224/80723	Magnesium [Mg] as principal constituent
H01L 2224/80724	Aluminium [Al] as principal constituent
H01L 2224/80738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/80739	Silver [Ag] as principal constituent
H01L 2224/80744	Gold [Au] as principal constituent
H01L 2224/80747	Copper [Cu] as principal constituent
H01L 2224/80749	Manganese [Mn] as principal constituent
H01L 2224/80755	Nickel [Ni] as principal constituent
H01L 2224/80757	Cobalt [Co] as principal constituent
H01L 2224/8076	Iron [Fe] as principal constituent
H01L 2224/80763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/80764	Palladium [Pd] as principal constituent
H01L 2224/80766	Titanium [Ti] as principal constituent
H01L 2224/80769	Platinum [Pt] as principal constituent
H01L 2224/8077	Zirconium [Zr] as principal constituent
H01L 2224/80771	Chromium [Cr] as principal constituent
H01L 2224/80772	Vanadium [V] as principal constituent
H01L 2224/80773	Rhodium [Rh] as principal constituent
H01L 2224/80776	Ruthenium [Ru] as principal constituent
H01L 2224/80778	Iridium [Ir] as principal constituent

H01L 2224/80779	Niobium [Nb] as principal constituent
H01L 2224/8078	Molybdenum [Mo] as principal constituent
H01L 2224/80781	Tantalum [Ta] as principal constituent
H01L 2224/80783	Rhenium [Re] as principal constituent
H01L 2224/80784	Tungsten [W] as principal constituent
H01L 2224/80786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/80787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/80788)
H01L 2224/80788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8079	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/80791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/80793	with a principal constituent of the material being a solid not provided for in groups H01L 2224/807 to H01L 2224/80791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/80794	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/807 to H01L 2224/80791
H01L 2224/80795	with a principal constituent of the material being a gas not provided for in groups H01L 2224/807 to H01L 2224/80791
H01L 2224/80798	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/80799	Shape or distribution of the fillers
H01L 2224/808	...	Bonding techniques
H01L 2224/80801	Soldering or alloying
H01L 2224/80805	involving forming a eutectic alloy at the bonding interface
H01L 2224/8081	involving forming an intermetallic compound at the bonding interface
H01L 2224/80815	Reflow soldering
H01L 2224/8082	Diffusion bonding
H01L 2224/80825	Solid-liquid interdiffusion
H01L 2224/8083	Solid-solid interdiffusion
H01L 2224/8084	Sintering
H01L 2224/8085	using a polymer adhesive, e.g. an adhesive based on silicone, epoxy, polyimide, polyester
H01L 2224/80855	Hardening the adhesive by curing, i.e. thermosetting
H01L 2224/80856	Pre-cured adhesive, i.e. B-stage adhesive
H01L 2224/80859	Localised curing of parts of the bonding area
H01L 2224/80862	Heat curing
H01L 2224/80865	Microwave curing
H01L 2224/80868	Infrared [IR] curing

H01L 2224/80871	Visible light curing
H01L 2224/80874	Ultraviolet [UV] curing
H01L 2224/80877	Moisture curing, i.e. curing by exposing to humidity, e.g. for silicones and polyurethanes
H01L 2224/8088	Hardening the adhesive by cooling, e.g. for thermoplastics or hot-melt adhesives
H01L 2224/80885	Combinations of two or more hardening methods provided for in at least two different groups from H01L 2224/80855 to H01L 2224/8088 , e.g. for hybrid thermoplastic-thermosetting adhesives
H01L 2224/8089	using an inorganic non metallic glass type adhesive, e.g. solder glass
H01L 2224/80893	Anodic bonding, i.e. bonding by applying a voltage across the interface in order to induce ions migration leading to an irreversible chemical bond
H01L 2224/80894	Direct bonding, i.e. joining surfaces by means of intermolecular attracting interactions at their interfaces, e.g. covalent bonds, van der Waals forces
H01L 2224/80895	between electrically conductive surfaces, e.g. copper-copper direct bonding, surface activated bonding
H01L 2224/80896	between electrically insulating surfaces, e.g. oxide or nitride layers
H01L 2224/80897	Mechanical interlocking, e.g. anchoring, hook and loop-type fastening or the like
H01L 2224/80898	Press-fitting, i.e. pushing the parts together and fastening by friction, e.g. by compression of one part against the other
H01L 2224/80899	using resilient parts in the bonding area
H01L 2224/809	...	with the bonding area not providing any mechanical bonding
H01L 2224/80901	Pressing a bonding area against another bonding area by means of a further bonding area or connector(detachable pressure contact H01L 224/72)
H01L 2224/80902	by means of a further bonding area
H01L 2224/80903	by means of a bump or layer connector
H01L 2224/80904	by means of an encapsulation layer or foil
H01L 2224/80905	...	Combinations of bonding methods provided for in at least two different groups from H01L 2224/808 to H01L 2224/80904
H01L 2224/80906	Specific sequence of method steps
H01L 2224/80907	Intermediate bonding, i.e. intermediate bonding step for temporarily bonding the semiconductor or solid-state body, followed by at least a further bonding step
H01L 2224/80908	...	involving monitoring, e.g. feedback loop
H01L 2224/80909	...	Post-treatment of the bonding area
H01L 2224/8091	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/80911	Chemical cleaning, e.g. etching, flux
H01L 2224/80912	Mechanical cleaning, e.g. abrasion using hydro blasting, brushes, ultrasonic cleaning, dry ice blasting, gas-flow
H01L 2224/80913	Plasma cleaning
H01L 2224/80914	Thermal cleaning, e.g. using laser ablation or by electrostatic corona discharge
H01L 2224/80919	Combinations of two or more cleaning methods provided for in at least two different groups from H01L 2224/8091 to H01L 2224/80914

H01L 2224/8092	Applying permanent coating, e.g. protective coating
H01L 2224/8093	Reshaping
H01L 2224/80931	by chemical means, e.g. etching
H01L 2224/80935	by heating means, e.g. reflowing
H01L 2224/80937	using a polychromatic heating lamp
H01L 2224/80939	using a laser
H01L 2224/80941	Induction heating, i.e. eddy currents
H01L 2224/80943	using a flame torch, e.g. hydrogen torch
H01L 2224/80945	using a corona discharge, e.g. electronic flame off [EFO]
H01L 2224/80947	by mechanical means, e.g. ?pull-and-cut?, pressing, stamping
H01L 2224/80948	Thermal treatments, e.g. annealing, controlled cooling
H01L 2224/80951	Forming additional members, e.g. for reinforcing
H01L 2224/80986	...	Specific sequence of steps, e.g. repetition of manufacturing steps, time sequence
H01L 2224/81	..	using a bump connector
H01L 2224/81001	...	involving a temporary auxiliary member not forming part of the bonding apparatus
H01L 2224/81002	being a removable or sacrificial coating
H01L 2224/81005	being a temporary or sacrificial substrate
H01L 2224/81007	...	involving a permanent auxiliary member being left in the finished device e.g. aids for holding or protecting the bump connector during or after the bonding process
H01L 2224/81009	...	Pre-treatment of the bump connector or the bonding area
H01L 2224/8101	Cleaning the bump connector, e.g. oxide removal step, desmearing
H01L 2224/81011	Chemical cleaning, e.g. etching, flux
H01L 2224/81012	Mechanical cleaning, e.g. abrasion using hydro blasting, brushes, ultrasonic cleaning, dry ice blasting, gas-flow
H01L 2224/81013	Plasma cleaning
H01L 2224/81014	Thermal cleaning, e.g. decomposition, sublimation
H01L 2224/81019	Combinations of two or more cleaning methods provided for in at least two different groups from H01L 2224/8101 to H01L 2224/81014
H01L 2224/8102	Applying permanent coating to the bump connector in the bonding apparatus, e.g. in-situ coating
H01L 2224/81022	Cleaning the bonding area, e.g. oxide removal step, desmearing
H01L 2224/81024	Applying flux to the bonding area
H01L 2224/81026	Applying a precursor material to the bonding area
H01L 2224/8103	Reshaping the bump connector in the bonding apparatus, e.g. flattening the bump connector
H01L 2224/81031	by chemical means, e.g. etching, anodisation
H01L 2224/81035	by heating means
H01L 2224/81037	using a polychromatic heating lamp
H01L 2224/81039	using a laser

H01L 2224/81041	Induction heating, i.e. eddy currents
H01L 2224/81047	by mechanical means, e.g. severing, pressing, stamping
H01L 2224/81048	Thermal treatments, e.g. annealing, controlled pre-heating or pre-cooling
H01L 2224/81051	Forming additional members
H01L 2224/81052	...	Detaching bump connectors, e.g. after testing(unsoldering in general B23K 1/018)
H01L 2224/81053	...	Bonding environment
H01L 2224/81054	Composition of the atmosphere
H01L 2224/81055	being oxidating
H01L 2224/81065	being reducing
H01L 2224/81075	being inert
H01L 2224/81085	being a liquid, e.g. for fluidic self-assembly
H01L 2224/8109	Vacuum
H01L 2224/81091	Under pressure
H01L 2224/81092	Atmospheric pressure
H01L 2224/81093	Transient conditions, e.g. gas-flow
H01L 2224/81095	Temperature settings
H01L 2224/81096	Transient conditions
H01L 2224/81097	Heating
H01L 2224/81098	Cooling
H01L 2224/81099	Ambient temperature
H01L 2224/811	...	the bump connector being supplied to the parts to be connected in the bonding apparatus
H01L 2224/81101	as prepeg comprising a bump connector, e.g. provided in an insulating plate member
H01L 2224/8111	...	involving protection against electrical discharge, e.g. removing electrostatic charge
H01L 2224/8112	...	Aligning
H01L 2224/81121	Active alignment, i.e. by apparatus steering, e.g. optical alignment using marks or sensors
H01L 2224/81122	by detecting inherent features of, or outside, the semiconductor or solid-state body
H01L 2224/81123	Shape or position of the body
H01L 2224/81125	Bonding areas on the body
H01L 2224/81127	Bonding areas outside the body
H01L 2224/81129	Shape or position of the other item
H01L 2224/8113	using marks formed on the semiconductor or solid-state body
H01L 2224/81132	using marks formed outside the semiconductor or solid-state body, i.e. ? off-chip?
H01L 2224/81136	involving guiding structures, e.g. spacers or supporting members
H01L 2224/81138	the guiding structures being at least partially left in the finished device
H01L 2224/81139	Guiding structures on the body

H01L 2224/8114	Guiding structures outside the body
H01L 2224/81141	Guiding structures both on and outside the body
H01L 2224/81143	Passive alignment, i.e. self alignment, e.g. using surface energy, chemical reactions, thermal equilibrium
H01L 2224/81148	involving movement of a part of the bonding apparatus
H01L 2224/81149	being the lower part of the bonding apparatus, i.e. holding means for the bodies to be connected, e.g. XY table
H01L 2224/8115	Rotational movements
H01L 2224/8116	Translational movements
H01L 2224/81169	being the upper part of the bonding apparatus, i.e. bonding head
H01L 2224/8117	Rotational movements
H01L 2224/8118	Translational movements
H01L 2224/8119	...	Arrangement of the bump connectors prior to mounting
H01L 2224/81191	wherein the bump connectors are disposed only on the semiconductor or solid-state body
H01L 2224/81192	wherein the bump connectors are disposed only on another item or body to be connected to the semiconductor or solid-state body
H01L 2224/81193	wherein the bump connectors are disposed on both the semiconductor or solid-state body and another item or body to be connected to the semiconductor or solid-state body
H01L 2224/81194	Lateral distribution of the bump connectors
H01L 2224/812	...	Applying energy for connecting
H01L 2224/81201	Compression bonding
H01L 2224/81203	Thermocompression bonding, e.g. diffusion bonding, pressure joining, thermocompression welding or solid-state welding
H01L 2224/81204	with a graded temperature profile
H01L 2224/81205	Ultrasonic bonding
H01L 2224/81206	Direction of oscillation
H01L 2224/81207	Thermosonic bonding
H01L 2224/81208	applying unidirectional static pressure
H01L 2224/81209	applying isostatic pressure, e.g. degassing using vacuum or a pressurised liquid
H01L 2224/8121	using a reflow oven
H01L 2224/81211	with a graded temperature profile
H01L 2224/8122	with energy being in the form of electromagnetic radiation
H01L 2224/81222	Induction heating, i.e. eddy currents
H01L 2224/81224	using a laser
H01L 2224/8123	Polychromatic or infrared lamp heating
H01L 2224/81232	using an autocatalytic reaction, e.g. exothermic brazing
H01L 2224/81234	using means for applying energy being within the device, e.g. integrated heater
H01L 2224/81236	using electro-static corona discharge

H01L 2224/81237	using an electron beam(electron beam welding in general B23K 15/00)
H01L 2224/81238	using electric resistance welding, i.e. ohmic heating
H01L 2224/8134	...	Bonding interfaces of the bump connector
H01L 2224/81345	Shape, e.g. interlocking features
H01L 2224/81355	having an external coating, e.g. protective bond-through coating
H01L 2224/81359	Material
H01L 2224/8136	...	Bonding interfaces of the semiconductor or solid state body
H01L 2224/81365	Shape, e.g. interlocking features
H01L 2224/81375	having an external coating, e.g. protective bond-through coating
H01L 2224/81379	Material(material of the bump connector prior to the connecting process H01L 2224/13099 and H01L 2224/13599 , and subgroups)
H01L 2224/8138	...	Bonding interfaces outside the semiconductor or solid-state body
H01L 2224/81385	Shape, e.g. interlocking features
H01L 2224/81395	having an external coating, e.g. protective bond-through coating
H01L 2224/81399	Material
H01L 2224/814	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/81401	the principal constituent melting at a temperature of less than 400°C
H01L 2224/81405	Gallium [Ga] as principal constituent
H01L 2224/81409	Indium [In] as principal constituent
H01L 2224/81411	Tin [Sn] as principal constituent
H01L 2224/81413	Bismuth [Bi] as principal constituent
H01L 2224/81414	Thallium [Tl] as principal constituent
H01L 2224/81416	Lead [Pb] as principal constituent
H01L 2224/81417	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/81418	Zinc [Zn] as principal constituent
H01L 2224/8142	Antimony [Sb] as principal constituent
H01L 2224/81423	Magnesium [Mg] as principal constituent
H01L 2224/81424	Aluminium [Al] as principal constituent
H01L 2224/81438	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/81439	Silver [Ag] as principal constituent
H01L 2224/81444	Gold [Au] as principal constituent
H01L 2224/81447	Copper [Cu] as principal constituent
H01L 2224/81449	Manganese [Mn] as principal constituent
H01L 2224/81455	Nickel [Ni] as principal constituent
H01L 2224/81457	Cobalt [Co] as principal constituent
H01L 2224/8146	Iron [Fe] as principal constituent
H01L 2224/81463	the principal constituent melting at a temperature of greater than 1550°C

H01L 2224/81464	Palladium [Pd] as principal constituent
H01L 2224/81466	Titanium [Ti] as principal constituent
H01L 2224/81469	Platinum [Pt] as principal constituent
H01L 2224/8147	Zirconium [Zr] as principal constituent
H01L 2224/81471	Chromium [Cr] as principal constituent
H01L 2224/81472	Vanadium [V] as principal constituent
H01L 2224/81473	Rhodium [Rh] as principal constituent
H01L 2224/81476	Ruthenium [Ru] as principal constituent
H01L 2224/81478	Iridium [Ir] as principal constituent
H01L 2224/81479	Niobium [Nb] as principal constituent
H01L 2224/8148	Molybdenum [Mo] as principal constituent
H01L 2224/81481	Tantalum [Ta] as principal constituent
H01L 2224/81483	Rhenium [Re] as principal constituent
H01L 2224/81484	Tungsten [W] as principal constituent
H01L 2224/81486	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/81487	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/81488)
H01L 2224/81488	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8149	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/81491	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/81493	with a principal constituent of the material being a solid not provided for in groups H01L 2224/814 to H01L 2224/81491 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/81494	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/814 to H01L 2224/81491
H01L 2224/81495	with a principal constituent of the material being a gas not provided for in groups H01L 2224/814 to H01L 2224/81491
H01L 2224/81498	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/81499	Material of the matrix
H01L 2224/815	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/81501	the principal constituent melting at a temperature of less than 400°C
H01L 2224/81505	Gallium [Ga] as principal constituent
H01L 2224/81509	Indium [In] as principal constituent
H01L 2224/81511	Tin [Sn] as principal constituent
H01L 2224/81513	Bismuth [Bi] as principal constituent
H01L 2224/81514	Thallium [Tl] as principal constituent

H01L 2224/81516	Lead [Pb] as principal constituent
H01L 2224/81517	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/81518	Zinc [Zn] as principal constituent
H01L 2224/8152	Antimony [Sb] as principal constituent
H01L 2224/81523	Magnesium [Mg] as principal constituent
H01L 2224/81524	Aluminium [Al] as principal constituent
H01L 2224/81538	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/81539	Silver [Ag] as principal constituent
H01L 2224/81544	Gold [Au] as principal constituent
H01L 2224/81547	Copper [Cu] as principal constituent
H01L 2224/81549	Manganese [Mn] as principal constituent
H01L 2224/81555	Nickel [Ni] as principal constituent
H01L 2224/81557	Cobalt [Co] as principal constituent
H01L 2224/8156	Iron [Fe] as principal constituent
H01L 2224/81563	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/81564	Palladium [Pd] as principal constituent
H01L 2224/81566	Titanium [Ti] as principal constituent
H01L 2224/81569	Platinum [Pt] as principal constituent
H01L 2224/8157	Zirconium [Zr] as principal constituent
H01L 2224/81571	Chromium [Cr] as principal constituent
H01L 2224/81572	Vanadium [V] as principal constituent
H01L 2224/81573	Rhodium [Rh] as principal constituent
H01L 2224/81576	Ruthenium [Ru] as principal constituent
H01L 2224/81578	Iridium [Ir] as principal constituent
H01L 2224/81579	Niobium [Nb] as principal constituent
H01L 2224/8158	Molybdenum [Mo] as principal constituent
H01L 2224/81581	Tantalum [Ta] as principal constituent
H01L 2224/81583	Rhenium [Re] as principal constituent
H01L 2224/81584	Tungsten [W] as principal constituent
H01L 2224/81586	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/81587	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/81588)
H01L 2224/81588	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8159	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/81591	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene

H01L 2224/81593	with a principal constituent of the material being a solid not provided for in groups H01L 2224/815 to H01L 2224/81591 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/81594	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/815 to H01L 2224/81591
H01L 2224/81595	with a principal constituent of the material being a gas not provided for in groups H01L 2224/815 to H01L 2224/81591
H01L 2224/81598	Fillers
H01L 2224/81599	Base material
H01L 2224/816	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/81601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/81605	Gallium [Ga] as principal constituent
H01L 2224/81609	Indium [In] as principal constituent
H01L 2224/81611	Tin [Sn] as principal constituent
H01L 2224/81613	Bismuth [Bi] as principal constituent
H01L 2224/81614	Thallium [Tl] as principal constituent
H01L 2224/81616	Lead [Pb] as principal constituent
H01L 2224/81617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/81618	Zinc [Zn] as principal constituent
H01L 2224/8162	Antimony [Sb] as principal constituent
H01L 2224/81623	Magnesium [Mg] as principal constituent
H01L 2224/81624	Aluminium [Al] as principal constituent
H01L 2224/81638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/81639	Silver [Ag] as principal constituent
H01L 2224/81644	Gold [Au] as principal constituent
H01L 2224/81647	Copper [Cu] as principal constituent
H01L 2224/81649	Manganese [Mn] as principal constituent
H01L 2224/81655	Nickel [Ni] as principal constituent
H01L 2224/81657	Cobalt [Co] as principal constituent
H01L 2224/8166	Iron [Fe] as principal constituent
H01L 2224/81663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/81664	Palladium [Pd] as principal constituent
H01L 2224/81666	Titanium [Ti] as principal constituent
H01L 2224/81669	Platinum [Pt] as principal constituent
H01L 2224/8167	Zirconium [Zr] as principal constituent

H01L 2224/81671	Chromium [Cr] as principal constituent
H01L 2224/81672	Vanadium [V] as principal constituent
H01L 2224/81673	Rhodium [Rh] as principal constituent
H01L 2224/81676	Ruthenium [Ru] as principal constituent
H01L 2224/81678	Iridium [Ir] as principal constituent
H01L 2224/81679	Niobium [Nb] as principal constituent
H01L 2224/8168	Molybdenum [Mo] as principal constituent
H01L 2224/81681	Tantalum [Ta] as principal constituent
H01L 2224/81683	Rhenium [Re] as principal constituent
H01L 2224/81684	Tungsten [W] as principal constituent
H01L 2224/81686	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/81687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/81688)
H01L 2224/81688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8169	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/81691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/81693	with a principal constituent of the material being a solid not provided for in groups H01L 2224/816 to H01L 2224/81691 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/81694	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/816 to H01L 2224/81691
H01L 2224/81695	with a principal constituent of the material being a gas not provided for in groups H01L 2224/816 to H01L 2224/81691
H01L 2224/81698	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/81699	Coating material
H01L 2224/817	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/81701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/81705	Gallium [Ga] as principal constituent
H01L 2224/81709	Indium [In] as principal constituent
H01L 2224/81711	Tin [Sn] as principal constituent
H01L 2224/81713	Bismuth [Bi] as principal constituent
H01L 2224/81714	Thallium [Tl] as principal constituent
H01L 2224/81716	Lead [Pb] as principal constituent
H01L 2224/81717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C

H01L 2224/81718	Zinc [Zn] as principal constituent
H01L 2224/8172	Antimony [Sb] as principal constituent
H01L 2224/81723	Magnesium [Mg] as principal constituent
H01L 2224/81724	Aluminium [Al] as principal constituent
H01L 2224/81738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/81739	Silver [Ag] as principal constituent
H01L 2224/81744	Gold [Au] as principal constituent
H01L 2224/81747	Copper [Cu] as principal constituent
H01L 2224/81749	Manganese [Mn] as principal constituent
H01L 2224/81755	Nickel [Ni] as principal constituent
H01L 2224/81757	Cobalt [Co] as principal constituent
H01L 2224/8176	Iron [Fe] as principal constituent
H01L 2224/81763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/81764	Palladium [Pd] as principal constituent
H01L 2224/81766	Titanium [Ti] as principal constituent
H01L 2224/81769	Platinum [Pt] as principal constituent
H01L 2224/8177	Zirconium [Zr] as principal constituent
H01L 2224/81771	Chromium [Cr] as principal constituent
H01L 2224/81772	Vanadium [V] as principal constituent
H01L 2224/81773	Rhodium [Rh] as principal constituent
H01L 2224/81776	Ruthenium [Ru] as principal constituent
H01L 2224/81778	Iridium [Ir] as principal constituent
H01L 2224/81779	Niobium [Nb] as principal constituent
H01L 2224/8178	Molybdenum [Mo] as principal constituent
H01L 2224/81781	Tantalum [Ta] as principal constituent
H01L 2224/81783	Rhenium [Re] as principal constituent
H01L 2224/81784	Tungsten [W] as principal constituent
H01L 2224/81786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/81787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/81788)
H01L 2224/81788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8179	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/81791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/81793	with a principal constituent of the material being a solid not provided for in groups H01L 2224/817 to H01L 2224/81791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond

H01L 2224/81794	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/817 to H01L 2224/81791
H01L 2224/81795	with a principal constituent of the material being a gas not provided for in groups H01L 2224/817 to H01L 2224/81791
H01L 2224/81798	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/81799	Shape or distribution of the fillers
H01L 2224/818	...	Bonding techniques
H01L 2224/81801	Soldering or alloying
H01L 2224/81805	involving forming a eutectic alloy at the bonding interface
H01L 2224/8181	involving forming an intermetallic compound at the bonding interface
H01L 2224/81815	Reflow soldering
H01L 2224/8182	Diffusion bonding
H01L 2224/81825	Solid-liquid interdiffusion
H01L 2224/8183	Solid-solid interdiffusion
H01L 2224/8184	Sintering
H01L 2224/8185	using a polymer adhesive, e.g. an adhesive based on silicone, epoxy, polyimide, polyester
H01L 2224/81855	Hardening the adhesive by curing, i.e. thermosetting
H01L 2224/81856	Pre-cured adhesive, i.e. B-stage adhesive
H01L 2224/81859	Localised curing of parts of the bump connector
H01L 2224/81862	Heat curing
H01L 2224/81865	Microwave curing
H01L 2224/81868	Infrared [IR] curing
H01L 2224/81871	Visible light curing
H01L 2224/81874	Ultraviolet [UV] curing
H01L 2224/81877	Moisture curing, i.e. curing by exposing to humidity, e.g. for silicones and polyurethanes
H01L 2224/8188	Hardening the adhesive by cooling, e.g. for thermoplastics or hot-melt adhesives
H01L 2224/81885	Combinations of two or more hardening methods provided for in at least two different groups from H01L 2224/81855 to H01L 2224/8188 , e.g. for hybrid thermoplastic-thermosetting adhesives
H01L 2224/8189	using an inorganic non metallic glass type adhesive, e.g. solder glass
H01L 2224/81893	Anodic bonding, i.e. bonding by applying a voltage across the interface in order to induce ions migration leading to an irreversible chemical bond
H01L 2224/81894	Direct bonding, i.e. joining surfaces by means of intermolecular attracting interactions at their interfaces, e.g. covalent bonds, van der Waals forces
H01L 2224/81895	between electrically conductive surfaces, e.g. copper-copper direct bonding, surface activated bonding
H01L 2224/81896	between electrically insulating surfaces, e.g. oxide or nitride layers
H01L 2224/81897	Mechanical interlocking, e.g. anchoring, hook and loop-type fastening or the like

H01L 2224/81898	Press-fitting, i.e. pushing the parts together and fastening by friction, e.g. by compression of one part against the other
H01L 2224/81899	using resilient parts in the bump connector or in the bonding area
H01L 2224/819	...	with the bump connector not providing any mechanical bonding
H01L 2224/81901	Pressing the bump connector against the bonding areas by means of another connector(detachable pressure contact H01L 224/72)
H01L 2224/81902	by means of another bump connector
H01L 2224/81903	by means of a layer connector
H01L 2224/81904	by means of an encapsulation layer or foil
H01L 2224/81905	...	Combinations of bonding methods provided for in at least two different groups from H01L 2224/818 to H01L 2224/81904
H01L 2224/81906	Specific sequence of method steps
H01L 2224/81907	Intermediate bonding, i.e. intermediate bonding step for temporarily bonding the semiconductor or solid-state body, followed by at least a further bonding step
H01L 2224/81908	...	involving monitoring, e.g. feedback loop
H01L 2224/81909	...	Post-treatment of the bump connector or bonding area
H01L 2224/8191	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/81911	Chemical cleaning, e.g. etching, flux
H01L 2224/81912	Mechanical cleaning, e.g. abrasion using hydro blasting, brushes, ultrasonic cleaning, dry ice blasting, gas-flow
H01L 2224/81913	Plasma cleaning
H01L 2224/81914	Thermal cleaning, e.g. using laser ablation or by electrostatic corona discharge
H01L 2224/81919	Combinations of two or more cleaning methods provided for in at least two different groups from H01L 2224/8191 to H01L 2224/81914
H01L 2224/8192	Applying permanent coating, e.g. protective coating
H01L 2224/8193	Reshaping
H01L 2224/81931	by chemical means, e.g. etching
H01L 2224/81935	by heating means, e.g. reflowing
H01L 2224/81937	using a polychromatic heating lamp
H01L 2224/81939	using a laser
H01L 2224/81941	Induction heating, i.e. eddy currents
H01L 2224/81943	using a flame torch, e.g. hydrogen torch
H01L 2224/81945	using a corona discharge, e.g. electronic flame off [EFO]
H01L 2224/81947	by mechanical means, e.g. ?pull-and-cut?, pressing, stamping
H01L 2224/81948	Thermal treatments, e.g. annealing, controlled cooling
H01L 2224/81951	Forming additional members, e.g. for reinforcing
H01L 2224/81986	...	Specific sequence of steps, e.g. repetition of manufacturing steps, time sequence
H01L 2224/82	..	by forming build-up interconnects at chip-level, e.g. for high density interconnects [HDI]

H01L 2224/82001	...	involving a temporary auxiliary member not forming part of the bonding apparatus
H01L 2224/82002	being a removable or sacrificial coating
H01L 2224/82005	being a temporary or sacrificial substrate
H01L 2224/82007	...	involving a permanent auxiliary member being left in the finished device e.g. aids for holding or protecting a build-up interconnect during or after the bonding process
H01L 2224/82009	...	Pre-treatment of the connector or the bonding area
H01L 2224/8201	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/8203	Reshaping, e.g. forming vias
H01L 2224/82031	by chemical means, e.g. etching, anodisation
H01L 2224/82035	by heating means
H01L 2224/82039	using a laser
H01L 2224/82045	using a corona discharge, e.g. electronic flame off [EFO]
H01L 2224/82047	by mechanical means, e.g. severing, pressing, stamping
H01L 2224/82048	Thermal treatments, e.g. annealing, controlled pre-heating or pre-cooling
H01L 2224/82051	Forming additional members
H01L 2224/82053	...	Bonding environment
H01L 2224/82054	Composition of the atmosphere
H01L 2224/82085	being a liquid, e.g. for fluidic self-assembly
H01L 2224/8209	Vacuum
H01L 2224/82091	Under pressure
H01L 2224/82095	Temperature settings
H01L 2224/82096	Transient conditions
H01L 2224/82097	Heating
H01L 2224/82098	Cooling
H01L 2224/82099	Ambient temperature
H01L 2224/821	...	Forming a build-up interconnect
H01L 2224/82101	by additive methods, e.g. direct writing
H01L 2224/82102	using jetting, e.g. ink jet
H01L 2224/82103	using laser direct writing
H01L 2224/82104	using screen printing
H01L 2224/82105	by using a preform
H01L 2224/82106	by subtractive methods
H01L 2224/82108	by self-assembly processes
H01L 2224/8211	...	involving protection against electrical discharge, e.g. removing electrostatic charge
H01L 2224/8212	...	Aligning
H01L 2224/82121	Active alignment, i.e. by apparatus steering, e.g. optical alignment using marks or sensors
H01L 2224/82122	by detecting inherent features of, or outside, the semiconductor or solid-state body

H01L 2224/8213	using marks formed on the semiconductor or solid-state body
H01L 2224/82132	using marks formed outside the semiconductor or solid-state body, i.e. "off-chip"
H01L 2224/82136	involving guiding structures, e.g. spacers or supporting members
H01L 2224/82138	the guiding structures being at least partially left in the finished device
H01L 2224/82143	Passive alignment, i.e. self alignment, e.g. using surface energy, chemical reactions, thermal equilibrium
H01L 2224/82148	involving movement of a part of the bonding apparatus
H01L 2224/82149	being the lower part of the bonding apparatus, i.e. holding means for the bodies to be connected, e.g. XY table
H01L 2224/8215	Rotational movements
H01L 2224/8216	Translational movements
H01L 2224/82169	being the upper part of the bonding apparatus, e.g. nozzle
H01L 2224/8217	Rotational movement
H01L 2224/8218	Translational movements
H01L 2224/82181	connecting first on the semiconductor or solid-state body, i.e. on-chip,
H01L 2224/82186	connecting first outside the semiconductor or solid-state body, i.e. off-chip
H01L 2224/82191	connecting first both on and outside the semiconductor or solid-state body
H01L 2224/822	...	Applying energy for connecting
H01L 2224/82201	Compression bonding
H01L 2224/82203	Thermocompression bonding
H01L 2224/82205	Ultrasonic bonding
H01L 2224/82207	Thermosonic bonding
H01L 2224/8221	with energy being in the form of electromagnetic radiation
H01L 2224/82212	Induction heating, i.e. eddy currents
H01L 2224/82214	using a laser
H01L 2224/8223	Polychromatic or infrared lamp heating
H01L 2224/82232	using an autocatalytic reaction, e.g. exothermic brazing
H01L 2224/82234	using means for applying energy being within the device, e.g. integrated heater
H01L 2224/82236	using electro-static corona discharge
H01L 2224/82237	using electron beam, electron beam in general B23K 15/00
H01L 2224/82238	using electric resistance welding, i.e. ohmic heating
H01L 2224/8234	...	Bonding interfaces of the connector
H01L 2224/82345	Shape, e.g. interlocking features
H01L 2224/82355	having an external coating, e.g. protective bond-through coating
H01L 2224/82359	Material
H01L 2224/8236	...	Bonding interfaces of the semiconductor or solid state body
H01L 2224/82365	Shape, e.g. interlocking features

H01L 2224/82375	having an external coating, e.g. protective bond-through coating
H01L 2224/82379	Material
H01L 2224/8238	...	Bonding interfaces outside the semiconductor or solid-state body
H01L 2224/82385	Shape, e.g. interlocking features
H01L 2224/82395	having an external coating, e.g. protective bond-through coating
H01L 2224/82399	Material
H01L 2224/828	...	Bonding techniques
H01L 2224/82801	Soldering or alloying
H01L 2224/82805	involving forming a eutectic alloy at the bonding interface
H01L 2224/8281	involving forming an intermetallic compound at the bonding interface
H01L 2224/82815	Reflow soldering
H01L 2224/8282	Diffusion bonding
H01L 2224/82825	Solid-liquid interdiffusion
H01L 2224/8283	Solid-solid interdiffusion
H01L 2224/8284	Sintering
H01L 2224/8285	using a polymer adhesive, e.g. an adhesive based on silicone, epoxy, polyimide, polyester
H01L 2224/82855	Hardening the adhesive by curing, i.e. thermosetting
H01L 2224/82856	Pre-cured adhesive, i.e. B-stage adhesive
H01L 2224/82859	Localised curing of parts of the connector
H01L 2224/82862	Heat curing
H01L 2224/82865	Microwave curing
H01L 2224/82868	Infrared [IR] curing
H01L 2224/82871	Visible light curing
H01L 2224/82874	Ultraviolet [UV] curing
H01L 2224/82877	Moisture curing, i.e. curing by exposing to humidity, e.g. for silicones and polyurethanes
H01L 2224/8288	Hardening the adhesive by cooling, e.g. for thermoplastics or hot-melt adhesives
H01L 2224/82885	Combinations of two or more hardening methods provided for in at least two different groups from H01L 2224/82855 to H01L 2224/8288 , e.g. for hybrid thermoplastic-thermosetting adhesives
H01L 2224/8289	using an inorganic non metallic glass type adhesive, e.g. solder glass
H01L 2224/82893	Anodic bonding, i.e. bonding by applying a voltage across the interface in order to induce ions migration leading to an irreversible chemical bond
H01L 2224/82895	Direct bonding, i.e. joining surfaces by means of intermolecular attracting interactions at their interfaces, e.g. covalent bonds, van der Waals forces
H01L 2224/82896	between electrically conductive surfaces, e.g. copper-copper direct bonding, surface activated bonding
H01L 2224/82897	between electrically insulating surfaces, e.g. oxide or nitride layers
H01L 2224/82899	Combinations of bonding methods provided for in at least two different groups from H01L 2224/828 to H01L 2224/82897

H01L 2224/829	...	involving monitoring, e.g. feedback loop
H01L 2224/82909	...	Post-treatment of the connector or the bonding area
H01L 2224/8291	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/8293	Reshaping
H01L 2224/82931	by chemical means, e.g. etching, anodisation
H01L 2224/82935	by heating means
H01L 2224/82939	using a laser
H01L 2224/82945	using a corona discharge, e.g. electronic flame off [EFO]
H01L 2224/82947	by mechanical means, e.g. severing, pressing, stamping
H01L 2224/82948	Thermal treatments, e.g. annealing, controlled pre-heating or pre-cooling
H01L 2224/82951	Forming additional members
H01L 2224/82986	...	Specific sequence of steps, e.g. repetition of manufacturing steps, time sequence
H01L 2224/83	..	using a layer connector
H01L 2224/83001	...	involving a temporary auxiliary member not forming part of the bonding apparatus
H01L 2224/83002	being a removable or sacrificial coating
H01L 2224/83005	being a temporary or sacrificial substrate
H01L 2224/83007	...	involving a permanent auxiliary member being left in the finished device e.g. aids for holding or protecting the layer connector during or after the bonding process
H01L 2224/83009	...	Pre-treatment of the layer connector or the bonding area
H01L 2224/8301	Cleaning the layer connector, e.g. oxide removal step, desmearing
H01L 2224/83011	Chemical cleaning, e.g. etching, flux
H01L 2224/83012	Mechanical cleaning, e.g. abrasion using hydro blasting, brushes, ultrasonic cleaning, dry ice blasting, gas-flow
H01L 2224/83013	Plasma cleaning
H01L 2224/83014	Thermal cleaning, e.g. decomposition, sublimation
H01L 2224/83019	Combinations of two or more cleaning methods provided for in at least two different groups from H01L 2224/8301 to H01L 2224/83014
H01L 2224/8302	Applying permanent coating to the layer connector in the bonding apparatus, e.g. in-situ coating
H01L 2224/83022	Cleaning the bonding area, e.g. oxide removal step, desmearing
H01L 2224/83024	Applying flux to the bonding area
H01L 2224/83026	Applying a precursor material to the bonding area
H01L 2224/8303	Reshaping the layer connector in the bonding apparatus, e.g. flattening the layer connector
H01L 2224/83031	by chemical means, e.g. etching, anodisation
H01L 2224/83035	by heating means
H01L 2224/83037	using a polychromatic heating lamp
H01L 2224/83039	using a laser
H01L 2224/83041	Induction heating, i.e. eddy currents

H01L 2224/83047	by mechanical means, e.g. severing, pressing, stamping
H01L 2224/83048	Thermal treatments, e.g. annealing, controlled pre-heating or pre-cooling
H01L 2224/83051	Forming additional members, e.g. dam structures
H01L 2224/83052	...	Detaching layer connectors, e.g. after testing(unsoldering in general B23K 1/018)
H01L 2224/83053	...	Bonding environment
H01L 2224/83054	Composition of the atmosphere
H01L 2224/83055	being oxidating
H01L 2224/83065	being reducing
H01L 2224/83075	being inert
H01L 2224/83085	being a liquid, e.g. for fluidic self-assembly
H01L 2224/8309	Vacuum
H01L 2224/83091	Under pressure
H01L 2224/83092	Atmospheric pressure
H01L 2224/83093	Transient conditions, e.g. gas-flow
H01L 2224/83095	Temperature settings
H01L 2224/83096	Transient conditions
H01L 2224/83097	Heating
H01L 2224/83098	Cooling
H01L 2224/83099	Ambient temperature
H01L 2224/831	...	the layer connector being supplied to the parts to be connected in the bonding apparatus
H01L 2224/83101	as prepeg comprising a layer connector, e.g. provided in an insulating plate member
H01L 2224/83102	using surface energy, e.g. capillary forces
H01L 2224/83104	by applying pressure, e.g. by injection
H01L 2224/8311	...	involving protection against electrical discharge, e.g. removing electrostatic charge
H01L 2224/8312	...	Aligning
H01L 2224/83121	Active alignment, i.e. by apparatus steering, e.g. optical alignment using marks or sensors
H01L 2224/83122	by detecting inherent features of, or outside, the semiconductor or solid-state body
H01L 2224/83123	Shape or position of the body
H01L 2224/83125	Bonding areas on the body
H01L 2224/83127	Bonding areas outside the body
H01L 2224/83129	Shape or position of the other item
H01L 2224/8313	using marks formed on the semiconductor or solid-state body
H01L 2224/83132	using marks formed outside the semiconductor or solid-state body, i.e. ? off-chip?
H01L 2224/83136	involving guiding structures, e.g. spacers or supporting members
H01L 2224/83138	the guiding structures being at least partially left in the finished device

H01L 2224/83139	Guiding structures on the body
H01L 2224/8314	Guiding structures outside the body
H01L 2224/83141	Guiding structures both on and outside the body
H01L 2224/83143	Passive alignment, i.e. self alignment, e.g. using surface energy, chemical reactions, thermal equilibrium
H01L 2224/83148	involving movement of a part of the bonding apparatus
H01L 2224/83149	being the lower part of the bonding apparatus, i.e. holding means for the bodies to be connected, e.g. XY table
H01L 2224/8315	Rotational movements
H01L 2224/8316	Translational movements
H01L 2224/83169	being the upper part of the bonding apparatus, i.e. bonding head
H01L 2224/8317	Rotational movements
H01L 2224/8318	Translational movements
H01L 2224/8319	...	Arrangement of the layer connectors prior to mounting
H01L 2224/83191	wherein the layer connectors are disposed only on the semiconductor or solid-state body
H01L 2224/83192	wherein the layer connectors are disposed only on another item or body to be connected to the semiconductor or solid-state body
H01L 2224/83193	wherein the layer connectors are disposed on both the semiconductor or solid-state body and another item or body to be connected to the semiconductor or solid-state body
H01L 2224/83194	Lateral distribution of the layer connectors
H01L 2224/832	...	Applying energy for connecting
H01L 2224/83201	Compression bonding
H01L 2224/83203	Thermocompression bonding, e.g. diffusion bonding, pressure joining, thermocompression welding or solid-state welding
H01L 2224/83204	with a graded temperature profile
H01L 2224/83205	Ultrasonic bonding
H01L 2224/83206	Direction of oscillation
H01L 2224/83207	Thermosonic bonding
H01L 2224/83208	applying unidirectional static pressure
H01L 2224/83209	applying isostatic pressure, e.g. degassing using vacuum or a pressurised liquid
H01L 2224/8321	using a reflow oven
H01L 2224/83211	with a graded temperature profile
H01L 2224/8322	with energy being in the form of electromagnetic radiation
H01L 2224/83222	Induction heating, i.e. eddy currents
H01L 2224/83224	using a laser
H01L 2224/8323	Polychromatic or infrared lamp heating
H01L 2224/83232	using an autocatalytic reaction, e.g. exothermic brazing
H01L 2224/83234	using means for applying energy being within the device, e.g. integrated heater

H01L 2224/83236	using electro-static corona discharge
H01L 2224/83237	using an electron beam(electron beam welding in general B23K 15/00)
H01L 2224/83238	using electric resistance welding, i.e. ohmic heating
H01L 2224/8334	...	Bonding interfaces of the layer connector
H01L 2224/83345	Shape, e.g. interlocking features
H01L 2224/83355	having an external coating, e.g. protective bond-through coating
H01L 2224/83359	Material
H01L 2224/8336	...	Bonding interfaces of the semiconductor or solid state body
H01L 2224/83365	Shape, e.g. interlocking features
H01L 2224/83375	having an external coating, e.g. protective bond-through coating
H01L 2224/83379	Material(material of the layer connector prior to the connecting process H01L 2224/29099 and H01L 2224/29599 , and subgroups)
H01L 2224/8338	...	Bonding interfaces outside the semiconductor or solid-state body
H01L 2224/83385	Shape, e.g. interlocking features
H01L 2224/83395	having an external coating, e.g. protective bond-through coating
H01L 2224/83399	Material
H01L 2224/834	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/83401	the principal constituent melting at a temperature of less than 400°C
H01L 2224/83405	Gallium [Ga] as principal constituent
H01L 2224/83409	Indium [In] as principal constituent
H01L 2224/83411	Tin [Sn] as principal constituent
H01L 2224/83413	Bismuth [Bi] as principal constituent
H01L 2224/83414	Thallium [Tl] as principal constituent
H01L 2224/83416	Lead [Pb] as principal constituent
H01L 2224/83417	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/83418	Zinc [Zn] as principal constituent
H01L 2224/8342	Antimony [Sb] as principal constituent
H01L 2224/83423	Magnesium [Mg] as principal constituent
H01L 2224/83424	Aluminium [Al] as principal constituent
H01L 2224/83438	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/83439	Silver [Ag] as principal constituent
H01L 2224/83444	Gold [Au] as principal constituent
H01L 2224/83447	Copper [Cu] as principal constituent
H01L 2224/83449	Manganese [Mn] as principal constituent
H01L 2224/83455	Nickel [Ni] as principal constituent
H01L 2224/83457	Cobalt [Co] as principal constituent
H01L 2224/8346	Iron [Fe] as principal constituent

H01L 2224/83463	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/83464	Palladium [Pd] as principal constituent
H01L 2224/83466	Titanium [Ti] as principal constituent
H01L 2224/83469	Platinum [Pt] as principal constituent
H01L 2224/8347	Zirconium [Zr] as principal constituent
H01L 2224/83471	Chromium [Cr] as principal constituent
H01L 2224/83472	Vanadium [V] as principal constituent
H01L 2224/83473	Rhodium [Rh] as principal constituent
H01L 2224/83476	Ruthenium [Ru] as principal constituent
H01L 2224/83478	Iridium [Ir] as principal constituent
H01L 2224/83479	Niobium [Nb] as principal constituent
H01L 2224/8348	Molybdenum [Mo] as principal constituent
H01L 2224/83481	Tantalum [Ta] as principal constituent
H01L 2224/83483	Rhenium [Re] as principal constituent
H01L 2224/83484	Tungsten [W] as principal constituent
H01L 2224/83486	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/83487	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/83488)
H01L 2224/83488	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8349	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/83491	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/83493	with a principal constituent of the material being a solid not provided for in groups H01L 2224/834 to H01L 2224/83491 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/83494	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/834 to H01L 2224/83491
H01L 2224/83495	with a principal constituent of the material being a gas not provided for in groups H01L 2224/834 to H01L 2224/83491
H01L 2224/83498	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/83499	Material of the matrix
H01L 2224/835	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/83501	the principal constituent melting at a temperature of less than 400°C
H01L 2224/83505	Gallium [Ga] as principal constituent
H01L 2224/83509	Indium [In] as principal constituent
H01L 2224/83511	Tin [Sn] as principal constituent

H01L 2224/83513	Bismuth [Bi] as principal constituent
H01L 2224/83514	Thallium [Tl] as principal constituent
H01L 2224/83516	Lead [Pb] as principal constituent
H01L 2224/83517	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/83518	Zinc [Zn] as principal constituent
H01L 2224/8352	Antimony [Sb] as principal constituent
H01L 2224/83523	Magnesium [Mg] as principal constituent
H01L 2224/83524	Aluminium [Al] as principal constituent
H01L 2224/83538	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/83539	Silver [Ag] as principal constituent
H01L 2224/83544	Gold [Au] as principal constituent
H01L 2224/83547	Copper [Cu] as principal constituent
H01L 2224/83549	Manganese [Mn] as principal constituent
H01L 2224/83555	Nickel [Ni] as principal constituent
H01L 2224/83557	Cobalt [Co] as principal constituent
H01L 2224/8356	Iron [Fe] as principal constituent
H01L 2224/83563	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/83564	Palladium [Pd] as principal constituent
H01L 2224/83566	Titanium [Ti] as principal constituent
H01L 2224/83569	Platinum [Pt] as principal constituent
H01L 2224/8357	Zirconium [Zr] as principal constituent
H01L 2224/83571	Chromium [Cr] as principal constituent
H01L 2224/83572	Vanadium [V] as principal constituent
H01L 2224/83573	Rhodium [Rh] as principal constituent
H01L 2224/83576	Ruthenium [Ru] as principal constituent
H01L 2224/83578	Iridium [Ir] as principal constituent
H01L 2224/83579	Niobium [Nb] as principal constituent
H01L 2224/8358	Molybdenum [Mo] as principal constituent
H01L 2224/83581	Tantalum [Ta] as principal constituent
H01L 2224/83583	Rhenium [Re] as principal constituent
H01L 2224/83584	Tungsten [W] as principal constituent
H01L 2224/83586	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/83587	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/83588)
H01L 2224/83588	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8359	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy

H01L 2224/83591	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/83593	with a principal constituent of the material being a solid not provided for in groups H01L 2224/835 to H01L 2224/83591 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/83594	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/835 to H01L 2224/83591
H01L 2224/83595	with a principal constituent of the material being a gas not provided for in groups H01L 2224/835 to H01L 2224/83591
H01L 2224/83598	Fillers
H01L 2224/83599	Base material
H01L 2224/836	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/83601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/83605	Gallium [Ga] as principal constituent
H01L 2224/83609	Indium [In] as principal constituent
H01L 2224/83611	Tin [Sn] as principal constituent
H01L 2224/83613	Bismuth [Bi] as principal constituent
H01L 2224/83614	Thallium [Tl] as principal constituent
H01L 2224/83616	Lead [Pb] as principal constituent
H01L 2224/83617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/83618	Zinc [Zn] as principal constituent
H01L 2224/8362	Antimony [Sb] as principal constituent
H01L 2224/83623	Magnesium [Mg] as principal constituent
H01L 2224/83624	Aluminium [Al] as principal constituent
H01L 2224/83638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/83639	Silver [Ag] as principal constituent
H01L 2224/83644	Gold [Au] as principal constituent
H01L 2224/83647	Copper [Cu] as principal constituent
H01L 2224/83649	Manganese [Mn] as principal constituent
H01L 2224/83655	Nickel [Ni] as principal constituent
H01L 2224/83657	Cobalt [Co] as principal constituent
H01L 2224/8366	Iron [Fe] as principal constituent
H01L 2224/83663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/83664	Palladium [Pd] as principal constituent
H01L 2224/83666	Titanium [Ti] as principal constituent
H01L 2224/83669	Platinum [Pt] as principal constituent

H01L 2224/8367	Zirconium [Zr] as principal constituent
H01L 2224/83671	Chromium [Cr] as principal constituent
H01L 2224/83672	Vanadium [V] as principal constituent
H01L 2224/83673	Rhodium [Rh] as principal constituent
H01L 2224/83676	Ruthenium [Ru] as principal constituent
H01L 2224/83678	Iridium [Ir] as principal constituent
H01L 2224/83679	Niobium [Nb] as principal constituent
H01L 2224/8368	Molybdenum [Mo] as principal constituent
H01L 2224/83681	Tantalum [Ta] as principal constituent
H01L 2224/83683	Rhenium [Re] as principal constituent
H01L 2224/83684	Tungsten [W] as principal constituent
H01L 2224/83686	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/83687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/83688)
H01L 2224/83688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8369	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/83691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/83693	with a principal constituent of the material being a solid not provided for in groups H01L 2224/836 to H01L 2224/83691 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/83694	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/836 to H01L 2224/83691
H01L 2224/83695	with a principal constituent of the material being a gas not provided for in groups H01L 2224/836 to H01L 2224/83691
H01L 2224/83698	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/83699	Coating material
H01L 2224/837	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/83701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/83705	Gallium [Ga] as principal constituent
H01L 2224/83709	Indium [In] as principal constituent
H01L 2224/83711	Tin [Sn] as principal constituent
H01L 2224/83713	Bismuth [Bi] as principal constituent
H01L 2224/83714	Thallium [Tl] as principal constituent
H01L 2224/83716	Lead [Pb] as principal constituent

H01L 2224/83717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/83718	Zinc [Zn] as principal constituent
H01L 2224/8372	Antimony [Sb] as principal constituent
H01L 2224/83723	Magnesium [Mg] as principal constituent
H01L 2224/83724	Aluminium [Al] as principal constituent
H01L 2224/83738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/83739	Silver [Ag] as principal constituent
H01L 2224/83744	Gold [Au] as principal constituent
H01L 2224/83747	Copper [Cu] as principal constituent
H01L 2224/83749	Manganese [Mn] as principal constituent
H01L 2224/83755	Nickel [Ni] as principal constituent
H01L 2224/83757	Cobalt [Co] as principal constituent
H01L 2224/8376	Iron [Fe] as principal constituent
H01L 2224/83763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/83764	Palladium [Pd] as principal constituent
H01L 2224/83766	Titanium [Ti] as principal constituent
H01L 2224/83769	Platinum [Pt] as principal constituent
H01L 2224/8377	Zirconium [Zr] as principal constituent
H01L 2224/83771	Chromium [Cr] as principal constituent
H01L 2224/83772	Vanadium [V] as principal constituent
H01L 2224/83773	Rhodium [Rh] as principal constituent
H01L 2224/83776	Ruthenium [Ru] as principal constituent
H01L 2224/83778	Iridium [Ir] as principal constituent
H01L 2224/83779	Niobium [Nb] as principal constituent
H01L 2224/8378	Molybdenum [Mo] as principal constituent
H01L 2224/83781	Tantalum [Ta] as principal constituent
H01L 2224/83783	Rhenium [Re] as principal constituent
H01L 2224/83784	Tungsten [W] as principal constituent
H01L 2224/83786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/83787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/83788)
H01L 2224/83788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8379	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/83791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene

H01L 2224/83793	with a principal constituent of the material being a solid not provided for in groups H01L 2224/837 to H01L 2224/83791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/83794	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/837 to H01L 2224/83791
H01L 2224/83795	with a principal constituent of the material being a gas not provided for in groups H01L 2224/837 to H01L 2224/83791
H01L 2224/83798	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/83799	Shape or distribution of the fillers
H01L 2224/838	...	Bonding techniques
H01L 2224/83801	Soldering or alloying
H01L 2224/83805	involving forming a eutectic alloy at the bonding interface
H01L 2224/8381	involving forming an intermetallic compound at the bonding interface
H01L 2224/83815	Reflow soldering
H01L 2224/8382	Diffusion bonding
H01L 2224/83825	Solid-liquid interdiffusion
H01L 2224/8383	Solid-solid interdiffusion
H01L 2224/8384	Sintering
H01L 2224/8385	using a polymer adhesive, e.g. an adhesive based on silicone, epoxy, polyimide, polyester
H01L 2224/83851	being an anisotropic conductive adhesive
H01L 2224/83855	Hardening the adhesive by curing, i.e. thermosetting
H01L 2224/83856	Pre-cured adhesive, i.e. B-stage adhesive
H01L 2224/83859	Localised curing of parts of the layer connector
H01L 2224/83862	Heat curing
H01L 2224/83865	Microwave curing
H01L 2224/83868	Infrared [IR] curing
H01L 2224/83871	Visible light curing
H01L 2224/83874	Ultraviolet [UV] curing
H01L 2224/83877	Moisture curing, i.e. curing by exposing to humidity, e.g. for silicones and polyurethanes
H01L 2224/8388	Hardening the adhesive by cooling, e.g. for thermoplastics or hot-melt adhesives
H01L 2224/83885	Combinations of two or more hardening methods provided for in at least two different groups from H01L 2224/83855 to H01L 2224/8388 , e.g. for hybrid thermoplastic-thermosetting adhesives
H01L 2224/83886	Involving a self-assembly process, e.g. self-agglomeration of a material dispersed in a fluid
H01L 2224/83887	Auxiliary means therefor, e.g. for self-assembly activation
H01L 2224/83888	with special adaptation of the surface of the body to be connected, e.g. surface shape specially adapted for the self-assembly process

H01L 2224/83889	involving the material of the bonding area, e.g. bonding pad
H01L 2224/8389	using an inorganic non metallic glass type adhesive, e.g. solder glass
H01L 2224/83893	Anodic bonding, i.e. bonding by applying a voltage across the interface in order to induce ions migration leading to an irreversible chemical bond
H01L 2224/83894	Direct bonding, i.e. joining surfaces by means of intermolecular attracting interactions at their interfaces, e.g. covalent bonds, van der Waals forces
H01L 2224/83895	between electrically conductive surfaces, e.g. copper-copper direct bonding, surface activated bonding
H01L 2224/83896	between electrically insulating surfaces, e.g. oxide or nitride layers
H01L 2224/83897	Mechanical interlocking, e.g. anchoring, hook and loop-type fastening or the like
H01L 2224/83898	Press-fitting, i.e. pushing the parts together and fastening by friction, e.g. by compression of one part against the other
H01L 2224/83899	using resilient parts in the layer connector or in the bonding area
H01L 2224/839	...	with the layer connector not providing any mechanical bonding
H01L 2224/83901	Pressing the layer connector against the bonding areas by means of another connector
H01L 2224/83902	by means of another layer connector
H01L 2224/83903	by means of a bump connector
H01L 2224/83904	by means of an encapsulation layer or foil
H01L 2224/83905	...	Combinations of bonding methods provided for in at least two different groups from H01L 2224/838 to H01L 2224/83904
H01L 2224/83906	Specific sequence of method steps
H01L 2224/83907	Intermediate bonding, i.e. intermediate bonding step for temporarily bonding the semiconductor or solid-state body, followed by at least a further bonding step
H01L 2224/83908	...	involving monitoring, e.g. feedback loop
H01L 2224/83909	...	Post-treatment of the layer connector or bonding area
H01L 2224/8391	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/83911	Chemical cleaning, e.g. etching, flux
H01L 2224/83912	Mechanical cleaning, e.g. abrasion using hydro blasting, brushes, ultrasonic cleaning, dry ice blasting, gas-flow
H01L 2224/83913	Plasma cleaning
H01L 2224/83914	Thermal cleaning, e.g. using laser ablation or by electrostatic corona discharge
H01L 2224/83919	Combinations of two or more cleaning methods provided for in at least two different groups from H01L 2224/8391 to H01L 2224/83914
H01L 2224/8392	Applying permanent coating, e.g. protective coating
H01L 2224/8393	Reshaping
H01L 2224/83931	by chemical means, e.g. etching
H01L 2224/83935	by heating means, e.g. reflowing
H01L 2224/83937	using a polychromatic heating lamp
H01L 2224/83939	using a laser

H01L 2224/83941	Induction heating, i.e. eddy currents
H01L 2224/83943	using a flame torch, e.g. hydrogen torch
H01L 2224/83945	using a corona discharge, e.g. electronic flame off [EFO]
H01L 2224/83947	by mechanical means, e.g. "pull-and-cut", pressing, stamping
H01L 2224/83948	Thermal treatments, e.g. annealing, controlled cooling
H01L 2224/83951	Forming additional members, e.g. for reinforcing, fillet sealant
H01L 2224/83986	...	Specific sequence of steps, e.g. repetition of manufacturing steps, time sequence
H01L 2224/84	..	using a strap connector
H01L 2224/84001	...	involving a temporary auxiliary member not forming part of the bonding apparatus
H01L 2224/84002	being a removable or sacrificial coating
H01L 2224/84005	being a temporary substrate
H01L 2224/84007	...	involving a permanent auxiliary member being left in the finished device e.g. aids for holding or protecting the strap connector during or after the bonding process
H01L 2224/84009	...	Pre-treatment of the connector and/or the bonding area
H01L 2224/8401	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/84011	Chemical cleaning, e.g. etching, flux
H01L 2224/84012	Mechanical cleaning, e.g. abrasion using hydro blasting, brushes, ultrasonic cleaning, dry ice blasting, gas-flow
H01L 2224/84013	Plasma cleaning
H01L 2224/84014	Thermal cleaning, e.g. decomposition, sublimation
H01L 2224/84019	Combinations of two or more cleaning methods provided for in at least two different groups from H01L 2224/8401 to H01L 2224/84014
H01L 2224/8402	Applying permanent coating, e.g. in-situ coating
H01L 2224/8403	Reshaping
H01L 2224/84031	by chemical means, e.g. etching, anodisation
H01L 2224/84035	by heating means, e.g. "free-air-ball"
H01L 2224/84037	using a polychromatic heating lamp
H01L 2224/84039	using a laser
H01L 2224/84041	Induction heating, i.e. eddy currents
H01L 2224/84043	using a flame torch, e.g. hydrogen torch
H01L 2224/84045	using a corona discharge, e.g. electronic flame off [EFO]
H01L 2224/84047	by mechanical means, e.g. severing, pressing, stamping
H01L 2224/84048	Thermal treatments, e.g. annealing, controlled pre-heating or pre-cooling
H01L 2224/84051	Forming additional members
H01L 2224/84053	...	Bonding environment
H01L 2224/84054	Composition of the atmosphere
H01L 2224/84055	being oxidating
H01L 2224/84065	being reducing
H01L 2224/84075	being inert

H01L 2224/84085	being a liquid(e.g. for fluidic self-assembly)
H01L 2224/8409	Vacuum
H01L 2224/84091	Under pressure
H01L 2224/84092	Atmospheric pressure
H01L 2224/84093	Transient conditions, e.g. gas-flow
H01L 2224/84095	Temperature settings
H01L 2224/84096	Transient conditions
H01L 2224/84097	Heating
H01L 2224/84098	Cooling
H01L 2224/84099	Ambient temperature
H01L 2224/841	...	the connector being supplied to the parts to be connected in the bonding apparatus
H01L 2224/8411	...	involving protection against electrical discharge, e.g. removing electrostatic charge
H01L 2224/8412	...	Aligning
H01L 2224/84121	Active alignment, i.e. by apparatus steering, e.g. optical alignment using marks or sensors
H01L 2224/84122	by detecting inherent features of, or outside, the semiconductor or solid-state body
H01L 2224/84123	Shape or position of the body
H01L 2224/84125	Bonding areas on the body
H01L 2224/84127	Bonding areas outside the body
H01L 2224/84129	Shape or position of the other item
H01L 2224/8413	using marks formed on the semiconductor or solid-state body
H01L 2224/84132	using marks formed outside the semiconductor or solid-state body, i.e. ? off-chip?
H01L 2224/84136	involving guiding structures, e.g. spacers or supporting members
H01L 2224/84138	the guiding structures being at least partially left in the finished device
H01L 2224/84143	Passive alignment, i.e. self alignment, e.g. using surface energy, chemical reactions, thermal equilibrium
H01L 2224/84148	involving movement of a part of the bonding apparatus
H01L 2224/84149	being the lower part of the bonding apparatus, i.e. holding means for the bodies to be connected, e.g. XY table
H01L 2224/8415	Rotational movements
H01L 2224/8416	Translational movements
H01L 2224/84169	being the upper part of the bonding apparatus, i.e. bonding head,
H01L 2224/8417	Rotational movements
H01L 2224/8418	Translational movements
H01L 2224/84181	connecting first on the semiconductor or solid-state body, i.e. on-chip, regular stitch
H01L 2224/84186	connecting first outside the semiconductor or solid-state body, i.e. off-chip, reverse stitch

H01L 2224/84191	connecting first both on and outside the semiconductor or solid-state body, i.e. regular and reverse stitches
H01L 2224/84196	involving intermediate connecting steps before cutting the strap connector
H01L 2224/842	...	Applying energy for connecting
H01L 2224/84201	Compression bonding
H01L 2224/84203	Thermocompression bonding
H01L 2224/84205	Ultrasonic bonding
H01L 2224/84206	Direction of oscillation
H01L 2224/84207	Thermosonic bonding
H01L 2224/8421	with energy being in the form of electromagnetic radiation
H01L 2224/84212	Induction heating, i.e. eddy currents
H01L 2224/84214	using a laser
H01L 2224/8423	Polychromatic or infrared lamp heating
H01L 2224/84232	using an autocatalytic reaction, e.g. exothermic brazing
H01L 2224/84234	using means for applying energy being within the device, e.g. integrated heater
H01L 2224/84236	using electro-static corona discharge
H01L 2224/84237	using an electron beam(electron beam welding in general B23K 15/00)
H01L 2224/84238	using electric resistance welding, i.e. ohmic heating
H01L 2224/8434	...	Bonding interfaces of the connector
H01L 2224/84345	Shape, e.g. interlocking features
H01L 2224/84355	having an external coating, e.g. protective bond-through coating
H01L 2224/84359	Material
H01L 2224/8436	...	Bonding interfaces of the semiconductor or solid state body
H01L 2224/84365	Shape, e.g. interlocking features
H01L 2224/84375	having an external coating, e.g. protective bond-through coating
H01L 2224/84379	Material
H01L 2224/8438	...	Bonding interfaces outside the semiconductor or solid-state body
H01L 2224/84385	Shape, e.g. interlocking features
H01L 2224/84395	having an external coating, e.g. protective bond-through coating
H01L 2224/84399	Material
H01L 2224/844	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/84401	the principal constituent melting at a temperature of less than 400°C
H01L 2224/84405	Gallium [Ga] as principal constituent
H01L 2224/84409	Indium [In] as principal constituent
H01L 2224/84411	Tin [Sn] as principal constituent
H01L 2224/84413	Bismuth [Bi] as principal constituent
H01L 2224/84414	Thallium [Tl] as principal constituent

H01L 2224/84416	Lead [Pb] as principal constituent
H01L 2224/84417	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/84418	Zinc [Zn] as principal constituent
H01L 2224/8442	Antimony [Sb] as principal constituent
H01L 2224/84423	Magnesium [Mg] as principal constituent
H01L 2224/84424	Aluminium [Al] as principal constituent
H01L 2224/84438	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/84439	Silver [Ag] as principal constituent
H01L 2224/84444	Gold [Au] as principal constituent
H01L 2224/84447	Copper [Cu] as principal constituent
H01L 2224/84449	Manganese [Mn] as principal constituent
H01L 2224/84455	Nickel [Ni] as principal constituent
H01L 2224/84457	Cobalt [Co] as principal constituent
H01L 2224/8446	Iron [Fe] as principal constituent
H01L 2224/84463	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/84464	Palladium [Pd] as principal constituent
H01L 2224/84466	Titanium [Ti] as principal constituent
H01L 2224/84469	Platinum [Pt] as principal constituent
H01L 2224/8447	Zirconium [Zr] as principal constituent
H01L 2224/84471	Chromium [Cr] as principal constituent
H01L 2224/84472	Vanadium [V] as principal constituent
H01L 2224/84473	Rhodium [Rh] as principal constituent
H01L 2224/84476	Ruthenium [Ru] as principal constituent
H01L 2224/84478	Iridium [Ir] as principal constituent
H01L 2224/84479	Niobium [Nb] as principal constituent
H01L 2224/8448	Molybdenum [Mo] as principal constituent
H01L 2224/84481	Tantalum [Ta] as principal constituent
H01L 2224/84483	Rhenium [Re] as principal constituent
H01L 2224/84484	Tungsten [W] as principal constituent
H01L 2224/84486	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/84487	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/84488)
H01L 2224/84488	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8449	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/84491	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene

H01L 2224/84493	with a principal constituent of the material being a solid not provided for in groups H01L 2224/844 to H01L 2224/84491 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/84494	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/844 to H01L 2224/84491
H01L 2224/84495	with a principal constituent of the material being a gas not provided for in groups H01L 2224/844 to H01L 2224/84491
H01L 2224/84498	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/84499	Material of the matrix
H01L 2224/845	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/84501	the principal constituent melting at a temperature of less than 400°C
H01L 2224/84505	Gallium [Ga] as principal constituent
H01L 2224/84509	Indium [In] as principal constituent
H01L 2224/84511	Tin [Sn] as principal constituent
H01L 2224/84513	Bismuth [Bi] as principal constituent
H01L 2224/84514	Thallium [Tl] as principal constituent
H01L 2224/84516	Lead [Pb] as principal constituent
H01L 2224/84517	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/84518	Zinc [Zn] as principal constituent
H01L 2224/8452	Antimony [Sb] as principal constituent
H01L 2224/84523	Magnesium [Mg] as principal constituent
H01L 2224/84524	Aluminium [Al] as principal constituent
H01L 2224/84538	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/84539	Silver [Ag] as principal constituent
H01L 2224/84544	Gold [Au] as principal constituent
H01L 2224/84547	Copper [Cu] as principal constituent
H01L 2224/84549	Manganese [Mn] as principal constituent
H01L 2224/84555	Nickel [Ni] as principal constituent
H01L 2224/84557	Cobalt [Co] as principal constituent
H01L 2224/8456	Iron [Fe] as principal constituent
H01L 2224/84563	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/84564	Palladium [Pd] as principal constituent
H01L 2224/84566	Titanium [Ti] as principal constituent
H01L 2224/84569	Platinum [Pt] as principal constituent
H01L 2224/8457	Zirconium [Zr] as principal constituent

H01L 2224/84571	Chromium [Cr] as principal constituent
H01L 2224/84572	Vanadium [V] as principal constituent
H01L 2224/84573	Rhodium [Rh] as principal constituent
H01L 2224/84576	Ruthenium [Ru] as principal constituent
H01L 2224/84578	Iridium [Ir] as principal constituent
H01L 2224/84579	Niobium [Nb] as principal constituent
H01L 2224/8458	Molybdenum [Mo] as principal constituent
H01L 2224/84581	Tantalum [Ta] as principal constituent
H01L 2224/84583	Rhenium [Re] as principal constituent
H01L 2224/84584	Tungsten [W] as principal constituent
H01L 2224/84586	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/84587	Ceramics, e.g. crystalline carbides, nitrides or oxides [glass ceramics H01L 2224/84588]
H01L 2224/84588	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8459	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/84591	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/84593	with a principal constituent of the material being a solid not provided for in groups H01L 2224/845 to H01L 2224/84591 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/84594	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/845 to H01L 2224/84591
H01L 2224/84595	with a principal constituent of the material being a gas not provided for in groups H01L 2224/845 to H01L 2224/84591
H01L 2224/84598	Fillers
H01L 2224/84599	Base material
H01L 2224/846	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/84601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/84605	Gallium [Ga] as principal constituent
H01L 2224/84609	Indium [In] as principal constituent
H01L 2224/84611	Tin [Sn] as principal constituent
H01L 2224/84613	Bismuth [Bi] as principal constituent
H01L 2224/84614	Thallium [Tl] as principal constituent
H01L 2224/84616	Lead [Pb] as principal constituent
H01L 2224/84617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/84618	Zinc [Zn] as principal constituent

H01L 2224/8462	Antimony [Sb] as principal constituent
H01L 2224/84623	Magnesium [Mg] as principal constituent
H01L 2224/84624	Aluminium [Al] as principal constituent
H01L 2224/84638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/84639	Silver [Ag] as principal constituent
H01L 2224/84644	Gold [Au] as principal constituent
H01L 2224/84647	Copper [Cu] as principal constituent
H01L 2224/84649	Manganese [Mn] as principal constituent
H01L 2224/84655	Nickel [Ni] as principal constituent
H01L 2224/84657	Cobalt [Co] as principal constituent
H01L 2224/8466	Iron [Fe] as principal constituent
H01L 2224/84663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/84664	Palladium [Pd] as principal constituent
H01L 2224/84666	Titanium [Ti] as principal constituent
H01L 2224/84669	Platinum [Pt] as principal constituent
H01L 2224/8467	Zirconium [Zr] as principal constituent
H01L 2224/84671	Chromium [Cr] as principal constituent
H01L 2224/84672	Vanadium [V] as principal constituent
H01L 2224/84673	Rhodium [Rh] as principal constituent
H01L 2224/84676	Ruthenium [Ru] as principal constituent
H01L 2224/84678	Iridium [Ir] as principal constituent
H01L 2224/84679	Niobium [Nb] as principal constituent
H01L 2224/8468	Molybdenum [Mo] as principal constituent
H01L 2224/84681	Tantalum [Ta] as principal constituent
H01L 2224/84683	Rhenium [Re] as principal constituent
H01L 2224/84684	Tungsten [W] as principal constituent
H01L 2224/84686	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/84687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/84688)
H01L 2224/84688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8469	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/84691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/84693	with a principal constituent of the material being a solid not provided for in groups H01L 2224/846 to H01L 2224/84691 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/84694	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/846 to H01L 2224/84691

H01L 2224/84695	with a principal constituent of the material being a gas not provided for in groups H01L 2224/846 to H01L 2224/84691
H01L 2224/84698	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/84699	Coating material
H01L 2224/847	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2224/84701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/84705	Gallium [Ga] as principal constituent
H01L 2224/84709	Indium [In] as principal constituent
H01L 2224/84711	Tin [Sn] as principal constituent
H01L 2224/84713	Bismuth [Bi] as principal constituent
H01L 2224/84714	Thallium [Tl] as principal constituent
H01L 2224/84716	Lead [Pb] as principal constituent
H01L 2224/84717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/84718	Zinc [Zn] as principal constituent
H01L 2224/8472	Antimony [Sb] as principal constituent
H01L 2224/84723	Magnesium [Mg] as principal constituent
H01L 2224/84724	Aluminium [Al] as principal constituent
H01L 2224/84738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/84739	Silver [Ag] as principal constituent
H01L 2224/84744	Gold [Au] as principal constituent
H01L 2224/84747	Copper [Cu] as principal constituent
H01L 2224/84749	Manganese [Mn] as principal constituent
H01L 2224/84755	Nickel [Ni] as principal constituent
H01L 2224/84757	Cobalt [Co] as principal constituent
H01L 2224/8476	Iron [Fe] as principal constituent
H01L 2224/84763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/84764	Palladium [Pd] as principal constituent
H01L 2224/84766	Titanium [Ti] as principal constituent
H01L 2224/84769	Platinum [Pt] as principal constituent
H01L 2224/8477	Zirconium [Zr] as principal constituent
H01L 2224/84771	Chromium [Cr] as principal constituent
H01L 2224/84772	Vanadium [V] as principal constituent
H01L 2224/84773	Rhodium [Rh] as principal constituent
H01L 2224/84776	Ruthenium [Ru] as principal constituent

H01L 2224/84778	Iridium [Ir] as principal constituent
H01L 2224/84779	Niobium [Nb] as principal constituent
H01L 2224/8478	Molybdenum [Mo] as principal constituent
H01L 2224/84781	Tantalum [Ta] as principal constituent
H01L 2224/84783	Rhenium [Re] as principal constituent
H01L 2224/84784	Tungsten [W] as principal constituent
H01L 2224/84786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/84787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/84788)
H01L 2224/84788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8479	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/84791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/84793	with a principal constituent of the material being a solid not provided for in groups H01L 2224/847 to H01L 2224/84791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/84794	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/847 to H01L 2224/84791
H01L 2224/84795	with a principal constituent of the material being a gas not provided for in groups H01L 2224/847 to H01L 2224/84791
H01L 2224/84798	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/84799	Shape or distribution of the fillers
H01L 2224/848	...	Bonding techniques
H01L 2224/84801	Soldering or alloying
H01L 2224/84805	involving forming a eutectic alloy at the bonding interface
H01L 2224/8481	involving forming an intermetallic compound at the bonding interface
H01L 2224/84815	Reflow soldering
H01L 2224/8482	Diffusion bonding
H01L 2224/84825	Solid-liquid interdiffusion
H01L 2224/8483	Solid-solid interdiffusion
H01L 2224/8484	Sintering
H01L 2224/8485	using a polymer adhesive, e.g. an adhesive based on silicone, epoxy, polyimide, polyester
H01L 2224/84855	Hardening the adhesive by curing, i.e. thermosetting
H01L 2224/84856	Pre-cured adhesive, i.e. B-stage adhesive
H01L 2224/84859	Localised curing of parts of the connector
H01L 2224/84862	Heat curing
H01L 2224/84865	Microwave curing

H01L 2224/84868	Infrared [IR] curing
H01L 2224/84871	Visible light curing
H01L 2224/84874	Ultraviolet [UV] curing
H01L 2224/84877	Moisture curing, i.e. curing by exposing to humidity, e.g. for silicones and polyurethanes
H01L 2224/8488	Hardening the adhesive by cooling, e.g. for thermoplastics or hot-melt adhesives
H01L 2224/84885	Combinations of two or more hardening methods provided for in at least two different groups from H01L 2224/84855 to H01L 2224/8488 , e.g. for hybrid thermoplastic-thermosetting adhesives
H01L 2224/8489	using an inorganic non metallic glass type adhesive, e.g. solder glass
H01L 2224/84893	Anodic bonding, i.e. bonding by applying a voltage across the interface in order to induce ions migration leading to an irreversible chemical bond
H01L 2224/84895	Direct bonding, i.e. joining surfaces by means of intermolecular attracting interactions at their interfaces, e.g. covalent bonds, van der Waals forces
H01L 2224/84897	between electrically conductive surfaces, e.g. copper-copper direct bonding, surface activated bonding
H01L 2224/84898	between electrically insulating surfaces, e.g. oxide or nitride layersg
H01L 2224/84899	Combinations of bonding methods provided for in at least two different groups from H01L 2224/848 to T01L 224/84896
H01L 2224/849	...	involving monitoring, e.g. feedback loop
H01L 2224/84909	...	Post-treatment of the connector or bonding area
H01L 2224/8491	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/84911	Chemical cleaning, e.g. etching, flux
H01L 2224/84912	Mechanical cleaning, e.g. abrasion using hydro blasting, brushes, ultrasonic cleaning, dry ice blasting, gas-flow
H01L 2224/84913	Plasma cleaning
H01L 2224/84914	Thermal cleaning, e.g. using laser ablation or by electrostatic corona discharge
H01L 2224/84919	Combinations of two or more cleaning methods provided for in at least two different groups from H01L 2224/8491 to H01L 2224/84914
H01L 2224/8492	Applying permanent coating, e.g. protective coating
H01L 2224/8493	Reshaping e.g. for severing the strap, modifying the loop shape
H01L 2224/84931	by chemical means, e.g. etching
H01L 2224/84935	by heating means, e.g. reflowing
H01L 2224/84937	using a polychromatic heating lamp
H01L 2224/84939	using a laser
H01L 2224/84941	Induction heating, i.e. eddy currents
H01L 2224/84943	using a flame torch, e.g. hydrogen torch
H01L 2224/84945	using a corona discharge, e.g. electronic flame off [EFO]
H01L 2224/84947	by mechanical means, e.g. pressing, stamping
H01L 2224/84948	Thermal treatments, e.g. annealing, controlled cooling
H01L 2224/84951	Forming additional members, e.g. for reinforcing

H01L 2224/84986	...	Specific sequence of steps, e.g. repetition of manufacturing steps, time sequence
H01L 2224/85	..	using a wire connector
H01L 2224/85001	...	involving a temporary auxiliary member not forming part of the bonding apparatus, e.g. removable or sacrificial coating, film or substrate
H01L 2224/85002	being a removable or sacrificial coating
H01L 2224/85005	being a temporary or sacrificial substrate
H01L 2224/85007	...	involving a permanent auxiliary member being left in the finished device e.g. aids for holding or protecting the wire connector during or after the bonding process
H01L 2224/85009	...	Pre-treatment of the connector or the bonding area
H01L 2224/8501	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/85011	Chemical cleaning, e.g. etching, flux
H01L 2224/85012	Mechanical cleaning, e.g. abrasion using hydro blasting, brushes, ultrasonic cleaning, dry ice blasting, gas-flow
H01L 2224/85013	Plasma cleaning
H01L 2224/85014	Thermal cleaning, e.g. decomposition, sublimation
H01L 2224/85016	using a laser
H01L 2224/85017	Electron beam cleaning
H01L 2224/85019	Combinations of two or more cleaning methods provided for in at least two different groups from H01L 2224/8501 to H01L 2224/85014
H01L 2224/8502	Applying permanent coating, e.g. in-situ coating
H01L 2224/8503	Reshaping, e.g. forming the ball or the wedge of the wire connector
H01L 2224/85031	by chemical means, e.g. etching, anodisation
H01L 2224/85035	by heating means, e.g. "free-air-ball"
H01L 2224/85037	using a polychromatic heating lamp
H01L 2224/85039	using a laser
H01L 2224/85041	Induction heating, i.e. eddy currents
H01L 2224/85043	using a flame torch, e.g. hydrogen torch
H01L 2224/85045	using a corona discharge, e.g. electronic flame off (EFO)
H01L 2224/85047	by mechanical means, e.g. severing, pressing, stamping
H01L 2224/85048	Thermal treatments, e.g. annealing, controlled pre-heating or pre-cooling
H01L 2224/85051	Forming additional members, e.g. for "wedge-on-ball", "ball-on-wedge", "ball-on-ball" connections
H01L 2224/85053	...	Bonding environment
H01L 2224/85054	Composition of the atmosphere
H01L 2224/85055	being oxidating
H01L 2224/85065	being reducing
H01L 2224/85075	being inert
H01L 2224/85085	being a liquid, e.g. for fluidic self-assembly
H01L 2224/8509	Vacuum
H01L 2224/85091	Under pressure

H01L 2224/85092	Atmospheric pressure
H01L 2224/85093	Transient conditions, e.g. gas-flow
H01L 2224/85095	Temperature settings
H01L 2224/85096	Transient conditions
H01L 2224/85097	Heating
H01L 2224/85098	Cooling
H01L 2224/85099	Ambient temperature
H01L 2224/851	...	the connector being supplied to the parts to be connected in the bonding apparatus
H01L 2224/8511	...	involving protection against electrical discharge, e.g. removing electrostatic charge
H01L 2224/8512	...	Aligning
H01L 2224/85121	Active alignment, i.e. by apparatus steering, e.g. optical alignment using marks or sensors
H01L 2224/85122	by detecting inherent features of, or outside, the semiconductor or solid-state body
H01L 2224/85123	Shape or position of the body
H01L 2224/85125	Bonding areas on the body
H01L 2224/85127	Bonding areas outside the body
H01L 2224/85129	Shape or position of the other item
H01L 2224/8513	using marks formed on the semiconductor or solid-state body
H01L 2224/85132	using marks formed outside the semiconductor or solid-state body, i.e. "off-chip"
H01L 2224/85136	involving guiding structures, e.g. spacers or supporting members
H01L 2224/85138	the guiding structures being at least partially left in the finished device
H01L 2224/85143	Passive alignment, i.e. self alignment, e.g. using surface energy, chemical reactions, thermal equilibrium
H01L 2224/85148	involving movement of a part of the bonding apparatus
H01L 2224/85149	being the lower part of the bonding apparatus, i.e. holding means for the bodies to be connected, e.g. XY table
H01L 2224/8515	Rotational movements
H01L 2224/8516	Translational movements
H01L 2224/85169	being the upper part of the bonding apparatus, i.e. bonding head, e.g. capillary or wedge
H01L 2224/8517	Rotational movements
H01L 2224/8518	Translational movements
H01L 2224/85181	connecting first on the semiconductor or solid-state body, i.e. on-chip, regular stitch
H01L 2224/85186	connecting first outside the semiconductor or solid-state body, i.e. off-chip, reverse stitch
H01L 2224/85191	connecting first both on and outside the semiconductor or solid-state body, i.e. regular and reverse stitches

H01L 2224/85196	involving intermediate connecting steps before cutting the wire connector
H01L 2224/852	...	Applying energy for connecting
H01L 2224/85201	Compression bonding
H01L 2224/85203	Thermocompression bonding
H01L 2224/85205	Ultrasonic bonding
H01L 2224/85206	Direction of oscillation
H01L 2224/85207	Thermosonic bonding
H01L 2224/8521	with energy being in the form of electromagnetic radiation
H01L 2224/85212	Induction heating, i.e. eddy currents
H01L 2224/85214	using a laser
H01L 2224/8523	Polychromatic or infrared lamp heating
H01L 2224/85232	using an autocatalytic reaction, e.g. exothermic brazing
H01L 2224/85234	using means for applying energy being within the device, e.g. integrated heater
H01L 2224/85236	using electro-static corona discharge
H01L 2224/85237	using electron beam(using electron beam in general B23K 15/00)
H01L 2224/85238	using electric resistance welding, i.e. ohmic heating
H01L 2224/8534	...	Bonding interfaces of the connector
H01L 2224/85345	Shape, e.g. interlocking features
H01L 2224/85355	having an external coating, e.g. protective bond-through coating
H01L 2224/85359	Material
H01L 2224/8536	...	Bonding interfaces of the semiconductor or solid state body
H01L 2224/85365	Shape, e.g. interlocking features
H01L 2224/85375	having an external coating, e.g. protective bond-through coating
H01L 2224/85379	Material
H01L 2224/8538	...	Bonding interfaces outside the semiconductor or solid-state body
H01L 2224/85385	Shape, e.g. interlocking features
H01L 2224/85395	having an external coating, e.g. protective bond-through coating
H01L 2224/85399	Material
H01L 2224/854	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/85401	the principal constituent melting at a temperature of less than 400°C
H01L 2224/85405	Gallium (Ga) as principal constituent
H01L 2224/85409	Indium (In) as principal constituent
H01L 2224/85411	Tin (Sn) as principal constituent
H01L 2224/85413	Bismuth (Bi) as principal constituent
H01L 2224/85414	Thallium (Tl) as principal constituent
H01L 2224/85416	Lead (Pb) as principal constituent

H01L 2224/85417	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/85418	Zinc (Zn) as principal constituent
H01L 2224/8542	Antimony (Sb) as principal constituent
H01L 2224/85423	Magnesium (Mg) as principal constituent
H01L 2224/85424	Aluminium (Al) as principal constituent
H01L 2224/85438	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/85439	Silver (Ag) as principal constituent
H01L 2224/85444	Gold (Au) as principal constituent
H01L 2224/85447	Copper (Cu) as principal constituent
H01L 2224/85449	Manganese (Mn) as principal constituent
H01L 2224/85455	Nickel (Ni) as principal constituent
H01L 2224/85457	Cobalt (Co) as principal constituent
H01L 2224/8546	Iron (Fe) as principal constituent
H01L 2224/85463	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/85464	Palladium (Pd) as principal constituent
H01L 2224/85466	Titanium (Ti) as principal constituent
H01L 2224/85469	Platinum (Pt) as principal constituent
H01L 2224/8547	Zirconium (Zr) as principal constituent
H01L 2224/85471	Chromium (Cr) as principal constituent
H01L 2224/85472	Vanadium (V) as principal constituent
H01L 2224/85473	Rhodium (Rh) as principal constituent
H01L 2224/85476	Ruthenium (Ru) as principal constituent
H01L 2224/85478	Iridium (Ir) as principal constituent
H01L 2224/85479	Niobium (Nb) as principal constituent
H01L 2224/8548	Molybdenum (Mo) as principal constituent
H01L 2224/85481	Tantalum (Ta) as principal constituent
H01L 2224/85483	Rhenium (Re) as principal constituent
H01L 2224/85484	Tungsten (W) as principal constituent
H01L 2224/85486	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/85487	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/85488)
H01L 2224/85488	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8549	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/85491	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene

H01L 2224/85493	with a principal constituent of the material being a solid not provided for in groups H01L 2224/854 to H01L 2224/85491 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/85494	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/854 to H01L 2224/85491
H01L 2224/85495	with a principal constituent of the material being a gas not provided for in groups H01L 2224/854 to H01L 2224/85491
H01L 2224/85498	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/85499	Material of the matrix
H01L 2224/855	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/85501	the principal constituent melting at a temperature of less than 400°C
H01L 2224/85505	Gallium (Ga) as principal constituent
H01L 2224/85509	Indium (In) as principal constituent
H01L 2224/85511	Tin (Sn) as principal constituent
H01L 2224/85513	Bismuth (Bi) as principal constituent
H01L 2224/85514	Thallium (Tl) as principal constituent
H01L 2224/85516	Lead (Pb) as principal constituent
H01L 2224/85517	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/85518	Zinc (Zn) as principal constituent
H01L 2224/8552	Antimony (Sb) as principal constituent
H01L 2224/85523	Magnesium (Mg) as principal constituent
H01L 2224/85524	Aluminium (Al) as principal constituent
H01L 2224/85538	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/85539	Silver (Ag) as principal constituent
H01L 2224/85544	Gold (Au) as principal constituent
H01L 2224/85547	Copper (Cu) as principal constituent
H01L 2224/85549	Manganese (Mn) as principal constituent
H01L 2224/85555	Nickel (Ni) as principal constituent
H01L 2224/85557	Cobalt (Co) as principal constituent
H01L 2224/8556	Iron (Fe) as principal constituent
H01L 2224/85563	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/85564	Palladium (Pd) as principal constituent
H01L 2224/85566	Titanium (Ti) as principal constituent
H01L 2224/85569	Platinum (Pt) as principal constituent
H01L 2224/8557	Zirconium (Zr) as principal constituent

H01L 2224/85571	Chromium (Cr) as principal constituent
H01L 2224/85572	Vanadium (V) as principal constituent
H01L 2224/85573	Rhodium (Rh) as principal constituent
H01L 2224/85576	Ruthenium (Ru) as principal constituent
H01L 2224/85578	Iridium (Ir) as principal constituent
H01L 2224/85579	Niobium (Nb) as principal constituent
H01L 2224/8558	Molybdenum (Mo) as principal constituent
H01L 2224/85581	Tantalum (Ta) as principal constituent
H01L 2224/85583	Rhenium (Re) as principal constituent
H01L 2224/85584	Tungsten (W) as principal constituent
H01L 2224/85586	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/85587	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/85588)
H01L 2224/85588	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8559	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/85591	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/85593	with a principal constituent of the material being a solid not provided for in groups H01L 2224/855 to H01L 2224/85591 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/85594	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/855 to H01L 2224/85591
H01L 2224/85595	with a principal constituent of the material being a gas not provided for in groups H01L 2224/855 to H01L 2224/85591
H01L 2224/85598	Fillers
H01L 2224/85599	Base material
H01L 2224/856	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/85601	the principal constituent melting at a temperature of less than 400°C
H01L 2224/85605	Gallium (Ga) as principal constituent
H01L 2224/85609	Indium (In) as principal constituent
H01L 2224/85611	Tin (Sn) as principal constituent
H01L 2224/85613	Bismuth (Bi) as principal constituent
H01L 2224/85614	Thallium (Tl) as principal constituent
H01L 2224/85616	Lead (Pb) as principal constituent
H01L 2224/85617	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/85618	Zinc (Zn) as principal constituent

H01L 2224/8562	Antimony (Sb) as principal constituent
H01L 2224/85623	Magnesium (Mg) as principal constituent
H01L 2224/85624	Aluminium (Al) as principal constituent
H01L 2224/85638	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/85639	Silver (Ag) as principal constituent
H01L 2224/85644	Gold (Au) as principal constituent
H01L 2224/85647	Copper (Cu) as principal constituent
H01L 2224/85649	Manganese (Mn) as principal constituent
H01L 2224/85655	Nickel (Ni) as principal constituent
H01L 2224/85657	Cobalt (Co) as principal constituent
H01L 2224/8566	Iron (Fe) as principal constituent
H01L 2224/85663	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/85664	Palladium (Pd) as principal constituent
H01L 2224/85666	Titanium (Ti) as principal constituent
H01L 2224/85669	Platinum (Pt) as principal constituent
H01L 2224/8567	Zirconium (Zr) as principal constituent
H01L 2224/85671	Chromium (Cr) as principal constituent
H01L 2224/85672	Vanadium (V) as principal constituent
H01L 2224/85673	Rhodium (Rh) as principal constituent
H01L 2224/85676	Ruthenium (Ru) as principal constituent
H01L 2224/85678	Iridium (Ir) as principal constituent
H01L 2224/85679	Niobium (Nb) as principal constituent
H01L 2224/8568	Molybdenum (Mo) as principal constituent
H01L 2224/85681	Tantalum (Ta) as principal constituent
H01L 2224/85683	Rhenium (Re) as principal constituent
H01L 2224/85684	Tungsten (W) as principal constituent
H01L 2224/85686	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/85687	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/85688)
H01L 2224/85688	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8569	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/85691	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/85693	with a principal constituent of the material being a solid not provided for in groups H01L 2224/856 to H01L 2224/85691 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/85694	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/856 to H01L 2224/85691

H01L 2224/85695	with a principal constituent of the material being a gas not provided for in groups H01L 2224/856 to H01L 2224/85691
H01L 2224/85698	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/85699	Coating material
H01L 2224/857	with a principal constituent of the material being a metal or a metalloid, e.g. boron (B), silicon (Si), germanium (Ge), arsenic (As), antimony (Sb), tellurium (Te) and polonium (Po), and alloys thereof
H01L 2224/85701	the principal constituent melting at a temperature of less than 400°C
H01L 2224/85705	Gallium (Ga) as principal constituent
H01L 2224/85709	Indium (In) as principal constituent
H01L 2224/85711	Tin (Sn) as principal constituent
H01L 2224/85713	Bismuth (Bi) as principal constituent
H01L 2224/85714	Thallium (Tl) as principal constituent
H01L 2224/85716	Lead (Pb) as principal constituent
H01L 2224/85717	the principal constituent melting at a temperature of greater than or equal to 400°C and less than 950°C
H01L 2224/85718	Zinc (Zn) as principal constituent
H01L 2224/8572	Antimony (Sb) as principal constituent
H01L 2224/85723	Magnesium (Mg) as principal constituent
H01L 2224/85724	Aluminium (Al) as principal constituent
H01L 2224/85738	the principal constituent melting at a temperature of greater than or equal to 950°C and less than 1550°C
H01L 2224/85739	Silver (Ag) as principal constituent
H01L 2224/85744	Gold (Au) as principal constituent
H01L 2224/85747	Copper (Cu) as principal constituent
H01L 2224/85749	Manganese (Mn) as principal constituent
H01L 2224/85755	Nickel (Ni) as principal constituent
H01L 2224/85757	Cobalt (Co) as principal constituent
H01L 2224/8576	Iron (Fe) as principal constituent
H01L 2224/85763	the principal constituent melting at a temperature of greater than 1550°C
H01L 2224/85764	Palladium (Pd) as principal constituent
H01L 2224/85766	Titanium (Ti) as principal constituent
H01L 2224/85769	Platinum (Pt) as principal constituent
H01L 2224/8577	Zirconium (Zr) as principal constituent
H01L 2224/85771	Chromium (Cr) as principal constituent
H01L 2224/85772	Vanadium (V) as principal constituent
H01L 2224/85773	Rhodium (Rh) as principal constituent
H01L 2224/85776	Ruthenium (Ru) as principal constituent

H01L 2224/85778	Iridium (Ir) as principal constituent
H01L 2224/85779	Niobium (Nb) as principal constituent
H01L 2224/8578	Molybdenum (Mo) as principal constituent
H01L 2224/85781	Tantalum (Ta) as principal constituent
H01L 2224/85783	Rhenium (Re) as principal constituent
H01L 2224/85784	Tungsten (W) as principal constituent
H01L 2224/85786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2224/85787	Ceramics, e.g. crystalline carbides, nitrides or oxides(glass ceramics H01L 2224/85788)
H01L 2224/85788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2224/8579	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2224/85791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2224/85793	with a principal constituent of the material being a solid not provided for in groups H01L 2224/857 to H01L 2224/85791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2224/85794	with a principal constituent of the material being a liquid not provided for in groups H01L 2224/857 to H01L 2224/85791
H01L 2224/85795	with a principal constituent of the material being a gas not provided for in groups H01L 2224/857 to H01L 2224/85791
H01L 2224/85798	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2224/85799	Shape or distribution of the fillers
H01L 2224/858	...	Bonding techniques
H01L 2224/85801	Soldering or alloying
H01L 2224/85805	involving forming a eutectic alloy at the bonding interface
H01L 2224/8581	involving forming an intermetallic compound at the bonding interface
H01L 2224/85815	Reflow soldering
H01L 2224/8582	Diffusion bonding
H01L 2224/85825	Solid-liquid interdiffusion
H01L 2224/8583	Solid-solid interdiffusion, e.g. "direct bonding"
H01L 2224/8584	Sintering
H01L 2224/8585	using a polymer adhesive, e.g. an adhesive based on silicone, epoxy, polyimide, polyester
H01L 2224/85855	Hardening the adhesive by curing, i.e. thermosetting
H01L 2224/85856	Pre-cured adhesive, i.e. B-stage adhesive
H01L 2224/85859	Localised curing of parts of the connector
H01L 2224/85862	Heat curing
H01L 2224/85865	Microwave curing

H01L 2224/85868	Infrared [IR] curing
H01L 2224/85871	Visible light curing
H01L 2224/85874	Ultraviolet [UV] curing
H01L 2224/85877	Moisture curing, i.e. curing by exposing to humidity, e.g. for silicones and polyurethanes
H01L 2224/8588	Hardening the adhesive by cooling, e.g. for thermoplastics or hot-melt adhesives
H01L 2224/85885	Combinations of two or more hardening methods provided for in at least two different groups from H01L 2224/85855 to H01L 2224/8588 , e.g. for hybrid thermoplastic-thermosetting adhesives
H01L 2224/8589	using an inorganic non metallic glass type adhesive, e.g. solder glass
H01L 2224/85893	Anodic bonding, i.e. bonding by applying a voltage across the interface in order to induce ions migration leading to an irreversible chemical bond
H01L 2224/85895	Direct bonding, i.e. joining surfaces by means of intermolecular attracting interactions at their interfaces, e.g. covalent bonds, van der Waals forces
H01L 2224/85897	between electrically conductive surfaces, e.g. copper-copper direct bonding, surface activated bonding
H01L 2224/85898	between electrically insulating surfaces, e.g. oxide or nitride layers
H01L 2224/85899	Combinations of bonding methods provided for in at least two different groups from H01L 2224/858 to H01L 2224/85898
H01L 2224/859	...	involving monitoring, e.g. feedback loop
H01L 2224/85909	...	Post-treatment of the connector or wire bonding area
H01L 2224/8591	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/85911	Chemical cleaning, e.g. etching, flux
H01L 2224/85912	Mechanical cleaning, e.g. abrasion using hydro blasting, brushes, ultrasonic cleaning, dry ice blasting, gas-flow
H01L 2224/85913	Plasma cleaning
H01L 2224/85914	Thermal cleaning, e.g. using laser ablation or by electrostatic corona discharge
H01L 2224/85916	using a laser
H01L 2224/85917	Electron beam cleaning
H01L 2224/85919	Combinations of two or more cleaning methods provided for in at least two different groups from H01L 2224/8591 to H01L 2224/85914
H01L 2224/8592	Applying permanent coating, e.g. protective coating
H01L 2224/8593	Reshaping e.g. for severing the wire, modifying the wedge or ball or the loop shape
H01L 2224/85931	by chemical means, e.g. etching
H01L 2224/85935	by heating means, e.g. reflowing
H01L 2224/85937	using a polychromatic heating lamp
H01L 2224/85939	using a laser
H01L 2224/85941	Induction heating, i.e. eddy currents
H01L 2224/85943	using a flame torch, e.g. hydrogen torch
H01L 2224/85945	using a corona discharge, e.g. electronic flame off [EFO]

H01L 2224/85947	by mechanical means, e.g. "pull-and-cut", pressing, stamping
H01L 2224/85948	Thermal treatments, e.g. annealing, controlled cooling
H01L 2224/85951	Forming additional members, e.g. for reinforcing
H01L 2224/85986	...	Specific sequence of steps, e.g. repetition of manufacturing steps, time sequence
H01L 2224/86	..	using tape automated bonding [TAB]
H01L 2224/86001	...	involving a temporary auxiliary member not forming part of the bonding apparatus
H01L 2224/86002	being a removable or sacrificial coating
H01L 2224/86005	being a temporary or sacrificial substrate
H01L 2224/86007	...	involving a permanent auxiliary member being left in the finished device e.g. aids for holding or protecting the TAB connector during or after the bonding process
H01L 2224/86009	...	Pre-treatment of the connector or the bonding area
H01L 2224/8601	Cleaning, e.g. oxide removal step, desmearing
H01L 2224/8603	Reshaping
H01L 2224/86031	by chemical means, e.g. etching, anodisation
H01L 2224/86035	by heating
H01L 2224/86039	using a laser
H01L 2224/86045	using a corona discharge, e.g. electronic flame off [EFO]
H01L 2224/86047	by mechanical means, e.g. severing, pressing, stamping
H01L 2224/86048	Thermal treatment, e.g. annealing, controlled pre-heating or pre-cooling
H01L 2224/86051	Forming additional members
H01L 2224/86053	...	Bonding environment
H01L 2224/86054	Composition of the atmosphere
H01L 2224/86085	being a liquid, e.g. fluidic self-assembly
H01L 2224/8609	Vacuum
H01L 2224/86091	Under pressure
H01L 2224/86095	Temperature settings
H01L 2224/86096	Transient conditions
H01L 2224/86097	Heating
H01L 2224/86098	Cooling
H01L 2224/86099	Ambient temperature
H01L 2224/861	...	the connector being supplied to the parts to be connected in the bonding apparatus
H01L 2224/8611	...	involving protection against electrical discharge, e.g. removing electrostatic charge
H01L 2224/8612	...	Aligning
H01L 2224/86121	Active alignment, i.e. by apparatus steering, e.g. optical alignment using marks or sensors
H01L 2224/86122	by detecting inherent features of, or outside, the semiconductor or solid-state body

H01L 2224/8613	using marks formed on the semiconductor or solid-state body
H01L 2224/86132	using marks formed outside the semiconductor or solid-state body, i.e. ? off-chip?
H01L 2224/86136	involving guiding structures, e.g. spacers or supporting members
H01L 2224/86138	the guiding structures being at least partially left in the finished device
H01L 2224/86143	Passive alignment, i.e. self alignment, e.g. using surface energy, chemical reactions, thermal equilibrium
H01L 2224/86148	involving movement of a part of the bonding apparatus
H01L 2224/86149	being the lower part of the bonding apparatus, i.e. holding means for the bodies to be connected, e.g. XY table
H01L 2224/8615	Rotational movements
H01L 2224/8616	Translational movements
H01L 2224/86169	being the upper part of the bonding apparatus, e.g. nozzle
H01L 2224/8617	Rotational movement
H01L 2224/8618	Translational movements
H01L 2224/86181	connecting first on the semiconductor or solid-state body, i.e. on-chip,
H01L 2224/86186	connecting first outside the semiconductor or solid-state body, i.e. off-chip
H01L 2224/86191	connecting first both on and outside the semiconductor or solid-state body
H01L 2224/862	...	Applying energy for connecting
H01L 2224/86201	Compression bonding
H01L 2224/86203	Thermo-compression bonding
H01L 2224/86205	Ultrasonic bonding
H01L 2224/86207	Thermosonic bonding
H01L 2224/8621	with energy being in the form of electromagnetic radiation
H01L 2224/86212	Induction heating, i.e. eddy currents
H01L 2224/86214	using a laser
H01L 2224/8623	Polychromatic or infrared lamp heating
H01L 2224/86232	using an autocatalytic reaction, e.g. exothermic brazing
H01L 2224/86234	using means for applying energy being within the device, e.g. integrated heater
H01L 2224/86236	using electro-static corona discharge
H01L 2224/86237	using electron beam(electron beam in general B23K 15/00)
H01L 2224/86238	using electric resistance welding, i.e. ohmic heating
H01L 2224/8634	...	Bonding interfaces of the connector
H01L 2224/86345	Shape, e.g. interlocking features
H01L 2224/86355	having an external coating, e.g. protective bond-through coating
H01L 2224/86359	Material
H01L 2224/8636	...	Bonding interfaces of the semiconductor or solid state body
H01L 2224/86365	Shape, e.g. interlocking features

H01L 2224/86375	having an external coating, e.g. protective bond-through coating
H01L 2224/86379	Material
H01L 2224/8638	...	Bonding interfaces outside the semiconductor or solid-state body
H01L 2224/86385	Shape, e.g. interlocking features
H01L 2224/86395	having an external coating, e.g. protective bond-through coating
H01L 2224/86399	Material
H01L 2224/868	...	Bonding techniques
H01L 2224/86801	Soldering or alloying
H01L 2224/86805	involving forming a eutectic alloy at the bonding interface
H01L 2224/8681	involving forming an intermetallic compound at the bonding interface
H01L 2224/86815	Reflow soldering
H01L 2224/8682	Diffusion bonding
H01L 2224/86825	Solid-liquid interdiffusion
H01L 2224/8683	Solid-solid interdiffusion
H01L 2224/8684	Sintering
H01L 2224/8685	using a polymer adhesive, e.g. an adhesive based on silicone, epoxy, polyimide, polyester
H01L 2224/86855	Hardening the adhesive by curing, i.e. thermosetting
H01L 2224/86856	Pre-cured adhesive, i.e. B-stage adhesive
H01L 2224/86859	Localised curing of parts of the connector
H01L 2224/86862	Heat curing
H01L 2224/86865	Microwave curing
H01L 2224/86868	Infrared [IR] curing
H01L 2224/86871	Visible light curing
H01L 2224/86874	Ultraviolet [UV] curing
H01L 2224/86877	Moisture curing, i.e. curing by exposing to humidity, e.g. for silicones and polyurethanes
H01L 2224/8688	Hardening the adhesive by cooling, e.g. for thermoplastics or hot-melt adhesives
H01L 2224/86885	Combinations of two or more hardening methods provided for in at least two different groups selected from H01L 2224/86855 to H01L 2224/8688 , e.g. hybrid thermoplastic-thermosetting adhesives
H01L 2224/8689	using an inorganic non metallic glass type adhesive, e.g. solder glass
H01L 2224/86893	Anodic bonding, i.e. bonding by applying a voltage across the interface in order to induce ions migration leading to an irreversible chemical bond
H01L 2224/86895	Direct bonding, i.e. joining surfaces by means of intermolecular attracting interactions at their interfaces, e.g. covalent bonds, van der Waals forces
H01L 2224/86896	between electrically conductive surfaces, e.g. copper-copper direct bonding, surface activated bonding
H01L 2224/86897	between electrically insulating surfaces, e.g. oxide or nitride layers
H01L 2224/86899	Combinations of bonding methods provided for in at least two different groups from H01L 2224/868 to H01L 2224/86897

- H01L 2224/869 ... involving monitoring, e.g. feedback loop
- H01L 2224/86909 ... Post-treatment of the connector or the bonding area
- H01L 2224/8691 Cleaning, e.g. oxide removal step, desmearing
- H01L 2224/8693 Reshaping
- H01L 2224/86931 by chemical means, e.g. etching, anodisation
- H01L 2224/86935 by heating means
- H01L 2224/86939 using a laser
- H01L 2224/86945 using a corona discharge, e.g. electronic flame off [EFO]
- H01L 2224/86947 by mechanical means, e.g. severing, pressing, stamping
- H01L 2224/86948 Thermal treatments, e.g. annealing, controlled pre-heating or pre-cooling
- H01L 2224/86951 Forming additional members
- H01L 2224/86986 ... Specific sequence of steps, e.g. repetition of manufacturing steps, time sequence
- H01L 2224/89 .. using at least one connector not provided for in any of the groups [H01L 2224/81](#) to [H01L 2224/86](#)
- H01L 2224/90 . Methods for connecting semiconductor or solid state bodies using means for bonding not being attached to, or not being formed on, the body surface to be connected, e.g. pressure contacts using springs or clips
- H01L 2224/91 . Methods for connecting semiconductor or solid state bodies including different methods provided for in two or more of groups [H01L 2224/80](#) to [H01L 2224/90](#)
- H01L 2224/92 .. Specific sequence of method steps
- H01L 2224/9201 ... Forming connectors during the connecting process, e.g. in-situ formation of bumps
- H01L 2224/9202 ... Forming additional connectors after the connecting process
- H01L 2224/9205 ... Intermediate bonding steps, i.e. partial connection of the semiconductor or solid-state body during the connecting process
- H01L 2224/921 ... Connecting a surface with connectors of different types
- H01L 2224/9211 Parallel connecting processes
- H01L 2224/9212 Sequential connecting processes
- H01L 2224/92122 the first connecting process involving a bump connector
- H01L 2224/92124 the second connecting process involving a build-up interconnect
- H01L 2224/92125 the second connecting process involving a layer connector
- H01L 2224/92127 the second connecting process involving a wire connector
- H01L 2224/92132 the first connecting process involving a build-up interconnect
- H01L 2224/92133 the second connecting process involving a bump connector
- H01L 2224/92135 the second connecting process involving a layer connector
- H01L 2224/92136 the second connecting process involving a strap connector
- H01L 2224/92137 the second connecting process involving a wire connector
- H01L 2224/92138 the second connecting process involving a TAB connector
- H01L 2224/92142 the first connecting process involving a layer connector
- H01L 2224/92143 the second connecting process involving a bump connector

H01L 2224/92144	the second connecting process involving a build-up interconnect
H01L 2224/92147	the second connecting process involving a wire connector
H01L 2224/92148	the second connecting process involving a TAB connector
H01L 2224/92152	the first connecting process involving a strap connector
H01L 2224/92153	the second connecting process involving a bump connector
H01L 2224/92155	the second connecting process involving a layer connector
H01L 2224/92157	the second connecting process involving a wire connector
H01L 2224/92158	the second connecting process involving a TAB connector
H01L 2224/92162	the first connecting process involving a wire connector
H01L 2224/92163	the second connecting process involving a bump connector
H01L 2224/92164	the second connecting process involving a build-up interconnect
H01L 2224/92165	the second connecting process involving a layer connector
H01L 2224/92166	the second connecting process involving a strap connector
H01L 2224/92168	the second connecting process involving a TAB connector
H01L 2224/92172	the first connecting process involving a TAB connector
H01L 2224/92173	the second connecting process involving a bump connector
H01L 2224/92174	the second connecting process involving a build-up interconnect
H01L 2224/92175	the second connecting process involving a layer connector
H01L 2224/92176	the second connecting process involving a strap connector
H01L 2224/92177	the second connecting process involving a wire connector
H01L 2224/922	...	Connecting different surfaces of the semiconductor or solid-state body with connectors of different types
H01L 2224/9221	Parallel connecting processes
H01L 2224/9222	Sequential connecting processes
H01L 2224/92222	the first connecting process involving a bump connector
H01L 2224/92224	the second connecting process involving a build-up interconnect
H01L 2224/92225	the second connecting process involving a layer connector
H01L 2224/92226	the second connecting process involving a strap connector
H01L 2224/92227	the second connecting process involving a wire connector
H01L 2224/92228	the second connecting process involving a TAB connector
H01L 2224/92242	the first connecting process involving a layer connector
H01L 2224/92244	the second connecting process involving a build-up interconnect
H01L 2224/92246	the second connecting process involving a strap connector
H01L 2224/92247	the second connecting process involving a wire connector
H01L 2224/92248	the second connecting process involving a TAB connector
H01L 2224/92252	the first connecting process involving a strap connector
H01L 2224/92253	the second connecting process involving a bump connector
H01L 2224/92255	the second connecting process involving a layer connector
H01L 2224/93	.	Batch processes

H01L 2224/94	..	at wafer-level, i.e. with connecting carried out on a wafer comprising a plurality of undiced individual devices
H01L 2224/95	..	at chip-level, i.e. with connecting carried out on a plurality of singulated devices, i.e. on diced chips
H01L 2224/95001	...	involving a temporary auxiliary member not forming part of the bonding apparatus, e.g. removable or sacrificial coating, film or substrate
H01L 2224/95053	...	Bonding environment
H01L 2224/95085	being a liquid, e.g. for fluidic self-assembly
H01L 2224/95091	Under pressure
H01L 2224/95092	Atmospheric pressure e.g. dry self-assembly
H01L 2224/95093	Transient conditions, e.g. assisted by a gas flow or a liquid flow
H01L 2224/951	...	Supplying the plurality of semiconductor or solid-state bodies
H01L 2224/95101	in a liquid medium
H01L 2224/95102	being a colloidal droplet
H01L 2224/9511	using a rack or rail
H01L 2224/95115	using a roll-to-roll transfer technique
H01L 2224/9512	...	Aligning the plurality of semiconductor or solid-state bodies
H01L 2224/95121	Active alignment, i.e. by apparatus steering
H01L 2224/95122	by applying vibration
H01L 2224/95123	by applying a pressurised fluid flow e.g. liquid or gas flow
H01L 2224/95133	by applying an electromagnetic field
H01L 2224/95134	Electrowetting, i.e. by changing the surface energy of a droplet
H01L 2224/95136	involving guiding structures, e.g. shape matching, spacers or supporting members
H01L 2224/95143	Passive alignment, i.e. self alignment, e.g. using surface energy, chemical reactions, thermal equilibrium
H01L 2224/95144	Magnetic alignment, i.e. using permanent magnetic parts in the semiconductor or solid-state body
H01L 2224/95145	Electrostatic alignment i.e. polarity alignment with Coulomb charges
H01L 2224/95146	by surface tension
H01L 2224/95147	by molecular lock-key, e.g. by DNA
H01L 2224/95148	involving movement of a part of the bonding apparatus
H01L 2224/96	...	the devices being encapsulated in a common layer, e.g. neo-wafer or pseudo-wafer, said common layer being separable into individual assemblies after connecting
H01L 2224/97	...	the devices being connected to a common substrate, e.g. interposer, said common substrate being separable into individual assemblies after connecting
H01L 2224/98	.	Methods for disconnecting semiconductor or solid-state bodies
H01L 2225/00		Details relating to assemblies covered by the group H01L 25/00 but not provided for in its subgroups

H01L 2225/03	.	All the devices being of a type provided for in the same subgroup of groups H01L 27/00 to H01L 51/00
H01L 2225/04	..	the devices not having separate containers
H01L 2225/065	...	the devices being of a type provided for in group H01L 27/00
H01L 2225/06503	Stacked arrangements of devices
H01L 2225/06506	Wire or wire-like electrical connections between devices
H01L 2225/0651	Wire or wire-like electrical connections from device to substrate
H01L 2225/06513	Bump or bump-like direct electrical connections between devices, e.g. flip-chip connection, solder bumps
H01L 2225/06517	Bump or bump-like direct electrical connections from device to substrate
H01L 2225/0652	Bump or bump-like direct electrical connections from substrate to substrate
H01L 2225/06524	Electrical connections formed on device or on substrate, e.g. a deposited or grown layer
H01L 2225/06527	Special adaptation of electrical connections, e.g. rewiring, engineering changes, pressure contacts, layout
H01L 2225/06531	Non-galvanic coupling, e.g. capacitive coupling
H01L 2225/06534	Optical coupling
H01L 2225/06537	Electromagnetic shielding
H01L 2225/06541	Conductive via connections through the device, e.g. vertical interconnects, through silicon via [TSV](manufacturing via connections per se H01L 21/76898)
H01L 2225/06544	Design considerations for via connections, e.g. geometry or layout
H01L 2225/06548	Conductive via connections through the substrate, container, or encapsulation
H01L 2225/06551	Conductive connections on the side of the device
H01L 2225/06555	Geometry of the stack, e.g. form of the devices, geometry to facilitate stacking
H01L 2225/06558	the devices having passive surfaces facing each other, i.e. in a back-to-back arrangement
H01L 2225/06562	at least one device in the stack being rotated or offset
H01L 2225/06565	the devices having the same size and there being no auxiliary carrier between the devices
H01L 2225/06568	the devices decreasing in size, e.g. pyramidal stack
H01L 2225/06572	Auxiliary carrier between devices, the carrier having an electrical connection structure
H01L 2225/06575	Auxiliary carrier between devices, the carrier having no electrical connection structure
H01L 2225/06579	TAB carriers; beam leads
H01L 2225/06582	Housing for the assembly, e.g. chip scale package [CSP]
H01L 2225/06586	Housing with external bump or bump-like connectors
H01L 2225/06589	Thermal management, e.g. cooling

H01L 2225/06593	Mounting aids permanently on device; arrangements for alignment(use of temporary supports H01L 21/6835)
H01L 2225/06596	Structural arrangements for testing(testing or measuring during manufacture or treatment H01L 21/66 ; testing electrical properties or locating electrical faults G01R 31/00)
H01L 2225/10	..	the devices having separate containers
H01L 2225/1005	...	the devices being of a type provided for in group H01L 27/00
H01L 2225/1011	the containers being in a stacked arrangement
H01L 2225/1017	the lowermost container comprising a device support
H01L 2225/1023	the support being an insulating substrate
H01L 2225/1029	the support being a lead frame
H01L 2225/1035	the device being entirely enclosed by the support, e.g. high-density interconnect [HDI]
H01L 2225/1041	Special adaptations for top connections of the lowermost container, e.g. redistribution layer, integral interposer
H01L 2225/1047	Details of electrical connections between containers
H01L 2225/1052	Wire or wire-like electrical connections
H01L 2225/1058	Bump or bump-like electrical connections, e.g. balls, pillars, posts
H01L 2225/1064	Electrical connections provided on a side surface of one or more of the containers
H01L 2225/107	Indirect electrical connections, e.g. via an interposer, a flexible substrate, using TAB(printed circuits H05K 1/00)
H01L 2225/1076	Shape of the containers
H01L 2225/1082	for improving alignment between containers, e.g. interlocking features
H01L 2225/1088	Arrangements to limit the height of the assembly
H01L 2225/1094	Thermal management, e.g. cooling
H01L 2227/00		Indexing scheme for devices consisting of a plurality of semiconductor or other solid state components formed in or on a common substrate covered by group H01L 27/00
H01L 2227/32	.	Devices including an organic light emitting device [OLED], e.g. OLED display
H01L 2227/323	..	Multistep processes for AMOLED
H01L 2227/326	..	Use of temporary substrate, e.g. for manufacturing of OLED displays having an inorganic driving circuit
H01L 2229/00		Indexing scheme for semiconductor devices adapted for rectifying, amplifying, oscillating or switching, or capacitors or resistors with at least one potential-jump barrier or surface barrier, for details of semiconductor bodies or of electrodes thereof, or for multistep manufacturing processes therefor
H01L 2251/00		Indexing scheme relating to organic semiconductor devices covered by group H01L 51/00

- H01L 2251/10 . Processes specially adapted for the manufacture or treatment of organic semiconductor devices
- H01L 2251/105 .. Patterning of a layer by embossing, e.g. to form trenches in an insulating layer
- H01L 2251/30 . Materials
- H01L 2251/301 .. Inorganic materials
- H01L 2251/303 ... Oxides, e.g. metal oxides
- H01L 2251/305 Transparent conductive oxides [TCO]
- H01L 2251/306 composed of tin oxides, e.g. F doped SnO₂
- H01L 2251/308 composed of indium oxides, e.g. ITO
- H01L 2251/50 . Organic light emitting devices
- H01L 2251/53 .. Structure
- H01L 2251/5307 ... specially adapted for controlling the direction of light emission
- H01L 2251/5315 Top emission
- H01L 2251/5323 Two-side emission i.e. TOLED
- H01L 2251/533 End-face emission
- H01L 2251/5338 ... Flexible OLED
- H01L 2251/5346 ... Graded composition
- H01L 2251/5353 ... Inverted OLED
- H01L 2251/5361 ... OLED lamp
- H01L 2251/5369 ... Nanoparticles used in whatever layer except emissive layer, e.g. in packaging
- H01L 2251/5376 ... Combination of fluorescent and phosphorescent emission
- H01L 2251/5384 ... Multiple hosts in the emissive layer
- H01L 2251/5392 ... Short-circuit prevention
- H01L 2251/55 .. characterised by parameters
- H01L 2251/552 ... HOMO-LUMO-EF
- H01L 2251/554 ... Oxidation-reduction potential
- H01L 2251/556 ... Temperature
- H01L 2251/558 ... Thickness
- H01L 2251/56 .. Processes specially adapted for the manufacture or treatment of OLED
- H01L 2251/562 ... Aging
- H01L 2251/564 ... Application of alternating current
- H01L 2251/566 ... Division of substrate, e.g. for manufacturing of OLED displays
- H01L 2251/568 ... Repairing
- H01L 2924/00** **Indexing scheme for arrangements or methods for connecting or disconnecting semiconductor or solid-state bodies as covered by [H01L 24/00](#)**
- H01L 2924/0001 . Technical content checked by a classifier

NOTE

Codes [H01L 2924/0001](#) to [H01L 2924/0002](#) are used to describe the status of reclassification; they do not relate to technical features as such

H01L 2924/00011	..	Not relevant to the scope of the group, the symbol of which is combined with the symbol of this group
H01L 2924/00012	..	Relevant to the scope of the group, the symbol of which is combined with the symbol of this group
H01L 2924/00013	..	Fully indexed content
H01L 2924/00014	..	the subject-matter covered by the group, the symbol of which is combined with the symbol of this group, being disclosed without further technical details
H01L 2924/00015	..	the subject-matter covered by the group, the symbol of which is combined with the symbol of this group, being disclosed as prior art
H01L 2924/0002	..	Not covered by any one of groups H01L 24/00 , T01L 24 and T01L 224
H01L 2924/01	.	Chemical elements
H01L 2924/01001	..	Hydrogen [H]
H01L 2924/01002	..	Helium [He]
H01L 2924/01003	..	Lithium [Li]
H01L 2924/01004	..	Beryllium [Be]
H01L 2924/01005	..	Boron [B]
H01L 2924/01006	..	Carbon [C]
H01L 2924/01007	..	Nitrogen [N]
H01L 2924/01008	..	Oxygen [O]
H01L 2924/01009	..	Fluorine [F]
H01L 2924/0101	..	Neon [Ne]
H01L 2924/01011	..	Sodium [Na]
H01L 2924/01012	..	Magnesium [Mg]
H01L 2924/01013	..	Aluminum [Al]
H01L 2924/01014	..	Silicon [Si]
H01L 2924/01015	..	Phosphorus [P]
H01L 2924/01016	..	Sulfur [S]
H01L 2924/01017	..	Chlorine [Cl]
H01L 2924/01018	..	Argon [Ar]
H01L 2924/01019	..	Potassium [K]
H01L 2924/0102	..	Calcium [Ca]
H01L 2924/01021	..	Scandium [Sc]
H01L 2924/01022	..	Titanium [Ti]
H01L 2924/01023	..	Vanadium [V]
H01L 2924/01024	..	Chromium [Cr]
H01L 2924/01025	..	Manganese [Mn]
H01L 2924/01026	..	Iron [Fe]

H01L 2924/01027	..	Cobalt [Co]
H01L 2924/01028	..	Nickel [Ni]
H01L 2924/01029	..	Copper [Cu]
H01L 2924/0103	..	Zinc [Zn]
H01L 2924/01031	..	Gallium [Ga]
H01L 2924/01032	..	Germanium [Ge]
H01L 2924/01033	..	Arsenic [As]
H01L 2924/01034	..	Selenium [Se]
H01L 2924/01035	..	Bromine [Br]
H01L 2924/01036	..	Krypton [Kr]
H01L 2924/01037	..	Rubidium [Rb]
H01L 2924/01038	..	Strontium [Sr]
H01L 2924/01039	..	Yttrium [Y]
H01L 2924/0104	..	Zirconium [Zr]
H01L 2924/01041	..	Niobium [Nb]
H01L 2924/01042	..	Molybdenum [Mo]
H01L 2924/01043	..	Technetium [Tc]
H01L 2924/01044	..	Ruthenium [Ru]
H01L 2924/01045	..	Rhodium [Rh]
H01L 2924/01046	..	Palladium [Pd]
H01L 2924/01047	..	Silver [Ag]
H01L 2924/01048	..	Cadmium [Cd]
H01L 2924/01049	..	Indium [In]
H01L 2924/0105	..	Tin [Sn]
H01L 2924/01051	..	Antimony [Sb]
H01L 2924/01052	..	Tellurium [Te]
H01L 2924/01053	..	Iodine [I]
H01L 2924/01054	..	Xenon [Xe]
H01L 2924/01055	..	Cesium [Cs]
H01L 2924/01056	..	Barium [Ba]
H01L 2924/01057	..	Lanthanum [La]
H01L 2924/01058	..	Cerium [Ce]
H01L 2924/01059	..	Praseodymium [Pr]
H01L 2924/0106	..	Neodymium [Nd]
H01L 2924/01061	..	Promethium [Pm]
H01L 2924/01062	..	Samarium [Sm]
H01L 2924/01063	..	Europium [Eu]
H01L 2924/01064	..	Gadolinium [Gd]
H01L 2924/01065	..	Terbium [Tb]
H01L 2924/01066	..	Dysprosium [Dy]

H01L 2924/01067	..	Holmium [Ho]
H01L 2924/01068	..	Erbium [Er]
H01L 2924/01069	..	Thulium [Tm]
H01L 2924/0107	..	Ytterbium [Yb]
H01L 2924/01071	..	Lutetium [Lu]
H01L 2924/01072	..	Hafnium [Hf]
H01L 2924/01073	..	Tantalum [Ta]
H01L 2924/01074	..	Tungsten [W]
H01L 2924/01075	..	Rhenium [Re]
H01L 2924/01076	..	Osmium [Os]
H01L 2924/01077	..	Iridium [Ir]
H01L 2924/01078	..	Platinum [Pt]
H01L 2924/01079	..	Gold [Au]
H01L 2924/0108	..	Mercury [Hg]
H01L 2924/01081	..	Thallium [Tl]
H01L 2924/01082	..	Lead [Pb]
H01L 2924/01083	..	Bismuth [Bi]
H01L 2924/01084	..	Polonium [Po]
H01L 2924/01085	..	Astatine [At]
H01L 2924/01086	..	Radon [Rn]
H01L 2924/01087	..	Francium [Fr]
H01L 2924/01088	..	Radium [Ra]
H01L 2924/01089	..	Actinium [Ac]
H01L 2924/0109	..	Thorium [Th]
H01L 2924/01091	..	Protactinium [Pa]
H01L 2924/01092	..	Uranium [U]
H01L 2924/01093	..	Neptunium [Np]
H01L 2924/01094	..	Plutonium [Pu]
H01L 2924/011	.	Groups of the periodic table
H01L 2924/01101	..	Alkali metals
H01L 2924/01102	..	Alkali earth metals
H01L 2924/01103	..	Transition metals
H01L 2924/01104	..	Refractory metals
H01L 2924/01105	..	Rare earth metals
H01L 2924/01106	...	Lanthanides, i.e. Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu
H01L 2924/01107	...	Actinides, i.e. Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No, Lr
H01L 2924/01108	..	Noble metals
H01L 2924/01109	..	Metalloids or Semi-metals
H01L 2924/0111	..	Chalcogens

H01L 2924/01111	..	Halogens
H01L 2924/01112	..	Noble gases
H01L 2924/012	.	Semiconductor purity grades
H01L 2924/01201	..	1N purity grades, i.e. 90%
H01L 2924/01202	..	2N purity grades, i.e. 99%
H01L 2924/01203	..	3N purity grades, i.e. 99.9%
H01L 2924/01204	..	4N purity grades, i.e. 99.99%
H01L 2924/01205	..	5N purity grades, i.e. 99.999%
H01L 2924/01206	..	6N purity grades, i.e. 99.9999%
H01L 2924/01207	..	7N purity grades, i.e. 99.99999%
H01L 2924/01208	..	8N purity grades, i.e. 99.999999%
H01L 2924/013	.	Alloys
H01L 2924/0132	..	Binary Alloys
H01L 2924/01321	...	Isomorphous Alloys
H01L 2924/01322	...	Eutectic Alloys i.e. obtained by a liquid transforming into two solid phases
H01L 2924/01323	Hypoeutectic alloys i.e with compositions lying to the left of the eutectic point.
H01L 2924/01324	Hypereutectic alloys i.e with compositions lying to the right of the eutectic point.
H01L 2924/01325	...	Peritectic Alloys i.e. obtained by a liquid and a solid transforming into a new and different solid phase
H01L 2924/01326	...	Monotectics i.e. obtained by a liquid transforming into a solid and a new and different liquid phase
H01L 2924/01327	...	Intermediate phases i.e. intermetallics compounds
H01L 2924/0133	..	Ternary Alloys
H01L 2924/0134	..	Quaternary Alloys
H01L 2924/0135	..	Quinary Alloys
H01L 2924/014	..	Solder alloys
H01L 2924/01402	..	Invar, i.e. single-phase alloy of around 36% nickel and 64% iron
H01L 2924/01403	..	Kovar, i.e. FeNiCo alloys
H01L 2924/01404	..	Alloy 42, i.e. FeNi42
H01L 2924/01405	..	Inovco, i.e. Fe-33Ni-4.5Co
H01L 2924/042	.	Borides composed of metals from groups of the periodic table
H01L 2924/0421	..	1st Group
H01L 2924/0422	..	2nd Group
H01L 2924/0423	..	3rd Group
H01L 2924/0424	..	4th Group
H01L 2924/0425	..	5th Group
H01L 2924/0426	..	6th Group

H01L 2924/0427	..	7th Group
H01L 2924/0428	..	8th Group
H01L 2924/0429	..	9th Group
H01L 2924/044	..	10th Group
H01L 2924/0441	..	11th Group
H01L 2924/0442	..	12th Group
H01L 2924/0443	..	13th Group
H01L 2924/0444	..	14th Group
H01L 2924/0445	..	Lanthanides
H01L 2924/0446	..	Actinides
H01L 2924/0449	..	being a combination of two or more materials provided in the groups H01L 2924/0421 to H01L 2924/0446
H01L 2924/04491	..	having a monocrystalline microstructure
H01L 2924/04492	..	having a polycrystalline microstructure
H01L 2924/04494	..	having an amorphous microstructure i.e. glass
H01L 2924/045	.	Carbides composed of metals from groups of the periodic table
H01L 2924/0451	..	1st Group
H01L 2924/0452	..	2nd Group
H01L 2924/0453	..	3rd Group
H01L 2924/0454	..	4th Group
H01L 2924/04541	...	TiC
H01L 2924/0455	..	5th Group
H01L 2924/0456	..	6th Group
H01L 2924/04563	...	WC
H01L 2924/0457	..	7th Group
H01L 2924/0458	..	8th Group
H01L 2924/0459	..	9th Group
H01L 2924/046	..	10th Group
H01L 2924/0461	..	11th Group
H01L 2924/0462	..	12th Group
H01L 2924/0463	..	13th Group
H01L 2924/0464	..	14th Group
H01L 2924/04642	...	SiC
H01L 2924/0465	..	Lanthanides
H01L 2924/0466	..	Actinides
H01L 2924/0469	..	being a combination of two or more materials provided in the groups H01L 2924/0451 to H01L 2924/0466
H01L 2924/04691	..	having a monocrystalline microstructure
H01L 2924/04692	..	having a polycrystalline microstructure
H01L 2924/04694	..	having an amorphous microstructure i.e. glass

H01L 2924/047	. Silicides composed of metals from groups of the periodic table
H01L 2924/0471	.. 1st Group
H01L 2924/0472	.. 2nd Group
H01L 2924/0473	.. 3rd Group
H01L 2924/0474	.. 4th Group
H01L 2924/0475	.. 5th Group
H01L 2924/0476	.. 6th Group
H01L 2924/0477	.. 7th Group
H01L 2924/0478	.. 8th Group
H01L 2924/0479	.. 9th Group
H01L 2924/048	.. 10th Group
H01L 2924/0481	.. 11th Group
H01L 2924/0482	.. 12th Group
H01L 2924/0483	.. 13th Group
H01L 2924/0484	.. 14th Group
H01L 2924/0485	.. Lanthanides
H01L 2924/0486	.. Actinides
H01L 2924/0489	.. being a combination of two or more materials provided in the groups H01L 2924/0471 to H01L 2924/0486
H01L 2924/04891	.. having a monocrystalline microstructure
H01L 2924/04892	.. having a polycrystalline microstructure
H01L 2924/04894	.. having an amorphous microstructure i.e. glass
H01L 2924/049	. Nitrides composed of metals from groups of the periodic table
H01L 2924/0491	.. 1st Group
H01L 2924/0492	.. 2nd Group
H01L 2924/0493	.. 3rd Group
H01L 2924/0494	.. 4th Group
H01L 2924/04941	... TiN
H01L 2924/0495	.. 5th Group
H01L 2924/04953	... TaN
H01L 2924/0496	.. 6th Group
H01L 2924/0497	.. 7th Group
H01L 2924/0498	.. 8th Group
H01L 2924/0499	.. 9th Group
H01L 2924/05	.. 10th Group
H01L 2924/0501	.. 11th Group
H01L 2924/0502	.. 12th Group
H01L 2924/0503	.. 13th Group
H01L 2924/05032	... AlN

H01L 2924/0504	..	14th Group
H01L 2924/05042	...	Si ₃ N ₄
H01L 2924/0505	..	Lanthanides
H01L 2924/0506	..	Actinides
H01L 2924/0509	..	being a combination of two or more materials provided in the groups H01L 2924/0491 to H01L 2924/0506
H01L 2924/05091	..	having a monocrystalline microstructure
H01L 2924/05092	..	having a polycrystalline microstructure
H01L 2924/05094	..	having an amorphous microstructure i.e. glass
H01L 2924/051	.	Phosphides composed of metals from groups of the periodic table
H01L 2924/0511	..	1st Group
H01L 2924/0512	..	2nd Group
H01L 2924/0513	..	3rd Group
H01L 2924/0514	..	4th Group
H01L 2924/0515	..	5th Group
H01L 2924/0516	..	6th Group
H01L 2924/0517	..	7th Group
H01L 2924/0518	..	8th Group
H01L 2924/0519	..	9th Group
H01L 2924/052	..	10th Group
H01L 2924/0521	..	11th Group
H01L 2924/0522	..	12th Group
H01L 2924/0523	..	13th Group
H01L 2924/0524	..	14th Group
H01L 2924/0525	..	Lanthanides
H01L 2924/0526	..	Actinides
H01L 2924/0529	..	being a combination of two or more materials provided in the groups H01L 2924/0511 to H01L 2924/0526
H01L 2924/05291	..	having a monocrystalline microstructure
H01L 2924/05292	..	having a polycrystalline microstructure
H01L 2924/05294	..	having an amorphous microstructure i.e. glass
H01L 2924/053	.	Oxides composed of metals from groups of the periodic table
H01L 2924/0531	..	1st Group
H01L 2924/0532	..	2nd Group
H01L 2924/0533	..	3rd Group
H01L 2924/0534	..	4th Group
H01L 2924/05341	...	TiO ₂
H01L 2924/05342	...	ZrO ₂
H01L 2924/0535	..	5th Group

H01L 2924/0536	..	6th Group
H01L 2924/0537	..	7th Group
H01L 2924/0538	..	8th Group
H01L 2924/05381	...	FeOx
H01L 2924/0539	..	9th Group
H01L 2924/054	..	10th Group
H01L 2924/0541	..	11th Group
H01L 2924/0542	..	12th Group
H01L 2924/0543	..	13th Group
H01L 2924/05432	...	Al ₂ O ₃
H01L 2924/0544	..	14th Group
H01L 2924/05442	...	SiO ₂
H01L 2924/0545	..	Lanthanides
H01L 2924/0546	..	Actinides
H01L 2924/0549	..	being a combination of two or more materials provided in the groups H01L 2924/0531 to H01L 2924/0546
H01L 2924/05491	..	having a monocrystalline microstructure
H01L 2924/05492	..	having a polycrystalline microstructure
H01L 2924/05494	..	having an amorphous microstructure i.e. glass
H01L 2924/055	.	Chalcogenides other than oxygen i.e.sulfides, selenides and tellurides composed of metals from groups of the periodic table
H01L 2924/0551	..	1st Group
H01L 2924/0552	..	2nd Group
H01L 2924/0553	..	3rd Group
H01L 2924/0554	..	4th Group
H01L 2924/0555	..	5th Group
H01L 2924/0556	..	6th Group
H01L 2924/0557	..	7th Group
H01L 2924/0558	..	8th Group
H01L 2924/0559	..	9th Group
H01L 2924/056	..	10th Group
H01L 2924/0561	..	11th Group
H01L 2924/0562	..	12th Group
H01L 2924/0563	..	13th Group
H01L 2924/0564	..	14th Group
H01L 2924/0565	..	Lanthanides
H01L 2924/0566	..	Actinides
H01L 2924/0569	..	being a combination of two or more materials provided in the groups H01L 2924/0551 to H01L 2924/0566
H01L 2924/05691	..	having a monocrystalline microstructure

- H01L 2924/05692 .. having a polycrystalline microstructure
- H01L 2924/05694 .. having an amorphous microstructure i.e. glass

- H01L 2924/057 . Halides composed of metals from groups of the periodic table
- H01L 2924/0571 .. 1st Group
- H01L 2924/0572 .. 2nd Group
- H01L 2924/0573 .. 3rd Group
- H01L 2924/0574 .. 4th Group
- H01L 2924/0575 .. 5th Group
- H01L 2924/0576 .. 6th Group
- H01L 2924/0577 .. 7th Group
- H01L 2924/0578 .. 8th Group
- H01L 2924/0579 .. 9th Group
- H01L 2924/058 .. 10th Group
- H01L 2924/0581 .. 11th Group
- H01L 2924/0582 .. 12th Group
- H01L 2924/0583 .. 13th Group
- H01L 2924/0584 .. 14th Group
- H01L 2924/0585 .. Lanthanides
- H01L 2924/0586 .. Actinides
- H01L 2924/0589 .. being a combination of two or more materials provided in the groups [H01L 2924/0571](#) to [H01L 2924/0586](#)
- H01L 2924/05891 .. having a monocrystalline microstructure
- H01L 2924/05892 .. having a polycrystalline microstructure
- H01L 2924/05894 .. having an amorphous microstructure i.e. glass

- H01L 2924/059 . Being combinations of any of the materials from the groups [H01L 2924/042](#) to [H01L 2924/0584](#) e.g. oxynitrides
- H01L 2924/05991 .. having a monocrystalline microstructure
- H01L 2924/05992 .. having a polycrystalline microstructure
- H01L 2924/05994 .. having an amorphous microstructure i.e. glass

- H01L 2924/06 . Polymers([polymers per se C08](#); [polymer adhesives C09J](#))
- H01L 2924/061 .. Polyolefin polymer
- H01L 2924/0615 .. Styrenic polymer
- H01L 2924/062 .. Halogenated polymer
- H01L 2924/0625 .. Polyvinyl alcohol
- H01L 2924/063 .. Polyvinyl acetate
- H01L 2924/0635 .. Acrylic polymer
- H01L 2924/064 .. Graft polymer
- H01L 2924/0645 .. Block copolymer
- H01L 2924/065 .. ABS

H01L 2924/0655	..	Polyacetal
H01L 2924/066	..	Phenolic resin
H01L 2924/0665	..	Epoxy resin
H01L 2924/067	..	Polyphenylene
H01L 2924/0675	..	Polyester
H01L 2924/068	..	Polycarbonate
H01L 2924/0685	..	Polyether
H01L 2924/069	..	Polyurethane
H01L 2924/0695	..	Polyamide
H01L 2924/07	..	Polyamine or polyimide
H01L 2924/07001	...	Polyamine
H01L 2924/07025	...	Polyimide
H01L 2924/0705	..	Sulfur containing polymer
H01L 2924/0715	..	Polysiloxane
H01L 2924/078	..	Adhesive characteristics other than chemical
H01L 2924/07802	...	not being an ohmic electrical conductor
H01L 2924/0781	...	being an ohmic electrical conductor
H01L 2924/07811	Extrinsic, i.e. with electrical conductive fillers
H01L 2924/07812	Intrinsic, e.g. polyaniline [PANI]
H01L 2924/0782	...	being pressure sensitive
H01L 2924/095	.	with a principal constituent of the material being a combination of two or more materials provided in the groups H01L 2924/013 to H01L 2924/0715
H01L 2924/0951	..	Glass epoxy laminates
H01L 2924/09511	...	FR-4
H01L 2924/09512	...	FR-5
H01L 2924/09522	...	G10
H01L 2924/09523	...	G11
H01L 2924/096	..	Cermets, i.e. composite material composed of ceramic and metallic materials
H01L 2924/097	..	Glass-ceramics e.g. devitrified glass
H01L 2924/09701	...	Low temperature co-fired ceramic [LTCC]
H01L 2924/10	.	Details of semiconductor or other solid state devices to be connected
H01L 2924/1011	..	Structure
H01L 2924/1015	..	Shape
H01L 2924/10155	...	being other than a cuboid
H01L 2924/10156	at the periphery
H01L 2924/10157	at the active surface
H01L 2924/10158	at the passive surface
H01L 2924/1016	...	being a cuboid
H01L 2924/10161	with a rectangular active surface

H01L 2924/10162	with a square active surface
H01L 2924/1017	...	being a sphere
H01L 2924/102	..	Material of the semiconductor or solid state bodies
H01L 2924/1025	...	Semiconducting materials
H01L 2924/10251	Elemental semiconductors i.e. Group IV
H01L 2924/10252	Germanium [Ge]
H01L 2924/10253	Silicon [Si]
H01L 2924/10254	Diamond [C]
H01L 2924/1026	Compound semiconductors
H01L 2924/1027	IV
H01L 2924/10271	Silicon-germanium [SiGe]
H01L 2924/10272	Silicon Carbide [SiC]
H01L 2924/1032	III-V
H01L 2924/10321	Aluminium antimonide [AlSb]
H01L 2924/10322	Aluminium arsenide [AlAs]
H01L 2924/10323	Aluminium nitride [AlN]
H01L 2924/10324	Aluminium phosphide [AlP]
H01L 2924/10325	Boron nitride [BN], e.g. cubic, hexagonal, nanotube
H01L 2924/10326	Boron phosphide [BP]
H01L 2924/10327	Boron arsenide [BAs, B12As2]
H01L 2924/10328	Gallium antimonide [GaSb]
H01L 2924/10329	Gallium arsenide [GaAs]
H01L 2924/1033	Gallium nitride [GaN]
H01L 2924/10331	Gallium phosphide [GaP]
H01L 2924/10332	Indium antimonide [InSb]
H01L 2924/10333	Indium arsenide [InAs]
H01L 2924/10334	Indium nitride [InN]
H01L 2924/10335	Indium phosphide [InP]
H01L 2924/10336	Aluminium gallium arsenide [AlGaAs]
H01L 2924/10337	Indium gallium arsenide [InGaAs]
H01L 2924/10338	Indium gallium phosphide [InGaP]
H01L 2924/10339	Aluminium indium arsenide [AlInAs]
H01L 2924/1034	Aluminium indium antimonide [AlInSb]
H01L 2924/10341	Gallium arsenide nitride [GaAsN]
H01L 2924/10342	Gallium arsenide phosphide [GaAsP]
H01L 2924/10343	Gallium arsenide antimonide [GaAsSb]
H01L 2924/10344	Aluminium gallium nitride [AlGaN]
H01L 2924/10345	Aluminium gallium phosphide [AlGaP]
H01L 2924/10346	Indium gallium nitride [InGaN]
H01L 2924/10347	Indium arsenide antimonide [InAsSb]

H01L 2924/10348	Indium gallium antimonide [InGaSb]
H01L 2924/10349	Aluminium gallium indium phosphide [AlGaInP]
H01L 2924/1035	Aluminium gallium arsenide phosphide [AlGaInP]
H01L 2924/10351	Indium gallium arsenide phosphide [InGaAsP]
H01L 2924/10352	Indium gallium arsenide antimonide [InGaAsSb]
H01L 2924/10353	Indium arsenide antimonide phosphide [InAsSbP]
H01L 2924/10354	Aluminium indium arsenide phosphide [AlInAsP]
H01L 2924/10355	Aluminium gallium arsenide nitride [AlGaAsN]
H01L 2924/10356	Indium gallium arsenide nitride [InGaAsN]
H01L 2924/10357	Indium aluminium arsenide nitride [InAlAsN]
H01L 2924/10358	Gallium arsenide antimonide nitride [GaAsSbN]
H01L 2924/10359	Gallium indium nitride arsenide antimonide [GaInNAsSb]
H01L 2924/1036	Gallium indium arsenide antimonide phosphide [GaInAsSbP]
H01L 2924/1037	II-VI
H01L 2924/10371	Cadmium selenide [CdSe]
H01L 2924/10372	Cadmium sulfide [CdS]
H01L 2924/10373	Cadmium telluride [CdTe]
H01L 2924/10375	Zinc selenide [ZnSe]
H01L 2924/10376	Zinc sulfide [ZnS]
H01L 2924/10377	Zinc telluride [ZnTe]
H01L 2924/10378	Cadmium zinc telluride, i.e. CZT [CdZnTe]
H01L 2924/10379	Mercury cadmium telluride [HgZnTe]
H01L 2924/1038	Mercury zinc telluride [HgZnSe]
H01L 2924/10381	Mercury zinc selenide [HgZnSe]
H01L 2924/1042	I-VII
H01L 2924/10421	Cuprous chloride [CuCl]
H01L 2924/1047	I-VI
H01L 2924/10471	Copper sulfide [CuS]
H01L 2924/1052	IV-VI
H01L 2924/10521	Lead selenide [PbSe]
H01L 2924/10522	Lead(II)sulfide [PbS]
H01L 2924/10523	Lead telluride [PbTe]
H01L 2924/10524	Tin sulfide [SnS, SnS ₂]
H01L 2924/10525	Tin telluride [SnTe]
H01L 2924/10526	Lead tin telluride [PbSnTe]
H01L 2924/10527	Thallium tin telluride [Tl ₂ SnTe ₅]
H01L 2924/10528	Thallium germanium telluride [Tl ₂ GeTe ₅]
H01L 2924/1057	V-VI
H01L 2924/10571	Bismuth telluride [Bi ₂ Te ₃]
H01L 2924/1062	II-V

H01L 2924/10621	Cadmium phosphide [Cd ₃ P ₂]
H01L 2924/10622	Cadmium arsenide [Cd ₃ As ₂]
H01L 2924/10623	Cadmium antimonide [Cd ₃ Sb ₂]
H01L 2924/10624	Zinc phosphide [Zn ₃ P ₂]
H01L 2924/10625	Zinc arsenide [Zn ₃ As ₂]
H01L 2924/10626	Zinc antimonide [Zn ₃ Sb ₂]
H01L 2924/1067	Oxide
H01L 2924/10671	Titanium dioxide, anatase, rutile, brookite [TiO ₂]
H01L 2924/10672	Copper(I)oxide [Cu ₂ O]
H01L 2924/10673	Copper(II)oxide [CuO]
H01L 2924/10674	Uranium dioxide [UO ₂]
H01L 2924/10675	Uranium trioxide [UO ₃]
H01L 2924/10676	Bismuth trioxide [Bi ₂ O ₃]
H01L 2924/10677	Tin dioxide [SnO ₂]
H01L 2924/10678	Barium titanate [BaTiO ₃]
H01L 2924/10679	Strontium titanate [SrTiO ₃]
H01L 2924/1068	Lithium niobate [LiNbO ₃]
H01L 2924/10681	Lanthanum copper oxide [La ₂ CuO ₄]
H01L 2924/1072	Layered
H01L 2924/10721	Lead(II)iodide [PbI ₂]
H01L 2924/10722	Molybdenum disulfide [MoS ₂]
H01L 2924/10723	Gallium selenide [GaSe]
H01L 2924/10724	Tin sulfide [SnS]
H01L 2924/10725	Bismuth sulfide [Bi ₂ S ₃]
H01L 2924/1077	Magnetic diluted [DMS]
H01L 2924/10771	Gallium manganese arsenide [GaMnAs]
H01L 2924/10772	Indium manganese arsenide [InMnAs]
H01L 2924/10773	Cadmium manganese telluride [CdMnTe]
H01L 2924/10774	Lead manganese telluride [PbMnTe]
H01L 2924/10775	Lanthanum calcium manganate [La _{0.7} Ca _{0.3} MnO ₃]
H01L 2924/10776	Iron(II)oxide [FeO]
H01L 2924/10777	Nickel(II)oxide [NiO]
H01L 2924/10778	Europium(II)oxide [EuO]
H01L 2924/10779	Europium(II)sulfide [EuS]
H01L 2924/1078	Chromium(III)bromide [CrBr ₃]
H01L 2924/1082	Other
H01L 2924/10821	Copper indium gallium selenide, CIGS [Cu[In,Ga]Se ₂]
H01L 2924/10822	Copper zinc tin sulfide, CZTS [Cu ₂ ZnSnS ₄]
H01L 2924/10823	Copper indium selenide, CIS [CuInSe ₂]

H01L 2924/10824	Silver gallium sulfide [AgGaS ₂]
H01L 2924/10825	Zinc silicon phosphide [ZnSiP ₂]
H01L 2924/10826	Arsenic selenide [As ₂ S ₃]
H01L 2924/10827	Platinum silicide [PtSi]
H01L 2924/10828	Bismuth(III)iodide [BiI ₃]
H01L 2924/10829	Mercury(II)iodide [HgI ₂]
H01L 2924/1083	Thallium(I)bromide [TlBr]
H01L 2924/10831	Selenium [Se]
H01L 2924/10832	Silver sulfide [Ag ₂ S]
H01L 2924/10833	Iron disulfide [FeS ₂]
H01L 2924/11	..	Device type
H01L 2924/12	...	Passive devices, e.g. 2 terminal devices
H01L 2924/1203	Rectifying Diode
H01L 2924/12031	PIN diode
H01L 2924/12032	Schottky diode
H01L 2924/12033	Gunn diode
H01L 2924/12034	Varactor
H01L 2924/12035	Zener diode
H01L 2924/12036	PN diode
H01L 2924/12037	Cat's whisker diode
H01L 2924/12038	Point contact
H01L 2924/1204	Optical Diode
H01L 2924/12041	LED
H01L 2924/12042	LASER
H01L 2924/12043	Photo diode
H01L 2924/12044	OLED
H01L 2924/1205	Capacitor
H01L 2924/1206	Inductor
H01L 2924/1207	Resistor
H01L 2924/13	...	Discrete devices, e.g. 3 terminal devices
H01L 2924/1301	Thyristor
H01L 2924/13011	Anode Gate Thyristor [AGT]
H01L 2924/13013	Bidirectional Control Thyristor [BCT]
H01L 2924/13014	Breakover Diode [BOD]
H01L 2924/13015	DIAC - Bidirectional trigger device
H01L 2924/13016	Dynistor - Unidirectional switching device
H01L 2924/13017	Shockley diode - Unidirectional trigger and switching device
H01L 2924/13018	SIDAC - Bidirectional switching device
H01L 2924/13019	Trisil, SIDACtor - Bidirectional protection devices
H01L 2924/1302	GTO - Gate Turn-Off thyristor

H01L 2924/13021	DB-GTO - Distributed Buffer Gate Turn-Off thyristor
H01L 2924/13022	MA-GTO - Modified Anode Gate Turn-Off thyristor
H01L 2924/13023	IGCT - Integrated Gate Commutated Thyristor
H01L 2924/13024	LASCR - Light Activated SCR, or LTT - Light triggered thyristor
H01L 2924/13025	Light Activated Semiconducting Switch [LASS]
H01L 2924/13026	MCT - MOSFET Controlled Thyristor - It contains two additional FET structures for on/off control.
H01L 2924/13027	BRT - Base Resistance Controlled Thyristor
H01L 2924/13028	RCT - Reverse Conducting Thyristor
H01L 2924/13029	PUT or PUJT - Programmable Unijunction Transistor - A thyristor with gate on n-type layer near to the anode used as a functional replacement for unijunction transistor
H01L 2924/1303	SCS - Silicon Controlled Switch or Thyristor Tetrode - A thyristor with both cathode and anode gates
H01L 2924/13032	SITh - Static Induction Thyristor, or FCTh - Field Controlled Thyristor - containing a gate structure that can shut down anode current flow.
H01L 2924/13033	TRIAC - Triode for Alternating Current - A bidirectional switching device containing two thyristor structures with common gate contact
H01L 2924/13034	Silicon Controlled Rectifier [SCR]
H01L 2924/13035	Asymmetrical SCR [ASCR]
H01L 2924/1304	Transistor
H01L 2924/1305	Bipolar Junction Transistor [BJT]
H01L 2924/13051	Heterojunction bipolar transistor [HBT]
H01L 2924/13052	Schottky transistor
H01L 2924/13053	Avalanche transistor
H01L 2924/13054	Darlington transistor
H01L 2924/13055	Insulated gate bipolar transistor [IGBT]
H01L 2924/13056	Photo transistor
H01L 2924/1306	Field-effect transistor [FET]
H01L 2924/13061	Carbon nanotube field-effect transistor [CNFET]
H01L 2924/13062	Junction field-effect transistor [JFET]
H01L 2924/13063	Metal-Semiconductor Field-Effect Transistor [MESFET]
H01L 2924/13064	High Electron Mobility Transistor [HEMT, HFET [heterostructure FET], MODFET]
H01L 2924/13066	Inverted-T field effect transistor [ITFET]
H01L 2924/13067	FinFET, source/drain region shapes fins on the silicon surface.
H01L 2924/13068	Fast-reverse epitaxial diode field-effect transistor [FREDFET]
H01L 2924/13069	Thin film transistor [TFT]
H01L 2924/1307	Organic Field-Effect Transistor [OFET]
H01L 2924/13071	Ballistic transistor
H01L 2924/13072	Sensor FET
H01L 2924/13073	ion-sensitive field-effect transistor [ISFET]

H01L 2924/13074	Electrolyte-oxide-semiconductor field effect transistor [EOSFET], e.g. Neurochip
H01L 2924/13075	Deoxyribonucleic acid field-effect transistor [DNAFET]
H01L 2924/13076	DEPFET
H01L 2924/13078	Unijunction transistors
H01L 2924/13079	Single-electron transistors [SET]
H01L 2924/1308	Nanofluidic transistor
H01L 2924/13081	Multigate devices
H01L 2924/13082	Tetrode transistor
H01L 2924/13083	Pentode transistor
H01L 2924/13084	Trigate transistor
H01L 2924/13085	Dual gate FETs
H01L 2924/13086	Junctionless Nanowire Transistor [JNT]
H01L 2924/13087	Vertical-Slit Field-Effect Transistor [VeSFET]
H01L 2924/13088	Graphene Nanoribbon Field-Effect Transistor [GNRFET]
H01L 2924/13089	Nanoparticle Organic Memory Field-Effect Transistor [NOMFET]
H01L 2924/1309	Modulation-Doped Field Effect Transistor [MODFET]
H01L 2924/13091	Metal-Oxide-Semiconductor Field-Effect Transistor [MOSFET]
H01L 2924/13092	Dual Gate Metal-Oxide-Semiconductor Field-Effect Transistor [DGMOSFET]
H01L 2924/14	...	Integrated circuits
H01L 2924/141	Analog devices
H01L 2924/142	HF devices
H01L 2924/1421	RF devices
H01L 2924/14211	Voltage-controlled oscillator [VCO]
H01L 2924/14215	Low-noise amplifier [LNA]
H01L 2924/1422	Mixer
H01L 2924/14221	Electronic mixer
H01L 2924/14222	Frequency mixer
H01L 2924/1423	Monolithic Microwave Integrated Circuit [MMIC]
H01L 2924/1424	Operational amplifier
H01L 2924/1425	Converter
H01L 2924/14251	Frequency converter
H01L 2924/14252	Voltage converter
H01L 2924/14253	Digital-to-analog converter [DAC]
H01L 2924/1426	Driver
H01L 2924/1427	Voltage regulator [VR]
H01L 2924/143	Digital devices
H01L 2924/1431	Logic devices
H01L 2924/1432	Central processing unit [CPU]

H01L 2924/1433	Application-specific integrated circuit [ASIC]
H01L 2924/14335	Digital signal processor [DSP]
H01L 2924/1434	Memory
H01L 2924/1435	Random access memory [RAM]
H01L 2924/1436	Dynamic random-access memory [DRAM]
H01L 2924/14361	Synchronous dynamic random access memory [SDRAM]
H01L 2924/14362	RAS Only Refresh [ROR]
H01L 2924/14363	CAS before RAS refresh [CBR]
H01L 2924/14364	Multibank DRAM [MDRAM]
H01L 2924/14365	Video DRAM [VRAM]
H01L 2924/14366	Window DRAM [WRAM]
H01L 2924/14367	Fast page mode DRAM [FPM DRAM]
H01L 2924/14368	Extended data out DRAM [EDO DRAM]
H01L 2924/14369	Burst EDO DRAM [BEDO DRAM]
H01L 2924/1437	Static random-access memory [SRAM]
H01L 2924/1438	Flash memory
H01L 2924/1441	Ferroelectric RAM [FeRAM or FRAM]
H01L 2924/1442	Synchronous graphics RAM [SGRAM]
H01L 2924/1443	Non-volatile random-access memory [NVRAM]
H01L 2924/1444	PBRAM
H01L 2924/145	Read-only memory [ROM]
H01L 2924/1451	EPROM
H01L 2924/14511	EEPROM
H01L 2924/1453	PROM
H01L 2924/146	..	Mixed devices
H01L 2924/1461	...	MEMS
H01L 2924/15	.	Details of package parts other than the semiconductor or other solid state devices to be connected
H01L 2924/151	..	Die mounting substrate
H01L 2924/1511	...	Structure
H01L 2924/1515	...	Shape
H01L 2924/15151	the die mounting substrate comprising an aperture e.g. for underfilling, outgassing, window type wire connections
H01L 2924/15153	the die mounting substrate comprising a recess for hosting the device
H01L 2924/15155	the shape of the recess being other than a cuboid
H01L 2924/15156	Side view
H01L 2924/15157	Top view
H01L 2924/15158	the die mounting substrate being other than a cuboid
H01L 2924/15159	Side view
H01L 2924/15162	Top view

H01L 2924/15165	...	Monolayer substrate
H01L 2924/1517	...	Multilayer substrate
H01L 2924/15172	Fan-out arrangement of the internal vias
H01L 2924/15173	in a single layer of the multilayer substrate
H01L 2924/15174	in different layers of the multilayer substrate
H01L 2924/15182	Fan-in arrangement of the internal vias
H01L 2924/15183	in a single layer of the multilayer substrate
H01L 2924/15184	in different layers of the multilayer substrate
H01L 2924/15192	Resurf arrangement of the internal vias
H01L 2924/152	...	Disposition
H01L 2924/153	...	Connection portion
H01L 2924/1531	the connection portion being formed only on the surface of the substrate opposite to the die mounting surface
H01L 2924/15311	being a ball array e.g. BGA
H01L 2924/15312	being a pin array e.g. PGA
H01L 2924/15313	being a land array e.g. LGA
H01L 2924/1532	the connection portion being formed on the die mounting surface of the substrate
H01L 2924/15321	being a ball array e.g. BGA
H01L 2924/15322	being a pin array e.g. PGA
H01L 2924/15323	being a land array e.g. LGA
H01L 2924/1533	the connection portion being formed both on the die mounting surface of the substrate and outside the die mounting surface of the substrate
H01L 2924/15331	being a ball array e.g. BGA
H01L 2924/15332	being a pin array e.g. PGA
H01L 2924/15333	being a land array e.g. LGA
H01L 2924/156	...	Material
H01L 2924/157	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2924/15701	the principal constituent melting at a temperature of less than 400 C
H01L 2924/15717	the principal constituent melting at a temperature of greater than or equal to 400 C and less than 950 C
H01L 2924/15724	Aluminium [Al] as principal constituent
H01L 2924/15738	the principal constituent melting at a temperature of greater than or equal to 950 C and less than 1550 C
H01L 2924/15747	Copper [Cu] as principal constituent
H01L 2924/1576	Iron [Fe] as principal constituent
H01L 2924/15763	the principal constituent melting at a temperature of greater than 1550 C
H01L 2924/15786	with a principal constituent of the material being a non metallic, non metalloid inorganic material

H01L 2924/15787	Ceramics, e.g. crystalline carbides, nitrides or oxides [glass ceramics T01L 224/15788]
H01L 2924/15788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2924/1579	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2924/15791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2924/15793	with a principal constituent of the material being a solid not provided for in groups H01L 2924/157 to H01L 2924/15791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2924/15798	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2924/161	..	Cap
H01L 2924/1611	...	Structure
H01L 2924/1615	...	Shape
H01L 2924/16151	Cap comprising an aperture e.g. for pressure control, encapsulation
H01L 2924/16152	Cap comprising a cavity for hosting the device, e.g. U-shaped cap
H01L 2924/16153	Cap enclosing a plurality of side-by-side cavities [e.g. E-shaped cap]
H01L 2924/1616	Cavity shape
H01L 2924/1617	Cavity coating
H01L 2924/16171	Material
H01L 2924/16172	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2924/16173	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2924/16174	Ceramics, e.g. crystalline carbides, nitrides or oxides [glass ceramics H01L 2224/16175]
H01L 2924/16175	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2924/16176	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2924/16177	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2924/16178	with a principal constituent of the material being a solid not provided for in groups H01L 2924/157 to H01L 2924/15791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2924/16179	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2924/1619	Cavity coating shape
H01L 2924/16195	Flat cap [not enclosing an internal cavity]
H01L 2924/16196	Cap forming a cavity e.g. being a curved metal foil
H01L 2924/162	...	Disposition

H01L 2924/16235	Connecting to a semiconductor or solid-state bodies i.e. cap-to-chip
H01L 2924/16251	Connecting to an item not being a semiconductor or solid-state body, e.g. cap-to-substrate
H01L 2924/1626	Cap-in-cap assemblies
H01L 2924/1627	stacked type assemblies e.g. stacked multi-cavities
H01L 2924/163	...	Connection portion e.g. seal
H01L 2924/1631	Structure
H01L 2924/16315	Shape
H01L 2924/1632	Disposition
H01L 2924/164	Material
H01L 2924/165	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2924/16586	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2924/16587	Ceramics, e.g. crystalline carbides, nitrides or oxides [glass ceramics T01L 224/16588]
H01L 2924/16588	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2924/1659	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2924/16593	with a principal constituent of the material being a solid not provided for in groups H01L 2924/157 to H01L 2924/15791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2924/16598	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2924/166	...	Material
H01L 2924/167	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2924/16701	the principal constituent melting at a temperature of less than 400 C
H01L 2924/16717	the principal constituent melting at a temperature of greater than or equal to 400 C and less than 950 C
H01L 2924/16724	Aluminium [Al] as principal constituent
H01L 2924/16738	the principal constituent melting at a temperature of greater than or equal to 950 C and less than 1550 C
H01L 2924/16747	Copper [Cu] as principal constituent
H01L 2924/1676	Iron [Fe] as principal constituent
H01L 2924/16763	the principal constituent melting at a temperature of greater than 1550 C
H01L 2924/16786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2924/16787	Ceramics, e.g. crystalline carbides, nitrides or oxides
H01L 2924/16788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2924/1679	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy

H01L 2924/16791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2924/16793	with a principal constituent of the material being a solid not provided for in groups H01L 2924/167 to H01L 2924/16791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2924/16798	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2924/171	..	Frame
H01L 2924/1711	...	Structure
H01L 2924/1715	...	Shape
H01L 2924/17151	Frame comprising an aperture e.g. for pressure control, encapsulation
H01L 2924/172	...	Disposition
H01L 2924/173	...	Connection portion e.g. seal
H01L 2924/176	...	Material
H01L 2924/177	with a principal constituent of the material being a metal or a metalloid, e.g. boron [B], silicon [Si], germanium [Ge], arsenic [As], antimony [Sb], tellurium [Te] and polonium [Po], and alloys thereof
H01L 2924/17701	the principal constituent melting at a temperature of less than 400 C
H01L 2924/17717	the principal constituent melting at a temperature of greater than or equal to 400 C and less than 950 C
H01L 2924/17724	Aluminium [Al] as principal constituent
H01L 2924/17738	the principal constituent melting at a temperature of greater than or equal to 950 C and less than 1550 C
H01L 2924/17747	Copper [Cu] as principal constituent
H01L 2924/1776	Iron [Fe] as principal constituent
H01L 2924/17763	the principal constituent melting at a temperature of greater than 1550 C
H01L 2924/17786	with a principal constituent of the material being a non metallic, non metalloid inorganic material
H01L 2924/17787	Ceramics, e.g. crystalline carbides, nitrides or oxides [glass ceramics T01L 224/17788]
H01L 2924/17788	Glasses, e.g. amorphous oxides, nitrides or fluorides
H01L 2924/1779	with a principal constituent of the material being a polymer, e.g. polyester, phenolic based polymer, epoxy
H01L 2924/17791	The principal constituent being an elastomer, e.g. silicones, isoprene, neoprene
H01L 2924/17793	with a principal constituent of the material being a solid not provided for in groups H01L 2924/177 to H01L 2924/17791 , e.g. allotropes of carbon, fullerene, graphite, carbon-nanotubes, diamond
H01L 2924/17798	with a principal constituent of the material being a combination of two or more materials in the form of a matrix with a filler, i.e. being a hybrid material, e.g. segmented structures, foams
H01L 2924/181	..	Encapsulation
H01L 2924/1811	...	Structure
H01L 2924/1815	...	Shape

H01L 2924/1816	Exposing the passive side of the semiconductor or solid-state body
H01L 2924/18161	of a flip chip
H01L 2924/18162	of a chip with build-up interconnect
H01L 2924/18165	of a wire bonded chip
H01L 2924/182	...	Disposition
H01L 2924/183	...	Connection portion e.g. seal
H01L 2924/18301	being an anchoring portion i.e. mechanical interlocking between the encapsulation resin and another package part
H01L 2924/186	...	Material
H01L 2924/19	.	Details of hybrid assemblies other than the semiconductor or other solid state devices to be connected
H01L 2924/1901	..	Structure
H01L 2924/19011	...	including integrated passive components
H01L 2924/19015	...	including thin film passive components
H01L 2924/1902	...	including thick film passive components
H01L 2924/1903	...	including wave guides
H01L 2924/19031	being a strip line type
H01L 2924/19032	being a microstrip line type
H01L 2924/19033	being a coplanar line type
H01L 2924/19038	being a hybrid line type
H01L 2924/19039	impedance transition between different types of wave guides
H01L 2924/1904	...	Component type
H01L 2924/19041	being a capacitor
H01L 2924/19042	being an inductor
H01L 2924/19043	being a resistor
H01L 2924/1905	..	Shape
H01L 2924/19051	...	Impedance matching structure [e.g. balun]
H01L 2924/191	..	Disposition
H01L 2924/19101	...	of discrete passive components
H01L 2924/19102	in a stacked assembly with the semiconductor or solid state device
H01L 2924/19103	interposed between the semiconductor or sold-state device and the die mounting substrate [i.e. chip-on-passive]
H01L 2924/19104	on the semiconductor or sold-state device [i.e. passive-on-chip]
H01L 2924/19105	in a side-by-side arrangement on a common die mounting substrate
H01L 2924/19106	in a mirrored arrangement on two different side of a common die mounting substrate
H01L 2924/19107	off-chip wires
H01L 2924/20	.	Parameters
H01L 2924/201	..	Temperature ranges
H01L 2924/20101	...	Temperature range $T < 0\text{ }^{\circ}\text{C}$, $T < 273.15\text{ }^{\circ}\text{K}$

H01L 2924/20102	...	Temperature range $0\text{ C} \leq T < 60\text{ C}$, $273.15\text{ K} \leq T < 333.15\text{ K}$
H01L 2924/20103	...	Temperature range $60\text{ C} \leq T < 100\text{ C}$, $333.15\text{ K} \leq T < 373.15\text{ K}$
H01L 2924/20104	...	Temperature range $100\text{ C} \leq T < 150\text{ C}$, $373.15\text{ K} \leq T < 423.15\text{ K}$
H01L 2924/20105	...	Temperature range $150\text{ C} \leq T < 200\text{ C}$, $423.15\text{ K} \leq T < 473.15\text{ K}$
H01L 2924/20106	...	Temperature range $200\text{ C} \leq T < 250\text{ C}$, $473.15\text{ K} \leq T < 523.15\text{ K}$
H01L 2924/20107	...	Temperature range $250\text{ C} \leq T < 300\text{ C}$, $523.15\text{ K} \leq T < 573.15\text{ K}$
H01L 2924/20108	...	Temperature range $300\text{ C} \leq T < 350\text{ C}$, $573.15\text{ K} \leq T < 623.15\text{ K}$
H01L 2924/20109	...	Temperature range $350\text{ C} \leq T < 400\text{ C}$, $623.15\text{ K} \leq T < 673.15\text{ K}$
H01L 2924/2011	...	Temperature range $400\text{ C} \leq T < 450\text{ C}$, $673.15\text{ K} \leq T < 723.15\text{ K}$
H01L 2924/20111	...	Temperature range $450\text{ C} \leq T < 500\text{ C}$, $723.15\text{ K} \leq T < 773.15\text{ K}$
H01L 2924/202	..	Electromagnetic wavelength ranges [W]
H01L 2924/20201	...	Gamma radiation, i.e. wavelength less than 0.01 nm
H01L 2924/20202	...	X-ray radiation, i.e. wavelength 0.01 to 10 nm
H01L 2924/2021	...	Ultraviolet radiation
H01L 2924/20211	UV-C $100 \leq W < 280\text{ nm}$
H01L 2924/20212	UV-B $280 \leq W < 315\text{ nm}$
H01L 2924/20213	UV-A $315 \leq W < 400\text{ nm}$
H01L 2924/2024	...	Visible spectrum wavelength $390 \leq W < 700\text{ nm}$, i.e. 400-790 THz
H01L 2924/2026	...	Infrared radiation $700 \leq W < 3000\text{ nm}$
H01L 2924/20261	IR-A $700 \leq W < 1400\text{ nm}$, i.e. 215 THz-430 THz
H01L 2924/20262	IR-B $1400 \leq W < 3000\text{ nm}$, i.e. 100THz-215 THz
H01L 2924/20263	IR-C $3000\text{ nm} \leq W < 1\text{ mm}$, i.e. 300 GHz-100THz
H01L 2924/2027	...	Radio 1 mm - km 300 GHz - 3 Hz
H01L 2924/20271	Microwave radiation 1 mm - 1 meter, i.e. 300 GHz - 300 MHz
H01L 2924/203	..	Ultrasonic frequency ranges, i.e. KHz
H01L 2924/20301	...	Ultrasonic frequency [f] $f < 25\text{ kHz}$
H01L 2924/20302	...	Ultrasonic frequency [f] $25\text{ KHz} \leq f < 50\text{ KHz}$
H01L 2924/20303	...	Ultrasonic frequency [f] $50\text{ KHz} \leq f < 75\text{ KHz}$
H01L 2924/20304	...	Ultrasonic frequency [f] $75\text{ KHz} \leq f < 100\text{ KHz}$
H01L 2924/20305	...	Ultrasonic frequency [f] $100\text{ KHz} \leq f < 125\text{ KHz}$
H01L 2924/20306	...	Ultrasonic frequency [f] $125\text{ KHz} \leq f < 150\text{ KHz}$
H01L 2924/20307	...	Ultrasonic frequency [f] $150\text{ KHz} \leq f < 175\text{ KHz}$
H01L 2924/20308	...	Ultrasonic frequency [f] $175\text{ KHz} \leq f < 200\text{ KHz}$
H01L 2924/20309	...	Ultrasonic frequency [f] $f \geq 200\text{ KHz}$
H01L 2924/206	..	Length ranges
H01L 2924/2064	...	larger or equal to 1 micron less than 100 microns
H01L 2924/20641	...	larger or equal to 100 microns less than 200 microns
H01L 2924/20642	...	larger or equal to 200 microns less than 300 microns
H01L 2924/20643	...	larger or equal to 300 microns less than 400 microns
H01L 2924/20644	...	larger or equal to 400 microns less than 500 microns

H01L 2924/20645	...	larger or equal to 500 microns less than 600 microns
H01L 2924/20646	...	larger or equal to 600 microns less than 700 microns
H01L 2924/20647	...	larger or equal to 700 microns less than 800 microns
H01L 2924/20648	...	larger or equal to 800 microns less than 900 microns
H01L 2924/20649	...	larger or equal to 900 microns less than 1000 microns
H01L 2924/2065	...	larger or equal to 1000 microns less than 1500 microns
H01L 2924/20651	...	larger or equal to 1500 microns less than 2000 microns
H01L 2924/20652	...	larger or equal to 2000 microns less than 2500 microns
H01L 2924/20653	...	larger or equal to 2500 microns less than 3000 microns
H01L 2924/20654	...	larger or equal to 3000 microns less than 4000 microns
H01L 2924/20655	...	larger or equal to 4000 microns less than 5000 microns
H01L 2924/20656	...	larger or equal to 5000 microns less than 6000 microns
H01L 2924/20657	...	larger or equal to 6000 microns less than 7000 microns
H01L 2924/20658	...	larger or equal to 7000 microns less than 8000 microns
H01L 2924/207	..	Diameter ranges
H01L 2924/2075	...	larger or equal to 1 micron less than 10 microns
H01L 2924/20751	...	larger or equal to 10 microns less than 20 microns
H01L 2924/20752	...	larger or equal to 20 microns less than 30 microns
H01L 2924/20753	...	larger or equal to 30 microns less than 40 microns
H01L 2924/20754	...	larger or equal to 40 microns less than 50 microns
H01L 2924/20755	...	larger or equal to 50 microns less than 60 microns
H01L 2924/20756	...	larger or equal to 60 microns less than 70 microns
H01L 2924/20757	...	larger or equal to 70 microns less than 80 microns
H01L 2924/20758	...	larger or equal to 80 microns less than 90 microns
H01L 2924/20759	...	larger or equal to 90 microns less than 100 microns
H01L 2924/2076	...	equal to or larger than 100 microns
H01L 2924/30	.	Technical effects
H01L 2924/301	..	Electrical effects
H01L 2924/30101	...	Resistance
H01L 2924/30105	...	Capacitance
H01L 2924/30107	...	Inductance
H01L 2924/3011	...	Impedance
H01L 2924/30111	matching
H01L 2924/302	...	Electrostatic
H01L 2924/30201	Charge
H01L 2924/30205	Discharge
H01L 2924/3025	...	Electromagnetic shielding
H01L 2924/35	..	Mechanical effects
H01L 2924/351	...	Thermal stress

H01L 2924/3511	Warping
H01L 2924/3512	Cracking
H01L 2924/35121	Peeling or delaminating
H01L 2924/36	..	Material effects
H01L 2924/364	...	Polymers
H01L 2924/3641	Outgassing
H01L 2924/365	...	Metallurgical effects
H01L 2924/3651	Formation of intermetallics
H01L 2924/36511	Purple plague
H01L 2924/3656	Formation of Kirkendall voids
H01L 2924/37	..	Effects of the manufacturing process
H01L 2924/37001	...	Yield
H01L 2924/37002	...	Shelf life
H01L 2924/3701	...	increased through put
H01L 2924/38	..	Effects and problems related to the device integration
H01L 2924/381	...	Pitch distance
H01L 2924/384	...	Bump effects
H01L 2924/3841	Solder bridging
H01L 2924/386	...	Wire effects
H01L 2924/3861	Sag
H01L 2924/3862	Sweep
H01L 2924/40	.	Details of apparatuses used for either manufacturing connectors or connecting the semiconductor or solid-state body
H01L 2924/401	..	LASER
H01L 2924/40101	...	Mode
H01L 2924/40102	being pulsed
H01L 2924/40103	being continuous
H01L 2924/40105	...	Beam details
H01L 2924/4015	Shape
H01L 2924/402	...	Type
H01L 2924/40201	being a chemical
H01L 2924/40202	Deuterium Fluoride [DF] LASER
H01L 2924/40203	Hydrogen Fluoride [HF] LASER
H01L 2924/40207	Dye laser
H01L 2924/4025	being a gas
H01L 2924/40251	argon-ion LASER
H01L 2924/40252	CO ₂ LASER
H01L 2924/40253	HeAg LASER
H01L 2924/40254	HeNe LASER
H01L 2924/40255	NeCu LASER

H01L 2924/403	being an Excimer
H01L 2924/40301	ArF LASER
H01L 2924/40302	F2 LASER
H01L 2924/40303	KrCl LASER
H01L 2924/40304	KrF LASER
H01L 2924/40305	XeCl LASER
H01L 2924/40306	XeF LASER
H01L 2924/4035	being a fiber hosted LASER
H01L 2924/404	being a solid state
H01L 2924/40401	Free electron LASER
H01L 2924/40402	Photonic crystal LASER
H01L 2924/40403	Fiber solid state LASER
H01L 2924/40404	Yttrium Aluminium Garnet Nd:YAG LASER
H01L 2924/40405	Yttrium Lithium Fluoride Nd:YLF LASER
H01L 2924/40406	Ruby LASER
H01L 2924/40407	Yb:YAG LASER
H01L 2924/405	...	Wavelength
H01L 2924/40501	UV spectrum
H01L 2924/40502	Visible spectrum
H01L 2924/40503	IR spectrum

H01L 2925/00 **Details related to assemblies consisting of a plurality of individual semiconductor or other solid state devices, which are covered by the group [H01L 25/00](#) but not provided for in its subgroups**

H01L 2925/03	.	all the devices being of a type provided for in the same subgroup of groups H01L 27/00 to H01L 49/00 and H01L 51/00 , e.g. assemblies of rectifier diodes
H01L 2925/04	..	the devices not having separate containers
H01L 2925/065	...	the devices being of a type provided for in group H01L 27/00
H01L 2925/0655	Stacked arrangements of devices

H01L 2933/00 **Details relating to devices covered by the group [H01L 33/00](#) but not provided for in its subgroups**

H01L 2933/0008	.	Processes
H01L 2933/0016	..	relating to electrodes
H01L 2933/0025	..	relating to coatings
H01L 2933/0033	..	relating to semiconductor body packages
H01L 2933/0041	..	relating to wavelength conversion elements
H01L 2933/005	..	relating to encapsulations
H01L 2933/0058	..	relating to optical field-shaping elements

- [H01L 2933/0066](#) . . relating to arrangements for conducting electric current to or from the semiconductor body
- [H01L 2933/0075](#) . . relating to heat extraction or cooling elements
- [H01L 2933/0083](#) . Periodic patterns for optical field-shaping in or on the semiconductor body or semiconductor body package, e.g. photonic bandgap structures
- [H01L 2933/0091](#) . Scattering means in or on the semiconductor body or semiconductor body package([H01L 33/22 takes precedence](#))