

CPC**COOPERATIVE PATENT CLASSIFICATION****F42B****EXPLOSIVE CHARGES, e.g. FOR BLASTING, FIREWORKS, AMMUNITION** (explosive compositions [C06B](#); fuzes [F42C](#); blasting [F42D](#))**WARNING**

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

[F42B 5/14](#) covered by [F42B 12/40](#), [A01K 11/00](#)
[F42B 19/10](#) " " [F41G 7/24](#)

F42B 1/00**Explosive charges characterised by form or shape but not dependent on shape of container**

- F42B 1/02 . Shaped or hollow charges (blasting cartridges with cavities in the charge [F42B 3/08](#); oil winning using shaped-charge perforators [E21B 43/116](#))
- F42B 1/024 . . provided with embedded bodies of inert material
- F42B 1/028 . . characterised by the form of the liner
- F42B 1/032 . . characterised by the material of the liner
- F42B 1/036 . . Manufacturing processes therefor ({[F42B 33/0214](#) to [F42B 33/0292](#) take precedence})
- F42B 1/04 . Detonator charges not forming part of the fuze

F42B 3/00**Blasting cartridges, i.e. case and explosive** (fuse cords, e.g. detonating fuse cords [C06C 5/00](#); chemical aspects of detonators, blasting caps or primers [C06C 7/00](#))

- F42B 3/003 . {Liquid-oxygen cartridges}
- F42B 3/006 . {Explosive bolts; Explosive actuators (explosive valves [F16K 13/06](#); explosive cutting [B23D 15/145](#); explosive switches [H01H 39/00](#); pyrotechnical actuators [F15B 15/19](#))}
- F42B 3/02 . adapted to be united into assemblies
- F42B 3/04 . for producing gas under pressure ({generators of inflation fluid especially adapted for vehicle air bags [B60R 21/26](#))}
- F42B 3/045 . . {Hybrid systems with previously pressurised gas using blasting to increase the pressure, e.g. causing the gas to be released from its sealed container}
- F42B 3/06 . . with re-utilisable case
- F42B 3/08 . with cavities in the charge, e.g. hollow-charge blasting cartridges
- F42B 3/087 . Flexible or deformable blasting cartridges e.g. bags or hoses {for slurries}(loaded cartridge bags [F42B 5/38](#))

- F42B 3/093 .. in mat or tape form
- F42B 3/10 . Initiators therefor (percussion fuzes [F42C 7/00](#); percussion caps [F42C 19/10](#); electric primers [F42C 19/12](#))
- NOTE**
- Group [F42B 3/18](#) takes precedence over groups [F42B 3/103](#) to [F42B 3/16](#).
- F42B 3/103 .. Mounting initiator heads in initiators; Sealing-plugs
- F42B 3/107 ... Sealing-plugs characterised by the material used
- F42B 3/11 .. characterised by the material used, e.g. for initiator case or electric leads ([F42B 3/107](#) takes precedence)
- F42B 3/113 .. activated by optical means, e.g. laser, flash-light
- F42B 3/117 .. activated by friction
- F42B 3/12 .. Bridge initiators {([F42B 3/103](#), [F42B 3/11](#), [F42B 3/195](#) take precedence; electric ignitors in propellant charges [F42C 19/12](#))}
- F42B 3/121 ... {Initiators with incorporated integrated circuit}
- F42B 3/122 {Programmable electronic delay initiators}
- F42B 3/124 ... { characterised by the configuration or material of the bridge ([F42B 3/13](#) takes precedence)}
- F42B 3/125 ... { characterised by the configuration of the bridge initiator case ([F42B 3/11](#) takes precedence)}
- F42B 3/127 { the case having burst direction defining elements}
- F42B 3/128 ... { characterised by the composition of the pyrotechnic material}
- F42B 3/13 ... with semiconductive bridge
- F42B 3/14 .. Spark initiators ([F42B 3/195](#) takes precedence)
- F42B 3/16 .. {Pyrotechnic} delay initiators ([F42B 3/195](#) takes precedence; {programmable electronic delay initiators [F42C 11/065](#)})
- F42B 3/18 .. Safety initiators resistant to premature firing by static electricity or stray currents
- F42B 3/182 ... having shunting means {([F42B 3/185](#) takes precedence; details of shunting devices [H01R 13/7032](#))}
- F42B 3/185 ... having semi-conductive {means, e.g.} sealing plugs
- F42B 3/188 ... having radio-frequency filters, {e.g. containing ferrite cores or inductances ([F42B 3/185](#) takes precedence)}
- F42B 3/192 .. designed for neutralisation on contact with water
- F42B 3/195 .. Manufacture
- F42B 3/198 ... of electric initiator heads {e.g., testing, machines}
- F42B 3/22 . Elements for controlling or guiding the detonation wave, e.g. tubes (using inert bodies embedded in shaped or hollow charges [F42B 1/024](#))
- F42B 3/24 . Cartridge closures or seals (top closures for shotgun ammunition cartridges [F42B 7/12](#))
- F42B 3/26 . Arrangements for mounting initiators; Accessories therefor, e.g. tools

- F42B 3/28
 - . Cartridge cases characterised by the material used, e.g. coatings ([for initiator cases F42B 3/11](#))
- F42B 4/00**
 - Fireworks, i.e. pyrotechnic devices for amusement, display, illumination or signal purposes** ([signalling by explosives G08B](#); [advertising by fireworks G09F 13/46](#); [{signalling by pyrotechnics in railway systems B61L 5/20}](#))
- F42B 4/02
 - . in cartridge form, i.e. shell, propellant and primer
- F42B 4/04
 - . Firecrackers
- F42B 4/06
 - . Aerial display rockets ([rockets in general F42B 15/00](#))
- F42B 4/08
 - . . characterised by having vanes, wings, parachutes or balloons
- F42B 4/10
 - . . characterised by having means to separate article or charge from casing without destroying the casing
- F42B 4/12
 - . . . Parachute or flare separation
- F42B 4/14
 - . . characterised by having plural successively-ignited charges
- F42B 4/16
 - . Hand-thrown impact-exploded noise makers; [{Other noise-makers generating noise via a pyrotechnic charge}](#)([cap pistols F41C 3/06](#))
- F42B 4/18
 - . Simulations, e.g. pine cone, house that is destroyed, warship, volcano
- F42B 4/20
 - . characterised by having holder or support other than casing, e.g. whirler or spike support [{\(supports for flares or torches F42B 4/26\)}](#)
- F42B 4/22
 - . characterised by having means to separate article or charge from casing without destroying the casing ([in aerial display rockets F42B 4/10](#))
- F42B 4/24
 - . characterised by having plural successively-ignited charges ([in aerial display rockets F42B 4/14](#))
- F42B 4/26
 - . Flares; Torches [{\(mines for practice or training containing flares or illuminating charges F42B 8/28; projectiles of illuminating type F42B 12/42\)}](#)
- F42B 4/28
 - . . Parachute flares ([F42B 4/12](#) takes precedence)
- F42B 4/30
 - . Manufacture
- F42B 5/00**
 - Cartridge ammunition, e.g. separately-loaded propellant charges**([shotgun ammunition F42B 7/00](#); [practice or training ammunition F42B 8/00](#); [missiles therefor F42B 12/00, F42B 14/00, F42B 15/00](#))
- F42B 5/02
 - . Cartridges, i.e. cases with charge and missile
- F42B 5/025
 - . . [{characterised by the dimension of the case or the missile}](#)
- F42B 5/03
 - . . containing more than one missile
- F42B 5/035
 - . . . [{the cartridge or barrel assembly having a plurality of axially stacked projectiles each having a separate propellant charge}](#)

- F42B 5/045 .. of telescopic type ([F42B 5/184 takes precedence](#))
- F42B 5/05 .. for recoilless guns ([recoilless guns using a counter-projectile to balance recoil F41A 1/10](#))
- F42B 5/067 .. Mounting or locking missiles in cartridge cases ([F42B 5/18 takes precedence](#))
- F42B 5/073 ... using an auxiliary locking element
- F42B 5/08 .. modified for electric ignition
- F42B 5/10 .. with self-propelled bullet
- F42B 5/105 ... {propelled by two propulsive charges, the rearwardly situated one being separated from the rest of the projectile during flight or in the barrel; Projectiles with self-ejecting cartridge cases}
- F42B 5/145 .. for dispensing gases, vapours, powders, particles or chemically-reactive substances ([from projectiles F42B 12/46](#))
- F42B 5/15 ... for creating a screening or decoy effect, e.g using radar chaff or infra-red flares [F42B 4/26](#)
- F42B 5/155 Smoke-pot projectors, e.g. arranged on vehicles
- F42B 5/16 .. characterised by composition or physical dimensions or form of propellant charge, {with or without projectile,} or powder ([chemical composition C06B](#); [F42B 5/24 takes precedence](#))
- F42B 5/18 .. Caseless ammunition; Cartridges having combustible cases
- F42B 5/181 ... { consisting of a combustible casing wall and a metal base; Connectors therefor}
- F42B 5/182 ... { Caseless cartridges characterised by their shape}
- F42B 5/184 ... telescopic
- F42B 5/188 ... Manufacturing processes therefor
- F42B 5/192 ... Cartridge cases characterised by the material { of the casing wall ([cartridge bags F42B 5/38](#))}
- F42B 5/196 Coatings
- F42B 5/24 .. for cleaning; for cooling; for lubricating; {for wear reducing}
- F42B 5/26 . Cartridge cases ([F42B 5/18 takes precedence](#); {manufacturing of cartridge cases [B21K 21/04](#)})
- F42B 5/28 .. of metal {i.e. the cartridge-case tube is of metal}
- F42B 5/285 ... formed by assembling several elements
- F42B 5/29 wound from sheets or strips
- F42B 5/295 ... coated
- F42B 5/297 with plastics
- F42B 5/30 .. of plastics {i.e. the cartridge-case tube is of plastics}
- F42B 5/307 ... formed by assembling several elements
- F42B 5/313 all elements made of plastics
- F42B 5/32 .. for rim fire
- F42B 5/34 .. with provision for varying the length
- F42B 5/36 .. modified for housing an integral firing-cap

- F42B 5/38
 - . Separately-loaded propellant charges, e.g. cartridge bags [{\(F42B 5/16, F42B 5/192 take precedence\)}](#)
- F42B 6/00**

Projectiles or missiles specially adapted for projection without use of explosive or combustible propellant charge, e.g. for blow guns, bows or crossbows, hand-held spring or air guns (for delivering hypodermic charges [F42B 12/54](#); projectiles or missiles incorporating springs as the projecting means [F41B 7/02](#); {Arrows or darts for dispensing materials, for producing chemical or physical reaction, or for signalling [F42B 12/362](#)})
- F42B 6/003
 - . [{Darts}](#)
- F42B 6/006
 - . [{Projectiles for electromagnetic or plasma guns}](#)
- F42B 6/02
 - . Arrows; Crossbow bolts; Harpoons for hand-held spring or air guns
- F42B 6/04
 - .. Archery arrows [\(F42B 6/08, F41B 5/06, {F42B 12/362} take precedence\)](#)
- F42B 6/06
 - ... Tail ends, e.g. nocks, fletching
- F42B 6/08
 - .. Arrow heads; Harpoon heads
- F42B 6/10
 - . Air gun pellets; [{Ammunition for air guns, e.g. propellant-gas containers}](#)
- F42B 7/00**

Shotgun ammunition
- F42B 7/02
 - . Cartridges, i.e. cases with propellant charge and missile
- F42B 7/04
 - .. of pellet type
- F42B 7/043
 - ... [{with shot-scattering means}](#)
- F42B 7/046
 - ... [{Pellets or shot therefor}](#)
- F42B 7/06
 - .. with cartridge case of plastics [{F42B 5/30 takes precedence}](#)
- F42B 7/08
 - .. Wads, [{i.e. projectile or shot carrying devices,}](#) therefor
- F42B 7/10
 - .. Ball or slug shotgun cartridges
- F42B 7/12
 - .. Cartridge top closures, i.e. for the missile side [\(closures for blasting cartridges F42B 3/24\)](#)
- F42B 8/00**

Practice or training ammunition
- F42B 8/02
 - . Cartridges [{\(F41A 33/02, F42B 7/12 take precedence\)}](#)
- F42B 8/04
 - .. Blank cartridges, i.e. primed cartridges without projectile but containing an explosive or combustible powder charge
- F42B 8/06
 - ... for cap-firing pistols
- F42B 8/08
 - .. Dummy cartridges, i.e. inert cartridges containing neither primer nor explosive or combustible powder charge
- F42B 8/10
 - .. with sub-calibre adaptor
- F42B 8/12
 - . Projectiles or missiles [\(F42B 10/48, F42B 12/36, F42B 19/36 take precedence\)](#)

F42B 8/14 .. disintegrating in flight or upon impact

NOTE

Group [F42B 8/14](#) takes precedence over groups [F42B 8/18](#) to [F42B 8/26](#)

F42B 8/16 ... containing an inert filler in powder or granular form

F42B 8/18 .. Rifle grenades

F42B 8/20 .. Mortar grenades

F42B 8/22 .. Fall bombs

F42B 8/24 .. Rockets

F42B 8/26 .. Hand grenades

F42B 8/28 . Land or marine mines; Depth charges

F42B 10/00 **Means for influencing, e.g. improving, the aerodynamic properties of projectiles or missiles; Arrangements on projectiles or missiles for stabilising, steering, range-reducing, range-increasing or fall-retarding ([F42B 6/00](#) takes precedence)**

F42B 10/02 . Stabilising arrangements

F42B 10/025 .. {using giratory or oscillating masses for stabilising projectile trajectory}

F42B 10/04 .. using fixed fins ([F42B 10/22](#) takes precedence)

F42B 10/06 ... Tail fins

F42B 10/08 Flechette-type projectiles

F42B 10/10 the fins being formed in the barrel by deformation or the projectile body

F42B 10/12 .. using fins longitudinally-slidable with respect to the projectile or missile

F42B 10/14 .. using fins spread or deployed after launch, e.g. after leaving the barrel

F42B 10/143 ... { Lattice or grid fins}

F42B 10/146 ... { Fabric fins, i.e. fins comprising at least one spar and a fin cover made of flexible sheet material}

F42B 10/16 ... Wrap-around fins

F42B 10/18 ... using a longitudinally slidable support member

F42B 10/20 ... deployed by combustion gas pressure, or by pneumatic or hydraulic forces

F42B 10/22 .. Projectiles of cannelured type

F42B 10/24 ... with inclined grooves

F42B 10/26 .. using spin ([F42B 10/04](#), [F42B 10/12](#), [F42B 10/14](#), [F42B 10/24](#), [F42B 14/02](#) take precedence)

F42B 10/28 ... induced by gas action

F42B 10/30 using rocket motor nozzles

F42B 10/32 . Range-reducing or range-increasing arrangements; Fall-retarding means

F42B 10/34 .. Tubular projectiles

F42B 10/36 ... Ring-foil projectiles

- F42B 10/38 .. Range-increasing arrangements ([F42B 10/34](#), [F42B 14/06](#){and [F42B 15/105](#)} take precedence)
- F42B 10/40 ... with combustion of a slow-burning charge, e.g. fumers, base-bleed projectiles
- F42B 10/42 ... Streamlined projectiles
- F42B 10/44 Boat-tails specially adapted for drag reduction
- F42B 10/46 Streamlined nose cones; Windshields; Radomes {([F42B 12/105](#) takes precedence)}
- F42B 10/48 .. Range-reducing, destabilising or braking arrangements, {e.g. impact-braking arrangements}; Fall-retarding means, {e.g. balloons, rockets for braking or fall-retarding}([F42B 10/34](#) takes precedence)
- F42B 10/50 ... Brake flaps, {e.g. inflatable}
- F42B 10/52 ... Nose cones
- F42B 10/54 ... Spin braking means
- F42B 10/56 ... of parachute {or paraglider} type
- F42B 10/58 ... of rotochute type
- F42B 10/60 . Steering arrangements ([F42B 19/01](#) takes precedence)
- F42B 10/62 .. Steering by movement of flight surfaces
- F42B 10/64 ... of fins
- F42B 10/66 .. Steering by varying intensity or direction of thrust (thrust vector control of rocket engine plants [F02K 9/80](#); {guiding or controlling apparatus using jets adapted for cosmonautic vehicles [B64G 1/26](#)})
- F42B 10/661 ... {using several transversally acting rocket motors, each motor containing an individual propellant charge, e.g. solid charge}
- F42B 10/663 ... {using a plurality of transversally acting auxiliary nozzles, which are opened or closed by valves}
- F42B 10/665 ... {characterised by using a nozzle provided with at least a deflector mounted within the nozzle}
- F42B 10/666 ... {characterised by using a nozzle rotatable about an axis transverse to the axis of the projectile}
- F42B 10/668 ... {Injection of a fluid, e.g. a propellant, into the gas shear in a nozzle or in the boundary layer at the outer surface of a missile, e.g. to create a shock wave in a supersonic flow}
- F42B 12/00** **Projectiles, missiles or mines characterised by the warhead, the intended effect, or the material** ([F42B 6/00](#), [F42B 10/00](#), [F42B 14/00](#) take precedence; for practice or training [F42B 8/12](#), [F42B 8/28](#); self-propulsion or guidance aspects [F42B 15/00](#))
- F42B 12/02 . characterised by the warhead or the intended effect
- F42B 12/04 .. of armour-piercing type
- F42B 12/06 ... with hard or heavy core; Kinetic energy penetrators ([F42B 12/16](#), [F42B 12/74](#) take precedence)
- F42B 12/08 ... with armour-piercing caps; with armoured cupola
- F42B 12/10 ... with shaped or hollow charge (shaped or hollow charges per se [F42B 1/02](#); {mines having hollow charges [F42B 23/04](#)})

F42B 12/105	{Protruding target distance or stand-off members therefor, e.g. slidably mounted (fuze aspects F42C 1/14)}
F42B 12/12	rotatably mounted with respect to missile housing
F42B 12/14	the symmetry axis of the hollow charge forming an angle with the longitudinal axis of the projectile
F42B 12/16	in combination with an additional projectile or charge, acting successively on the target {(see also F42B 12/625)}
F42B 12/18	Hollow charges in tandem arrangement
F42B 12/20	..	of high-explosive type (F42B 12/44 takes precedence)
F42B 12/201	...	{ characterised by target class}
F42B 12/202	{ for attacking land area or area targets, e.g. airburst}
F42B 12/204	{ for attacking structures, e.g. specific buildings or fortifications, ships or vehicles}
F42B 12/205	{ for attacking aerial targets}
F42B 12/207	...	{ characterised by the explosive material or the construction of the high explosive warhead, e.g. insensitive ammunition}
F42B 12/208	...	{ characterised by a plurality of charges within a single high explosive warhead}
F42B 12/22	...	with fragmentation-hull construction
F42B 12/24	with grooves, recesses or other wall weakenings { F42B 12/26 , F42B 12/28 take precedence}
F42B 12/26	the projectile wall being formed by a spirally-wound element
F42B 12/28	the projectile wall being built from annular elements
F42B 12/30	Continuous-rod warheads
F42B 12/32	the hull or case comprising a plurality of discrete bodies, e.g. steel balls, embedded therein {or disposed around the explosive charge}
F42B 12/34	..	expanding before or on impact, i.e. of dum dum or mushroom type
F42B 12/36	..	for dispensing materials; for producing chemical or physical reaction; for signalling; {for transmitting information}
F42B 12/362	...	{Arrows or darts (F42B 12/38 takes precedence, having means for implantation, e.g. hypodermic projectiles F42B 12/54 ; arrows or darts in general F42B 6/00)}
F42B 12/365	...	{Projectiles transmitting information to a remote location using optical or electronic means (F42B 12/385 takes precedence)}
F42B 12/367	...	{Projectiles fragmenting upon impact without the use of explosives, the fragments creating a wounding or lethal effect (practice or training projectiles disintegrating upon impact F42B 8/14 ; projectiles of high-explosive type with fragmentation-hull construction F42B 12/22)}
F42B 12/38	...	of tracer type
F42B 12/382	{emitting an electromagnetic radiation, e.g. laser beam or infra-red emission}
F42B 12/385	{Arrow or dart carrying a radio transmitter for signalling}
F42B 12/387	{Passive tracers, e.g. using a reflector mounted on the projectile}
F42B 12/40	...	of target-marking, i.e. impact-indicating type (F42B 12/48 , { F42B 12/50 } take precedence)
F42B 12/42	...	of illuminating type, e.g. carrying flares
F42B 12/44	...	of incendiary type (F42B 12/46 takes precedence)

- F42B 12/46 . . . for dispensing gases, vapours, powders or chemically-reactive substances
([F42B 12/70 takes precedence](#))
- F42B 12/48 smoke-producing, {e.g. [infrared clouds](#)}
- F42B 12/50 by dispersion
- F42B 12/52 Fuel-air explosive devices
- F42B 12/54 by implantation, e.g. hypodermic projectiles
- F42B 12/56 . . . for dispensing discrete solid bodies ([F42B 12/70 takes precedence](#))
- F42B 12/58 Cluster or cargo ammunition, i.e. projectiles containing one or more
submissiles ([F42B 12/32 takes precedence](#))
- F42B 12/60 the submissiles being ejected radially
- F42B 12/62 the submissiles being ejected parallel to the longitudinal axis of the
projectile
- F42B 12/625 {a single submissile arranged in a carrier missile for being launched or
accelerated coaxially; Coaxial tandem arrangement of missiles which
are active in the target one after the other (with shaped or hollow
charges [F42B 12/16](#))}
- F42B 12/64 the submissiles being of shot- or flechette-type
- F42B 12/66 Chain-shot, i.e. the submissiles being interconnected by chains or the
like; {(Ballistically deployed systems for restraining persons or animals
[F41H 13/0006](#))}
- F42B 12/68 Line-carrying missiles, e.g. for life-saving (harpoons [F42B 30/14](#), {mine-
clearing snakes [F41H 11/14](#)})
- F42B 12/70 for dispensing radar chaff or infra-red material (radar-reflector targets, active
targets transmitting infra-red radiation [F41J 2/00](#); radar-reflecting surfaces
[H01Q 15/14](#))
- F42B 12/72 . characterised by the material ([heat treatment for explosive shells C21D 9/16](#))
- F42B 12/74 . . of the core or solid body
- F42B 12/745 . . . {the core being made of plastics; Compounds or blends of plastics and other
materials, e.g. fillers}
- F42B 12/76 . . of the casing
- F42B 12/78 . . . of jackets for smallarm bullets; {Jacketed bullets or projectiles}
- F42B 12/80 . . . Coatings
- F42B 12/82 reducing friction
- F42B 14/00** **Projectiles or missiles characterised by arrangements for guiding or sealing them
inside barrels, or for lubricating or cleaning barrels**
- F42B 14/02 . Driving bands; Rotating bands ([F42B 14/04 takes precedence](#))
- F42B 14/04 . Lubrication means in missiles ([coatings for reducing friction F42B 12/82](#))
- F42B 14/06 . Sub-calibre projectiles having sabots; Sabots therefor
- F42B 14/061 . . {Sabots for long rod fin stabilised kinetic energy projectiles, i.e. multisegment
sabots attached midway on the projectile}

- F42B 14/062 . . . { characterised by contact surfaces between projectile and sabot}
- F42B 14/064 . . {Sabots enclosing the rear end of a kinetic energy projectile, i.e. having a closed disk shaped obturator base and petals extending forward from said base}
- F42B 14/065 . . { Sabots carrying several projectiles}
- F42B 14/067 . . { Sealing aspects in sabots, e.g. sealing between individual segments of the sabots or sealing between the outer surface of the sabot and the inner surface of the barrel}
- F42B 14/068 . . { Sabots characterised by the material ([F42B 14/067](#) takes precedence)}
- F42B 14/08 . . Sabots filled with propulsive charges; Removing sabots by combustion of pyrotechnic elements or by propulsive-gas pressure ([arrangements on barrels for removing sabots from projectiles F41A 21/46](#))

- F42B 15/00** **Self-propelled projectiles or missiles, e.g. rockets; Guided missiles** ([F42B 10/00](#), [F42B 12/00](#), [F42B 14/00](#) take precedence: for practice or training [F42B 8/12](#); rocket torpedoes [F42B 17/00](#); marine torpedoes [F42B 19/00](#); cosmonautic vehicles [B64G](#); jet-propulsion plants [F02K](#))

- F42B 15/01 . Arrangements thereon for guidance or control({[steering arrangementsF42B 10/60](#)}; [aircraft flight controlB64C](#); guidance systems other than those installed aboard[F41G 7/00](#),[F41G 9/00](#); locating by use of radio or other waves[G01S](#); flight control in general[G05D 1/00](#); computer aspects[G06J](#))
- F42B 15/04 . . using wire, e.g. for guiding ground-to-ground rockets
- F42B 15/08 . for carrying measuring instruments; {[Arrangements for mounting sensitive cargo within a projectile](#)}{[adaptations for meteorology G01W 1/08](#)}; {[Arrangements for acoustic sensitive cargo within a projectile](#)}
- F42B 15/10 . Missiles having a trajectory only in the air
- F42B 15/105 . . {[Air torpedoes, e.g. projectiles with or without propulsion, provided with supporting air foil surfaces](#)}
- F42B 15/12 . . Intercontinental ballistic missiles ([F42B 15/01](#) takes precedence)
- F42B 15/20 . Missiles having a trajectory beginning below water surface ([having additional propulsion means for movement through water F42B 17/00](#))
- F42B 15/22 . Missiles having a trajectory finishing below water surface ([having additional propulsion means for movement through water F42B 17/00](#))
- F42B 15/34 . Protection against overheating or radiation, e.g. heat shields; Additional cooling arrangements {([thermal protection fitted in or to cosmonautic vehicles B64G 1/58](#))}
- F42B 15/36 . Means for interconnecting rocket-motor and body section; Multi-stage connectors; Disconnecting means
- F42B 15/38 . . Ring-shaped explosive elements for the separation of rocket parts {[systems for coupling or separating cosmonautic vehicles or parts thereof B64G 1/64](#)}

- F42B 17/00** **Rocket torpedoes, i.e. missiles provided with separate propulsion means for movement through air and through water** ([F42B 12/00](#) takes precedence)

- F42B 19/00** **Marine torpedoes, e.g. launched by surface vessels or submarines; Sea mines having self-propulsion means** ([F42B 12/00](#) takes precedence; launching means [F41F](#); locating by use of radio or other waves [G01S](#); automatic control of course [G05D 1/00](#); firing directors or calculators [G06G](#))
- [F42B 19/005](#) . {Nose caps for torpedoes; Coupling torpedo-case parts together}
- [F42B 19/01](#) . Steering control
- [F42B 19/04](#) . . Depth control
- [F42B 19/06](#) . . Directional control
- [F42B 19/08](#) . . with means for preventing rolling or pitching
- [F42B 19/12](#) . Propulsion specially adapted for torpedoes ([having additional propulsion means for movement through air F42B 17/00](#); marine propulsion in general [B63H](#))
- [F42B 19/125](#) . . {Torpedoes provided with drag-reducing means (projectiles with drag-reducing means [F42B 10/38](#))}
- [F42B 19/14](#) . . by compressed-gas motors
- [F42B 19/16](#) . . . of cylinder type
- [F42B 19/18](#) . . . of turbine type
- [F42B 19/20](#) . . . characterised by the composition of propulsive gas; Manufacture or heating thereof in torpedoes
- [F42B 19/22](#) . . by internal-combustion engines
- [F42B 19/24](#) . . by electric motors
- [F42B 19/26](#) . . by jet propulsion
- [F42B 19/28](#) . . with means for avoiding visible wake
- [F42B 19/30](#) . . with timing control of propulsion
- [F42B 19/36](#) . adapted to be used for exercise purposes, e.g. indicating position or course
- [F42B 19/38](#) . . with means for causing torpedoes to surface at end of run
- [F42B 19/40](#) . . . by expelling liquid ballast
- [F42B 19/42](#) . . . by releasing solid ballast
- [F42B 19/44](#) . . . by enlarging displacement
- [F42B 19/46](#) . adapted to be launched from aircraft
- F42B 21/00** **Depth charges** ([F42B 12/00](#) takes precedence; for practice or training [F42B 8/28](#); laying aspects [B63G](#))
- F42B 22/00** **Marine mines, e.g. launched by surface vessels or submarines** ([F42B 12/00](#) takes precedence; for practice or training [F42B 8/28](#); mine laying or sweeping [B63G](#))
- [F42B 22/02](#) . Contact mines {e.g. [antenne-type mines](#)}(contact fuzes [F42C 7/02](#))
- [F42B 22/04](#) . Influenced mines, e.g. by magnetic or acoustic effect

- F42B 22/06 . Ground mines
- F42B 22/08 . Drifting mines (with propulsion means [F42B 19/00](#))
- F42B 22/10 . Moored mines
- F42B 22/12 . . at a fixed depth setting
- F42B 22/14 . . at a variable depth setting
- F42B 22/16 . . . using mechanical means, e.g. plummet and float
- F42B 22/18 . . . using hydrostatic means
- F42B 22/20 . . . using magnetic or acoustic depth-control means
- F42B 22/22 . having self-contained sinking means
- F42B 22/24 . Arrangement of mines in fields or barriers (net barriers for harbour defence [F41H 11/05](#))
- F42B 22/42 . with anti-sweeping means, e.g. electrical
- F42B 22/44 . adapted to be launched from aircraft
- F42B 23/00** **Land mines; {Land torpedoes}**([F42B 12/00](#) takes precedence; for practice or training [F42B 8/28](#))
- F42B 23/005 . {Selfpropelled land mines}
- F42B 23/04 . anti-vehicle {, e.g. anti-aircraft or anti tank (hollow charges per se [F42B 1/02](#); artillery projectiles having hollow charges [F42B 12/10](#))}
- F42B 23/08 . . non-metallic
- F42B 23/10 . anti-personnel
- F42B 23/14 . . non-metallic
- F42B 23/16 . . of missile type, i.e. {all kinds of mines launched} for detonation after ejection from ground (fuzes for initiating mine ejection [F42C 1/09](#))
- F42B 23/24 . Details
- F42B 25/00** **Fall bombs** ([F42B 10/00](#), [F42B 12/00](#) take precedence; for practice or training [F42B 8/12](#); {gliding type bombs [F42B 15/105](#)})
- F42B 27/00** **Hand grenades** ([F42B 12/00](#) takes precedence; for practice or training [F42B 8/12](#))
- F42B 27/08 . with handle
- F42B 29/00** **Noiseless, smokeless, or flashless missiles launched by their own explosive propellant**

- F42B 30/00** **Projectiles or missiles, not otherwise provided for, characterised by the ammunition class or type, e.g. by the launching apparatus or weapon used**
([F42B 10/00](#), [F42B 12/00](#), [F42B 14/00](#) take precedence)
- F42B 30/003 . {Closures or baseplates therefor (closures for blasting cartridges [F42B 3/24](#), for shotgun cartridges [F42B 7/12](#))}
- F42B 30/006 . {Mounting of sensors, antennas or target trackers on projectiles}
- F42B 30/02 . Bullets
- F42B 30/04 . Rifle grenades
- F42B 30/06 . . Bullet traps or bullet decelerators therefor
- F42B 30/08 . Ordnance projectiles or missiles, e.g. shells
- F42B 30/10 . . Mortar projectiles
- F42B 30/12 . . . with provision for additional propulsive charges, or for varying the length
- F42B 30/14 . Harpoons (for hand-held spring or air guns [F42B 6/02](#))
- F42B 33/00** **Manufacture or ammunition: Dismantling or ammunition; Apparatus therefor**
([F42B 5/188](#) takes precedence; manufacturing processes for hollow charges [F42B 1/036](#); manufacture of blasing cartridge initiators [F42B 3/195](#))
- F42B 33/001 . {Devices or processes for assembling ammunition, cartridges or cartridge elements from parts}
- F42B 33/002 . {Orienting or guiding means for cartridges or cartridge parts during the manufacturing or packaging process; Feeding cartridge elements to automatic machines}
- F42B 33/004 . {Cartridge loaders of the rotatable-turret type}
- F42B 33/005 . {Crimping cartridge cases on projectiles}
- F42B 33/007 . {Making cavities in an explosive or propulsive charge}
- F42B 33/008 . {Cutting explosive or propulsive charges}
- F42B 33/02 . Filling cartridges, missiles, or fuzes; Inserting propellant or explosive charges
{([F42B 33/004](#) takes precedence)}
- F42B 33/0207 . . {Processes for loading or filling propulsive or explosive charges in containers}
- F42B 33/0214 . . {by casting ([F42B 33/004](#) takes precedence)}
- F42B 33/0221 . . . {by centrifugal casting}
- F42B 33/0228 . . . {Funnel arrangements therefor}
- F42B 33/0235 . . . {Heating of casting equipment or explosive charge containers during the loading process}

- F42B 33/0242 . . . {by pressure casting}
- F42B 33/025 . . {by compacting (F42B 33/004 takes precedence)}
- F42B 33/0257 . . . {by vibration compacting}
- F42B 33/0264 . . {by using screw-type feeders (F42B 33/004 takes precedence)}
- F42B 33/0271 . . . {for extruding blasting cartridges}
- F42B 33/0278 . . {Safety arrangements therefor (F42B 33/004 takes precedence)}
- F42B 33/0285 . . {Measuring explosive-charge levels in containers or cartridge cases; Methods or devices for controlling the quantity of material fed or filled (F42B 33/004 takes precedence; controlling the quantity of material fed in packaging B65B 3/26)}
- F42B 33/0292 . . . {by volumetric measurement, i.e. the volume of the material being determined before filling}

- F42B 33/04 . . Fitting or extracting primers in or from fuzes or charges {(F42B 33/004 takes precedence)}

- F42B 33/06 . . Dismantling fuzes, cartridges, projectiles, missiles, rockets or bombs {(F42B 33/004 and F42B 33/04 take precedence; (elimination of undesirable components of explosives C06B 21/0091))}
- F42B 33/062 . . {by high-pressure water jet means}
- F42B 33/065 . . {by laser means}
- F42B 33/067 . . {by combustion (incineration apparatuses or processes for used articles F23G 7/003)}

- F42B 33/10 . . Reconditioning used cartridge cases {(F42B 33/004 takes precedence)}
- F42B 33/12 . . Crimping shotgun cartridges {(F42B 33/004 takes precedence)}
- F42B 33/14 . . Surface treatment of cartridges or cartridge cases {(F42B 33/004 takes precedence)}

- F42B 35/00** **Testing or checking of ammunition** {(apparatus for measuring the energy of projectiles G01L 5/14)}

- F42B 35/02 . . Gauging, sorting, trimming or shortening cartridges or missiles

- F42B 39/00** **Packaging or storage of ammunition or explosive charges; Safety features thereof; Cartridge belts or bags**

- F42B 39/002 . . {Cartridge containers provided with cartridge-dispensing means}
- F42B 39/005 . . {Protection for driving bands}
- F42B 39/007 . . {Packaging or storage of arrows or darts (quivers for arrows F41B 5/06)}
- F42B 39/02 . . Cartridge bags; Bandoleers
- F42B 39/08 . . Cartridge belts
- F42B 39/082 . . {for caseless ammunition}

- F42B 39/085 . . {for blank cartridges}
- F42B 39/087 . . {Feed belts manufactured from fabric or plastics material}
- F42B 39/10 . . Machines for charging or for extracting cartridges from feed belts

- F42B 39/14 . Explosion or fire protection arrangements on packages or ammunition
(F42B 39/20{and F42B 39/24} take precedence; {wall or panel structure of fireproof safes or storage containers E05G 1/024})
- F42B 39/16 . . Fire-extinguishing
- F42B 39/18 . . Heat shields; Thermal insulation

- F42B 39/20 . Packages or ammunition having valves for pressure-equalising; Packages or ammunition having plugs for pressure release, e.g. meltable {Blow-out panels; Venting arrangements (ventilating arrangements on packages formed from foldable or erectable blanks B65D 5/4295; packages with pressure-relief valves incorporated in a container wall B65D 77/225)}

- F42B 39/22 . Locking of ammunition in transport containers

- F42B 39/24 . Shock-absorbing arrangements in packages, {e.g. for shock waves}

- F42B 39/26 . Packages or containers for a plurality of ammunition, e.g. cartridges (F42B 39/14 to F42B 39/24, F42B 39/28 take precedence)

- F42B 39/28 . Ammunition racks, e.g. in vehicles

- F42B 39/30 . Containers for detonators or fuzes (F42B 39/14, F42B 39/20 take precedence)

- F42B 99/00 Subject matter not provided for in other groups of this subclass**