

**CPC****COOPERATIVE PATENT CLASSIFICATION****H01K**

**ELECTRIC INCANDESCENT LAMPS** (details or apparatus or processes for manufacture applicable to both discharge devices and incandescent lamps [H01J](#); light sources using a combination of incandescent and other types of light generation [H01J 61/96](#), [H05B 35/00](#); circuits therefor [H05B](#))

**NOTE**

In this subclass, the following term is used with the meaning indicated:

- "lamp" includes tubes emitting ultra-violet or infra-red light.

**H01K 1/00****Details**

- H01K 1/02 . Incandescent bodies
- H01K 1/04 . . characterised by the material thereof
- H01K 1/06 . . . Carbon bodies
- H01K 1/08 . . . Metallic bodies
- H01K 1/10 . . . Bodies of metal or carbon combined with other substance
- H01K 1/12 . . . Bodies which are non-conductive when cold, e.g. for Nernst lamp
- H01K 1/14 . . characterised by the shape
- H01K 1/16 . . Electric connection thereto
- H01K 1/18 . Mountings or supports for the incandescent body
- H01K 1/20 . . characterised by the material thereof
- H01K 1/22 . . Lamp stems ([seals for leading conductors there through H01K 1/38](#))
- H01K 1/24 . . Mounts for lamps with connections at opposite ends, e.g. for tubular lamp
- H01K 1/26 . Screens; Filters ([associated with envelope H01K 1/28](#))
- H01K 1/28 . Envelopes; Vessels
- H01K 1/30 . . incorporating lenses
- H01K 1/32 . . provided with coatings on the walls; Vessels or coatings thereon characterised by the material thereof
- H01K 1/325 . . . {Reflecting coating}
- H01K 1/34 . . Double wall vessels
- H01K 1/36 . Seals between parts of vessel, e.g. between stem and envelope
- H01K 1/38 . Seals for leading-in conductors
- H01K 1/40 . Leading-in conductors
- H01K 1/42 . Means forming part of the lamp for the purpose of providing electrical connection, or support for, the lamp
- H01K 1/44 . . directly applied to, or forming part of, the vessel
- H01K 1/46 . . supported by a separate part, e.g. base, cap
- H01K 1/465 . . . {with means to prevent loosening or unauthorised removal of the lamp}

H01K 1/48	... Removable caps
H01K 1/50	. Selection of substances for gas fillings; Specified pressure thereof
H01K 1/52	. Means for obtaining or maintaining the desired pressure within the vessel
H01K 1/54	.. Means for absorbing or absorbing gas, or for preventing or removing efflorescence, e.g. by gettering
H01K 1/56	... characterised by the material of the getter
H01K 1/58	. Cooling arrangements
H01K 1/60	. Means structurally associated with the lamp for indicating defects or previous use
H01K 1/62	. One or more circuit elements structurally associated with the lamp
H01K 1/625	.. {Flashing incandescent lamps}
H01K 1/64	.. with built-in switch
H01K 1/66	.. with built-in fuse
H01K 1/68	.. with built-in spark gap
H01K 1/70	.. with built-in short-circuiting device, e.g. for serially connected lamps
<b>H01K 3/00</b>	<b>Apparatus or processes adapted to the manufacture, installing, removal, or maintenance of incandescent lamps or parts thereof</b> ( <a href="#">manufacture of vessels from glass C03B</a> )
H01K 3/005	. {Methods for coating the surface of the envelope}
H01K 3/02	. Manufacture of incandescent bodies
H01K 3/04	.. Machines therefor
H01K 3/06	. Attaching of incandescent bodies to mount
H01K 3/065	.. {Machines therefor}
H01K 3/08	. Manufacture of mounts or stems
H01K 3/10	.. Machines therefor
H01K 3/12	. Joining of mount or stem to vessel; Joining parts of the vessel, e.g. by butt sealing
H01K 3/14	.. Machines therefor
H01K 3/16	. Joining of caps to vessel
H01K 3/18	.. Machines therefor
H01K 3/20	. Sealing-in wires directly into the envelope
H01K 3/22	. Exhausting, degassing, filling, or cleaning vessels
H01K 3/24	.. Machines therefor
H01K 3/26	. Closing of vessels
H01K 3/28	. Machines having sequentially arranged operating stations
H01K 3/30	. Repairing or regenerating used or defective lamps
H01K 3/305	.. {Testing of incandescent lamps}
H01K 3/32	. Auxiliary devices for cleaning, placing, or removing incandescent lamps
<b>H01K 5/00</b>	<b>Lamps for general lighting</b> ( <a href="#">H01K 9/00</a> to <a href="#">H01K 13/00</a> take precedence)
H01K 5/02	. with connections made at opposite ends, e.g. tubular lamp with axially arranged filament

<b>H01K 7/00</b>	<b>Lamps for purpose other than general lighting (<a href="#">H01K 9/00</a> to <a href="#">H01K 13/00</a> take precedence)</b>
<a href="#">H01K 7/02</a>	. for producing a narrow beam of light; for approximating a point like source of light, e.g. for searchlight, for cinematographic projector ( <a href="#">producing narrow beams by optical means external to lamp F21</a> )
<a href="#">H01K 7/04</a>	. for indicating
<a href="#">H01K 7/06</a>	. for decorative purposes
<b>H01K 9/00</b>	<b>Lamps having two or more incandescent bodies separately heated (<a href="#">H01K 11/00</a>, <a href="#">H01K 13/00</a> take precedence)</b>
<a href="#">H01K 9/02</a>	. to provide substitution in the event of failure of one of the bodies
<a href="#">H01K 9/04</a>	. . with built-in manually operated switch
<a href="#">H01K 9/06</a>	. . with built-in device, e.g. switch, for automatically completing circuit of reserve body
<a href="#">H01K 9/08</a>	. to provide selectively different light effects, e.g. for automobile headlamp
<b>H01K 11/00</b>	<b>Lamps having an incandescent body which is not conductively heated, e.g. heated inductively, heated by electronic discharge (<a href="#">H01K 13/00</a> takes precedence)</b>
<b>H01K 13/00</b>	<b>Lamps having an incandescent body which is substantially non-conductive until heated, e.g. Nernst lamp</b>
<a href="#">H01K 13/02</a>	. Heating arrangements
<a href="#">H01K 13/04</a>	. . using electric discharge
<a href="#">H01K 13/06</a>	. . using induction heating; using high frequency field