

CPC**COOPERATIVE PATENT CLASSIFICATION****F16M**

FRAMES, CASINGS, OR BEDS OF ENGINES OR OTHER MACHINES OR APPARATUS NOT SPECIFIC TO AN ENGINE, MACHINE, OR APPARATUS PROVIDED FOR ELSEWHERE; STANDS OR SUPPORTS

NOTE

Attention is drawn to the following places:

[B21B 31/02](#) Metal-rolling stand frames

[G01D 11/30](#) Supports specially adapted for indicating or recording instruments.

F16M 1/00

Frames or casings of engines, machines or apparatus; Frames serving as machinery beds

F16M 1/02

. for reciprocating engines or similar machines

F16M 1/021

.. for housing crankshafts

F16M 1/022

... of tunnel type, i.e. wherein the crankshaft can only be introduced axially ([for engines or machines with star-shaped cylinder arrangement F16M 1/023](#))

F16M 1/023

... specially adapted for engines or machines with star-shaped cylinder arrangement

F16M 1/024

... facilitating assembly of power-transmitting parts of engines or machines, e.g. of connecting-rods

F16M 1/025

... Assembling bearings in casings, e.g. having anchor bolts

F16M 1/026

.. for housing movable engine or machine parts other than crankshafts, e.g. valve-gear housings

F16M 1/04

. for rotary engines or similar machines

F16M 1/08

. characterised by being built-up of sheet material or welded parts

F16M 3/00

Portable or wheeled frames or beds, e.g. for emergency power-supply aggregates, compressor sets ([construction of vehicles in general B60 to B62](#))

F16M 5/00

Engine beds, i.e. means for supporting engines or machines on foundations

F16M 7/00

Details of attaching or adjusting engine beds, frames, or supporting-legs on foundation or base; Attaching non-moving engine parts, e.g. cylinder blocks ([elastic or equivalent mounting for absorbing vibrations F16F 15/04](#)), especially [F16F 15/04](#))

F16M 9/00

Special layout of foundations with respect to machinery to be supported ([foundations for machinery E02D 27/44](#))

F16M 11/00	Stands or trestles as supports for apparatus or articles placed thereon {Stands for scientific apparatus such as gravitational force meters } (without heads F16K 13/00 ; easels or stands for blackboard or the like A47B 97/04 ; show-stands A47F 7/00 ; for workmen E04G 1/32 ; { sockets or holders for poles or posts E04H 12/22 } ; supporting, suspending for lighting devices F21V 21/00 ; special modifications for particular apparatus or articles, see the appropriate subclasses)
F16M 11/02	. Heads
F16M 11/04	.. Means for attachment of apparatus; Means allowing adjustment of the apparatus relatively to the stand
F16M 11/041	... {Allowing quick release of the apparatus}
	<u>WARNING</u>
	This group is not complete pending reclassification; see also group F16M 11/04
F16M 11/043	... {Allowing translations}
	<u>WARNING</u>
	This group is not complete pending reclassification; see also group F16M 11/04
F16M 11/045 {adapted to left-right translation movement}
	<u>WARNING</u>
	This group is not complete pending reclassification; see also group F16M 11/04
F16M 11/046 {adapted to upward-downward translation movement}
	<u>WARNING</u>
	This group is not complete pending reclassification; see also group F16M 11/04 and F16M 11/24
F16M 11/048 {adapted to forward-backward translation movement}
	<u>WARNING</u>
	This group is not complete pending reclassification; see also group F16M 11/04 and F16M 11/38
F16M 11/06	... allowing pivoting
F16M 11/08 around a vertical axis,{e.g. panoramic heads (F16M 11/12 takes precedence)}
F16M 11/10 around a horizontal axis [(F16M 11/12 takes precedence)]

F16M 11/105	{the horizontal axis being the roll axis, e.g. for creating a landscape-portrait rotation}
		<u>WARNING</u>
		Not complete; see also F16M 11/10
F16M 11/12	in more than one direction
F16M 11/121	{constituted of several dependent joints}
		<u>WARNING</u>
		This group is not complete pending reclassification; see also group F16M 11/12
F16M 11/123	{the axis of rotation intersecting in a single point, e.g. by using gimbals}
		<u>WARNING</u>
		This group is not complete pending reclassification; see also group F16M 11/12
F16M 11/125	{for tilting and rolling (F16M 11/14 takes precedence)}
		<u>WARNING</u>
		This group is not complete pending reclassification; see also group F16M 11/12
F16M 11/126	{for tilting and panning (F16M 11/14 takes precedence)}
		<u>WARNING</u>
		This group is not complete pending reclassification; see also group F16M 11/12
F16M 11/128	{for panning and rolling (F16M 11/14 takes precedence)}
		<u>WARNING</u>
		This group is not complete pending reclassification; see also group F16M 11/12
F16M 11/14	with ball-joint (ball-jointed hinges F16C 11/06) { adjustable mountings employing universal joints for lighting devices F21V 21/26 to F21V 21/30 }
F16M 11/16	..	Details concerning attachment of head-supporting legs, with or without actuation of locking members thereof
F16M 11/18	..	with mechanism for moving the apparatus relatively to the stand [N C1202]
F16M 11/20	.	Undercarriages with or without wheels

F16M 11/2007 .. {comprising means allowing pivoting adjustment}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/06](#) , [F16M 11/08](#) , [F16M 11/10](#) , [F16M 11/12](#) , [F16M 11/14](#) depending on the type of movement allowed

F16M 11/2014 ... {around a vertical axis ([F16M 11/2035](#) takes precedence)}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/08](#)

F16M 11/2021 ... {around a horizontal axis ([F16M 11/2035](#) takes precedence)}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/10](#)

F16M 11/2028 {for rolling, i.e. for creating a landscape-portrait rotation}

WARNING

Not complete; see also [F16M 11/10](#)

F16M 11/2035 ... {in more than one direction}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/12](#)

F16M 11/2042 {constituted of several dependent joints}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/12](#)

F16M 11/205 {the axis of rotation intersecting in a single point e.g. gimbals}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/12](#)]

F16M 11/2057 {for tilting and rolling ([F16M 11/2078](#) takes precedence)}

WARNING

F16M 11/2057

(continued)

This group is not complete pending reclassification; see also group [F16M 11/12](#)

F16M 11/2064

....

{for tilting and panning ([F16M 11/2078](#) takes precedence)}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/12](#)

F16M 11/2071

....

{for panning and rolling ([F16M 11/2078](#) takes precedence)}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/12](#)]

F16M 11/2078

....

{with ball-joint (ball-jointed hinges [F16C 11/06](#))}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/14](#)]

F16M 11/2085

..

{comprising means allowing sideward adjustment, i.e. left-right translation of the head relatively to the undercarriage}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/04](#)

F16M 11/2092

..

{comprising means allowing depth adjustment, i.e. forward-backward translation of the head relatively to the undercarriage}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/04](#) and [F16M 11/38](#)

F16M 11/22

..

with approximately constant height, e.g. with constant length of column or of legs ([F16M 11/42](#) takes precedence)

F16M 11/24

..

changeable in height or length of legs, also for transport only, {e.g. by means of tubes screwed into each other }([F16M 11/42](#) takes precedence)

F16M 11/242

...

{by spreading of the legs ([F16M 11/32](#) takes precedence)}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/24](#) or [F16M 11/32](#)]

F16M 11/245 {Members limiting spreading of legs, e.g. "umbrella legs" (for supports with three or more telescoping legs [F16M 11/34](#))}

WARNING

this group is not complete pending a reorganisation, see also [F16M 11/24](#) and [F16M 11/34](#)

F16M 11/247 {Members preventing slipping of the feet (for supports with three or more telescoping legs [F16M 11/36](#))}

WARNING

this group is not complete pending a reorganisation, see also [F16M 11/24](#) and [F16M 11/36](#)

F16M 11/26 . . . by telescoping, with or without folding (details concerning the constructional features of telescoping parts only [F16B 7/10](#))

F16M 11/28 Undercarriages for supports with one single telescoping pillar

F16M 11/30 with co-moving side-struts

F16M 11/32 Undercarriages for supports with three or more telescoping legs

F16M 11/34 Members limiting spreading of legs, {e.g. "umbrella legs"}

F16M 11/36 Members preventing slipping of the feet

F16M 11/38 . . . by folding, {e.g. pivoting or scissors tong mechanisms}

F16M 11/40 . . . by means of coilable or bendable legs {or spiral shaped legs}

F16M 11/42 . with arrangement for propelling the support {stands on wheels}

F16M 11/425 . . {along guiding means}

WARNING

This group is not complete pending reclassification; see also group [F16M 11/42](#)]

F16M 13/00 **Other supports for positioning apparatus or articles** (heads thereof [F16M 11/02](#) ; { undercarriages thereof [F16M 11/20](#) } ; adapted to be stuck in the ground [A45F 3/44](#) ; { sockets or holders for poles or posts [E04H 12/22](#) }); **Means for steadying hand-held apparatus or articles** {(supports for measuring instruments [G01D 11/30](#) ; supports for casings of remote control switching devices [H01H 9/025](#))}

F16M 13/005 . {integral with the apparatus or articles to be supported}

WARNING

This group is not complete pending reclassification; see also group [F16M 13/00](#)

F16M 13/02 . for supporting on, or attaching to, an object, e.g. tree, gate, window-frame, cycle

F16M 13/022 . . {repositionable}

WARNING

F16M 13/022

(continued)

This group is not complete pending reclassification; see also group [F16M 13/02](#)

F16M 13/025

.. {Corner supports}

WARNING

This group is not complete pending reclassification; see also group [F16M 13/02](#)]

F16M 13/027

.. {Ceiling supports}

WARNING

this group is not complete pending a reorganisation, see also [F16M 13/02](#)

F16M 13/04

. for supporting on, or holding steady relative to, a person, e.g. by chains, {e.g. rifle butt or pistol grip supports, supports attached to the chest or head (apparatus or arrangements for taking photographs or for projecting or viewing them [G03B](#))}

F16M 13/06

. also serviceable for other purposes, e.g. to be used as spade, chair, ski-stick

F16M 13/08

.. for use as a walking-cane

F16M 2200/00**Details of stands or supports**

F16M 2200/02

. Locking means

F16M 2200/021

.. for rotational movement

F16M 2200/022

... by friction

F16M 2200/024

... by positive interaction, e.g. male-female connections

F16M 2200/025

.. for translational movement

F16M 2200/027

... by friction

F16M 2200/028

... by positive interaction, e.g. male-female connections

F16M 2200/04

. Balancing means

F16M 2200/041

.. for balancing rotational movement of the head

F16M 2200/042

... for panning movement

F16M 2200/044

.. for balancing rotational movement of the undercarriage

F16M 2200/045

... for panning movement

F16M 2200/047

.. for balancing translational movement of the head

F16M 2200/048

.. for balancing translational movement of the undercarriage

F16M 2200/06

. Arms

F16M 2200/061

.. Scissors arms

F16M 2200/063

.. Parallelogram arms

F16M 2200/065

.. with a special structure, e.g. reinforced or adapted for space reduction

F16M 2200/066

.. being part of the head

F16M 2200/068

.. being part of the undercarriage

F16M 2200/08

. Foot or support base