

# CPC COOPERATIVE PATENT CLASSIFICATION

## E04B GENERAL BUILDING CONSTRUCTIONS; WALLS, e.g. PARTITIONS; ROOFS; FLOORS; CEILINGS; INSULATION OR OTHER PROTECTION OF BUILDINGS (border constructions of opening in walls, floors or ceilings [E06B 1/00](#); {electromagnetic shielding [H05K 9/0001](#)})

### NOTE

In this subclass, the following term is used with the meaning indicated :

- "ceiling" includes all the finishing material concealing the the underside of the load-carrying ceiling structure or roof structure.

### WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

<a href="#">E04B 1/682</a>	covered by	<a href="#">E04B 1/68</a>
<a href="#">E04B 1/684</a>	covered by	<a href="#">E04B 1/68</a>
<a href="#">E04B 1/686</a>	covered by	<a href="#">E04B 1/68</a>

<b>1/00</b>	<b>Constructions in general; Structures which are not restricted either to walls, e.g. partitions, or floors or ceilings or roofs (scaffolds, shutterings <a href="#">E04G</a>; structures specially adapted for buildings for special purposes, general layout of buildings, e.g. modular co-ordination, <a href="#">E04H</a>; the particular parts of buildings, see the relevant groups for those parts)</b>	<b>1/14</b>	<b>. . the elements being composed of two or more materials (of reinforced concrete <a href="#">E04B 1/04</a>)</b>
<b>1/0007</b>	<b>. {Base structures; Cellars}</b>	<b>1/16</b>	<b>. Structures made from masses, e.g. of concrete, cast or similarly formed <u>in situ</u> with or without making use of additional elements, such as permanent forms, substructures to be coated with load-bearing material (<a href="#">E04B 1/32</a> - <a href="#">E04B 1/36</a> take precedence)</b>
<b>1/0015</b>	<b>. . {Cellars constructed from prefabricated units}</b>	<b>1/161</b>	<b>. . {with vertical and horizontal slabs, both being partially cast <u>in situ</u>}</b>
<b>1/0023</b>	<b>. {Building characterised by incorporated canalisations (<a href="#">E04B 1/34869</a>, <a href="#">E03C 1/01</a>, <a href="#">E04C 2/52</a>, <a href="#">E04F 17/00</a> take precedence; canalisation per se <a href="#">F16L</a>; conduits for ventilation, heating systems or air-conditioning <a href="#">F24</a>)}</b>	<b>1/162</b>	<b>. . . {with a central core, used as form, in order to form a continuous concrete shell}</b>
<b>1/003</b>	<b>. {Balconies; Decks}</b>	<b>1/163</b>	<b>. . {with vertical and horizontal slabs, only the vertical slabs being partially cast <u>in situ</u> (<a href="#">E04B 2/86</a> takes precedence)}</b>
<b>1/0038</b>	<b>. . {Anchoring devices specially adapted therefor with means for preventing cold bridging}</b>	<b>1/164</b>	<b>. . {with vertical and horizontal slabs, only the horizontal slabs being partially cast <u>in situ</u>}</b>
<b>1/0046</b>	<b>. {Loggias}</b>	<b>1/165</b>	<b>. . {with elongated load-supporting parts, cast <u>in situ</u> (<a href="#">E04B 1/161</a>, <a href="#">E04B 1/163</a> and <a href="#">E04B 1/164</a> take precedence)}</b>
<b>2001/0053</b>	<b>. {Buildings characterised by their shape or layout grid}</b>	<b>1/166</b>	<b>. . {with curved surfaces, at least partially cast <u>in situ</u> in order to make a continuous concrete shell structure (<a href="#">E04B 1/169</a> takes precedence)}</b>
<b>2001/0061</b>	<b>. . {Buildings with substantially curved horizontal cross-section, e.g. circular}</b>	<b>1/167</b>	<b>. . {with permanent forms made of particular materials, e.g. layered products}</b>
<b>2001/0069</b>	<b>. . {Prismatic shaped buildings with substantially triangular vertical cross-section}</b>	<b>1/168</b>	<b>. . . {flexible}</b>
<b>2001/0076</b>	<b>. . {Buildings with specific right-angled horizontal layout grid}</b>	<b>1/169</b>	<b>. . . . {inflatable}</b>
<b>2001/0084</b>	<b>. . {Buildings with non right-angled horizontal layout grid, e.g. triangular or hexagonal}</b>	<b>1/18</b>	<b>. Structures comprising elongated load-supporting parts, e.g. columns, girders, skeletons (<a href="#">E04B 1/32</a> - <a href="#">E04B 1/36</a> take precedence; elongated load-supporting parts as elements, trusses, truss-like structures <a href="#">E04C 3/00</a>)</b>
<b>2001/0092</b>	<b>. . . {Small buildings with hexagonal or similar horizontal cross-section}</b>	<b>1/185</b>	<b>. . {Connections not covered by <a href="#">E04B 1/21</a> and <a href="#">E04B 1/2403</a>, e.g. connections between structural parts of different material}</b>
<b>1/02</b>	<b>. Structures consisting primarily of load-supporting, block-shaped, or slab-shaped elements (<a href="#">E04B 1/32</a> - <a href="#">E04B 1/36</a> take precedence)</b>	<b>1/19</b>	<b>. . Three-dimensional framework structures {(folded structures and grid-like formations acting as shell structures <a href="#">E04B 7/10</a>)}</b>
<b>1/04</b>	<b>. . the elements consisting of concrete, e.g. reinforced concrete, or other stone-like material</b>	<b>1/1903</b>	<b>. . . {Connecting nodes specially adapted therefor}</b>
<b>1/043</b>	<b>. . . {Connections specially adapted therefor}</b>	<b>1/1906</b>	<b>. . . . {with central spherical, semispherical or polyhedral connecting element}</b>
<b>1/046</b>	<b>. . . . {using reinforcement loops protruding from the elements}</b>	<b>1/1909</b>	<b>. . . . {with central cylindrical connecting element}</b>
<b>1/06</b>	<b>. . . the elements being prestressed</b>		
<b>1/08</b>	<b>. . the elements consisting of metal</b>		
<b>1/10</b>	<b>. . the elements consisting of wood</b>		
<b>1/12</b>	<b>. . the elements consisting of other material</b>		

1/1912	. . . . {with central cubical connecting element}	2001/2409	. . . . {Hooks, dovetails or other interlocking connections}
<b>NOTE</b>		2001/2412	. . . . {Keyhole connections}
Subgroup <a href="#">E04B 1/19</a> takes precedence over subgroups <a href="#">E04B 1/20</a> - <a href="#">E04B 1/30</a>		2001/2415	. . . . {Brackets, gussets, joining plates}
2001/1915	. . . . {with strut engaging means at the edges of the cube}	2001/2418	. . . . {Details of bolting}
2001/1918	. . . . {with connecting nodes having flat radial connecting surfaces}	2001/2421	. . . . {Socket type connectors}
2001/1921	. . . . {with connecting nodes having radial connecting stubs}	2001/2424	. . . . {Clamping connections other than bolting or riveting}
2001/1924	. . . {Struts specially adapted therefor}	2001/2427	. . . . {using adhesives or hardening masses}
2001/1927	. . . . {of essentially circular cross section}	2001/243	. . . . {Assembling by non resilient deformation other than riveting}
2001/193	. . . . {with flattened connecting parts, e.g. ends}	2001/2433	. . . . {using a removable key}
2001/1933	. . . . {of polygonal, e.g. square, cross section}	2001/2436	. . . . {Snap-fit connections}
2001/1936	. . . . {Winged profiles, e.g. with a L-, T-, U- or X-shaped cross section}	2001/2439	. . . . {Adjustable connections, e.g. using elongated slots or threaded adjustment elements}
2001/1939	. . . . {Inflatable struts}	2001/2442	. . . . {Connections with built-in weakness points}
2001/1942	. . . . {Struts adjustable in length}	2001/2445	. . . . {Load-supporting elements with reinforcement at the connection point other than the connector}
2001/1945	. . . . {Wooden struts}	2001/2448	. . . . {Connections between open section profiles}
2001/1948	. . . . {Concrete struts}	2001/2451	. . . . {Connections between closed section profiles}
2001/1951	. . . . {uninterrupted struts situated in the outer planes of the framework}	2001/2454	. . . . {Connections between open and closed section profiles}
2001/1954	. . . . {uninterrupted struts connecting alternately with the outer planes of the framework, e.g. zig-zagging struts}	2001/2457	. . . . {Beam to beam connections}
2001/1957	. . . {Details of connections between nodes and struts}	2001/246	. . . . {Post to post connections}
2001/196	. . . . {Screw connections with axis parallel to the main axis of the strut}	2001/2463	. . . . {Connections to foundations}
2001/1963	. . . . {Screw connections with axis at an angle, e.g. perpendicular, to the main axis of the strut}	2001/2466	. . . {Details of the elongated load-supporting parts}
2001/1966	. . . . {Formlocking connections other than screw connections}	2001/2469	. . . . {Profile with an array of connection holes}
2001/1969	. . . . {Ball and socket type connection}	2001/2472	. . . . {Elongated load-supporting part formed from a number of parallel profiles}
2001/1972	. . . . {Welded or glued connection}	2001/2475	. . . . {Profile with an undercut grooves for connection purposes}
2001/1975	. . . {Frameworks where the struts are directly connected to each other, i.e. without interposed connecting nodes or plates}	2001/2478	. . . . {Profile filled with concrete}
2001/1978	. . . {Frameworks assembled from preformed subframes, e.g. pyramids}	2001/2481	. . . {Details of wall panels}
2001/1981	. . . {characterised by the grid type of the outer planes of the framework}	2001/2484	. . . {Details of floor panels or slabs}
2001/1984	. . . . {rectangular, e.g. square, grid}	2001/2487	. . . {Portico type structures}
2001/1987	. . . . {triangular grid}	2001/249	. . . {Structures with a sloping roof}
2001/199	. . . {Details of roofs, floors or walls supported by the framework}	2001/2493	. . . {Structures with a vaulted roof}
2001/1993	. . . {Details of framework supporting structure, e.g. posts or walls}	2001/2496	. . . {Shear bracing therefor}
2001/1996	. . . {Tensile-integrity structures, i.e. structures comprising compression struts connected through flexible tension members, e.g. cables}	1/26	. . the supporting parts consisting of wood
1/20	. . the supporting parts consisting of concrete, e.g. reinforced concrete, or other stonelike material	1/2604	. . . {Connections specially adapted therefor ( <a href="#">shear dowels E04B 1/486</a> , <a href="#">E04B 1/49</a> )}
1/21	. . . Connections specially adapted therefor	1/2608	. . . . {Connectors made from folded sheet metal ( <a href="#">E04B 1/2612</a> takes precedence)}
1/215	. . . . {comprising metallic plates or parts}	1/2612	. . . . {Joist hangers}
1/22	. . . with parts being prestressed	2001/2616	. . . . {Hinged connections of wooden members}
1/24	. . the supporting parts consisting of metal	2001/262	. . . . {Connection node with interlocking of specially shaped wooden members, e.g. puzzle type connection}
1/2403	. . . {Connection details of the elongated load-supporting parts}	2001/2624	. . . . {with dovetail-type connections}
2001/2406	. . . . {Connection nodes}	2001/2628	. . . . {Interlocking connectors, e.g. with hooks or dovetails, added to the elongated wooden members}
		2001/2632	. . . . {with dovetail-type connections}
		2001/2636	. . . . {with connectors located in slots of the wooden members}
		2001/264	. . . . {Glued connections}
		2001/2644	. . . . {Brackets, gussets or joining plates ( <a href="#">E04B 2001/2628</a> takes precedence)}

- 2001/2648 . . . . {located in slots of the elongated wooden members}
- 2001/2652 . . . . {Details of nailing, screwing, or bolting}
- 2001/2656 . . . . {Bent or curved bolts}
- 2001/266 . . . . {Socket type connectors}
- 2001/2664 . . . . {using a removable key}
- 2001/2668 . . . . {for members with a round cross-section}
- 2001/2672 . . . . {for members formed from a number of parallel sections}
- 2001/2676 . . . . {Connector nodes ([E04B 2001/262](#) takes precedence)}
- 2001/268 . . . . {Connection to foundations}
- 2001/2684 . . . . {with metal connectors}
- 2001/2688 . . . . {self adjusting, e.g. for compensation of shrinkage}
- 2001/2692 . . . . {End to end connections of elongated members along their common longitudinal axis}
- 2001/2696 . . . {Shear bracing}
  - 1/28 . . the supporting parts consisting of other material
  - 1/30 . . the supporting parts being composed of two or more materials; Composite steel and concrete constructions ([of reinforced concrete E04B 1/20](#))
  - 1/32 . . Arched structures; Vaulted structures; Folded structures ([\(E04B 1/34378 takes precedence;\)](#) vaulted roofs [E04B 7/08](#))
  - 1/3205 . . {Structures with a longitudinal horizontal axis, e.g. cylindrical or prismatic structures}
  - 1/3211 . . {Structures with a vertical rotation axis or the like, e.g. semi-spherical structures}
- 2001/3217 . . {Auxilliary supporting devices used during erection of the arched structures}
- 2001/3223 . . {Theoretical polygonal geometry therefor}
- 2001/3229 . . {constructed using a boom}
- 2001/3235 . . {having a grid frame}
- 2001/3241 . . . {Frame connection details}
- 2001/3247 . . . {Nodes}
- 2001/3252 . . . {Covering details}
- 2001/3258 . . {comprised entirely of a single self-supporting panel}
- 2001/3264 . . . {hardened in-situ}
- 2001/327 . . {comprised of a number of panels or blocs connected together forming a self-supporting structure}
- 2001/3276 . . . {Panel connection details}
- 2001/3282 . . . . {Panels connected together exclusively at their corners}
- 2001/3288 . . . {Panel corner details, e.g. flanges of steel sheet panels}
- 2001/3294 . . {with a faceted surface}
  - 1/34 . . Extraordinary structures, e.g. with suspended or cantilever parts supported by masts or tower-like structures enclosing elevators or stairs; Features relating to the elastic stability ([E04B 1/342](#), [E04B 1/343](#), [E04B 1/348](#) take precedence; for floors [E04B 5/43](#); buildings for special purposes, e.g. withstanding earthquake, [E04H](#))
  - 1/3404 . . {supported by masts or tower-like structures}
  - 1/3408 . . {Extraordinarily-supported small buildings}
  - 1/3412 . . . {mainly supported by a central column or footing ([E04B 1/3416](#) takes precedence)}
  - 1/3416 . . {Structures comprising mainly a central support column and a cantilevered roof}
- 1/342 . . Structures covering a large free area, whether open-sided or not, e.g. hangars, halls ([roof trusses E04C 3/00](#); non-structural features for specified purposes, [see the relevant groups of E04H](#))
- 1/343 . . Structures characterised by movable, separable, or collapsible parts, e.g. for transport ([movable roof parts E04B 7/16](#); floatable buildings [B63B](#); small prefabricated buildings, transportable as a whole [E04H 1/12](#); small garages [E04H 6/02](#); tents or canopies, in general [E04H 15/00](#) {containers [B65G](#)})
  - 1/34305 . . {telescopic}
  - 1/3431 . . . {with only one level of nesting}
  - 1/34315 . . {characterised by separable parts}
  - 1/34321 . . . {mainly constituted by panels}
  - 1/34326 . . . {mainly constituted by longitudinal elements}
  - 1/34331 . . . {mainly constituted by three-dimensional elements}
  - 1/34336 . . {Structures movable as a whole}
  - 1/34342 . . . {Skirtings therefor}
  - 1/34347 . . . {Anchoring means therefor}
  - 1/34352 . . . {Base structures or supporting means therefor}
  - 1/34357 . . {Foldable or retractable structures}
  - 1/34363 . . . {with provisions to raise or lower the whole structure}
  - 1/34368 . . . {Wheeled arch-type structures}
  - 1/34373 . . . . {collapsible}
  - 1/34378 . . . {Structures deriving their rigidity from concertina folds}
  - 1/34384 . . {Assembling details for foldable, separable, collapsible or retractable structures}
- 2001/34389 . . {Set of building elements forming a self-contained package for transport before assembly}
- 2001/34394 . . {Vertical telescopic structures}
  - 1/344 . . with hinged parts
  - 1/3441 . . . {with articulated bar-shaped elements}
  - 1/3442 . . . {folding out from a core cell}
  - 1/3444 . . . . {with only lateral unfolding}
  - 1/3445 . . . {foldable in a flat stack of parallel panels}
  - 1/3447 . . . . {Portal- or saddle-shaped structures}
  - 1/3448 . . . {with rotating shell-forming segments}
  - 1/346 . . Rotary buildings; buildings with rotary units, e.g. rooms
  - 1/3465 . . . {with adapted utilities connections, e.g. for water or electricity}
- 1/348 . . Structures composed of units comprising at least considerable parts of two sides of a room, e.g. box-like or cell-like units closed or in skeleton form
  - 1/34807 . . {Elements integrated in a skeleton}
  - 1/34815 . . {Elements not integrated in a skeleton}
  - 1/34823 . . . {the supporting structure consisting of concrete}
  - 1/3483 . . . {the supporting structure consisting of metal}
  - 1/34838 . . . {the supporting structure consisting of wood}
  - 1/34846 . . . {the supporting structure consisting of other specified material, e.g. of plastics}
  - 1/34853 . . . {the supporting structure being composed of two or more materials}
  - 1/34861 . . . {particular arrangement of habitable rooms or their component parts; modular co-ordination}

- 1/34869 . . {Elements for special technical purposes, e.g. with a sanitary equipment (combination of baths, douches, sinks, wash-basins, closets or urinals [A47K 4/00](#); plumbing installations for baths, douches, or the like, [E03C 1/01](#); panels serving for locating conduits [E04C 2/521](#); ducts for receiving installation lines [E04F 17/08](#))}
- 2001/34876 . . {with a sloping or barrel roof}
- 2001/34884 . . . {creating a living space between several units}
- 2001/34892 . . {Means allowing access to the units, e.g. stairs or cantilevered gangways}
- 1/35 . . Extraordinary methods of construction, e.g. lift-slab, jack-block ([E04B 1/34](#) takes precedence; falsework, shuttering for shaping walls, floors, ceilings or roofs in situ [E04G 11/04](#); conveying or assembling of building materials [E04G 21/00](#); working measure on existing buildings [E04G 23/00](#))
- 1/3505 . . {characterised by the in-situ moulding of large parts of a structure ([E04B 1/3511](#), [E04B 1/3516](#), [E04B 1/3522](#), [E04B 1/3533](#), [E04B 1/3544](#), [E04B 1/355](#) take precedence)}
- 1/3511 . . {Lift-slab; characterised by a purely vertical lifting of floors or roofs or parts thereof}
- 1/3516 . . {characterised by erecting a vertical structure and then adding the floors from top to bottom}
- 1/3522 . . {characterised by raising a structure and then adding structural elements under it ([E04B 1/3511](#), [E04B 1/3516](#), [E04B 1/3533](#) take precedence)}
- 1/3527 . . . {the structure being a roof}
- 1/3533 . . {characterised by the raising of hingedly-connected building elements, e.g. arches, portal frames ([E04B 1/355](#) takes precedence)}
- 1/3538 . . . {the elements being a floor slab with hingedly-connected wall panels}
- 1/3544 . . {characterised by the use of a central column to lift and temporarily or permanently support structural elements ([E04B 1/3516](#) and [E04B 1/355](#) take precedence)}
- 1/355 . . {characterised by the tilting up of whole buildings or sections thereof, e.g. walls, portal frames}
- 1/3555 . . {Constructions using straw bales}
- 2001/3561 . . {adding living space above existing structures}
- 2001/3566 . . {mounting masonry against a forwork}
- 2001/3572 . . {using templates or jigs to set out buildings or parts thereof}
- 2001/3577 . . {prefabricating a building and moving it as a whole to the erection site}
- 2001/3583 . . {using permanent tensioning means, e.g. cables or rods, to assemble or rigidify structures (not pre- or poststressing concrete), e.g. by tying them around the structure}
- 2001/3588 . . {using special lifting or handling devices, e.g. gantries, overhead conveying rails}
- 2001/3594 . . . {inflatable lifting or handling devices}
- 1/36 . . Bearings or like supports allowing movement (for bridges [E01D 19/04](#); buildings with-standing earthquakes [E04H 9/02](#))
- 1/38 . . Connections for building structures in general
- NOTE**
- Connections specially adapted for particular building parts or for particular building structures are classified in the groups for those parts or structures, e.g. in groups [E04B 1/21](#), [E04B 2/00](#), [E04B 5/00](#), [E04B 7/00](#) or [E04B 9/00](#). Joints not specially adapted for building construction, or of more general application, are classified in the appropriate subclasses, e.g. [F16B](#).
- 1/383 . . {Connection of concrete parts using adhesive materials, e.g. mortar or glue}
- 2001/386 . . {Nailable or screwable inserts for foam panels}
- 1/40 . . {Separate connecting elements (for forms, falsework, or shutterings [E04G 17/00](#); releasable clips or clamps, hooks, wedges, wall-dowels, nails, bolts, rivets, screws, wood-screws [F16B](#))}
- 2001/405 . . . {Brackets}
- 1/41 . . . Connecting devices specially adapted for embedding in concrete ({joist hangers [E04B 1/2612](#); shear dowels [E04B 1/483](#)}; spacers {other than masonry wall ties} for cavity walls [E04B 2/30](#), [E04B 2/44](#); connectors for reinforcing elements [E04C 5/16](#); supporting devices for connector reinforcing rods for concrete walls [E04G 21/125](#); fastening frames to the border of openings [E06B 1/56](#))
- 1/4107 . . . . {Longitudinal elements having an open profile, with the opening parallel to the concrete or masonry surface, i.e. anchoring rails}
- 1/4114 . . . . {Elements with sockets ([E04B 1/4107](#) takes precedence)}
- 1/4121 . . . . . {with internal threads or non-adjustable captive nuts}
- 1/4128 . . . . . {receiving adjustable or removal nuts}
- 1/4135 . . . . . {receiving removal bolt heads ([E04B 1/415](#) takes precedence)}
- 1/4142 . . . . . {with transverse hook- or loop-receiving parts ([E04B 1/415](#) takes precedence)}
- 1/415 . . . . . {with captive and extendable anchoring parts, e.g. spring-loaded bolts, hanging rings}
- 1/4157 . . . . . {Longitudinally-externally threaded elements extending from the concrete or masonry, e.g. anchoring bolt with embedded head}
- 1/4164 . . . . . {with an adjustment sleeve}
- 1/4171 . . . . . {Nailable or non-threaded screwable elements (dowels [F16B 13/00](#))}
- 1/4178 . . . . . {Masonry wall ties (with insulation-layer locating devices [E04B 1/7616](#); replacing or adding wall ties [E04G 23/0222](#))}
- 1/4185 . . . . . {for cavity walls with both wall leaves made of masonry (spacers for permanent forms [E04B 2/86](#))}
- 2001/4192 . . . . . {attached to concrete reinforcing elements, e.g. rods or wires}
- 1/48 . . . Dowels, i.e. members adapted to penetrate the surfaces of two parts and to take the shear stresses
- 1/483 . . . . {Shear dowels to be embedded in concrete}
- 1/486 . . . . {Shear dowels for wood ([E04B 1/49](#) takes precedence)}
- 1/49 . . . . with self-penetrating parts, e.g. claw dowels {(nail plates [F16B 15/0023](#))}
- 1/54 . . {Joints substantially without separate connecting elements, e.g. jointing by inter-engagement (welded, glued, or the like joints, in general [F16B](#))}



- 1/58 . . of bar-shaped building elements {(framework connections [E04B 1/21](#), [E04B 1/2403](#), [E04B 1/2604](#))}
  - 1/5806 . . . {with a cross-section having an open profile}
  - 1/5812 . . . . {of substantially I - or H - form}
  - 1/5818 . . . . {of substantially U - form}
  - 1/5825 . . . {with a closed cross-section}
  - 1/5831 . . . . {of substantially rectangular form}
  - 1/5837 . . . . {of substantially circular form}
  - 1/5843 . . . . . {with ends provided with protuberances}
  - 1/585 . . . . . {with separate connection devices}
  - 2001/5856 . . . . {using the innerside thereof}
  - 2001/5862 . . . {Angularly adjustable connections without hinge pin}
  - 2001/5868 . . . {Hinged connections}
  - 2001/5875 . . . {using exterior clamping plates or shells}
  - 2001/5881 . . . {using an undercut groove, e.g. dovetail groove}
  - 2001/5887 . . . {using connectors with sockets}
  - 2001/5893 . . . {Puzzle type connections}
  - 1/61 . . of slab-shaped building elements with each other
  - 1/6104 . . . {the overlapping ends of the slabs connected together}
  - 1/6108 . . . {the frontal surfaces of the slabs connected together}
  - 1/6112 . . . . {by clamping, e.g. friction, means on lateral surfaces}
  - 1/6116 . . . . {by locking means on lateral surfaces}
  - 1/612 . . . . {by means between frontal surfaces}
  - 1/6125 . . . . . {with protrusions on the one frontal surface co-operating with recesses in the other frontal surface}
  - 1/6129 . . . . . {the connection made by expansion}
  - 1/6133 . . . . . {the connection made by friction-grip}
  - 1/6137 . . . . . {the connection made by formlocking}
  - 1/6141 . . . . . {the connection made by an additional locking key}
  - 1/6145 . . . . . {with recesses in both frontal surfaces co-operating with an additional connecting element}
  - 1/615 . . . . . {the connection made by expansion}
  - 1/6154 . . . . . {the connection made by friction-grip}
  - 1/6158 . . . . . {the connection made by formlocking}
  - 1/6162 . . . . . {the connection made by an additional locking key}
  - 1/6166 . . . . . {with protrusions on both frontal surfaces}
  - 1/617 . . . . . {with one protrusion on each frontal surface}
  - 1/6175 . . . . . {with two or more protrusions on each frontal surface}
  - 1/6179 . . . . . {with protrusions and recesses on each frontal surface}
  - 1/6183 . . . . . {with rotatable locking means co-operating with a recess (similar devices for sliding doors [E05B 65/0817](#))}
  - 1/6187 . . . . {by means on top and/or bottom surfaces of the slabs}
  - 2001/6191 . . . . {by means on the corners of the slabs}
  - 2001/6195 . . . {the slabs being connected at an angle, e.g. forming a corner}
  - 1/62 . . Insulation or other protection; Elements or use of specified material therefor (chemical compositions [C01 - C11](#); implements for applying insulation or sealings [E04F 21/00](#); buildings to withstand or to provide protection against external undesired influences [E04H 9/00](#); sealing pipes in walls or partitions [F16L 5/02](#); shielding against dangerous radiation [G21F](#); constructions of particular parts of buildings, [see the relevant groups for those parts](#))
  - 1/625 . . {Sheets or foils allowing passage of water vapor but impervious to liquid water; house wraps}
  - 1/64 . . for making damp-proof; Protection against corrosion (sealings [E04B 1/66](#))
- NOTE**
- Group [E04B 1/64](#) is not used for classification. Documents are classified in subgroups only or in groups [E04B 1/66](#), [E04B 1/70](#)
- 1/642 . . . {Protecting metallic construction elements against corrosion (for concrete reinforcing elements made of steel [E04C 5/01](#); anodic or cathodic protection [C23F 13/00](#))}
  - 1/644 . . . {Damp-proof courses (in combination with lintels [E04C 3/02](#))}
  - 1/646 . . . . {obtained by removal and replacement of a horizontal layer of an existing wall}
  - 1/648 . . . . {obtained by injection or infiltration of water-proofing agents into an existing wall}
  - 1/66 . . Sealings ({damp-proof courses [E04B 1/644](#); fire-proof sealings [E04B 1/948](#)); additions of anti-leak properties to plaster [C04B](#); bituminous sealing masses [C08L 95/00](#); sealings for hydraulic engineering work in general [E02B 3/16](#); against ground humidity or ground water [E02D 31/02](#); coverings against rain or other precipitations of the atmosphere [E04D](#); composition of material or manufacture of sealing foils, [see the relevant classes for these foils](#))
  - 1/665 . . . {Sheets or foils impervious to water and water vapor}
  - 1/68 . . . of joints, e.g. expansion joints (packing for joints in roads or airfields [E01C 11/02](#); expansion joints for bridges [E01D 19/06](#); sealing joints between foundation piles [E02D 5/14](#); joints in foundation structures [E02D 29/16](#); devices for sealing the spaces or joints between roof-covering elements [E04D 1/36](#); sealing joints between roof-covering elements [E04D 3/38](#); {construction of joints for flooring or floor layers composed of a number of similar elements [E04F 15/02005](#)}; construction of joints for flooring or floor layers made of masses [in situ](#) [E04F 15/14](#))
  - 1/6801 . . . . {Fillings therefor}
  - 1/6803 . . . . {Joint covers ([E04B 1/6815](#) takes precedence)}
  - 1/6804 . . . . . {specially adapted for floor parts}
  - 1/6806 . . . . {Waterstops ([E04B 1/6807](#) takes precedence)}
  - 1/6807 . . . . {Expansion elements for parts cast [in situ](#)}
  - 1/6809 . . . . {Reverse side strips}
  - 1/681 . . . . {for free moving parts}
  - 1/6812 . . . . {Compressable seals of solid form}
  - 1/6813 . . . . {Compressable seals of hollow form ([E04B 1/6816](#) takes precedence)}

- 1/6815 . . . . {Expansion elements specially adapted for wall or ceiling parts}
- 1/6816 . . . . {Porous tubular seals for injecting sealing material ([filling of cracks in existing buildings E04G 23/02](#))}
- 2001/6818 . . . . {Joints with swellable parts}
- 1/70 . . . . {Drying or keeping dry, e.g. by air vents ([using damp-proof courses E04B 1/644](#); [using sealings, e.g. sealing masses or foils, E04B 1/66](#)); during erection [E04G 21/28](#))}
- 1/7007 . . . . {by using electricity, e.g. electro-osmosis (electrochemical desalination or re-alkalisation of reinforced concrete [C04B 41/00](#))}
- 1/7015 . . . . {by heating the ambient air}
- 1/7023 . . . . {by collecting water in basements}
- 1/703 . . . . {Evacuating water from walls made from hollow bricks}
- 1/7038 . . . . {Evacuating water from cavity walls, e.g. by using weep holes}
- 1/7046 . . . . {using trays}
- 1/7053 . . . . {Grills for weep holes}
- 1/7061 . . . . {Devices for preventing blockage of weep holes, e.g. a blockage caused by falling mortar}
- 1/7069 . . . . {by ventilating ([means for ventilating in floors E04B 5/48](#), [in ceilings E04B 9/02](#), [in building blocks E04C 1/392](#), [in building panels E04C 2/521](#), [in roofs E04D 13/16](#); [ventilating wall coverings E04F 13/007](#))}
- 1/7076 . . . . {Air vents for walls}
- 1/7084 . . . . {with Knappen systems, i.e. atmospheric siphons}
- 1/7092 . . . . {Temporary mechanical ventilation of damp layers, e.g. insulation of a floating floor}
- 1/72 . . . . {Pest control ([by keeping dry E04B 1/70](#); [impregnation of wood or like materials B27K](#))}
- 1/74 . . . . {Heat, sound or noise insulation, absorption, or reflection (forms of, or arrangements in, rooms for influencing or directing sound [E04B 1/99](#)). Other building methods affording favourable thermal or acoustical conditions, e.g. accumulating of heat within walls ([fire protection E04B 1/94](#); elements chiefly adapted for structural purposes [E04C 1/00 - E04C 3/00](#); chiefly adapted for surface covering [E04F 13/00](#); as underlayers for floor coverings [E04F 15/18](#); closures for wall or like openings [E06B](#))}
- 2001/741 . . . . {Insulation elements with markings, e.g. identification or cutting template}
- 2001/742 . . . . {Use of special materials; Materials having special structures or shape}
- 2001/743 . . . . {Animal products, e.g. wool, feathers}
- 2001/745 . . . . {Vegetal products, e.g. plant stems, barks}
- 2001/746 . . . . {Recycled materials, e.g. made of used tires, bumpers or newspapers}
- 2001/747 . . . . {Corrugated materials}
- 2001/748 . . . . {Honeycomb materials}
- 1/76 . . . . specifically with respect to heat only ([heat insulation in general F16L 59/00](#))
- 1/7604 . . . . {fillings for cavity walls}
- 1/7608 . . . . {comprising a prefabricated insulating layer, disposed between two other layers or panels}
- 1/7612 . . . . {in combination with an air space}
- 1/7616 . . . . . {with insulation-layer locating devices combined with wall ties}
- 1/762 . . . . . {Exterior insulation of exterior walls}
- 1/7625 . . . . . {Details of the adhesive connection of the insulation to the wall}
- 1/7629 . . . . . {Details of the mechanical connection of the insulation to the wall}
- 1/7633 . . . . . {Dowels with enlarged insulation retaining head}
- 1/7637 . . . . . {Anchoring of separate elements through the lining to the wall}
- 1/7641 . . . . . {Elements for window or door openings, or for corners of the building}
- 1/7645 . . . . . {with ventilation means for the insulation}
- 1/765 . . . . . {Bottom edge finishing profile}
- 1/7654 . . . . . {comprising an insulating layer, disposed between two longitudinal supporting elements, e.g. to insulate ceilings}
- 1/7658 . . . . . {comprising fiber insulation, e.g. as panels or loose filled fibres}
- 1/7662 . . . . . {comprising fiber blankets or batts}
- 1/7666 . . . . . {Connection of blankets or batts to the longitudinal supporting elements}
- 1/767 . . . . . {Blankets or batts with connecting flanges}
- 1/7675 . . . . . {Insulating linings for the interior face of exterior walls}
- 2001/7679 . . . . . {Means preventing cold bridging at the junction of an exterior wall with an interior wall or a floor}
- 2001/7683 . . . . . {Fibrous blankets or panels characterised by the orientation of the fibres}
- 2001/7687 . . . . . {Crumble resistant fibrous blankets or panels using adhesives or meltable fibres}
- 2001/7691 . . . . . {Heat reflecting layers or coatings}
- 2001/7695 . . . . . {Panels with adjustable width}
- 1/78 . . . . . Heat insulating elements ([E04B 1/7662 takes precedence](#))}
- 1/80 . . . . . slab-shaped
- 1/803 . . . . . {with vacuum spaces included in the slab}
- 1/806 . . . . . {with air or gas pockets included in the slab}
- 1/82 . . . . . specifically with respect to sound only ([of floors or ceilings E04B 9/001](#); [of flooring E04F 15/20](#); [noise damping in ducts or channels E04F 17/00](#); [sound damping devices for pipes F16L 55/033](#); [noise damping in general G10K 11/00](#))}
- 1/8209 . . . . . {sound absorbing devices ([E04B 1/8218](#), [E04B 1/8227 take precedence](#))}
- 1/8218 . . . . . {soundproof enclosures}
- 1/8227 . . . . . {screens ([E04B 2/74 takes precedence](#); for road or railway traffic [E01F](#)); Arrangements of sound-absorbing elements, e.g. baffles}
- 1/8236 . . . . . {Stage shells}
- 2001/8245 . . . . . {Machines for manufacturing, shaping, piercing or filling sound insulating elements}
- 2001/8254 . . . . . {Soundproof supporting of building elements, e.g. stairs, floor slabs or beams, on a structure}
- 2001/8263 . . . . . {Mounting of acoustical elements on supporting structure, e.g. framework or wall surface}

2001/8272	. . . . .	{Resiliently mounted wall cladding acting as a diaphragmatic sound damper}	1/94	. . .	against fire ({fire protection of partitions <a href="#">E04B 2/7403</a> , <a href="#">E04B 2/7409</a> ; supporting constructions for ceilings having the capability of expansion in case of fire <a href="#">E04B 9/08</a> }; fire-fighting <a href="#">A62C</a> , {e.g. fire prevention or containment <a href="#">A62C 2/00</a> }; impregnation of wood or similar materials <a href="#">B27K</a> ; {fireproof paints <a href="#">C09D 5/18</a> ; fireproofing materials <a href="#">C09K 21/00</a> ; flame-resistant papers <a href="#">D21H 5/0002</a> ; coverings or linings, e.g. for walls or ceilings, in general <a href="#">E04F 13/00</a> }; fireproof doors <a href="#">E06B 5/16</a> ; {firebreak devices for pipes or the like passing through walls <a href="#">F16L 5/04</a> ; protection of pipes by means of non-inflammable material <a href="#">F16L 57/04</a> })
2001/8281	. . . . .	{Flat elements mounted parallel to a supporting surface with an acoustically active air gap between the elements and the mounting surface}	1/941	. . . . .	{Building elements specially adapted therefor}
2001/829	. . . . .	{Flat elements mounted at an angle, e.g. right angle, to the supporting surface}	1/942	. . . . .	{slab-shaped}
1/84	. . . . .	Sound-absorbing elements	1/943	. . . . .	{elongated}
1/8404	. . . . .	{block-shaped}	1/944	. . . . .	{covered with fire-proofing material}
1/8409	. . . . .	{sheet-shaped}	1/945	. . . . .	{Load-supporting structures specially adapted therefor}
2001/8414	. . . . .	{with non-planar face, e.g. curved, eggcrate shaped}	1/946	. . . . .	{Protection against smoke or toxic gases}
2001/8419	. . . . .	{Acoustical cones or the like, e.g. for anechoic chambers}	1/947	. . . . .	{by closing openings in walls or the like in the case of fire ( <a href="#">fire-proof doors E06B 5/16</a> )}
2001/8423	. . . . .	{Tray or frame type panels or blocks, with or without acoustical filling}	1/948	. . . . .	{Fire-proof sealings or joints ( <a href="#">for doors or windows E06B 5/164</a> )}
2001/8428	. . . . .	{containing specially shaped acoustical bodies, e.g. funnels, egg-crates, fanfolds}	2001/949	. . . . .	{Construction elements filled with liquid, e.g. water, either permanently or only in case of fire}
2001/8433	. . . . .	{with holes in their face}	1/98	. . .	against vibrations or shocks ( <a href="#">on foundations E02D 31/08</a> ); against mechanical destruction, e.g. by air-raids ( <a href="#">against incendiary damage only E04B 1/94</a> ; finishing work therefor <a href="#">E04F</a> ; buildings withstanding earth-quake or the like, shelters, arrangements of splintercatching walls <a href="#">E04H 9/00</a> )
2001/8438	. . . . .	{Slot shaped holes}	1/985	. . . . .	{involving active or passive dynamic mass damping systems}
2001/8442	. . . . .	{Tray type elements}	1/99	. . .	Room acoustics, i.e. forms of, or arrangements in, rooms for influencing or directing sound ( <a href="#">E04B 1/82</a> takes precedence; acoustics in general <a href="#">G10K 11/00</a> ; electric signal processing for producing a reverberation or echo sound <a href="#">G10K 15/08</a> )
2001/8447	. . . . .	{with two faacing trays}	1/994	. . .	{Acoustical surfaces with adjustment mechanisms}
2001/8452	. . . . .	{with peripheral frame members}	2/00		<b>Walls, e.g. partitions, for buildings; Wall construction with regard to insulation; Connections specially adapted to walls</b> ( <a href="#">connections for building structures in general E04B 1/38</a> ; insulation for buildings in general <a href="#">E04B 1/62</a> ; building elements of relatively thin form for parts of buildings <a href="#">E04C 2/00</a> )
2001/8457	. . . . .	{Solid slabs or blocks}	2/02	. . .	built-up from layers of building elements
2001/8461	. . . . .	{layered}	2002/0202	. . .	{Details of connections}
2001/8466	. . . . .	{with an intermediate layer formed of lines or dots of elastic material}	2002/0204	. . . . .	{Non-undercut connections, e.g. tongue and groove connections}
2001/8471	. . . . .	{with non-planar interior transition surfaces between layers, e.g. faceted, corrugated}	2002/0206	. . . . .	{of rectangular shape}
2001/8476	. . . . .	{with acoustical cavities, with or without acoustical filling}	2002/0208	. . . . .	{of trapezoidal shape}
2001/848	. . . . .	{the cavities opening onto the face of the element}	2002/021	. . . . .	{of triangular shape}
2001/8485	. . . . .	{the opening being restricted, e.g. forming Helmholtz resonators}	2002/0213	. . . . .	{of round shape}
2001/849	. . . . .	{Groove or slot type openings}	2002/0215	. . . . .	{with separate protrusions}
2001/8495	. . . . .	{the openings going through from one face to the other face of the element}	2002/0217	. . . . .	{of prismatic shape}
1/86	. . . . .	slab-shaped			
1/88	. . . . .	Insulating elements for both heat and sound			
1/90	. . . . .	slab-shaped			
1/92	. . . . .	Protection against other undesired influences or dangers ( <a href="#">buildings providing protection against external dangers E04H 9/00</a> ; shielding against dangerous radiation <a href="#">G21F</a> )			
2001/925	. . . . .	{Protection against harmful electro-magnetic or radio-active radiations, e.g. X-rays}			

2002/0219	. . . . .	{of pyramidal shape}	2/14	. . .	Walls having cavities in, but not between, the elements, i.e. each cavity being enclosed by at least four sides forming part of one single element
2002/0221	. . . . .	{of conical shape}			
2002/0223	. . . . .	{of cylindrical shape}	2/16	. . .	using elements having specially-designed means for stabilising the position
2002/0226	. . . . .	{with tongues and grooves next to each other on the end surface}	2/18	. . . . .	by interlocking of projections or inserts with indentations, e.g. of tongues, grooves, dovetails
2002/0228	. . . . .	{with tongues next to each other on one end surface and grooves next to each other on opposite end surface}	2/20	. . . . .	by filling material with or without reinforcements in small channels in, or in grooves between, the elements
2002/023	. . . . .	{with rabbets, e.g. stepped}	2/22	. . . . .	using elements having a general shape differing from that of a parallelepiped
2002/0232	. . . . .	{Undercut connections, e.g. using undercut tongues and grooves}	2/24	. . . . .	the walls being characterised by fillings in some of the cavities forming load-bearing pillars or beams
2002/0234	. . . . .	{Angular dovetails}	2/26	. . . . .	the walls being characterised by fillings in all cavities in order to form a wall construction
2002/0236	. . . . .	{tapered, i.e. dovetail narrows in the direction of tongue or groove}	2/28	. . .	Walls having cavities between, but not in, the elements; Walls of elements each consisting of two or more parts kept in distance by means of spacers, all parts being solid
2002/0239	. . . . .	{Round dovetails}	2/30	. . . . .	using elements having specially designed means for stabilising the position; Spacers for cavity walls {(masonry wall ties <a href="#">E04B 1/4178</a> )}
2002/0241	. . . . .	{tapered, i.e. dovetail narrows in the direction of tongue or groove}	2/32	. . . . .	by interlocking of projections or inserts with indentations, e.g. of tongues, grooves, dovetails
2002/0243	. . . . .	{Separate connectors or inserts, e.g. pegs, pins or keys}	2/34	. . . . .	by filling material with or without reinforcements in small channels in, or in grooves between, the elements
2002/0245	. . . . .	{Pegs or pins}	2/36	. . . . .	using elements having a general shape differing from that of a parallelepiped
2002/0247	. . . . .	{Strips or bars}	2/38	. . . . .	the walls being characterised by fillings in some of the cavities forming load-bearing pillars or beams
2002/025	. . . . .	{U-shaped, e.g. brackets}	2/40	. . . . .	the walls being characterised by fillings in all cavities in order to form a wall construction
2002/0252	. . . . .	{Dovetail keys}	2/42	. . .	Walls having cavities between, as well as in, the elements; Walls of elements each consisting of two or more parts, kept in distance by means of spacers, at least one of the parts having cavities
2002/0254	. . . . .	{Tie rods}	2/44	. . . . .	using elements having specially-designed means for stabilising the position; Spacers for cavity walls {(masonry wall ties <a href="#">E04B 1/4178</a> )}
2002/0256	. . . . .	{Special features of building elements}	2/46	. . . . .	by interlocking of projections or inserts with indentations, e.g. of tongues, grooves, dovetails
2002/0258	. . . . .	{Gripping or handling aids}	2/48	. . . . .	by filling material with or without reinforcements in small channels in, or in grooves between, the elements
2002/026	. . . . .	{Splittable building elements}	2/50	. . . . .	using elements having a general shape differing from that of a parallelepiped
2002/0263	. . . . .	{Building elements for making angled walls}	2/52	. . . . .	the walls being characterised by fillings in some of the cavities forming load-bearing pillars or beams
2002/0265	. . . . .	{Building elements for making arcuate walls}	2/54	. . . . .	the walls being characterised by fillings in all cavities in order to form a wall construction
2002/0267	. . . . .	{Building elements with the appearance of several bricks}	2/56	. . .	{Load-bearing} walls of framework or pillarwork; Walls incorporating load-bearing elongated members ( <a href="#">E04B 2/74</a> , <a href="#">E04B 2/88</a> take precedence; <a href="#">pillars E04C 3/30</a> )
2002/0269	. . . . .	{Building elements with a natural stone facing}			
2002/0271	. . . . .	{Building elements with the appearance of rock layers}			
2002/0273	. . . . .	{Adhesive layers other than mortar between building elements}			
2002/0276	. . . . .	{Separate layers or strips}			
2002/0278	. . . . .	{forming a unity with the building elements}			
2002/028	. . . . .	{Spacers between building elements}			
2002/0282	. . . . .	{Separate spacers}			
2002/0284	. . . . .	{forming a unity with the building elements}			
2002/0286	. . . . .	{Building elements with coatings}			
2002/0289	. . . . .	{Building elements with holes filled with insulating material}			
2002/0291	. . . . .	{loose material}			
2002/0293	. . . . .	{solid material}			
2002/0295	. . . . .	{of which the width is equal to the wall thickness}			
2002/0297	. . . . .	{of which the width is less than the wall thickness}			
2/04	. . .	Walls having neither cavities between, nor in, the solid elements			
2/06	. . .	using elements having specially-designed means for stabilising the position			
2/08	. . . . .	by interlocking of projections or inserts with indentations, e.g. of tongues, grooves, dovetails			
2/10	. . . . .	by filling material with or without reinforcements in small channels in, or in grooves between, the elements			
2/12	. . .	using elements having a general shape differing from that of a parallelepiped			



- 2/562 . . {with fillings between the load-bearing elongated members}
- 2002/565 . . {with a brick veneer facing}
- 2002/567 . . {with posts or pillars made from a plurality of smaller prefabricated elements}
- 2/58 . . with elongated members of metal
- 2/60 . . . characterised by special cross-section of the elongated members
- 2/62 . . . . the members being formed of two or more elements in side-by-side relationship
- 2/64 . . with elongated members of concrete
- 2/66 . . . characterised by special cross-section of the elongated members
- 2/68 . . . made by filling-up wall cavities ([E04B 2/24](#), [E04B 2/38](#), [E04B 2/52](#) take precedence)
- 2/70 . . with elongated members of wood
- 2/701 . . . {with integrated supporting and obturation function}
- 2/702 . . . . {with longitudinal horizontal elements ([E04B 2/704](#), [E04B 2/705](#) take precedence)}
- 2/703 . . . . {with longitudinal vertical elements}
- 2/704 . . . . {with longitudinal horizontal elements shorter than the length of a wall}
- 2/705 . . . . {with longitudinal horizontal elements placed between columns}
- 2/706 . . . {with supporting function}
- 2/707 . . . . {obturation by means of panels}
- 2/708 . . . . {obturation by means of longitudinal elements with a convex external surface}
- 2/709 . . . . {obturation by means of longitudinal elements with a plane external surface}
- 2/72 . . {Non-load-bearing} walls of elements of relatively thin form {with respect to the thickness of the wall} ([E04B 2/56](#), [E04B 2/74](#), [E04B 2/88](#) take precedence; with joint fillings acting as framework or pillars [E04B 2/68](#); elements [E04C 2/00](#))
- 2/721 . . {connections specially adapted therefor}
- 2/723 . . {constituted of gypsum elements}
- 2002/725 . . . {Corner or angle connection details}
- 2002/726 . . . {Clips for butt-joining plasterboards}
- 2002/728 . . . {Butt-joining plasterboards in the space between two studs}
- 2/74 . . Removable non-load-bearing partitions; Partitions with a free upper edge ([framed panels E04C 2/38](#)) {modular coordination}
- 2/7401 . . {assembled using panels without a frame or supporting posts, with or without upper or lower edge locating rails}
- 2/7403 . . . {with special measures for sound or thermal insulation including fire protection}
- 2/7405 . . . {with free upper edge, e.g. for use as office space dividers}
- 2/7407 . . {assembled using frames with infill panels or coverings only; made-up of panels and a support structure incorporating posts ([E04B 2/78](#) and [E04B 2/80](#) take precedence)}
- 2/7409 . . . {special measures for sound or thermal insulation, including fire protection}
- 2/7411 . . . . {Details for fire protection}
- 2/7412 . . . . {Posts or frame members specially adapted for reduced sound or heat transmission}
- 2/7414 . . . . {Posts or frame members with projections for holding sound or heat insulating fillings}
- 2/7416 . . . {with free upper edge, e.g. for use as office space dividers}
- 2002/7418 . . . . {Accessories supported on the free upper edge, e.g. auxiliary panels, noise abatement devices}
- 2002/742 . . . . {Details of panel top cap}
- 2/7422 . . . . {with separate framed panels without intermediary support posts}
- 2/7424 . . . . . {Glazing details}
- 2/7425 . . . . . {Details of connection of panels ([E04B 2/7427](#) takes precedence)}
- 2/7427 . . . . . {with adjustable angular connection of panels}
- 2/7429 . . . . . {using flexible hinges}
- 2/7431 . . . . . {using hinges having two parallel rotation axes}
- 2/7433 . . . . {with panels and support posts}
- 2/7435 . . . . . {Glazing details}
- 2/7437 . . . . . {with panels hooked onto posts ([E04B 2/7438](#) takes precedence)}
- 2/7438 . . . . . {with adjustable angular connection of panels to posts}
- 2/744 . . . . . {using angularly-spaced longitudinal grooves of the posts}
- 2/7442 . . . . . {hinged connections ([E04B 2/7444](#) takes precedence)}
- 2/7444 . . . . . {panels hooked onto the rim or in a groove of circular posts}
- 2002/7446 . . . . {Post-like profiles for connecting panels at an angle}
- 2/7448 . . . {with separate framed panels without intermediary posts, extending from floor to ceiling}
- 2/745 . . . . {Glazing details}
- 2/7451 . . . . {with false tongue joints}
- 2/7453 . . . {with panels and support posts, extending from floor to ceiling}
- 2/7455 . . . . {Glazing details}
- 2/7457 . . . . {with wallboards attached to the outer faces of the posts, parallel to the partition ([E04B 2/7459](#) takes precedence)}
- 2/7459 . . . . {with telescoping posts to compensate for floor or ceiling irregularities}
- 2002/7461 . . {Details of connection of sheet panels to frame or posts}
- 2002/7462 . . . {using resilient connectors, e.g. clips}
- 2002/7464 . . . . {clasping a flange of a profile}
- 2002/7466 . . . {using hooks}
- 2002/7468 . . . {using magnets}
- 2002/747 . . . {using hook and loop-type fasteners}
- 2002/7472 . . . {using adhesives}
- 2002/7474 . . . {using releasable connectors actuatable with a key or a tool}
- 2002/7475 . . . {using connectors with claws penetrating the sheet panels}
- 2002/7477 . . . {Details of connections using screws or nails}
- 2002/7479 . . {Details of connection of flexible sheets to frame or posts}
- 2002/7481 . . {Locating rails with adjustable curvature}
- 2002/7483 . . {Details of furniture, e.g. tables or shelves, associated with the partitions}
- 2002/7485 . . . {Load supports therefor placed between wall studs}

- 2002/7487 . . {Partitions with slotted profiles}
- 2002/7488 . . {Details of wiring}
- 2002/749 . . {Partitions with screw-type jacks}
- 2002/7492 . . . {used in partitions extending from floor to ceiling}
- 2002/7494 . . . . {the jacks being located at the top or the side of the partition}
- 2002/7496 . . {using wedges to level or hold the partition in place}
- 2002/7498 . . {Partitions for clean rooms}
  - 2/76 . . with framework or posts of metal {(details of connections, thresholds or skirtings [E04B 2/82](#))}
  - 2/761 . . . {L-connections}
  - 2/762 . . . {Cross connections}
  - 2/763 . . . . {with one continuous profile, the perpendicular one passing continuously through the first one}
  - 2/764 . . . . {with two interrupted profiles}
  - 2/765 . . . . {with one continuous profile, the perpendicular one being interrupted}
  - 2/766 . . . {T-connections}
  - 2/767 . . . . {Connections between wall studs and upper or lower locating rails}
  - 2/768 . . . . . {allowing vertical movement of upper rail with respect to the stud, e.g. by using slots in the rail or stud}
  - 2/78 . . . characterised by special cross-section of the frame-members {as far as important for securing wall panels to a framework with or without the help of cover-strips (separate connecting means, e.g. clip [E04B 2/74](#); connections between uprights and cross-members [E04B 2/76](#))}
  - 2/7809 . . . . {of single or multiple tubular form}
  - 2/7818 . . . . . {of substantially rectangular form}
  - 2/7827 . . . . . {with all four sides of the profiles having substantially similar undercut grooves or connecting projections}
  - 2/7836 . . . . . {with only two sides of the profiles having substantially similar undercut grooves or connecting projections}
  - 2/7845 . . . . . {of curved cross-section, e.g. circular}
  - 2/7854 . . . . {of open profile}
  - 2/7863 . . . . . {of substantially I - section with web perpendicular to plane of partition}
  - 2/7872 . . . . . {of substantially H - section with flanges perpendicular to plane of partition}
  - 2/7881 . . . . . {of substantially S - or Z - section; having a shape or cross-section adapted for gripping or overlapping panels by means of at least partially complementary shaped parallel elements}
  - 2/789 . . . . . {of substantially U- or C- section}
  - 2/80 . . with framework or posts of wood
  - 2/82 . . characterised by the manner in which edges are connected to the building; Means therefor; Special details of easily-removable partitions {as far as related to the connection with other parts of the building}
  - 2/821 . . . {Connections between two opposed surfaces (i.e floor and ceiling) by means of a device offering a restraining force acting in the plane of the partition}
  - 2/822 . . . . {Elastic connections, e.g. inflated joints}
- 2/824 . . . . {restrained elastically at one surface and inelastically at the opposing surface}
- 2/825 . . . {the connection between the floor and the ceiling being achieved without any restraining forces acting in the plane of the partition}
- 2/827 . . . {Partitions constituted of sliding panels}
- 2/828 . . . {Connections between partitions and structural walls}
- 2/84 . . Walls made by casting, pouring, or tamping in situ ([E04B 2/02](#), [E04B 2/56](#) take precedence; forms therefor [E04G 11/06](#); working of concrete or similar masses able to be cast or poured in situ [E04G 21/02](#))
- 2/842 . . {by projecting or otherwise applying hardenable masses to the exterior of a form leaf}
- 2/845 . . . {the form leaf comprising a wire netting, lattice or the like}
- 2/847 . . . {the form leaf comprising an insulating foam panel}
- 2/86 . . made in permanent forms
- 2/8605 . . . {without spacers}
- 2/8611 . . . {with spacers being embedded in at least one form leaf}
  - 2/8617 . . . . {with spacers being embedded in both form leaves}
- 2/8623 . . . {with spacers and at least one form leaf being monolithic}
- 2/8629 . . . . {with both form leaves and spacers being monolithic}
- 2/8635 . . . {with ties attached to the inner faces of the forms ([E04B 2/8611](#) and [E04B 2/8623](#) take precedence)}
- 2/8641 . . . . {using dovetail-type connections}
- 2/8647 . . . {with ties going through the forms}
- 2/8652 . . . {with ties located in the joints of the forms}
- 2/8658 . . . {using wire netting, a lattice or the like as form leaves}
- 2/8664 . . . {using flexible material as form leaves ([E04B 2/8658](#) takes precedence)}
- 2002/867 . . . {Corner details}
- 2002/8676 . . . {Wall end details}
- 2002/8682 . . . {Mixed technique using permanent and reusable forms}
- 2002/8688 . . . {Scaffoldings or removable supports therefor}
- 2002/8694 . . . {with hinged spacers allowing the formwork to be collapsed for transport}
- 2/88 . . Curtain walls {(fixing of glass panes [E06B 3/54](#))}
- 2/885 . . {comprising a supporting structure for flush mounted glazing panels}
- 2/90 . . comprising panels directly attached to the structure {([E04B 2/885](#) takes precedence)}
- 2/92 . . . Sandwich-type panels
- 2/94 . . . Concrete panels ([E04B 2/92](#) takes precedence)
- 2/96 . . comprising panels attached to the structure through mullions or transoms {([E04B 2/885](#) takes precedence)}
  - 2/962 . . . {with angles or corners in the curtain wall}
  - 2/965 . . . {Connections of mullions and transoms}
  - 2/967 . . . {Details of the cross-section of the mullions or transoms ([E04B 2/965](#) takes precedence)}

<b>5/00</b>	<b>Floors; Floor construction with regard to insulation; Connections specially adapted therefor</b> (elements for floors, e.g. bricks, stones, filling bodies, girders, <a href="#">E04C</a> ; flooring as finishing work, insulation of flooring, sectional false floors, e.g. for computers <a href="#">E04F 15/00</a> )	5/268	. . . . . {End filling members to be placed between the floor and the wall, e.g. thermal breaks}
5/02	. Load-carrying floor structures formed substantially of prefabricated units ( <a href="#">E04B 5/43</a> - <a href="#">E04B 5/48</a> take precedence)	5/28	. . . . Cross-ribbed floors
5/023	. . {Separate connecting devices for prefabricated floor-slabs}	5/29	. . . . the prefabricated parts of the beams consisting wholly of metal ( <a href="#">E04B 5/28</a> takes precedence)
5/026	. . {with beams or slabs of plastic}	5/32	. . Floor structures wholly cast <i>in situ</i> with or without form units or reinforcements
5/04	. . with beams {or slabs} of concrete or other stone-like material, e.g. asbestos cement ( <a href="#">E04B 5/08</a> , <a href="#">E04B 5/14</a> take precedence)	2005/322	. . . {with permanent forms for the floor edges}
5/043	. . . {having elongated hollow cores}	2005/324	. . . {with peripheral anchors or supports}
5/046	. . . {with beams placed with distance from another}	5/326	. . . {with hollow filling elements}
5/06	. . . {with beams} placed against one another {optionally with pointing-mortar}	5/328	. . . . {the filling elements being spherical}
5/08	. . assembled of block-shaped elements, e.g. hollow stones ( <a href="#">E04B 5/14</a> takes precedence; floors composed of reinforced brickwork <a href="#">E04B 5/44</a> )	5/36	. . . with form units as part of the floor
5/10	. . with metal beams or girders, e.g. with steel lattice girders ( <a href="#">E04B 5/14</a> takes precedence)	5/38	. . . . with slab-shaped form units acting simultaneously as reinforcement; Form slabs with reinforcements extending laterally outside the element {(beams placed against one another and acting as permanent forms <a href="#">E04B 5/23</a> )}
5/12	. . with wooden beams ( <a href="#">E04B 5/14</a> takes precedence) {also means for supporting beams; (shores or struts <a href="#">E04G 25/00</a> )}	5/40	. . . . with metal form-slabs
5/14	. . with beams or girders laid in two directions	5/43	. Floor structures of extraordinary design; Features relating to the elastic stability; Floor structures specially designed for resting on columns only, e.g. mushroom floors ({anchoring devices for balconies with means for preventing cold bridging <a href="#">E04B 1/0038</a> }; extraordinary constructions in general <a href="#">E04B 1/34</a> )
5/16	. Load-carrying floor structures wholly or partly cast or similarly formed <i>in situ</i> ( <a href="#">E04B 5/43</a> - <a href="#">E04B 5/48</a> take precedence; floors merely characterised by the prefabricated elements <a href="#">E04C</a> )	5/44	. Floors composed of stones, mortar, and reinforcing elements (with inserts of glass <a href="#">E04B 5/46</a> )
5/17	. . Floor structures partly formed <i>in situ</i>	5/46	. Special adaptation of floors for transmission of light, e.g. by inserts of glass (of ceilings <a href="#">E04B 9/32</a> , block-shaped elements <a href="#">E04C 1/42</a> ; slab- or sheet-shaped elements <a href="#">E04C 2/54</a> ; for roof covering <a href="#">E04D 3/06</a> )
2005/173	. . . {with permanent forms for the floor edges}	5/48	. Special adaptations of floors for incorporating ducts, e.g. for heating or ventilating (in block-shaped elements <a href="#">E04C 1/39</a> ; in slab- or sheet-shaped elements <a href="#">E04C 2/52</a> )
2005/176	. . . {with peripheral anchors or supports}	<b>7/00</b>	<b>Roofs; Roof construction with regard to insulation</b> (structures for roofs as well as for floors <a href="#">E04B 5/00</a> ; ceilings <a href="#">E04B 9/00</a> ; greenhouses <a href="#">A01G 9/14</a> ; large containers having floating covers <a href="#">B65D 88/34</a> ; roof trusses, trusslike structures, joists <a href="#">E04C 3/02</a> ; roof covering <a href="#">E04D</a> )
5/18	. . . with stiffening ribs or other beam-like formations wholly cast between filling members	7/02	. with plane sloping surfaces, e.g. saddle roofs ({canopies <a href="#">E04F 10/00</a> ;} <a href="#">E04B 7/12</a> takes precedence)
5/19	. . . . the filling members acting as self-supporting permanent forms ( <a href="#">E04B 5/21</a> takes precedence)	7/022	. . {consisting of a plurality of parallel similar trusses or portal frames}
5/21	. . . . Cross-ribbed floors	7/024	. . . {the trusses or frames supporting load-bearing purlins, e.g. braced purlins (battens, supports for battens <a href="#">E04D 12/00</a> )}
5/23	. . . with stiffening ribs or other beam-like formations wholly or partly prefabricated (with all load-carrying parts substantially consisting of prefabricated units <a href="#">E04B 5/02</a> {beams built-up by elements joined in line <a href="#">E04C 3/22</a> })	7/026	. . {consisting of prefabricated modules, e.g. box-like or cell-like units ( <a href="#">E04B 7/24</a> takes precedence)}
2005/232	. . . . {with special provisions for connecting wooden stiffening ribs or other wooden beam-like formations to the concrete slab}	7/028	. . {consisting of structures of pyramidal or conical shape}
2005/235	. . . . . {Wooden stiffening ribs or other wooden beam-like formations having a special form}	7/04	. . supported by horizontal beams or the equivalent resting on the walls ( <a href="#">E04B 7/06</a> takes precedence)
2005/237	. . . . . {Separate connecting elements}		
5/26	. . . . with filling members between the beams ( <a href="#">E04B 5/28</a> takes precedence)		
5/261	. . . . . {Monolithic filling members}		
5/263	. . . . . {with a flat lower surface ( <a href="#">E04B 5/265</a> takes precedence)}		
5/265	. . . . . {with one or more hollow cores}		
5/266	. . . . . {Filling members covering the undersurface of the beams}		

- 7/045 . . . {with connectors made of sheet metal for connecting the roof structure to the supporting wall (connectors made of sheet metal for wooden elongated load-supporting elements in general [E04B 1/2608](#))}
- 7/06 . . Constructions of roof intersections or hipped ends
- 7/063 . . . {Hipped ends}
- 2007/066 . . . . {for conservatories}
- 7/08 . Vaulted roofs ([E04B 7/14](#) takes precedence; vaulted structures in general [E04B 1/32](#); inflatable tents or canopies, in general [E04H 15/20](#); inflatable forms for shaping in situ [E04G 11/04](#))
- 7/10 . . Shell structures, e.g. of hyperbolic-parabolic shape; Grid-like formations acting as shell structures; Folded structures {(buildings [E04B 1/32](#))}
- 7/102 . . . {Shell structures}
- 7/105 . . . {Grid-like structures}
- 7/107 . . . {Folded structures}
- 7/12 . formed in bays, e.g. saw-tooth roofs ([E04B 7/10](#) takes precedence)
- 7/14 . Suspended roofs (suspended tents or canopies in general [E04H 15/04](#))
- 7/16 . Roof structures with movable roof parts (buildings for special purposes [E04H](#))
- 7/163 . . {characterised by a pivoting movement of the movable roof parts ([E04B 7/166](#) takes precedence)}
- 7/166 . . {characterised by a translation movement of the movable roof part, with or without additional movements}
- 7/18 . Special structures in or on roofs, e.g. dormer windows (in connection with roof coverings [E04D 13/00](#), especially domes [E04D 13/03](#))
- 7/20 . Roofs consisting of self-supporting slabs, e.g. able to be loaded
- 7/205 . . {the slabs having non-structural supports for roofing materials (for slaps having insulating properties [E04B 7/225](#))}
- 7/22 . . the slabs having insulating properties, e.g. laminated with layers of insulating material
- 7/225 . . . {the slabs having non-structural supports for roofing materials}
- 7/24 . . the slabs being collapsible {or retractable}, e.g. for transport
- 9/00 Ceilings; Construction of ceilings, e.g. false ceilings; Ceiling construction with regard to insulation (ceilings used as forms for making floors [E04B 5/00](#); coverings or linings for ceilings [E04F 13/00](#))**
- 9/001 . {characterised by provisions for heat or sound insulation}
- 9/003 . {with movable parts, e.g. pivoting panels, access doors}
- 9/005 . {composed of imitation beams or beam coverings}
- 9/006 . {with means for hanging lighting fixtures or other appliances to the framework of the ceiling}
- 9/008 . {with means for connecting partition walls or panels to the ceilings}
- 9/02 . having means for ventilation or vapour discharge
- 9/023 . . {comprising drainage gutters for condensed water or grease}
- 2009/026 . . {the supporting ceiling grid acting as air diffusers}
- 9/04 . comprising slabs, {panels,} sheets or the like
- 9/0407 . . {being stiff and curved}
- 9/0414 . . {being foldable, curvable or rollable}
- 9/0421 . . {comprising ducts}
- 9/0428 . . {having a closed frame around the periphery}
- 9/0435 . . {having connection means at the edges}
- 9/0442 . . {having a honeycomb core}
- 9/045 . . {being laminated}
- 9/0457 . . {having closed internal cavities}
- 9/0464 . . {having irregularities on the faces, e.g. holes, grooves}
- 9/0471 . . {having a trapezoidal cross section}
- 9/0478 . . {of the tray type}
- 9/0485 . . . {containing a filling element}
- 2009/0492 . . {with fabrics tensioned on frames}
- 9/06 . characterised by constructional features of the supporting construction, {e.g. cross section or material of framework members}
- 9/061 . . {supporting construction for curved ceilings}
- 2009/062 . . {Caps covering visible surfaces of the supporting construction}
- 9/064 . . {comprising extruded supporting beams}
- 9/065 . . {comprising supporting beams having a folded cross-section}
- 9/067 . . . {with inverted T-shaped cross-section}
- 9/068 . . . . {with double web}
- 9/08 . . having the capability of expansion {, e.g. in case of fire}
- 9/10 . . Connections between parallel members of the supporting construction ([E04B 9/08](#) takes precedence)
- 9/12 . . Connections between non-parallel members of the supporting construction ([E04B 9/08](#) takes precedence)
- 9/122 . . . {one member passing through the other member, both members laying at least partly in the same plane}
- 9/125 . . . . {both members being continuous members}
- 9/127 . . . {one member being discontinuous and abutting against the other member}
- 9/14 . . . all the members being discontinuous and laying at least partly in the same plane
- 9/16 . . . the members lying in different planes
- 9/18 . Means for suspending the supporting construction
- 9/183 . . {having a lower side adapted to be connected to a channel of the supporting construction}
- 2009/186 . . {with arrangements for damping vibration}
- 9/20 . . adjustable
- 9/205 . . . {by means of a resilient clip}
- 9/22 . Connection of slabs, {panels,} sheets or the like to the supporting construction
- 9/225 . . {with the slabs, panels, sheets or the like hanging at a distance below the supporting construction}
- 9/24 . . with the slabs, {panels,} sheets or the like positioned on {the upperside of}, or held against {the underside of the} horizontal flanges of the supporting construction {or accessory means connected thereto}
- 9/241 . . . {with the slabs, panels, sheets or the like positioned on the upperside of the horizontal flanges of the supporting construction}
- 9/242 . . . . {with separate retaining elements}



- 9/244 . . . . {comprising sealing means between the supporting construction and the slabs, panels, sheets or the like}
- 9/245 . . . {by means of screws, bolts or clamping strips held against the underside of the supporting construction ([E04B 9/26](#) takes precedence)}
- 9/247 . . . {by means of sliding or pivoting locking elements, held against the underside of the supporting construction}
- 9/248 . . . {by means of permanent magnetic force held against the underside of the supporting construction}
- 9/26 . . . by means of snap action of elastically deformable elements {held against the underside of the supporting construction}
- 9/28 . . with the slabs, {panels,} sheets or the like having grooves engaging with horizontal flanges of the supporting construction or accessory means connected thereto
- 9/30 . characterised by edge details of the ceiling; e.g. securing to an adjacent wall
- 9/303 . . {for flexible tensioned membranes}
- 9/306 . . . {Tensioning hand tools therefor}
- 9/32 . Translucent ceilings, i.e. permitting both the transmission and diffusion of light ({[E04B 9/303](#) and} [E04B 9/34](#) take precedence; details of lighting devices, of general application [F21V](#); screens [F21V 11/00](#))
- 9/34 . {Grid-like or} open-work ceilings, e.g. lattice type {boxlike modules, acoustic baffles} ([E04B 9/30](#) takes precedence, grids for lighting devices [F21V](#))
- 9/345 . . {consisting of non-parallel slats, e.g. grids}
- 9/36 . . consisting of parallel slats
- 9/363 . . . {the principal plane of the slats being horizontal}
- 9/366 . . . {the principal plane of the slats being vertical}

**2103/00 Material constitution of slabs, sheets or the like**

- 2103/02 . of ceramics, concrete or other stone-like material
- 2103/04 . of plastics, fibrous material or wood
- 2103/06 . of metal