

# CPC COOPERATIVE PATENT CLASSIFICATION

## E01B PERMANENT WAY; PERMANENT-WAY TOOLS; MACHINES FOR MAKING RAILWAYS OF ALL KINDS (derailing or rerailling blocks on track, track brakes or retarders [B61K](#))

### Structure of the permanent way for railways or tramways

- |  |   |
|--|---|
| <p><b>1/00</b> <b>Ballastway; Other means for supporting the sleepers or the track; Drainage of the ballastway (draining by trenches, culverts, or conduits <a href="#">E01F 5/00</a>)</b></p> <p>1/001 . {Track with ballast}</p> <p>1/002 . {Ballastless track, e.g. concrete slab trackway, or with asphalt layers}</p> <p>1/004 . . {with prefabricated elements embedded in fresh concrete or asphalt}</p> <p>1/005 . . {with sleeper shoes}</p> <p>1/007 . . {with interlocking means to withstand horizontal forces}</p> <p>1/008 . {Drainage of track}</p> <p><b>2/00</b> <b>General structure of permanent way (railway networks <a href="#">B61B 1/00</a>; foundations for pavings <a href="#">E01C 3/00</a>; foundations in general <a href="#">E02D</a>)</b></p> <p>2/003 . {Arrangement of tracks on bridges or in tunnels}</p> <p>2/006 . {Deep foundation of tracks}</p> <p><b>3/00</b> <b>Transverse or longitudinal sleepers (for switches or crossings <a href="#">E01B 7/22</a>); Other means resting directly on the ballastway for supporting rails</b></p> <p>3/02 . made from wood (drying or impregnating <a href="#">B27K</a>)</p> <p>3/04 . . Means for preventing cleaving</p> <p>3/06 . . . Anti-cracking dogs</p> <p>3/08 . . . Straps or bands for hooping or encircling sleepers (apparatus for hooping wooden railway sleepers on the spot <a href="#">E01B 31/28</a>)</p> <p>3/10 . . Composite sleepers</p> <p>3/12 . . Longitudinal sleepers; Longitudinal sleepers integral or combined with tie-rods; Combined longitudinal and transverse sleepers</p> <p>3/14 . . Slabs; Blocks; Fastening tie-rods to them</p> <p>3/16 . made from steel</p> <p>3/18 . . Composite sleepers</p> <p>3/20 . . Sleeper construction for special purposes, e.g. with openings for ballast working (sleepers for shiftable track for heavy loads <a href="#">E01B 23/12</a>)</p> <p>3/22 . . Longitudinal sleepers; Longitudinal sleepers integral or combined with tie-rods; Combined longitudinal and transverse sleepers</p> <p>3/24 . . Slabs; Blocks; Pot sleepers; Fastening tie-rods to them</p> <p>3/26 . . combined with inserts of wood artificial stone or other material</p> <p>3/28 . made from concrete or from natural or artificial stone (manufacture <a href="#">B28</a>)</p> <p>3/30 . . Hollow sleepers</p> <p>3/32 . . with armouring or reinforcement (hollow sleepers <a href="#">E01B 3/30</a>)</p> <p>3/34 . . . with pre-tensioned armouring or reinforcement (pre-tensioned armouring or reinforcing elements <a href="#">E04C 5/00</a>)</p> | <p>3/36 . . Composite sleepers</p> <p>3/38 . . Longitudinal sleepers; Longitudinal sleepers integral or combined with tie-rods; Combined longitudinal and transverse sleepers; Layers of concrete supporting both rails</p> <p>3/40 . . Slabs; Blocks; Pot sleepers; Fastening tie-rods to them</p> <p>3/42 . . combined with inserts of wood or other material</p> <p>3/44 . made from other materials only if the material is essential</p> <p>3/46 . made from different materials (<a href="#">E01B 3/26</a>, <a href="#">E01B 3/42</a> take precedence)</p> <p>3/48 . Distance keepers or tie-rods for sleepers</p> <p><b>5/00</b> <b>Rails; Guard rails (manufacture of rails <a href="#">B21B</a>); Distance-keeping means for them</b></p> <p>5/02 . Rails</p> <p>5/04 . . Grooved rails</p> <p>5/06 . . Reversible or invertible rails</p> <p>5/08 . . Composite rails; Compound rails with dismountable or non-dismountable parts</p> <p>5/10 . . . Composite grooved rails; Inserts for grooved rails</p> <p>5/12 . . Rails with a foot serving as a sleeper</p> <p>5/14 . . Rails for special parts of the track, e.g. for curves</p> <p>5/16 . Distance keepers</p> <p>5/18 . Guard rails; Connecting, fastening or adjusting means therefor</p> <p><b>7/00</b> <b>Switches; Crossings (operating mechanisms <a href="#">B61L</a>)</b></p> <p>7/02 . Tongues; Associated constructions</p> <p>7/04 . . Constructions with tongues turning about a vertical pivot at the end</p> <p>7/06 . . Constructions with flexible tongues or flexible fishplates</p> <p>7/08 . . Other constructions of tongues, e.g. tilting about an axis parallel to the rail, movable tongue blocks or rails</p> <p>7/10 . Frogs</p> <p>7/12 . . Fixed frogs made of one part or composite</p> <p>7/14 . . with movable parts</p> <p>7/16 . . Jump-over frogs</p> <p>7/18 . Combinations of switches and crossings</p> <p>7/20 . Safety means for switches, e.g. switch point protectors, auxiliary or guiding rail members</p> <p>7/22 . Special sleepers for switches or crossings; Fastening means therefor</p> <p>7/24 . Heating of switches</p> <p>7/26 . Lubricating of switches (lubricating of rails <a href="#">B61K 3/00</a>)</p> <p>7/28 . Crossings</p> <p>7/30 . . Jump-over crossings</p> <p><b>9/00</b> <b>Fastening rails on sleepers, or the like (fastening rails to bridges <a href="#">E01D 19/12</a>)</b></p> |
|--|---|

- 9/02 . Fastening rails, tie-plates, or chairs directly on sleepers or foundations; Means therefor
- 9/04 . . Fastening on wooden or concrete sleepers or on masonry without clamp members
- 9/06 . . . Railways spikes ([nails in general F16B](#))
- 9/08 . . . . Elastic spikes
- 9/10 . . . Screws or bolts for sleepers ([screws or bolts in general F16B](#))
- 9/12 . . . Retaining or locking devices for spikes or screws
- 9/14 . . . Plugs, sleeves, thread linings, or other inserts for holes in sleepers ([inserting plugs or sleeves E01B 31/26](#))
- 9/16 . . . . for wooden sleepers
- 9/18 . . . . for concrete sleepers
- 9/20 . . . by keys
- 9/22 . . Fastening on steel sleepers without clamp members
- 9/24 . . . by keys
- 9/26 . . . Welded fastenings
- 9/28 . . Fastening on wooden or concrete sleepers or on masonry with clamp members
- 9/30 . . . by resilient steel clips
- 9/303 . . . . {the clip being a shaped bar}
- 9/306 . . . . {the clip being a shaped plate}
- 9/32 . . Fastening on steel sleepers with clamp members
- 9/34 . . . by resilient steel clips
- 9/36 . . Metal sole-plates for rails which rails are directly fastened to sleepers
- 9/38 . Indirect fastening of rails by using tie-plates or chairs; Fastening of rails on the tie-plates or in the chairs
- 9/40 . . Tie-plates for flat-bottom rails ([manufacture B21](#))
- 9/42 . . . of two or more parts
- 9/44 . . Fastening the rail on the tie-plate
- 9/46 . . . by clamps
- 9/48 . . . . by resilient steel clips
- 9/483 . . . . . {the clip being a shaped bar}
- 9/486 . . . . . {the clip being a shaped plate}
- 9/50 . . . by keys
- 9/52 . . . . by resilient keys
- 9/54 . . Rail chairs
- 9/56 . . . for rails with two or more treads
- 9/58 . . Fastening the rail in the chair
- 9/60 . Rail fastenings making use of clamps or braces supporting the side of the rail
- 9/62 . Rail fastenings incorporating resilient supports
- 9/64 . Rail fastenings gripping or encircling the sleeper
- 9/66 . Rail fastenings allowing the adjustment of the position of the rails, so far as not included in the preceding groups
- 9/68 . Pads or the like, e.g. of wood, rubber, placed under the rail, tie-plate, or chair

**NOTE**

If the subject to be classified has more than one characteristic, classification is made in group [E01B 9/68](#) and indexing codes for the different characteristics are given

- 9/681 . . {characterised by the material}
- 9/683 . . . {layered or composite}
- 9/685 . . {characterised by their shape}

- 9/686 . . . {with textured surface}
- 9/688 . . . {with internal cavities}

**11/00 Rail joints (electrical connection of the rail B60M 5/00)**

- 11/02 . Dismountable rail joints
- 11/04 . . Flat fishplates
- 11/06 . . . with keys or pins
- 11/08 . . Angle fishplates
- 11/10 . . Fishplates with parts supporting or surrounding the rail foot
- 11/12 . . Fishplates engaging only the rail foot
- 11/14 . . Rail foot flange clips in one piece
- 11/16 . . Fishplates for joining rails of different sections
- 11/18 . . Fishplates for temporarily repairing broken rails
- 11/20 . . with gap-bridging
- 11/22 . . . by parts of the rails
- 11/24 . . . . with oblique or overlapping rail ends
- 11/26 . . . . with interlocking rail ends
- 11/28 . . . by parts of the joining members
- 11/30 . . . . Fishplates with integral tread parts lying in the cross-section of the rail head
- 11/32 . . . by separate parts, Inserts bridging both rail heads
- 11/34 . . . . Auxiliary rail beside gap
- 11/36 . . Fastening means for fishplates
- 11/38 . . . Locking arrangements for fastening means ([locking means for nuts or bolts in general F16B](#))
- 11/40 . . Dismountable rail joints combined with welded parts
- 11/42 . Joint constructions for relatively movable rails, e.g. rails on turntables, traversers, or swing bridges
- 11/44 . Non-dismountable rail joints; Welded joints ([welding methods B23K](#))
- 11/46 . . General methods for making gapless tracks
- 11/48 . . Joints made by flame welding
- 11/50 . . Joints made by electric welding
- 11/52 . . Joints made by alumino-thermal welding
- 11/54 . Electrically-insulating rail joints
- 11/56 . Special arrangements for supporting rail ends ([foot supports E01B 11/08 - E01B 11/14](#))
- 11/58 . . Bridge plates
- 11/60 . . . with wedges
- 11/62 . . Bridge chairs ([chairs E01B 9/54 - E01B 9/58](#))

**13/00 Arrangements preventing shifting of the track**

- 13/02 . Rail anchors

**15/00 Guards for preventing a person's foot being trapped in grooved rails****17/00 Cattle guards connected to the permanent way (grids in general for preventing cattle from straying A01K 3/00)****19/00 Protection of permanent way against development of dust or against the effect of wind, sun, frost, or corrosion; Means to reduce development of noise (snow fences E01F 7/02, snow-ploughs E01H 8/02, watering E01H 11/00)**

- 19/003 . {Means for reducing the development or propagation of noise}
- 19/006 . {Means for protecting the underground against spillage}

21/00	Track superstructure adapted for tramways in paved streets (paving E01C 9/04, E01C 9/06)	21/02	Special supporting means; Draining of rails	21/04	Special fastenings, joint constructions, or tie-rods	27/00	Placing, renewing, working, cleaning, or taking-up the ballast, with or without concurrent work on the track; Devices therefor; Packing sleepers																																																																
23/00	Easily dismountable or movable tracks, e.g. temporary railways; Details specially adapted therefor	23/02	Tracks for light railways, e.g. for field, colliery, or mine use	23/04	Fastening or joining means	23/06	Switches (turntables B60S, B61J); Portable switches; Turnouts	23/08	Temporary tracks for use while repairing tramways	23/10	Shiftable tracks for heavy loads, e.g. carrying excavators	23/12	Sleepers	23/14	Fastening or joining means (fastening of rails by keys E01B 9/24)	23/16	Switches	27/02	Placing the ballast; Making ballastway; Redistributing ballasting material; Machines or devices therefor; Levelling means	27/021	{by devices moving underneath the track, e.g. ballast sleighs}	27/022	{by devices moving on the track with or without spreading or levelling}	27/023	{Spreading, levelling or redistributing ballast already placed}	27/025	{by means of non-driven tools}	27/026	{by means of driven tools, e.g. rotating brooms or digging devices}	27/027	{Loosening ballasting material}	27/028	{Compacting ballasting material; Performing ballast cores or seats for sleepers}	27/04	Removing the ballast; Machines therefor, whether or not additionally adapted for taking-up ballast (E01B 27/06, E01B 27/12 takes precedence; redistributing ballasting material E01B 27/02)	27/06	Renewing or cleaning the ballast in situ, with or without concurrent work on the track	27/08	the track having been taken-up (E01B 27/11 takes precedence)	27/10	without taking-up track (E01B 27/11 takes precedence)	27/102	{Removing unwanted material without removing the ballast}	27/105	{the track having been lifted}	27/107	{along between the tracks only}	27/11	combined with concurrent renewal of track components	27/12	Packing sleepers, with or without concurrent work on the track; Compacting track-carrying ballast	27/13	Packing sleepers, with or without concurrent work on the track (preforming ballast cores or seats for sleepers E01B 27/02)	27/14	Manual tools or hand-held power tools therefor	27/16	Sleeper-tamping machines	27/17	combined with means for lifting, levelling or slewing the track	27/18	by introducing additional fresh material under the sleepers, e.g. by the measured-shovel method, by the blowing method	27/20	Compacting the material of the track-carrying ballastway, e.g. by vibrating the track, by surface vibrators (of trackless ballastway E01B 27/02; for packing sleepers E01B 27/12)	29/00	Laying, rebuilding, or taking-up tracks; Tools or machines therefor (E01B 27/00, E01B 31/00 take precedence)	29/005	{Making of concrete parts of the track in situ}	29/02	Transporting, laying, removing, or renewing lengths of assembled track, assembled switches, or assembled crossings (E01B 29/04 takes precedence)	29/04	Lifting or levelling of tracks (lifting devices in general B66F)
25/00	Tracks for special kinds of railways (systems B61B; wheel tracks on roads E01C 9/02)	25/02	Tracks for rack railways	25/04	Rack rails; Supports or connections for rack rails	25/06	Switches; Frogs; Crossings	25/08	Tracks for mono-rails with centre of gravity of vehicle above the load-bearing rail	25/10	Mono-rails; Auxiliary balancing rails; Supports or connections for rails	25/12	Switches; Crossings	25/14	Tracks for cable-drawn railway vehicles	25/15	Switches; Crossings	25/16	Tracks for aerial rope railways with a stationary rope	25/18	Ropers; Supports, fastening or straining means for ropes (ropes in general D07B; masts E04H 12/00; ropes sockets F16G)	25/20	Switches; Crossings	25/22	Tracks for railways with the vehicle suspended from rigid supporting rails	25/24	Supporting rails; Auxiliary balancing rails; Supports or connections for rails	25/26	Switches; Crossings	25/28	Rail tracks for guiding vehicles when running on road or similar surface (wheel tracks on roads E01C 9/02)	25/30	Tracks for magnetic suspension or levitation vehicles	25/305	{Rails or supporting constructions}	25/32	Stators, guide rails or slide rails	25/34	Switches; Frogs; Crossings	26/00	Tracks or track components not covered by any one of the preceding groups	26/005	{Means for fixing posts, barriers, fences or the like to rails}																												

29/05	• Transporting, laying, removing, or renewing both rails and sleepers ( <a href="#">as assembled units E01B 29/02</a> )	31/06	• • Making holes, e.g. by drilling, punching, flame-cutting
29/06	• Transporting, laying, removing or renewing sleepers ( <a href="#">E01B 29/05 takes precedence; carrying devices B65G 7/12</a> )	31/08	• • Bending, e.g. for straightening rails or rail joints ( <a href="#">for aligning rail ends to be welded E01B 29/46</a> )
29/09	• • under, or from under, installed rails	31/12	• • Removing metal from rails, rail joints, or baseplates, e.g. for deburring welds, reconditioning worn rails
29/10	• • • for inserting or removing sleepers	31/13	• • • by milling
29/11	• • • Removal involving destruction of the sleeper, e.g. the sectioning thereof	31/15	• • • by planing or filing
29/13	• • • for moving sleepers in a direction parallel to the rails, e.g. for spacing or aligning them ( <a href="#">E01B 29/10 takes precedence</a> )	31/17	• • • by grinding
29/14	• • • for lifting sleepers up to the rails ( <a href="#">lifting devices in general B66F</a> )	31/175	• • • { <a href="#">using grinding belts</a> }
29/16	• Transporting, laying, removing, or replacing rails; Moving rails placed on sleepers in the track ( <a href="#">E01B 29/05 takes precedence; moving or tilting heavy loads in general B65G 7/00</a> )	31/18	• • Reconditioning or repairing worn or damaged parts on the spot, e.g. applying inlays, building-up rails by welding ( <a href="#">E01B 31/04 - E01B 31/12 take precedence</a> ); Heating or cooling of parts on the spot, e.g. for reducing joint gaps, for hardening rails
29/17	• • Lengths of rails assembled into strings, e.g. welded together	31/20	• Working or treating non-metal sleepers in or on the line, e.g. marking, creosoting ( <a href="#">working metal sleepers E01B 31/02</a> )
29/20	• • Moving rails placed on installed sleepers in the plane track	31/22	• • Cutting or grinding wooden sleepers, e.g. for forming rail seats ( <a href="#">E01B 31/24 takes precedence</a> )
29/22	• • Raising rails from sleepers, e.g. for inserting sole-plates ( <a href="#">lifting devices in general B66F</a> )	31/23	• • • Sectioning ( <a href="#">combined with removal of segments from track E01B 29/11</a> )
29/24	• Fixing or removing detachable fastening means or accessories thereof; Pre-assembling track components by detachable fastening means ( <a href="#">E01B 29/02, E01B 31/26 take precedence</a> )	31/24	• • Forming, treating, reconditioning, or cleaning holes in sleepers; Drilling-templates ( <a href="#">E01B 29/28, E01B 31/26 take precedence</a> )
29/26	• • the fastening means being spikes ( <a href="#">E01B 29/16 takes precedence; hand-held tools for nail or staple driving or extracting B25C</a> )	31/26	• • Inserting or removing inserts or fillings for holes in sleepers, e.g. plugs, sleeves
29/28	• • the fastening means being of screw-and-nut type ( <a href="#">portable apparatus for fixing or removing screws or the like B25B</a> ); Apparatus therefor, adapted to additionally drilling holes	31/28	• • Applying or removing anti-splitting or like reinforcing means ( <a href="#">E01B 31/26 takes precedence; straps or bands therefor E01B 3/08</a> )
29/29	• • • for horizontally-arranged fastening elements, e.g. fish-bolts	<b>33/00</b>	<b>Machines or devices for shifting tracks, with or without lifting, e.g. for aligning track, for shifting excavator track (<a href="#">combined with sleeper packing machines E01B 27/17</a>)</b>
29/32	• Installing or removing track components, not covered by the preceding groups, e.g. sole-plates, rail anchors ( <a href="#">E01B 31/26 takes precedence</a> )	33/02	• for slewing, i.e. transversely shifting, in steps
29/40	• Means or arrangements for temporarily supporting laid tracks, or rails or sleepers in the track ( <a href="#">temporary fishplates E01B 11/18</a> )	33/04	• • Manual tools; Devices not mounted on vehicles
29/42	• Undetachably joining or fastening track components in or on the track, e.g. by welding, by gluing; Pre-assembling track components by gluing; Sealing joints with filling components ( <a href="#">E01B 31/26 takes precedence; independent heating means E01B 31/18; welding in general B23K; gluing metal parts in general F16B 11/00</a> )	33/06	• for slewing in a continuous operation, e.g. for tracks which carry excavators
29/44	• • Methods for effecting joining of rails in the track, e.g. taking account of ambient temperature	33/08	• • Boom track-slewing machines
29/46	• • Devices for holding, positioning, or urging together the rail ends ( <a href="#">adjusting the joint by moving rails E01B 29/20</a> )	33/10	• • Bridge track-slewing machines
<b>31/00</b>	<b>Working rails, sleepers, baseplates, or the like, in or on the line; Machines, tools, or auxiliary devices specially designed therefor (<a href="#">characterised by features independent of use on assembled track B21, B23 - B25, B27</a>)</b>	33/12	• • Combined boom and bridge track-slewing machines
31/02	• Working rail or other metal track components on the spot	33/18	• • Details not peculiar to a particular type of machine
31/04	• • Sectioning or slitting, e.g. by sawing, shearing, flame-cutting	33/21	• • • Arrangement or construction of rollers moving the rails
		<b>35/00</b>	<b>Applications of measuring apparatus or devices for track-building purposes (<a href="#">apparatus on locomotives or cars to indicate or record bad track sections B61K 9/00; measuring angles, linear dimensions, or irregularities in general G01B, G01C</a>)</b>
		35/02	• for spacing, for cross levelling; for laying-out curves
		35/04	• • Wheeled apparatus
		35/06	• for measuring irregularities in longitudinal direction
		35/08	• • for levelling
		35/10	• • for aligning
		35/12	• for measuring movement of the track or of the components thereof under rolling loads, e.g. depression of sleepers, increase of gauge



**37/00 Making, maintaining, renewing, or taking-up the ballastway or the track, not provided for in a single one of groups E01B 27/00 - E01B 35/00**

**2201/00 Fastening or restraining methods**

- 2201/02 . by wedging action
- 2201/04 . by bolting, nailing or the like
- 2201/06 . by eccentric or levering action
- 2201/08 . by plastic or elastic deformation of fastener
- 2201/10 . in alternative ways, e.g. glueing, welding, form-fits

**Making, maintaining, renewing, or taking-up the ballastway or the track; Tools or machines specially designed therefor (derailing or rereiling of machines B61K 5/00; removal of foreign matter from the permanent way, vegetation control applying liquids E01H)**

**2202/00 Characteristics of moving parts of rail systems, e.g. switches, special frogs, tongues**

- 2202/02 . Nature of the movement
- 2202/021 . . Turning or tilting or elastically bending
- 2202/022 . . . about horizontal axis
- 2202/024 . . . about vertical axis
- 2202/025 . . Pure translation
- 2202/027 . . Including a component perpendicular to the plane of the rails
- 2202/028 . . . Movement along an inclined surface
- 2202/04 . Nature of the support or bearing
- 2202/042 . . Sliding
- 2202/044 . . Rolling
- 2202/046 . . . with rolls on fixed part
- 2202/048 . . . with rolls on moving part
- 2202/06 . . Use of friction-reducing surfaces
- 2202/08 . Locking devices or mechanisms for inhibiting movement

**2203/00 Devices for working the railway-superstructure**

- 2203/01 . with track
- 2203/012 . . present, i.e. in its normal position
- 2203/015 . . present but lifted
- 2203/017 . . removed or not present yet
- 2203/02 . Removing or re-contouring ballast
- 2203/021 . . Blowing
- 2203/022 . . Horizontal chain
- 2203/024 . . Inclined chain
- 2203/025 . . Suction
- 2203/027 . . Sweeping
- 2203/028 . . Alternative ways
- 2203/03 . Displacing or storing ballast
- 2203/032 . . with special use or configuration of conveyor belts
- 2203/034 . . using storing containers
- 2203/036 . . . fixed to vehicle
- 2203/038 . . . detachable from the vehicle
- 2203/04 . Cleaning or reconditioning ballast or ground beneath
- 2203/042 . . in situ, e.g. vacuum-cleaners
- 2203/045 . . the ballast having been taken up
- 2203/047 . . Adding material, e.g. tar, glue, protective layers
- 2203/06 . Placing ballast
- 2203/062 . . New ballast
- 2203/065 . . Re-use of ballast
- 2203/067 . . Special methods for posing or quantifying ballast

- 2203/08 . Levelling ballast or ground beneath
- 2203/083 . . Ploughs
- 2203/086 . . Rotating brooms
- 2203/10 . Track-lifting or-lining devices or methods
- 2203/12 . Tamping devices
- 2203/122 . . for straight track
- 2203/125 . . adapted for switches or crossings
- 2203/127 . . vibrating the track surface
- 2203/14 . Way of locomotion or support
- 2203/141 . . on the track to be treated
- 2203/143 . . on a side-track
- 2203/145 . . on the ballast
- 2203/146 . . using other means than driven wheels as propulsion means
- 2203/148 . . having wheelsets that can be displaced horizontally or vertically
- 2203/15 . Reducing impact of devices on environment
- 2203/16 . Guiding or measuring means, e.g. for alignment, canting, stepwise propagation
- 2203/17 . continually advancing
- 2204/00 Characteristics of the track and its foundations**
- 2204/01 . Elastic layers other than rail-pads, e.g. sleeper-shoes, bituconcrete
- 2204/02 . Ballast bags
- 2204/03 . Injecting, mixing or spraying additives into or onto ballast or underground
- 2204/04 . Direct mechanical or chemical fixing of sleepers onto underground
- 2204/05 . Use of geotextiles
- 2204/06 . Height or lateral adjustment means or positioning means for slabs, sleepers or rails
- 2204/07 . Drainage
- 2204/08 . Deep or vertical foundation
- 2204/09 . Ballastless systems
- 2204/10 . Making longitudinal or transverse sleepers or slabs in situ or embedding them
- 2204/11 . Embedded tracks, using prefab elements or injecting or pouring a curable material
- 2204/12 . Floating rails or sleepers
- 2204/13 . Dowels for slabs, sleepers or rail-fixings
- 2204/14 . Vegetation on or around railway-tracks
- 2204/15 . Layout or geometry of the track
- 2204/16 . Specific granulometry of the ballast

**2205/00 Electrical insulation of railway track parts**