

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

SHAPING

B29 **WORKING OF PLASTICS; WORKING OF SUBSTANCES IN A PLASTIC STATE, IN GENERAL** (processing doughs [A21C](#); working chocolate [A23G](#); casting of metals [B22](#); working cement, clay [B28](#); chemical aspects, see section [C](#), particularly [C08](#); working glass [C03B](#); candle making [C11C 5/02](#); making soap [C11D 13/00](#); manufacture of artificial filaments, threads, fibres, bristles or ribbons [D01D](#), [D01F](#); manufacture of articles from cellulosic fibrous suspensions or from papier-mâché [D21J](#))

(NOTES omitted)

B29K **INDEXING SCHEME ASSOCIATED WITH SUBCLASSES [B29B](#), [B29C](#) OR [B29D](#), RELATING TO MOULDING MATERIALS**

NOTES

1. This subclass constitutes an indexing scheme associated with subclasses [B29B](#), [B29C](#) or [B29D](#).
2. In this subclass, the following term is used with the meaning indicated:
 - "rubber" covers:
 - a. natural or conjugated diene rubbers;
 - b. rubber in general (for a specific rubber, other than a natural rubber or a conjugated diene rubber, see the group provided for such macromolecular compounds)
3. Documents relating to compositions or properties of the materials to be shaped, said compositions having a particular influence on the shaping technique, should be classified in the shaping technique, e.g. [B29C 39/003](#), [B29C 41/003](#), [B29C 43/003](#), [B29C 45/0001](#), [B29C 47/0004](#), [B29C 49/0005](#), [B29C 51/002](#), [B29C 53/005](#), [B29C 55/005](#), [B29C 61/003](#), [B29C 63/0017](#) and **B2965/00S**

Copolymers are indexed with the same indexing code as the majority polymers

WARNINGS

1. The following IPC indexing codes are not being used: [B29K 105/02](#), [B29K 105/22](#), [B29K 105/28](#), [B29K 105/30](#), [B29K 105/32](#) and [B29K 105/34](#)
 The aspect of [B29K 105/02](#) is covered by [B29K 2995/0064](#)
 The aspect of [B29K 105/22](#) is covered by [B29K 2705/00](#)
 The aspect of [B29K 105/28](#) is covered by [B29K 2995/0025](#)
 The aspect of [B29K 105/30](#) is covered by [B29K 2995/003](#)
 The aspect of [B29K 105/32](#) is covered by [B29K 2995/0026](#)
 The aspects of [B29K 105/34](#) are covered by [B29K 2995/002](#), [B29K 2995/0007](#) and [B29K 2995/0015](#)
 Subclass indexes
 Compositions for moulding materials, condition, form or state of moulded material: **B29K1/00 - B29K105/00**
 Compositions for reinforcements: **B29K201/00 - B29K313/00**
 Compositions for fillers: **B29K401/00 - B29K511/00**
 Compositions for preformed parts: **B29K601/00 - B29K713/00**
 Compositions for moulds: **B29K801/00 - B29K913/00**
 Properties of moulding materials, reinforcements, fillers, preformed parts or moulds: **B29K995/00**
 Compositions for moulding materials;
 Condition, form or state of moulded material

B29K

B29K

(continued)

2. From the date indicated below, the following groups have been deleted from the classification scheme. The documents of these groups have been transferred to the new groups as follows :

B29K105/28 transferred to [B29K 2995/0025](#)

B29K105/30 transferred to [B29K 2995/003](#)

B29K105/32 transferred to [B29K 2995/0026](#)

B29K105/34 transferred to [B29K 2995/002](#), [B29K 2995/0007](#), **B29K00D4**

2001/00	Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as moulding material {(as such C08L 1/00)}	2023/10	. {Polymers of propylene (as such C08L 23/10)}
2001/08	. {Cellulose derivatives (as such C08L 1/08)}	2023/12	. . {PP, i.e. polypropylene (as such C08L 23/12)}
2001/12	. . {Cellulose acetate (as such C08L 1/12)}	2023/14	. . {Copolymers of polypropylene (as such C08L 23/14 ; B29K 2023/16 takes precedence)}
2001/14	. . {Cellulose acetate-butyrate (as such C08L 1/14)}	2023/16	. {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such C08L 23/16)}
2001/18	. . {Cellulose nitrate (as such C08L 1/18)}	2023/18	. {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such C08L 23/18)}
2003/00	Use of {starch or derivatives as moulding material (as such C08L 3/00)}	2023/22	. . {Copolymers of isobutene, e.g. butyl rubber (as such C08L 23/22)}
2005/00	{Polysaccharides or derivatives (as such C08L 5/00)}	2023/38	. {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
2007/00	Use of natural rubber as moulding material {(as such C08L 7/00)}	2025/00	Use of polymers of vinyl-aromatic compounds {or derivatives thereof} as moulding material {(as such C08L 25/00)}
2009/00	Use of rubber derived from conjugated dienes, as moulding material {(as such C08L 9/00)}	2025/04	. {Polymers of styrene (as such C08L 25/04)}
2009/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such C08L 9/06)}	2025/06	. . {PS, i.e. polystyrene (as such C08L 25/06)}
2011/00	Use of {rubber derived from chloroprene as moulding material (as such C08L 11/00)}	2025/08	. . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such C08L 25/08 ; B29K 2055/02 takes precedence)}
2019/00	Use of rubber not provided for in a single one of main groups B29K 2007/00 - {B29K 2011/00}, as moulding material	2027/00	Use of polyvinylhalogenides {or derivatives thereof} as moulding material {(as such C08L 27/00)}
2021/00	Use of {unspecified rubbers as moulding material (as such C08L 21/00)}	2027/06	. {PVC, i.e. polyvinylchloride (as such C08L 27/06)}
2021/003	. {Thermoplastic elastomers}	2027/08	. {PVDC, i.e. polyvinylidene chloride (as such C08L 27/08)}
2021/006	. {Thermosetting elastomers}	2027/12	. containing fluorine {(as such C08L 27/12)}
2023/00	Use of polyalkenes {or derivatives thereof} as moulding material {(as such C08L 23/00)}	2027/14	. . {PVF, i.e. polyvinyl fluoride (as such C08L 27/14)}
2023/04	. {Polymers of ethylene (as such C08L 23/04)}	2027/16	. . {PVDF, i.e. polyvinylidene fluoride (as such C08L 27/16)}
2023/06	. . {PE, i.e. polyethylene (as such C08L 23/06)}	2027/18	. . PTFE, i.e. polytetrafluorethene {(as such C08L 27/18), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
2023/0608	. . . {characterised by its density}	2029/00	Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof} as moulding material {(as such C08L 29/00)}
2023/0616 {VLDPE, i.e. very low density polyethylene}	2029/04	. {PVOH, i.e. polyvinyl alcohol (as such C08L 29/04 ; B29K 2031/04 takes precedence)}
2023/0625 {LLDPE, i.e. linear low density polyethylene}	2029/14	. {Polyvinylacetals}
2023/0633 {LDPE, i.e. low density polyethylene}	2031/00	Use of polyvinylesters {or derivatives thereof} as moulding material {(as such C08L 31/00)}
2023/0641 {MDPE, i.e. medium density polyethylene}	2031/04	. {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such C08L 31/04)}
2023/065 {HDPE, i.e. high density polyethylene}	2033/00	Use of polymers of unsaturated acids or derivatives thereof as moulding material {(as such C08L 33/00 ; B29K 2035/00 takes precedence)}
2023/0658	. . . {characterised by its molecular weight}	2033/04	. Polymers of esters {(as such C08L 33/04)}
2023/0666 {ULMWPE, i.e. ultra low molecular weight polyethylene}		
2023/0675 {HMWPE, i.e. high molecular weight polyethylene}		
2023/0683 {UHMWPE, i.e. ultra high molecular weight polyethylene}		
2023/0691	. . . {PEX, i.e. crosslinked polyethylene}		
2023/08	. . {Use of copolymers of ethylene as moulding material (as such C08L 23/08 ; B29K 2023/16 takes precedence)}		
2023/083	. . . {EVA, i.e. ethylene vinyl acetate copolymer}		
2023/086	. . . {EVOH, i.e. ethylene vinyl alcohol copolymer}		

- 2033/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}
- 2033/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
- 2033/18 . Polymers of nitriles {(as such [C08L 33/18](#))}
- 2033/20 . . PAN, i.e. polyacrylonitrile {(as such [C08L 33/20](#))}
- 2033/26 . {Polymers of acrylamide or methacrylamide (as such [C08L 33/26](#))}
- 2035/00 Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} as moulding material {(as such [C08L 35/00](#))}**
- 2039/00 {Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof as moulding material (as such [C08L 39/00](#))}**
- 2039/06 . {Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))}
- 2039/08 . {Polymers of vinyl-pyridine (as such [C08L 39/08](#))}
- 2045/00 Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, as moulding material {(as such [C08L 45/00](#))}**
- 2049/00 {Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, as moulding material (as such [C08L 49/00](#))}**
- 2055/00 Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups [B29K 2023/00](#) - [B29K 49/00](#), e.g. having a vinyl group), as moulding material {(as such [C08L 55/00](#))}**
- 2055/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such [C08L 55/02](#))}
- 2059/00 Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, as moulding material {(as such [C08L 59/00](#))}**
- 2061/00 Use of condensation polymers of aldehydes or ketones {or derivatives thereof} as moulding material {(as such [C08L 61/00](#))}**
- 2061/04 . Phenoplasts {(as such [C08L 61/04](#))}
- 2061/20 . Aminoplasts {(as such [C08L 61/20](#))}
- 2063/00 Use of {EP, i.e.} epoxy resins {or derivatives thereof} as moulding material {(as such [C08L 63/00](#))}**
- 2065/00 {Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)) as moulding material}**
- 2067/00 Use of polyesters {or derivatives thereof} as moulding material {(as such [C08L 67/00](#))}**
- 2067/003 . {PET, i.e. polyethylene terephthalate}
- 2067/006 . {PBT, i.e. polybutylene terephthalate}
- 2067/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
- 2067/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2067/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2067/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2069/00 Use of {PC, i.e.} polycarbonates {or derivatives thereof} as moulding material {(as such [C08L 69/00](#))}**
- 2071/00 Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof} as moulding material {(as such [C08L 71/00](#))}**
- 2071/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))}
- 2071/12 . {PPO, i.e. polyphenylene oxide (as such [C08L 71/12](#)); PPE, i.e. polyphenylene ether}
- 2073/00 Use of other polymers having oxygen as the only hetero atom in the main chain as moulding material {(as such [C08L 73/00](#))}**
- 2075/00 Use of {PU, i.e.} polyureas or polyurethanes {or derivatives thereof} as moulding material {(as such [C08L 75/00](#))}**
- 2075/02 . {Polyureas (as such [C08L 75/02](#))}
- 2077/00 Use of {PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof} as moulding material {(as such [C08L 77/00](#))}**
- 2077/10 . {Aromatic polyamides (Polyaramides) or derivatives thereof (such as [C08L 77/10](#))}
- 2079/00 Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain {not provided for in groups [B29K 2061/00](#) - [B29K 2077/00](#)}, as moulding material {(as such [C08L 79/00](#))}**
- 2079/08 . {PI, i.e. polyimides or derivatives thereof (as such [C08L 79/08](#))}
- 2079/085 . . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
- 2081/00 Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as moulding material {(as such [C08L 81/00](#))}**
- 2081/04 . {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such [C08L 81/04](#))}
- 2081/06 . {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such [C08L 81/06](#))}
- 2083/00 Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as moulding material {(as such [C08L 83/00](#))}**
- 2083/005 . {Liquid Silicone Rubbers [LSR] or derivatives thereof}
- 2085/00 Use of polymers having other elements {than silicon, sulfur, nitrogen, oxygen, and carbon} in the main chain, as moulding material {(as such [C08L 85/00](#))}**
- 2086/00 Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups [B29K 2059/00](#) - [B29K 2085/00](#), as moulding material**

2089/00	{Use of proteins, e.g. casein, gelatine or derivatives thereof, as moulding material (as such C08L 89/00)}	2105/007	. . {Paste, dough}
2091/00	Use of waxes as moulding material {(as such C08L 91/06)}	2105/0073	. . {Solution}
2093/00	{Use of natural resins (as such C08L 93/00), e.g. shellac (as such C08L 93/02) or derivatives thereof, as moulding material (B29K 2001/00, B29K 2003/00, B29K 2005/00, B29K 2007/00 and B29K 2089/00 take precedence)}	2105/0076	. {Microcapsules}
2095/00	Use of bituminous materials as moulding material {(as such C08L 95/00)}	2105/0079	. {Liquid crystals}
2096/00	Use of specified macromolecular materials not provided for in a single one of main groups B29K 2001/00 - B29K 2095/00, as moulding material	2105/0082	. {Plasma}
2096/005	. {Ionomers}	2105/0085	. {Copolymers}
2096/02	. Graft polymers (B29K 2055/02 takes precedence)	2105/0088	. {Blends of polymers}
2096/04	. Block polymers (B29K 2055/02 takes precedence)	2105/0091	. . {IPN, i.e. interpenetrating polymer networks}
2101/00	Use of unspecified macromolecular compounds as moulding material (unspecified rubbers B29K 2021/00 ; as such C08L 101/00)	2105/0094	. {having particular viscosity}
2101/10	. Thermosetting resins	2105/0097	. {Glues, adhesives, e.g. hot melts, thermofusible adhesives}
2101/12	. Thermoplastic materials	2105/02	. heat-shrinkable
2103/00	Use of resin-bonded materials as moulding material	2105/04	. cellular or porous
2103/04	. Inorganic materials	2105/041	. . {Microporous}
2103/06	. . Metal powders, metal carbides or the like	2105/043	. . {Skinned foam}
2103/08	. . Mineral aggregates, e.g. sand, clay or the like	2105/045	. . {with open cells}
2105/00	Condition, form or state of moulded material {or of the material to be shaped}	2105/046	. . {with closed cells}
2105/0002	. {monomers or prepolymers}	2105/048	. . {Expandable particles, beads or granules}
2105/0005	. {containing compounding ingredients (releasing, lubricating or separating agents B29C 33/56 , fibers B29K 2105/08 , B29K 2105/12 ; fillers B29K 2105/16 , recycled material B29K 2105/26)}	2105/06	. containing reinforcements, fillers or inserts
2105/0008	. . {Anti-static agents}	2105/065	. . {containing impurities}
2105/0011	. . {Biocides}	2105/08	. . of continuous length, e.g. cords, rovings, mats, fabrics, strands, yarns
2105/0014	. . {Catalysts}	2105/0809	. . . {Fabrics}
2105/0017	. . {Agents activating degradation}	2105/0818 {Fleece}
2105/002	. . {Agents changing electric characteristics}	2105/0827 {Braided fabrics}
2105/0023	. . . {improving electric conduction}	2105/0836 {Knitted fabrics}
2105/0026	. . {Flame proofing or flame retarding agents}	2105/0845 {Woven fabrics}
2105/0029	. . {Perfuming, odour masking or flavouring agents}	2105/0854	. . . {in the form of a non-woven mat}
2105/0032	. . {Pigments, colouring agents or opacifying agents}	2105/0863 {Sheet moulding compound [SMC]}
2105/0035	. . {Medical or pharmaceutical agents}	2105/0872	. . . {Prepregs}
2105/0038	. . {Plasticisers}	2105/0881 {unidirectional}
2105/0041	. . {Anti-odorant agents, e.g. active carbon}	2105/089 {fabric}
2105/0044	. . {Stabilisers, e.g. against oxydation, light, heat}	2105/10	. . . {Cords, strands or rovings, e.g.} oriented {cords, strands or rovings}
2105/0047	. . {Agents changing thermal characteristics}	2105/101 {oriented}
2105/005	. . . {Heat sensitisers or absorbers}	2105/102 {circferentially}
2105/0052	. . {Tracing elements, e.g. to detect the origin of articles}	2105/103 {helically}
2105/0055	. {Gaseous}	2105/105 {uni directionally}
2105/0058	. {Liquid or visquous}	2105/106 {longitudinally}
2105/0061	. . {Gel or sol}	2105/107 {transversally, i.e. perpendicular to the 2D reinforcement direction}
2105/0064	. . {Latex, emulsion or dispersion}	2105/108 {arranged in parallel planes and crossing at substantial angles (B29K 2105/206 takes precedence)}
2105/0067	. . {Melt}	2105/12	. . of short lengths, e.g. chopped filaments, staple fibres, bristles
		2105/122	. . . {microfibres, nanofibres}
		2105/124 {nanofibres}
		2105/126	. . . {Whiskers, i.e. reinforcement in the form of monocrystals}
		2105/128	. . . {in the form of a mat}
		2105/14	. . . oriented
		2105/145 {and crossing at substantial angles}
		2105/16	. . Fillers
		2105/162	. . . {Nanoparticles}
		2105/165	. . . {Hollow fillers, e.g. microballoons, expanded particles}
		2105/167 {Nanotubes}
		2105/18	. . . oriented
		2105/20	. . Inserts
		2105/203	. . . {Magnetic parts}
		2105/206	. . . {Meshes, lattices, nets}

- 2105/24 . crosslinked or vulcanised
- 2105/243 . . {Partially cured}
- 2105/246 . . {Uncured, e.g. green}
- 2105/25 . {Solid}
- 2105/251 . . {Particles, powder, granules (expandable particles [B29K 2105/046](#))}
- 2105/253 . . {Preform}
- 2105/255 . . . {Block, tablet}
- 2105/256 . . . {Sheet, plate, blank, film}
- 2105/258 . . . {tubular}
- 2105/26 . Scrap {recycled material}
- 2201/00 Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as reinforcement {(as such [C08L 1/00](#))}**
- NOTE**
- Copolymers are indexed with the same indexing code as the majority polymers
- 2201/08 . {Cellulose derivatives (as such [C08L 1/08](#))}
- 2201/12 . . {Cellulose acetate (as such [C08L 1/12](#))}
- 2201/14 . . {Cellulose acetate-butyrate (as such [C08L 1/14](#))}
- 2201/18 . . {Cellulose nitrate (as such [C08L 1/18](#))}
- 2203/00 Use of {starch or derivatives as reinforcement (as such [C08L 3/00](#))}**
- 2205/00 {Polysaccharides or derivatives (as such [C08L 5/00](#))}**
- 2207/00 Use of natural rubber as reinforcement {(as such [C08L 7/00](#))}**
- 2209/00 Use of rubber derived from conjugated dienes as reinforcement {(as such [C08L 9/00](#))}**
- 2209/06 . {SBR}, i.e. butadiene-styrene {rubbers (as such [C08L 9/06](#))}
- 2211/00 Use of {rubber derived from chloroprene as reinforcement (as such [C08L 11/00](#))}**
- 2219/00 Use of rubber not provided for in a single one of main groups [B29K 2207/00](#) - {[B29K 2211/00](#)}, as reinforcement**
- 2221/00 Use of {unspecified rubbers as reinforcement (as such [C08L 21/00](#))}**
- 2221/003 . {Thermoplastic elastomers}
- 2221/006 . {Thermosetting elastomers}
- 2223/00 Use of polyalkenes {or derivatives thereof} as reinforcement {(as such [C08L 23/00](#))}**
- 2223/04 . {Polymers of ethylene (as such [C08L 23/04](#))}
- 2223/06 . . {PE, i.e. polyethylene (as such [C08L 23/06](#))}
- 2223/0608 . . . {characterised by its density}
- 2223/0616 {VLDPE, i.e. very low density polyethylene}
- 2223/0625 {LLDPE, i.e. linear low density polyethylene}
- 2223/0633 {LDPE, i.e. low density polyethylene}
- 2223/0641 {MDPE, i.e. medium density polyethylene}
- 2223/065 {HDPE, i.e. high density polyethylene}
- 2223/0658 . . . {characterised by its molecular weight}
- 2223/0666 {ULMWPE, i.e. ultra low molecular weight polyethylene}
- 2223/0675 {HMWPE, i.e. high molecular weight polyethylene}
- 2223/0683 {UHMWPE, i.e. ultra high molecular weight polyethylene}
- 2223/0691 . . . {PEX, i.e. crosslinked polyethylene}
- 2223/08 . . {Use of copolymers of ethylene as reinforcement (as such [C08L 23/08](#); [B29K 2223/16](#) takes precedence)}
- 2223/083 . . . {EVA, i.e. ethylene vinyl acetate copolymer}
- 2223/086 . . . {EVOH, i.e. ethylene vinyl alcohol copolymer}
- 2223/10 . {Polymers of propylene (as such [C08L 23/10](#))}
- 2223/12 . . {PP, i.e. polypropylene (as such [C08L 23/12](#))}
- 2223/14 . . {Copolymers of polypropylene (as such [C08L 23/14](#); [B29K 2023/16](#) takes precedence)}
- 2223/16 . {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such [C08L 23/16](#))}
- 2223/18 . {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such [C08L 23/18](#))}
- 2223/22 . . {Copolymers of isobutene, e.g. butyl rubber (as such [C08L 23/22](#))}
- 2223/38 . {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
- 2225/00 Use of polymers of vinyl-aromatic compounds {or derivatives thereof} as reinforcement {(as such [C08L 25/00](#))}**
- 2225/04 . {Polymers of styrene (as such [C08L 25/04](#))}
- 2225/06 . . {PS, i.e. polystyrene (as such [C08L 25/06](#))}
- 2225/08 . . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such [C08L 25/08](#); [B29K 2255/02](#) takes precedence)}
- 2227/00 Use of polyvinylhalogenides {or derivatives thereof} as reinforcement {(as such [C08L 27/00](#))}**
- 2227/06 . PVC, i.e. polyvinylchloride {(as such [C08L 27/06](#))}
- 2227/08 . {PVDC, i.e. polyvinylidene chloride (as such [C08L 27/08](#))}
- 2227/12 . containing fluorine {(as such [C08L 27/12](#))}
- 2227/14 . . {PVF, i.e. polyvinyl fluoride (as such [C08L 27/14](#))}
- 2227/16 . . {PVDF, i.e. polyvinylidene fluoride (as such [C08L 27/16](#))}
- 2227/18 . . PTFE, i.e. polytetrafluorethene {(as such [C08L 27/18](#)), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
- 2229/00 Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof}, as reinforcement {(as such [C08L 29/00](#))}**
- 2229/04 . {PVOH, i.e. polyvinyl alcohol (as such [C08L 29/04](#); [B29K 2231/04](#) takes precedence)}
- 2229/14 . {Polyvinylacetals}
- 2231/00 Use of polyvinylesters {or derivatives thereof} as reinforcement {(as such [C08L 31/00](#))}**
- 2231/04 . {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such [C08L 31/04](#))}
- 2233/00 Use of polymers of unsaturated acids or derivatives thereof as reinforcement {(as such [C08L 33/00](#))} ([B29K 2035/00](#) takes precedence)**
- 2233/04 . Polymers of esters {(as such [C08L 33/04](#))}
- 2233/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}

- 2233/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
- 2233/18 . Polymers of nitriles {(as such [C08L 33/18](#))}
- 2233/20 . . PAN, i.e. polyacrylonitrile {(as such [C08L 33/20](#))}
- 2233/26 . {Polymers of acrylamide or methacrylamide (as such [C08L 33/26](#))}
- 2235/00** Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} as reinforcement {(as such [C08L 35/00](#))}
- 2239/00** {Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, as reinforcement (as such [C08L 39/00](#))}
- 2239/06 . {Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))}
- 2239/08 . {Polymers of vinyl-pyridine (as such [C08L 39/08](#))}
- 2245/00** Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, as reinforcement {(as such [C08L 45/00](#))}
- 2249/00** {Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to-carbon triple bonds or derivatives thereof, as reinforcement (as such [C08L 49/00](#))}
- 2255/00** Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups [B29K 2223/00](#) - [B29K 2249/00](#), e.g. having a vinyl group}, as reinforcement {(as such [C08L 55/00](#))}
- 2255/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such [C08L 55/02](#))}
- 2259/00** Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, as reinforcement {(as such [C08L 59/00](#))}
- 2261/00** Use of condensation polymers of aldehydes or ketones {or derivatives thereof}, as reinforcement {(as such [C08L 61/00](#))}
- 2261/04 . Phenoplasts {(as such [C08L 61/04](#))}
- 2261/20 . Aminoplasts {(as such [C08L 61/20](#))}
- 2263/00** Use of {EP, i.e.} epoxy resins {or derivatives thereof} as reinforcement {(as such [C08L 63/00](#))}
- 2265/00** {Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)), as reinforcement}
- 2267/00** Use of polyesters {or derivatives thereof} as reinforcement {(as such [C08L 67/00](#))}
- 2267/003 . {PET, i.e. polyethylene terephthalate}
- 2267/006 . {PBT, i.e. polybutylene terephthalate}
- 2267/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
- 2267/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2267/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2267/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2269/00** Use of {PC, i.e.} polycarbonates {or derivatives thereof} as reinforcement {(as such [C08L 69/00](#))}
- 2271/00** Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, as reinforcement {(as such [C08L 71/00](#))}
- 2271/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))}
- 2271/12 . {PPO, i.e. polyphenylene oxide (as such [C08L 71/12](#)); PPE, i.e. polyphenylene ether}
- 2273/00** Use of other polymers having oxygen as the only hetero atom in the main chain, as reinforcement {(as such [C08L 73/00](#))}
- 2275/00** Use of {PU, i.e.} polyureas or polyurethanes {or derivatives thereof}, as reinforcement {(as such [C08L 75/00](#))}
- 2275/02 . Polyureas {(as such [C08L 75/02](#))}
- 2277/00** Use of {PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof}, as reinforcement {(as such [C08L 77/00](#))}
- 2277/10 . {Aromatic polyamides (Polyaramides) or derivatives thereof (as such [C08L 77/10](#))}
- 2279/00** Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain {not provided for in groups [B29K 2261/00](#) - [B29K 2277/00](#)}, as reinforcement {(as such [C08L 79/00](#))}
- 2279/08 . {PI, i.e. polyimides or derivatives thereof (as such [C08L 79/08](#))}
- 2279/085 . . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
- 2281/00** Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as reinforcement {(as such [C08L 81/00](#))}
- 2281/04 . {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such [C08L 81/04](#))}
- 2281/06 . {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such [C08L 81/06](#))}
- 2283/00** Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as reinforcement {(as such [C08L 83/00](#))}
- 2283/005 . {Liquid Silicone Rubbers [LSR] or derivatives thereof}
- 2285/00** Use of polymers having other elements {than silicon, sulfur, nitrogen, oxygen, and carbon} in the main chain, as reinforcement {(as such [C08L 85/00](#))}
- 2286/00** Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups [B29K 2259/00](#) - [B29K 2285/00](#), as reinforcement
- 2289/00** {Use of proteins, e.g. casein, gelatine or derivatives thereof, as reinforcement (as such [C08L 89/00](#))}
- 2291/00** Use of waxes as reinforcement {(as such [C08L 91/06](#))}

2293/00	{Use of natural resins (as such C08L 93/00), e.g. shellac (as such C08L 93/02) or derivatives thereof, as reinforcement (B29K 2201/00, B29K 2203/00, B29K 2205/00, B29K 2207/00 and B29K 2289/00 take precedence)}	2311/12	. Paper, e.g. cardboard
2295/00	Use of bituminous materials, as reinforcement {(as such C08L 95/00)}	2311/123	. . {Coated}
2296/00	Use of specified macromolecular materials not provided for in a single one of main groups B29K 2201/00 - B29K 2295/00, as reinforcement	2311/126	. . {Impregnated}
2296/005	. {Ionomers}	2311/14	. Wood, e.g. woodboard, fibreboard
2296/02	. Graft polymers (B29K 2255/02 takes precedence)	2313/00	{Textile products, fabrics (B29K 2105/06 takes precedence)}
2296/04	. Block polymers (B29K 2255/02 takes precedence)	2313/02	. {coated}
2301/00	Use of unspecified macromolecular compounds as reinforcement (unspecified rubbers B29K 2221/00) {(as such C08L 101/00)}	2401/00	Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as filler {(as such C08L 1/00)}
2301/10	. Thermosetting resins	NOTE	
2301/12	. Thermoplastic materials		Copolymers are indexed with the same indexing code as the majority polymers
2303/00	Use of resin-bonded materials as reinforcement	2401/08	. {Cellulose derivatives (as such C08L 1/08)}
2303/04	. Inorganic materials	2401/12	. . {Cellulose acetate (as such C08L 1/12)}
2303/06	. . Metal powders, metal carbides or the like	2401/14	. . {Cellulose acetate-butyrate (as such C08L 1/14)}
2303/08	. . Mineral aggregates, e.g. sand, clay or the like	2401/18	. . {Cellulose nitrate (as such C08L 1/18)}
2305/00	Use of metals, their alloys or their compounds, as reinforcement	2403/00	Use of {starch or derivatives as filler (as such C08L 3/00)}
NOTE		2405/00	{Polysaccharides or derivatives (as such C08L 5/00)}
	Alloys or compounds of specified metals are indexed with the same code as the specified metals.	2407/00	Use of natural rubber as filler {(as such C08L 7/00)}
2305/02	. Aluminium	2409/00	Use of rubber derived from conjugated dienes as filler {(as such C08L 9/00)}
2305/04	. Lead	2409/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such C08L 9/06)}
2305/06	. Tin	2411/00	Use of {rubber derived from chloroprene as filler (as such C08L 11/00)}
2305/08	. Transition metals	2419/00	Use of rubber not provided for in a single one of main groups B29K 2407/00 - {B29K 2411/00}, as filler
2305/10	. . Copper	2421/00	Use of {unspecified rubbers as filler (as such C08L 21/00)}
2305/12	. . Iron	2421/003	. {Thermoplastic elastomers}
2305/14	. . {Noble metals, e.g. Silver, Gold, Platinum}	2421/006	. {Thermosetting elastomers}
2307/00	Use of elements other than metals as reinforcement	2423/00	Use of polyalkenes {or derivatives thereof} as filler {(as such C08L 23/00)}
2307/02	. Boron	2423/04	. {Polymers of ethylene (as such C08L 23/04)}
2307/04	. Carbon	2423/06	. . {PE, i.e. polyethylene (as such C08L 23/06)}
2307/045	. . {Diamond}	2423/0608	. . . {characterised by its density}
2309/00	Use of inorganic materials not provided for in groups B29K 2303/00 - B29K 2307/00, as reinforcement	2423/0616 {VLDPE, i.e. very low density polyethylene}
2309/02	. Ceramics	2423/0625 {LLDPE, i.e. linear low density polyethylene}
2309/04	. . Carbides; Nitrides	2423/0633 {LDPE, i.e. low density polyethylene}
2309/06	. Concrete	2423/0641 {MDPE, i.e. medium density polyethylene}
2309/08	. Glass	2423/065 {HDPE, i.e. high density polyethylene}
2309/10	. Mica	2423/0658	. . . {characterised by its molecular weight}
2309/12	. Asbestos	2423/0666 {ULMWPE, i.e. ultra low molecular weight polyethylene}
2309/14	. {Stones}	2423/0675 {HMWPE, i.e. high molecular weight polyethylene}
2311/00	Use of natural products or their composites, not provided for in groups B29K 2201/00 - B29K 2309/00, as reinforcement	2423/0683 {UHMWPE, i.e. ultra high molecular weight polyethylene}
2311/02	. Cork	2423/0691	. . . {PEX, i.e. crosslinked polyethylene}
2311/04	. Linoleum		
2311/06	. Bone, horn, ivory		
2311/08	. Leather		
2311/10	. Natural fibres, e.g. wool, cotton		

- 2423/08 . . {Use of copolymers of ethylene as filler (as such [C08L 23/08](#); [B29K 2423/16](#) takes precedence)}
- 2423/083 . . . {EVA, i.e. ethylene vinyl acetate copolymer}
- 2423/086 . . . {EVOH, i.e. ethylene vinyl alcohol copolymer}
- 2423/10 . {Polymers of propylene (as such [C08L 23/10](#))}
- 2423/12 . . {PP, i.e. polypropylene (as such [C08L 23/12](#))}
- 2423/14 . . {Copolymers of polypropylene (as such [C08L 23/14](#); [B29K 2423/16](#) takes precedence)}
- 2423/16 . {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such [C08L 23/16](#))}
- 2423/18 . {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such [C08L 23/18](#))}
- 2423/22 . . {Copolymers of isobutene, e.g. butyl rubber (as such [C08L 23/22](#))}
- 2423/38 . {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
- 2425/00 Use of polymers of vinyl-aromatic compounds {or derivatives thereof} as filler {(as such [C08L 25/00](#))}**
 - 2425/04 . {Polymers of styrene (as such [C08L 25/04](#))}
 - 2425/06 . . {PS, i.e. polystyrene (as such [C08L 25/06](#))}
 - 2425/08 . . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such [C08L 25/08](#); [B29K 2455/02](#) takes precedence)}
- 2427/00 Use of polyvinylhalogenides {or derivatives thereof} as filler {(as such [C08L 27/00](#))}**
 - 2427/06 . PVC, i.e. polyvinylchloride {(as such [C08L 27/06](#))}
 - 2427/08 . {PVDC, i.e. polyvinylidene chloride (as such [C08L 27/08](#))}
 - 2427/12 . containing fluorine {(as such [C08L 27/12](#))}
 - 2427/14 . . {PVF, i.e. polyvinyl fluoride (as such [C08L 27/14](#))}
 - 2427/16 . . {PVDF, i.e. polyvinylidene fluoride (as such [C08L 27/16](#))}
 - 2427/18 . . PTFE, i.e. polytetrafluorethene {(as such [C08L 27/18](#)), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
- 2429/00 Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof}, as filler {(as such [C08L 29/00](#))}**
 - 2429/04 . {PVOH, i.e. polyvinyl alcohol (as such [C08L 29/04](#); [B29K 2431/04](#) takes precedence)}
 - 2429/14 . {Polyvinylacetals}
- 2431/00 Use of polyvinylesters {or derivatives thereof} as filler {(as such [C08L 31/00](#))}**
 - 2431/04 . {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such [C08L 31/04](#))}
- 2433/00 Use of polymers of unsaturated acids or derivatives thereof as filler {(as such [C08L 33/00](#))}** ([B29K 2435/00](#) takes precedence)
 - 2433/04 . Polymers of esters {(as such [C08L 33/04](#))}
 - 2433/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}
 - 2433/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
 - 2433/18 . Polymers of nitriles {(as such [C08L 33/18](#))}
- 2433/20 . . PAN, i.e. polyacrylonitrile {(as such [C08L 33/20](#))}
- 2435/00 Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} as filler {(as such [C08L 35/00](#))}**
- 2439/00 {Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, as filler (as such [C08L 39/00](#))}**
 - 2439/06 . {Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))}
 - 2439/08 . {Polymers of vinyl-pyridine (as such [C08L 39/08](#))}
- 2445/00 Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, as filler {(as such [C08L 45/00](#))}**
- 2449/00 {Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, as filler (as such [C08L 49/00](#))}**
- 2455/00 Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups [B29K 2023/00](#) - [B29K 49/00](#), e.g. having a vinyl group, as filler {(as such [C08L 55/00](#))}**
 - 2455/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such [C08L 55/02](#))}
- 2459/00 Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, as filler {(as such [C08L 59/00](#))}**
- 2461/00 Use of condensation polymers of aldehydes or ketones {or derivatives thereof}, as filler {(as such [C08L 61/00](#))}**
 - 2461/04 . Phenoplasts {(as such [C08L 61/04](#))}
 - 2461/20 . Aminoplasts {(as such [C08L 61/20](#))}
- 2463/00 Use of {EP, i.e.} epoxy resins {or derivatives thereof} as filler {(as such [C08L 63/00](#))}**
- 2465/00 {Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)), as filler}**
- 2467/00 Use of polyesters {or derivatives thereof} as filler {(as such [C08L 67/00](#))}**
 - 2467/003 . {PET, i.e. poylethylene terephthalate}
 - 2467/006 . {PBT, i.e. polybutylene terephthalate}
 - 2467/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
 - 2467/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
 - 2467/046 . . {PLA, i.e. polylactic acid or polylactide}
 - 2467/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2469/00 Use of {PC, i.e.} polycarbonates {or derivatives thereof} as filler {(as such [C08L 69/00](#))}**
- 2471/00 Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, as filler {(as such [C08L 71/00](#))}**
 - 2471/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))}

- 2471/12 . {PPO, i.e. polyphenylene oxide (as such [C08L 71/12](#)); PPE, i.e. polyphenylene ether}
- 2473/00** Use of other polymers having oxygen as the only hetero atom in the main chain, as filler {(as such [C08L 73/00](#))}
- 2475/00** Use of {PU, i.e.} polyureas or polyurethanes {or derivatives thereof}, as filler {(as such [C08L 75/00](#))}
- 2475/02 . Polyureas {(as such [C08L 75/02](#))}
- 2477/00** Use of {PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof}, as filler {(as such [C08L 77/00](#))}
- 2477/10 . {Aromatic polyamides (Polyaramides) or derivatives thereof (as such [C08L 77/10](#))}
- 2479/00** Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain {not provided for in groups [B29K 2461/00](#) - [B29K 2477/00](#)}, as filler {(as such [C08L 79/00](#))}
- 2479/08 . {PI, i.e. polyimides or derivatives thereof (as such [C08L 79/08](#))}
- 2479/085 . . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
- 2481/00** Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as filler {(as such [C08L 81/00](#))}
- 2481/04 . {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such [C08L 81/04](#))}
- 2481/06 . {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such [C08L 81/06](#))}
- 2483/00** Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as filler {(as such [C08L 83/00](#))}
- 2483/005 . {Liquid Silicone Rubbers [LSR] or derivatives thereof}
- 2485/00** Use of polymers having other elements {than silicon, sulfur, nitrogen, oxygen, and carbon} in the main chain, as filler {(as such [C08L 85/00](#))}
- 2486/00** Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups [B29K 2459/00](#) - [B29K 2485/00](#), as filler
- 2489/00** {Use of proteins, e.g. casein, gelatine or derivatives thereof, as filler (as such [C08L 89/00](#))}
- 2491/00** Use of waxes as filler {(as such [C08L 91/06](#))}
- 2493/00** {Use of natural resins (as such [C08L 93/00](#)), e.g. shellac (as such [C08L 93/02](#)) or derivatives thereof, as filler ([B29K 2401/00](#), [B29K 2403/00](#), [B29K 2405/00](#), [B29K 2407/00](#) and [B29K 2489/00](#) take precedence)}
- 2495/00** Use of bituminous materials, as filler {(as such [C08L 95/00](#))}
- 2496/00** Use of specified macromolecular materials not provided for in a single one of main groups [B29K 2401/00](#) - [B29K 2495/00](#), as filler
- 2496/005 . {Ionomers}
- 2496/02 . Graft polymers ([B29K 2455/02](#) takes precedence)
- 2496/04 . Block polymers ([B29K 2455/02](#) takes precedence)
- 2501/00** Use of unspecified macromolecular compounds as filler (unspecified rubbers [B29K 2421/00](#)) {(as such [C08L 101/00](#))}
- 2501/10 . Thermosetting resins
- 2501/12 . Thermoplastic materials
- 2503/00** Use of resin-bonded materials as filler
- 2503/04 . Inorganic materials
- 2503/06 . . Metal powders, metal carbides or the like
- 2503/08 . . Mineral aggregates, e.g. sand, clay or the like
- 2505/00** Use of metals, their alloys or their compounds, as filler
- NOTE**
- Alloys or compounds of specified metals are indexed with the same code as the specified metals.
- 2505/02 . Aluminium
- 2505/04 . Lead
- 2505/06 . Tin
- 2505/08 . Transition metals
- 2505/10 . . Copper
- 2505/12 . . Iron
- 2505/14 . . Noble metals, e.g. silver, Gold, Platinum
- 2507/00** Use of elements other than metals as filler
- 2507/02 . Boron
- 2507/04 . Carbon
- 2507/045 . . {Diamond}
- 2509/00** Use of inorganic materials not provided for in groups [B29K 2503/00](#) - [B29K 2507/00](#), as filler
- 2509/02 . Ceramics
- 2509/04 . . Carbides; Nitrides
- 2509/06 . Concrete
- 2509/08 . Glass
- 2509/10 . Mica
- 2509/12 . Asbestos
- 2509/14 . {Stones}
- 2511/00** Use of natural products or their composites, not provided for in groups [B29K 2401/00](#) - [B29K 2509/00](#), as filler
- 2511/02 . Cork
- 2511/04 . Linoleum
- 2511/06 . Bone, horn, ivory
- 2511/08 . Leather
- 2511/10 . Natural fibres, e.g. wool, cotton
- 2511/12 . Paper, e.g. cardboard
- 2511/123 . . {Coated}
- 2511/126 . . {Impregnated}
- 2511/14 . Wood, e.g. woodboard, fibreboard
- 2601/00** Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, for preformed parts, e.g. inserts {(as such [C08L 1/00](#))}
- NOTE**
- Copolymers are indexed with the same indexing code as the majority polymers
- 2601/08 . {Cellulose derivatives (as such [C08L 1/08](#))}
- 2601/12 . . {Cellulose acetate (as such [C08L 1/12](#))}

- 2601/14 . . {Cellulose acetate-butyrate (as such [C08L 1/14](#))}
- 2601/18 . . {Cellulose nitrate (as such [C08L 1/18](#))}
- 2603/00** Use of {starch or derivatives for preformed parts, e.g. inserts (as such [C08L 3/00](#))}
- 2605/00** {Polysaccharides or derivatives (as such [C08L 5/00](#))}
- 2607/00** Use of natural rubber for preformed parts, e.g. inserts {(as such [C08L 7/00](#))}
- 2609/00** Use of rubber derived from conjugated dienes for preformed parts, e.g. inserts {(as such [C08L 9/00](#))}
- 2609/06 . {SBR}, i.e. butadiene-styrene {rubbers (as such [C08L 9/06](#))}
- 2611/00** Use of {rubber derived from chloroprene for preformed parts, e.g. inserts (as such [C08L 11/00](#))}
- 2619/00** Use of rubber not provided for in a single one of main groups [B29K 2607/00](#) - {[B29K 2611/00](#)}, for preformed parts, e.g. inserts
- 2621/00** Use of {unspecified rubbers for preformed parts, e.g. inserts (as such [C08L 21/00](#))}
- 2621/003 . {Thermoplastic elastomers}
- 2621/006 . {Thermosetting elastomers}
- 2623/00** Use of polyalkenes {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 23/00](#))}
- 2623/04 . {Polymers of ethylene (as such [C08L 23/04](#))}
- 2623/06 . . {PE, i.e. polyethylene (as such [C08L 23/06](#))}
- 2623/0608 . . . {characterised by its density}
- 2623/0616 {VLDPE, i.e. very low density polyethylene}
- 2623/0625 {LLDPE, i.e. linear low density polyethylene}
- 2623/0633 {LDPE, i.e. low density polyethylene}
- 2623/0641 {MDPE, i.e. medium density polyethylene}
- 2623/065 {HDPE, i.e. high density polyethylene}
- 2623/0658 . . . {characterised by its molecular weight}
- 2623/0666 {ULMWPE, i.e. ultra low molecular weight polyethylene}
- 2623/0675 {HMWPE, i.e. high molecular weight polyethylene}
- 2623/0683 {UHMWPE, i.e. ultra high molecular weight polyethylene}
- 2623/0691 . . . {PEX, i.e. crosslinked polyethylene}
- 2623/08 . . {Use of copolymers of ethylene for preformed parts, e.g. inserts (as such [C08L 23/08](#); [B29K 2623/16](#) takes precedence)}
- 2623/083 . . . {EVA, i.e. ethylene vinyl acetate copolymer}
- 2623/086 . . . {EVOH, i.e. ethylene vinyl alcohol copolymer}
- 2623/10 . {Polymers of propylene (as such [C08L 23/10](#))}
- 2623/12 . . {PP, i.e. polypropylene (as such [C08L 23/12](#))}
- 2623/14 . . {Copolymers of polypropylene (as such [C08L 23/14](#); [B29K 2623/16](#) takes precedence)}
- 2623/16 . {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such [C08L 23/16](#))}
- 2623/18 . {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such [C08L 23/18](#))}
- 2623/22 . . {Copolymers of isobutene, e.g. butyl rubber (as such [C08L 23/22](#))}
- 2623/38 . {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
- 2625/00** Use of polymers of vinyl-aromatic compounds {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 25/00](#))}
- 2625/04 . {Polymers of styrene (as such [C08L 25/04](#))}
- 2625/06 . . {PS, i.e. polystyrene (as such [C08L 25/06](#))}
- 2625/08 . . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such [C08L 25/08](#); [B29K 2655/02](#) takes precedence)}
- 2627/00** Use of polyvinylhalogenides {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 27/00](#))}
- 2627/06 . PVC, i.e. polyvinylchloride {(as such [C08L 27/06](#))}
- 2627/08 . {PVDC, i.e. polyvinylidene chloride (as such [C08L 27/08](#))}
- 2627/12 . containing fluorine {(as such [C08L 27/12](#))}
- 2627/14 . . {PVF, i.e. polyvinyl fluoride (as such [C08L 27/14](#))}
- 2627/16 . . {PVDF, i.e. polyvinylidene fluoride (as such [C08L 27/16](#))}
- 2627/18 . . PTFE, i.e. polytetrafluorethene {(as such [C08L 27/18](#)), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
- 2629/00** Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 29/00](#))}
- 2629/04 . {PVOH, i.e. polyvinyl alcohol (as such [C08L 29/04](#); [B29K 2631/04](#) takes precedence)}
- 2629/14 . {Polyvinylacetals}
- 2631/00** Use of polyvinylesters {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 31/00](#))}
- 2631/04 . {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such [C08L 31/04](#))}
- 2633/00** Use of polymers of unsaturated acids or derivatives thereof for preformed parts, e.g. inserts {(as such [C08L 33/00](#))} ([B29K 2635/00](#) takes precedence)
- 2633/04 . Polymers of esters {(as such [C08L 33/04](#))}
- 2633/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}
- 2633/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
- 2633/18 . Polymers of nitriles {(as such [C08L 33/18](#))}
- 2633/20 . . PAN, i.e. polyacrylonitrile {(as such [C08L 33/20](#))}
- 2633/26 . {Polymers of acrylamide or methacrylamide (as such [C08L 33/26](#))}
- 2635/00** Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 35/00](#))}
- 2639/00** {Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, for preformed parts, e.g. inserts (as such [C08L 39/00](#))}
- 2639/06 . {Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))}

- 2639/08 . {Polymers of vinyl-pyridine (as such [C08L 39/08](#))}
- 2645/00 Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 45/00](#))}
- 2649/00 {Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, for preformed parts, e.g. inserts (as such [C08L 49/00](#))}
- 2655/00 Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups [B29K 2623/00](#) - [B29K 2649/00](#), e.g. having a vinyl group}, for preformed parts, e.g. inserts {(as such [C08L 55/00](#))}
- 2655/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such [C08L 55/02](#))}
- 2659/00 Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 59/00](#))}
- 2661/00 Use of condensation polymers of aldehydes or ketones {or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 61/00](#))}
- 2661/04 . Phenoplasts {(as such [C08L 61/04](#))}
- 2661/20 . Aminoplasts {(as such [C08L 61/20](#))}
- 2663/00 Use of {EP, i.e.} epoxy resins {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 63/00](#))}
- 2665/00 {Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)), for preformed parts, e.g. inserts}
- 2667/00 Use of polyesters {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 67/00](#))}
- 2667/003 . {PET, i.e. polyethylene terephthalate}
- 2667/006 . {PBT, i.e. polybutylene terephthalate}
- 2667/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
- 2667/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2667/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2667/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2669/00 Use of {PC, i.e.} polycarbonates {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 69/00](#))}
- 2671/00 Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 71/00](#))}
- 2671/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))}
- 2671/12 . {PPO, i.e. polyphenylene oxide (as such [C08L 71/12](#)); PPE, i.e. polyphenylene ether}
- 2673/00 Use of other polymers having oxygen as the only hetero atom in the main chain, for preformed parts, e.g. inserts {(as such [C08L 73/00](#))}
- 2675/00 Use of {PU, i.e.} polyureas or polyurethanes {or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 75/00](#))}
- 2675/02 . Polyureas {(as such [C08L 75/02](#))}
- 2677/00 Use of {PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 77/00](#))}
- 2677/10 . {Aromatic polyamides (Polyaramides) or derivatives thereof (as such [C08L 77/10](#))}
- 2679/00 Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain {not provided for in groups [B29K 2661/00](#) - [B29K 2677/00](#)}, for preformed parts, e.g. inserts {(as such [C08L 79/00](#))}
- 2679/08 . {PI, i.e. polyimides or derivatives thereof (as such [C08L 79/08](#))}
- 2679/085 . . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
- 2681/00 Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, for preformed parts, e.g. inserts {(as such [C08L 81/00](#))}
- 2681/04 . {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such [C08L 81/04](#))}
- 2681/06 . {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such [C08L 81/06](#))}
- 2683/00 Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, for preformed parts, e.g. inserts {(as such [C08L 83/00](#))}
- 2683/005 . {Liquid Silicone Rubbers [LSR] or derivatives thereof}
- 2685/00 Use of polymers having other elements {than silicon, sulfur, nitrogen, oxygen, and carbon} in the main chain, for preformed parts, e.g. inserts {(as such [C08L 85/00](#))}
- 2686/00 Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups [B29K 2659/00](#) - [B29K 2685/00](#), for preformed parts, e.g. inserts
- 2689/00 {Use of proteins, e.g. casein, gelatine or derivatives thereof, for preformed parts, e.g. inserts (as such [C08L 89/00](#))}
- 2691/00 Use of waxes for preformed parts, e.g. inserts {(as such [C08L 91/06](#))}
- 2693/00 {Use of natural resins (as such [C08L 93/00](#)), e.g. shellac (as such [C08L 93/02](#)) or derivatives thereof, for preformed parts, e.g. inserts ([B29K 2601/00](#), [B29K 2603/00](#), [B29K 2605/00](#), [B29K 2607/00](#) and [B29K 2689/00](#) take precedence)}
- 2695/00 Use of bituminous materials, for preformed parts, e.g. inserts {(as such [C08L 95/00](#))}
- 2696/00 Use of specified macromolecular materials not provided for in a single one of main groups [B29K 2601/00](#) - [B29K 2695/00](#), for preformed parts, e.g. inserts
- 2696/005 . {Ionomers}
- 2696/02 . Graft polymers ([B29K 2655/02](#) takes precedence)
- 2696/04 . Block polymers ([B29K 2655/02](#) takes precedence)

2701/00	Use of unspecified macromolecular compounds for preformed parts, e.g. inserts (unspecified rubbers B29K 2621/00) {(as such C08L 101/00)}	2713/02	. {coated}
2701/10	. Thermosetting resins		NOTE
2701/12	. Thermoplastic materials		Copolymers are indexed with the same indexing code as the majority polymers
2703/00	Use of resin-bonded materials for preformed parts, e.g. inserts	2715/00	{Condition, form or state of preformed parts, e.g. inserts}
2703/04	. Inorganic materials	2715/003	. {Cellular or porous}
2703/06	. . Metal powders, metal carbides or the like	2715/006	. {Glues, adhesives, e.g. hot melts, thermofusible adhesives}
2703/08	. . Mineral aggregates, e.g. sand, clay or the like		
2705/00	Use of metals, their alloys or their compounds, for preformed parts, e.g. for inserts	2801/00	{Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as mould material (as such C08L 1/00)}
	NOTE	2801/08	. {Cellulose derivatives (as such C08L 1/08)}
	Alloys or compounds of specified metals are indexed with the same code as the specified metals.	2801/12	. . {Cellulose acetate (as such C08L 1/12)}
2705/02	. Aluminium	2801/14	. . {Cellulose acetate-butyrate (as such C08L 1/14)}
2705/04	. Lead	2801/18	. . {Cellulose nitrate (as such C08L 1/18)}
2705/06	. Tin		
2705/08	. Transition metals	2803/00	{Use of starch or derivatives as mould material (as such C08L 3/00)}
2705/10	. . Copper		
2705/12	. . Iron	2805/00	{Polysaccharides or derivatives (as such C08L 5/00)}
2705/14	. . Noble metals, e.g. silver, Gold, Platinum		
2707/00	Use of elements other than metals for preformed parts, e.g. for inserts	2807/00	{Use of natural rubber as mould material (as such C08L 7/00)}
2707/02	. Boron		
2707/04	. Carbon	2809/00	{Use of rubber derived from conjugated dienes as mould material (as such C08L 9/00)}
2707/045	. . {Diamond}	2809/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such C08L 9/06)}
2709/00	Use of inorganic materials not provided for in groups B29K 2603/00 - B29K 2607/00, for preformed parts, e.g. for inserts		
2709/02	. Ceramics	2811/00	{Use of rubber derived from chloroprene as mould material (as such C08L 11/00)}
2709/04	. . Carbides; Nitrides		
2709/06	. Concrete	2819/00	{Use of rubber not provided for in a single one of main groups B29K 2807/00 - B29K 2811/00, as mould material}
2709/08	. Glass		
2709/10	. Mica	2821/00	{Use of unspecified rubbers as mould material (as such C08L 21/00)}
2709/12	. Asbestos	2821/003	. {Thermoplastic elastomers}
2709/14	. {Stones}	2821/006	. {Thermosetting elastomers}
2711/00	Use of natural products or their composites, not provided for in groups B29K 2601/00 - B29K 2709/00, for preformed parts, e.g. for inserts	2823/00	{Use of polyalkenes or derivatives thereof as mould material (as such C08L 23/00)}
2711/02	. Cork	2823/04	. {Polymers of ethylene (as such C08L 23/04)}
2711/04	. Linoleum	2823/06	. . {PE, i.e. polyethylene (as such C08L 23/06)}
2711/06	. Bone, horn, ivory	2823/0608	. . . {characterised by its density}
2711/08	. Leather	2823/0616 {VLDPE, i.e. very low density polyethylene}
2711/10	. Natural fibres, e.g. wool, cotton	2823/0625 {LLDPE, i.e. linear low density polyethylene}
2711/12	. Paper, e.g. cardboard		
2711/123	. . {Coated}	2823/0633 {LDPE, i.e. low density polyethylene}
2711/126	. . {Impregnated}	2823/0641 {MDPE, i.e. medium density polyethylene}
2711/14	. Wood, e.g. woodboard, fibreboard	2823/065 {HDPE, i.e. high density polyethylene}
2713/00	{Textile products, fabrics (B29K 2105/06 takes precedence)}	2823/0658	. . . {characterised by its molecular weight}
2713/005	. {Fleece}	2823/0666 {ULMWPE, i.e. ultra low molecular weight polyethylene}
		2823/0675 {HWMWPE, i.e. high molecular weight polyethylene}
		2823/0683 {UHMWPE, i.e. ultra high molecular weight polyethylene}
		2823/0691	. . . {PEX, i.e. crosslinked polyethylene}
		2823/08	. . {Use of copolymers of ethylene as mould material (as such C08L 23/08 ; B29K 2823/16 takes precedence)}

- 2823/083 . . . {EVA, i.e. ethylene vinyl acetate copolymer}
- 2823/086 . . . {EVOH, i.e. ethylene vinyl alcohol copolymer}
- 2823/10 . {Polymers of propylene (as such [C08L 23/10](#))}
- 2823/12 . . {PP, i.e. polypropylene (as such [C08L 23/12](#))}
- 2823/14 . . {Copolymers of polypropylene (as such [C08L 23/14](#); [B29K 2823/16](#) takes precedence)}
- 2823/16 . {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such [C08L 23/16](#))}
- 2823/18 . {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such [C08L 23/18](#))}
- 2823/22 . . {Copolymers of isobutene, e.g. butyl rubber (as such [C08L 23/22](#))}
- 2823/38 . {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
- 2825/00** {Use of polymers of vinyl-aromatic compounds or derivatives thereof as mould material (as such [C08L 25/00](#))}
- 2825/04 . {Polymers of styrene (as such [C08L 25/04](#))}
- 2825/06 . . {PS, i.e. polystyrene (as such [C08L 25/06](#))}
- 2825/08 . . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such [C08L 25/08](#); [B29K 2855/02](#) takes precedence)}
- 2827/00** {Use of polyvinylhalogenides or derivatives thereof as mould material (as such [C08L 27/00](#))}
- 2827/06 . {PVC, i.e. polyvinylchloride (as such [C08L 27/06](#))}
- 2827/08 . {PVDC, i.e. polyvinylidene chloride (as such [C08L 27/08](#))}
- 2827/12 . {containing fluorine (as such [C08L 27/12](#))}
- 2827/14 . . {PVF, i.e. polyvinyl fluoride (as such [C08L 27/14](#))}
- 2827/16 . . {PVDF, i.e. polyvinylidene fluoride (as such [C08L 27/16](#))}
- 2827/18 . . {PTFE, i.e. polytetrafluorethene (as such [C08L 27/18](#)), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
- 2829/00** {Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals or derivatives thereof, as mould material (as such [C08L 29/00](#))}
- 2829/04 . {PVOH, i.e. polyvinyl alcohol (as such [C08L 29/04](#); [B29K 2831/04](#) takes precedence)}
- 2829/14 . {Polyvinylacetals}
- 2831/00** {Use of polyvinylesters or derivatives thereof as mould material (as such [C08L 31/00](#))}
- 2831/04 . {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such [C08L 31/04](#))}
- 2833/00** {Use of polymers of unsaturated acids or derivatives thereof as mould material (as such [C08L 33/00](#); [B29K 2835/00](#) takes precedence)}
- 2833/04 . {Polymers of esters (as such [C08L 33/04](#))}
- 2833/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}
- 2833/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
- 2833/18 . {Polymers of nitriles (as such [C08L 33/18](#))}
- 2833/20 . . {PAN, i.e. polyacrylonitrile (as such [C08L 33/20](#))}
- 2833/26 . {Polymers of acrylamide or methacrylamide (as such [C08L 33/26](#))}
- 2835/00** {use of polymers of unsaturated polycarboxylic acids or derivatives thereof as mould material (as such [C08L 35/00](#))}
- 2839/00** {Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, as mould material (as such [C08L 39/00](#))}
- 2839/06 . {Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))}
- 2839/08 . {Polymers of vinyl-pyridine (as such [C08L 39/08](#))}
- 2845/00** {Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins or derivatives thereof, as mould material (as such [C08L 45/00](#))}
- 2849/00** {Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, as mould material (as such [C08L 49/00](#))}
- 2855/00** {Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups [B29K 2823/00](#) - [B29K 2849/00](#), e.g. having a vinyl group, as mould material (as such [C08L 55/00](#))}
- 2855/02 . {ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers (as such [C08L 55/02](#))}
- 2859/00** {Use of polyacetals, e.g. POM, i.e. polyoxymethylene; or derivatives thereof, as mould material (as such [C08L 59/00](#))}
- 2861/00** {Use of condensation polymers of aldehydes or ketones or derivatives thereof, as mould material (as such [C08L 61/00](#))}
- 2861/04 . {Phenoplasts (as such [C08L 61/04](#))}
- 2861/20 . {Aminoplasts (as such [C08L 61/20](#))}
- 2863/00** {Use of EP, i.e. epoxy resins or derivatives thereof as mould material (as such [C08L 63/00](#))}
- 2865/00** {Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)), as mould material}
- 2867/00** {Use of polyesters or derivatives thereof as mould material (as such [C08L 67/00](#))}
- 2867/003 . {PET, i.e. polyethylene terephthalate}
- 2867/006 . {PBT, i.e. polybutylene terephthalate}
- 2867/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
- 2867/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2867/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2867/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2869/00** {Use of PC, i.e. polycarbonates or derivatives thereof as mould material (as such [C08L 69/00](#))}
- 2871/00** {Use of polyethers, e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, as mould material (as such [C08L 71/00](#))}
- 2871/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))}

2871/12	• {PPO, i.e. polyphenylene oxide (as such C08L 71/12); PPE, i.e. polyphenylene ether}	2896/00	{Use of specified macromolecular materials not provided for in a single one of main groups B29K 2801/00 - B29K 2895/00, as mould material}
2873/00	{use of other polymers having oxygen as the only hetero atom in the main chain, as mould material (as such C08L 73/00)}	2896/005	• {Ionomers}
2875/00	{Use of PU, i.e. polyureas or polyurethanes or derivatives thereof, as mould material (as such C08L 75/00)}	2896/02	• {Graft polymers (B29K 2855/02 takes precedence)}
2875/02	• {Polyureas (as such C08L 75/02)}	2896/04	• {Block polymers (B29K 2855/02 takes precedence)}
2877/00	{Use of PA, i.e.} polyamides, e.g. polyesteramides or derivatives thereof, as mould material [(as such C08L 77/00)]	2901/00	{Use of unspecified macromolecular compounds as mould material (unspecified rubbers B29K 2821/00; as such C08L 101/00)}
2877/10	• {Aromatic polyamides (Polyaramides) or derivatives thereof (as such C08L 77/10)}	2901/10	• {Thermosetting resins}
2879/00	{Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain not provided for in groups B29K 2861/00 - B29K 2877/00, as mould material {(as such C08L 79/00)}	2901/12	• {Thermoplastic materials}
2879/08	• {PI, i.e. polyimides or derivatives thereof (as such C08L 79/08)}	2903/00	{Use of resin-bonded materials as mould material}
2879/085	• . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}	2903/04	• {Inorganic materials}
2881/00	{Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as mould material (as such C08L 81/00)}	2903/06	• . {Metal powders, metal carbides or the like}
2881/04	• {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such C08L 81/04)}	2903/08	• . {Mineral aggregates, e.g. sand, clay or the like}
2881/06	• {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such C08L 81/06)}	2905/00	{Use of metals, their alloys or their compounds, as mould material}
2883/00	{Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as mould material (as such C08L 83/00)}	NOTE	
2883/005	• {Liquid Silicone Rubbers [LSR] or derivatives thereof}	Alloys or compounds of specified metals are indexed with the same code as the specified metals.	
2885/00	{Use of polymers having other elements than silicon, sulfur, nitrogen, oxygen, and carbon in the main chain, as mould material (as such C08L 85/00)}	2905/02	• {Aluminium}
2886/00	{Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups B29K 2859/00 - B29K 2885/00, as mould material}	2905/04	• {Lead}
2889/00	{Use of proteins, e.g. casein, gelatine or derivatives thereof, as mould material (as such C08L 89/00)}	2905/06	• {Tin}
2891/00	{Use of waxes as mould material (as such C08L 91/06)}	2905/08	• {Transition metals}
2893/00	{Use of natural resins (as such C08L 93/00), e.g. shellac (as such C08L 93/02) or derivatives thereof, as mould material (B29K 2801/00, B29K 2803/00, B29K 2805/00, B29K 2807/00 and B29K 2889/00 take precedence)}	2905/10	• . {Copper}
2895/00	{Use of bituminous materials, as mould material (as such C08L 95/00)}	2905/12	• . {iron}
		2905/14	• . {Noble metals, e.g. Silver, Gold, Platinum}
		2907/00	{Use of elements other than metals as mould material}
		2907/02	• {Boron}
		2907/04	• {Carbon}
		2907/045	• . {Diamond}
		2909/00	{Use of inorganic materials not provided for in groups B29K 2803/00 - B29K 2807/00, as mould material}
		2909/02	• {Ceramics}
		2909/04	• . {Carbides; Nitrides}
		2909/06	• {Concrete}
		2909/08	• {Glass}
		2909/10	• {Mica}
		2909/12	• {Asbestos}
		2909/14	• {Stones}
		2911/00	{Use of natural products or their composites, not provided for in groups B29K 2801/00 - B29K 2809/00, as mould material}
		2911/02	• {Cork}
		2911/04	• {Linoleum}
		2911/06	• {Bone, horn, ivory}
		2911/08	• {Leather}
		2911/10	• {Natural fibres, e.g. wool, cotton}
		2911/12	• {Paper, e.g. cardboard}
		2911/123	• . {Coated}
		2911/126	• . {Impregnated}
		2911/14	• {Wood, e.g. woodboard, fibreboard}
		2913/00	{Textile products, fabrics}

2913/02	. {coated}	2995/0069	. . . {non-permeable}
2995/00	{Properties of moulding materials, reinforcements, fillers, preformed parts or moulds}	2995/007	. . {Hardness}
2995/0001	. {having particular accoustical properties}	2995/0072	. . {Roughness, e.g. anti-slip}
2995/0002	. . {insulating}	2995/0073	. . . {smooth}
2995/0003	. {having particular electrical or magnetic properties, e.g. piezoelectric}	2995/0074	. . . {patterned, grained}
2995/0005	. . {Conductive}	2995/0075	. . . {flocked}
2995/0006	. . {Dielectric}	2995/0077	. . {Yield strength; Tensile strength}
2995/0007	. . {Insulating}	2995/0078	. . {Shear strength}
2995/0008	. . {Magnetic, paramagnetic}	2995/0079	. . {Torsion strength; Torsion stiffness}
2995/001	. . {Electrostatic}	2995/0081	. . {Tear strength}
2995/0011	. . {Electromagnetic wave shielding material}	2995/0082	. . {Flexural strength; Flexion stiffness}
2995/0012	. {having particular thermal properties}	2995/0083	. . {Creep}
2995/0013	. . {Conductive}	2995/0084	. . {Cryogenic properties}
2995/0015	. . {Insulating}	2995/0086	. . {Fatigue strength}
2995/0016	. . {Non-inflammable, resistant to heat}	2995/0087	. . {Wear resistance}
2995/0017	. . {Heat stable}	2995/0088	. . {Molecular weight}
2995/0018	. {having particular optical properties, e.g. fluorescent, phosphorescent}	2995/0089	. . {Impact strength, toughness}
2995/002	. . {Coloured}	2995/0091	. . {Damping, energy absorption}
2995/0021	. . . {Multi-coloured}	2995/0092	. . {hydrophilic}
2995/0022	. . {Bright, glossy, shiny surface}	2995/0093	. . {hydrophobic}
2995/0024	. . {Matt surface}	2995/0094	. . {Geometrical properties}
2995/0025	. . {Opaque}	2995/0096	. . . {Dimensional stability}
2995/0026	. . {Transparent}	2995/0097	. . . {Thickness}
2995/0027	. . . {for light outside the visible spectrum}	2995/0098	. . {Peel strength, peelable}
2995/0029	. . {Translucent}		
2995/003	. . {Reflective}		
2995/0031	. . {Refractive}		
2995/0032	. . . {Birefringent}		
2995/0034	. . {Polarising}		
2995/0035	. . {Fluorescent}		
2995/0036	. . {Electroluminescent}		
2995/0037	. {Other properties}		
2995/0039	. . {Amorphous}		
2995/004	. . {Semi-crystalline}		
2995/0041	. . {Crystalline}		
2995/0043	. . . {non-uniform}		
2995/0044	. . {Anisotropic}		
2995/0045	. . {Isotropic}		
2995/0046	. . {Elastic}		
2995/0048	. . {Without internal tensions}		
2995/0049	. . {Heat shrinkable}		
2995/005	. . {Oriented}		
2995/0051	. . . {mono-axially}		
2995/0053	. . . {bi-axially}		
2995/0054	. . . {multi-axially}		
2995/0055	. . {Resistive to light}		
2995/0056	. . {Biocompatible, e.g. biopolymers, bioelastomers (bio-degradable B29K 2995/006)}		
2995/0058	. . {Inert to chemical degradation}		
2995/0059	. . {Degradable}		
2995/006	. . . {Bio-degradable, e.g. bioabsorbable, bioresorbable or bioerodible}		
2995/0062	. . . {water-soluble}		
2995/0063	. . {Density}		
2995/0064	. . . {Non-uniform density}		
2995/0065	. . {Permeability to gases}		
2995/0067	. . . {non-permeable}		
2995/0068	. . {Permeability to liquids, adsorption}		