

# CPC COOPERATIVE PATENT CLASSIFICATION

## B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

### SHAPING

**B29** **WORKING OF PLASTICS; WORKING OF SUBSTANCES IN A PLASTIC STATE, IN GENERAL** (processing doughs [A21C](#); working chocolate [A23G](#); casting of metals [B22](#); working cement, clay [B28](#); chemical aspects, see section [C](#), particularly [C08](#); working glass [C03B](#); candle making [C11C 5/02](#); making soap [C11D 13/00](#); manufacture of artificial filaments, threads, fibres, bristles or ribbons [D01D](#), [D01F](#); manufacture of articles from cellulosic fibrous suspensions or from papier-mâché [D21J](#))

(NOTES omitted)

## **B29K** **INDEXING SCHEME ASSOCIATED WITH SUBCLASSES [B29B](#), [B29C](#) OR [B29D](#), RELATING TO MOULDING MATERIALS**

### NOTES

1. This subclass constitutes an indexing scheme associated with subclasses [B29B](#), [B29C](#) or [B29D](#).
2. In this subclass, the following term is used with the meaning indicated:
  - "rubber" covers:
    - a. natural or conjugated diene rubbers;
    - b. rubber in general (for a specific rubber, other than a natural rubber or a conjugated diene rubber, see the group provided for such macromolecular compounds)
3. Documents relating to compositions or properties of the materials to be shaped, said compositions having a particular influence on the shaping technique, should be classified in the shaping technique, e.g. [B29C 39/003](#), [B29C 41/003](#), [B29C 43/003](#), [B29C 45/0001](#), [B29C 47/0004](#), [B29C 49/0005](#), [B29C 51/002](#), [B29C 53/005](#), [B29C 55/005](#), [B29C 61/003](#), [B29C 63/0017](#) and **B2965/00S**

Copolymers are indexed with the same indexing code as the majority polymers

### WARNINGS

1. The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

<a href="#">B29K 105/02</a>	covered by	<a href="#">B29K 2995/0064</a>
<a href="#">B29K 105/22</a>	covered by	<a href="#">B29K 2705/00</a>
<a href="#">B29K 105/28</a>	covered by	<a href="#">B29K 2995/0025</a>
<a href="#">B29K 105/30</a>	covered by	<a href="#">B29K 2995/003</a>
<a href="#">B29K 105/32</a>	covered by	<a href="#">B29K 2995/0026</a>
<a href="#">B29K 105/34</a>	covered by	<a href="#">B29K 2995/002</a> , <a href="#">B29K 2995/0007</a> and <a href="#">B29K 2995/0015</a>

Subclass indexes

Compositions for moulding materials, condition, form or state of moulded material: **B29K1/00 - B29K105/00**

Compositions for reinforcements: **B29K201/00 - B29K313/00**

Compositions for fillers: **B29K401/00 - B29K511/00**

Compositions for preformed parts: **B29K601/00 - B29K713/00**

Compositions for moulds: **B29K801/00 - B29K913/00**

Properties of moulding materials, reinforcements, fillers, preformed parts or moulds: **B29K995/00**

Compositions for moulding materials;

Condition, form or state of moulded material

## B29K

### B29K

(continued)

2. From the date indicated below, the following groups have been deleted from the classification scheme. The documents of these groups have been transferred to the new groups as follows :

**B29K105/28** transferred to [B29K 2995/0025](#)

**B29K105/30** transferred to [B29K 2995/003](#)

**B29K105/32** transferred to [B29K 2995/0026](#)

**B29K105/34** transferred to [B29K 2995/002](#), [B29K 2995/0007](#), **B29K00D4**

<b>2001/00</b>	<b>Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as moulding material</b> {(as such <a href="#">C08L 1/00</a> )}	<b>2023/12</b>	. . {PP, i.e. polypropylene (as such <a href="#">C08L 23/12</a> )}
2001/08	. {Cellulose derivatives (as such <a href="#">C08L 1/08</a> )}	<b>2023/14</b>	. . {Copolymers of polypropylene (as such <a href="#">C08L 23/14</a> ; <a href="#">B29K 2023/16</a> takes precedence)}
2001/12	. . {Cellulose acetate (as such <a href="#">C08L 1/12</a> )}	<b>2023/16</b>	. {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such <a href="#">C08L 23/16</a> )}
2001/14	. . {Cellulose acetate-butyrate (as such <a href="#">C08L 1/14</a> )}	<b>2023/18</b>	. {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such <a href="#">C08L 23/18</a> )}
2001/18	. . {Cellulose nitrate (as such <a href="#">C08L 1/18</a> )}	<b>2023/22</b>	. . {Copolymers of isobutene, e.g. butyl rubber (as such <a href="#">C08L 23/22</a> )}
<b>2003/00</b>	<b>Use of {starch or derivatives as moulding material (as such <a href="#">C08L 3/00</a>)}</b>	<b>2023/38</b>	. {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
<b>2005/00</b>	<b>Polysaccharides or derivatives (as such <a href="#">C08L 5/00</a>)</b>	<b>2025/00</b>	<b>Use of polymers of vinyl-aromatic compounds {or derivatives thereof} as moulding material</b> {(as such <a href="#">C08L 25/00</a> )}
<b>2007/00</b>	<b>Use of natural rubber as moulding material</b> {(as such <a href="#">C08L 7/00</a> )}	<b>2025/04</b>	. {Polymers of styrene (as such <a href="#">C08L 25/04</a> )}
<b>2009/00</b>	<b>Use of rubber derived from conjugated dienes, as moulding material</b> {(as such <a href="#">C08L 9/00</a> )}	<b>2025/06</b>	. . {PS, i.e. polystyrene (as such <a href="#">C08L 25/06</a> )}
2009/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such <a href="#">C08L 9/06</a> )}	<b>2025/08</b>	. . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such <a href="#">C08L 25/08</a> ; <a href="#">B29K 2055/02</a> takes precedence)}
<b>2011/00</b>	<b>Use of {rubber derived from chloroprene as moulding material (as such <a href="#">C08L 11/00</a>)}</b>	<b>2027/00</b>	<b>Use of polyvinylhalogenides {or derivatives thereof} as moulding material</b> {(as such <a href="#">C08L 27/00</a> )}
<b>2019/00</b>	<b>Use of rubber not provided for in a single one of main groups <a href="#">B29K 2007/00</a> - {<a href="#">B29K 2011/00</a>}, as moulding material</b>	<b>2027/06</b>	. {PVC, i.e. polyvinylchloride (as such <a href="#">C08L 27/06</a> )}
<b>2021/00</b>	<b>Use of {unspecified rubbers as moulding material (as such <a href="#">C08L 21/00</a>)}</b>	<b>2027/08</b>	. {PVDC, i.e. polyvinylidene chloride (as such <a href="#">C08L 27/08</a> )}
2021/003	. {Thermoplastic elastomers}	<b>2027/12</b>	. containing fluorine {(as such <a href="#">C08L 27/12</a> )}
2021/006	. {Thermosetting elastomers}	<b>2027/14</b>	. . {PVF, i.e. polyvinyl fluoride (as such <a href="#">C08L 27/14</a> )}
<b>2023/00</b>	<b>Use of polyalkenes {or derivatives thereof} as moulding material</b> {(as such <a href="#">C08L 23/00</a> )}	<b>2027/16</b>	. . {PVDF, i.e. polyvinylidene fluoride (as such <a href="#">C08L 27/16</a> )}
2023/04	. {Polymers of ethylene (as such <a href="#">C08L 23/04</a> )}	<b>2027/18</b>	. . PTFE, i.e. polytetrafluorethene {(as such <a href="#">C08L 27/18</a> ), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
2023/06	. . {PE, i.e. polyethylene (as such <a href="#">C08L 23/06</a> )}	<b>2029/00</b>	<b>Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof} as moulding material</b> {(as such <a href="#">C08L 29/00</a> )}
2023/0608	. . . {characterised by its density}	<b>2029/04</b>	. {PVOH, i.e. polyvinyl alcohol (as such <a href="#">C08L 29/04</a> ; <a href="#">B29K 2031/04</a> takes precedence)}
2023/0616	. . . . {VLDPE, i.e. very low density polyethylene}	<b>2029/14</b>	. {Polyvinylacetals}
2023/0625	. . . . {LLDPE, i.e. linear low density polyethylene}	<b>2031/00</b>	<b>Use of polyvinylesters {or derivatives thereof} as moulding material</b> {(as such <a href="#">C08L 31/00</a> )}
2023/0633	. . . . {LDPE, i.e. low density polyethylene}	<b>2031/04</b>	. {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such <a href="#">C08L 31/04</a> )}
2023/0641	. . . . {MDPE, i.e. medium density polyethylene}	<b>2033/00</b>	<b>Use of polymers of unsaturated acids or derivatives thereof as moulding material</b> {(as such <a href="#">C08L 33/00</a> ; <a href="#">B29K 2035/00</a> takes precedence)}
2023/065	. . . . {HDPE, i.e. high density polyethylene}	<b>2033/04</b>	. Polymers of esters {(as such <a href="#">C08L 33/04</a> )}
2023/0658	. . . {characterised by its molecular weight}		
2023/0666	. . . . {ULMWPE, i.e. ultra low molecular weight polyethylene}		
2023/0675	. . . . {HMWPE, i.e. high molecular weight polyethylene}		
2023/0683	. . . . {UHMWPE, i.e. ultra high molecular weight polyethylene}		
2023/0691	. . . {PEX, i.e. crosslinked polyethylene}		
2023/08	. . {Use of copolymers of ethylene as moulding material (as such <a href="#">C08L 23/08</a> ; <a href="#">B29K 2023/16</a> takes precedence)}		
2023/083	. . . {EVA, i.e. ethylene vinyl acetate copolymer}		
2023/086	. . . {EVOH, i.e. ethylene vinyl alcohol copolymer}		
2023/10	. {Polymers of propylene (as such <a href="#">C08L 23/10</a> )}		

- 2033/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}
- 2033/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
- 2033/18 . Polymers of nitriles {(as such [C08L 33/18](#))}
- 2033/20 . . PAN, i.e. polyacrylonitrile {(as such [C08L 33/20](#))}
- 2033/26 . {Polymers of acrylamide or methacrylamide (as such [C08L 33/26](#))}
- 2035/00** Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} as moulding material {(as such [C08L 35/00](#))}
- 2039/00** Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof as moulding material (as such [C08L 39/00](#))
- 2039/06 . Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))
- 2039/08 . Polymers of vinyl-pyridine (as such [C08L 39/08](#))
- 2045/00** Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, as moulding material {(as such [C08L 45/00](#))}
- 2049/00** Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, as moulding material (as such [C08L 49/00](#))
- 2055/00** Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups [B29K 2023/00](#) - {[B29K 2049/00](#), e.g. having a vinyl group}, as moulding material {(as such [C08L 55/00](#))}
- 2055/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such [C08L 55/02](#))}
- 2059/00** Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, as moulding material {(as such [C08L 59/00](#))}
- 2061/00** Use of condensation polymers of aldehydes or ketones {or derivatives thereof} as moulding material {(as such [C08L 61/00](#))}
- 2061/04 . Phenoplasts {(as such [C08L 61/04](#))}
- 2061/20 . Aminoplasts {(as such [C08L 61/20](#))}
- 2063/00** Use of {EP, i.e.} epoxy resins {or derivatives thereof} as moulding material {(as such [C08L 63/00](#))}
- 2065/00** Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)) as moulding material
- 2067/00** Use of polyesters {or derivatives thereof} as moulding material {(as such [C08L 67/00](#))}
- 2067/003 . {PET, i.e. polyethylene terephthalate}
- 2067/006 . {PBT, i.e. polybutylene terephthalate}
- 2067/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
- 2067/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2067/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2067/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2069/00** Use of {PC, i.e.} polycarbonates {or derivatives thereof} as moulding material {(as such [C08L 69/00](#))}
- 2071/00** Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof} as moulding material {(as such [C08L 71/00](#))}
- 2071/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))}
- 2071/12 . {PPO, i.e. polyphenylene oxide (as such [C08L 71/12](#)); PPE, i.e. polyphenylene ether}
- 2073/00** Use of other polymers having oxygen as the only hetero atom in the main chain as moulding material {(as such [C08L 73/00](#))}
- 2075/00** Use of {PU, i.e.} polyureas or polyurethanes {or derivatives thereof} as moulding material {(as such [C08L 75/00](#))}
- 2075/02 . {Polyureas (as such [C08L 75/02](#))}
- 2077/00** Use of {PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof} as moulding material {(as such [C08L 77/00](#))}
- 2077/10 . {Aromatic polyamides (Polyaramides) or derivatives thereof (such as [C08L 77/10](#))}
- 2079/00** Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain {not provided for in groups [B29K 2061/00](#) - [B29K 2077/00](#)}, as moulding material {(as such [C08L 79/00](#))}
- 2079/08 . {PI, i.e. polyimides or derivatives thereof (as such [C08L 79/08](#))}
- 2079/085 . . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
- 2081/00** Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as moulding material {(as such [C08L 81/00](#))}
- 2081/04 . {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such [C08L 81/04](#))}
- 2081/06 . {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such [C08L 81/06](#))}
- 2083/00** Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as moulding material {(as such [C08L 83/00](#))}
- 2083/005 . {Liquid Silicone Rubbers [LSR] or derivatives thereof}
- 2085/00** Use of polymers having other elements {than silicon, sulfur, nitrogen, oxygen, and carbon} in the main chain, as moulding material {(as such [C08L 85/00](#))}
- 2086/00** Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups [B29K 2059/00](#) - [B29K 2085/00](#), as moulding material
- 2089/00** Use of proteins, e.g. casein, gelatine or derivatives thereof, as moulding material (as such [C08L 89/00](#))

2091/00	Use of waxes as moulding material {(as such <a href="#">C08L 91/06</a> )}	2105/0082	. {Plasma}
2093/00	Use of natural resins (as such <a href="#">C08L 93/00</a> ), e.g. shellac (as such <a href="#">C08L 93/02</a> ) or derivatives thereof, as moulding material ( <a href="#">B29K 2001/00</a> , <a href="#">B29K 2003/00</a> , <a href="#">B29K 2005/00</a> , <a href="#">B29K 2007/00</a> and <a href="#">B29K 2089/00</a> take precedence)	2105/0085	. {Copolymers}
2095/00	Use of bituminous materials as moulding material {(as such <a href="#">C08L 95/00</a> )}	2105/0088	. {Blends of polymers}
2096/00	Use of specified macromolecular materials not provided for in a single one of main groups <a href="#">B29K 2001/00</a> - <a href="#">B29K 2095/00</a> , as moulding material	2105/0091	. . {IPN, i.e. interpenetrating polymer networks}
2096/005	. {Ionomers}	2105/0094	. {having particular viscosity}
2096/02	. Graft polymers ( <a href="#">B29K 2055/02</a> takes precedence)	2105/0097	. {Glues, adhesives, e.g. hot melts, thermofusible adhesives}
2096/04	. Block polymers ( <a href="#">B29K 2055/02</a> takes precedence)	2105/02	. heat-shrinkable
2101/00	Use of unspecified macromolecular compounds as moulding material (unspecified rubbers <a href="#">B29K 2021/00</a> {; as such <a href="#">C08L 101/00</a> )}	2105/04	. cellular or porous
2101/10	. Thermosetting resins	2105/041	. . {Microporous}
2101/12	. Thermoplastic materials	2105/043	. . {Skinned foam}
2103/00	Use of resin-bonded materials as moulding material	2105/045	. . {with open cells}
2103/04	. Inorganic materials	2105/046	. . {with closed cells}
2103/06	. . Metal powders, metal carbides or the like	2105/048	. . {Expandable particles, beads or granules}
2103/08	. . Mineral aggregates, e.g. sand, clay or the like	2105/06	. containing reinforcements, fillers or inserts
2105/00	Condition, form or state of moulded material {or of the material to be shaped}	2105/065	. . {containing impurities}
2105/0002	. {monomers or prepolymers}	2105/08	. . of continuous length, e.g. cords, rovings, mats, fabrics, strands, yarns
2105/0005	. {containing compounding ingredients (releasing, lubricating or separating agents <a href="#">B29C 33/56</a> , fibers <a href="#">B29K 2105/08</a> , <a href="#">B29K 2105/12</a> ; fillers <a href="#">B29K 2105/16</a> , recycled material <a href="#">B29K 2105/26</a> )}	2105/0809	. . . {Fabrics}
2105/0008	. . {Anti-static agents}	2105/0818	. . . . {Fleece}
2105/0011	. . {Biocides}	2105/0827	. . . . {Braided fabrics}
2105/0014	. . {Catalysts}	2105/0836	. . . . {Knitted fabrics}
2105/0017	. . {Agents activating degradation}	2105/0845	. . . . {Woven fabrics}
2105/002	. . {Agents changing electric characteristics}	2105/0854	. . . {in the form of a non-woven mat}
2105/0023	. . . {improving electric conduction}	2105/0863	. . . . {Sheet moulding compound [SMC]}
2105/0026	. . {Flame proofing or flame retarding agents}	2105/0872	. . . {Prepregs}
2105/0029	. . {Perfuming, odour masking or flavouring agents}	2105/0881	. . . . {unidirectional}
2105/0032	. . {Pigments, colouring agents or opacifying agents}	2105/089	. . . . {fabric}
2105/0035	. . {Medical or pharmaceutical agents}	2105/10	. . . {Cords, strands or rovings, e.g.} oriented {cords, strands or rovings}
2105/0038	. . {Plasticisers}	2105/101	. . . . {oriented}
2105/0041	. . {Anti-odorant agents, e.g. active carbon}	2105/102	. . . . . {circferentially}
2105/0044	. . {Stabilisers, e.g. against oxydation, light, heat}	2105/103	. . . . . {helically}
2105/0047	. . {Agents changing thermal characteristics}	2105/105	. . . . . {uni directionally}
2105/005	. . . {Heat sensitisers or absorbers}	2105/106	. . . . . {longitudinally}
2105/0052	. . {Tracing elements, e.g. to detect the origin of articles}	2105/107	. . . . . {transversally, i.e. perpendicular to the 2D reinforcement direction}
2105/0055	. {Gaseous}	2105/108	. . . . . {arranged in parallel planes and crossing at substantial angles ( <a href="#">B29K 2105/206</a> takes precedence)}
2105/0058	. {Liquid or visquous}	2105/12	. . of short lengths, e.g. chopped filaments, staple fibres, bristles
2105/0061	. . {Gel or sol}	2105/122	. . . {microfibres, nanofibres}
2105/0064	. . {Latex, emulsion or dispersion}	2105/124	. . . . {nanofibres}
2105/0067	. . {Melt}	2105/126	. . . {Whiskers, i.e. reinforcement in the form of monocrystals}
2105/007	. . {Paste, dough}	2105/128	. . . {in the form of a mat}
2105/0073	. . {Solution}	2105/14	. . . oriented
2105/0076	. {Microcapsules}	2105/145	. . . . {and crossing at substantial angles}
2105/0079	. {Liquid crystals}	2105/16	. . Fillers
		2105/162	. . . {Nanoparticles}
		2105/165	. . . {Hollow fillers, e.g. microballoons, expanded particles}
		2105/167	. . . . {Nanotubes}
		2105/18	. . . oriented
		2105/20	. . Inserts
		2105/203	. . . {Magnetic parts}
		2105/206	. . . {Meshes, lattices, nets}
		2105/24	. crosslinked or vulcanised
		2105/243	. . {Partially cured}
		2105/246	. . {Uncured, e.g. green}
		2105/25	. {Solid}

- 2105/251 . . {Particles, powder, granules ([expandable particles B29K 2105/046](#))}
- 2105/253 . . {Preform}
- 2105/255 . . . {Block, tablet}
- 2105/256 . . . {Sheet, plate, blank, film}
- 2105/258 . . . {tubular}
- 2105/26 . Scrap {recycled material}
- 2201/00 Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as reinforcement** {(as such [C08L 1/00](#))}
- NOTE**
- Copolymers are indexed with the same indexing code as the majority polymers
- 2201/08 . {Cellulose derivatives (as such [C08L 1/08](#))}
- 2201/12 . . {Cellulose acetate (as such [C08L 1/12](#))}
- 2201/14 . . {Cellulose acetate-butyrate (as such [C08L 1/14](#))}
- 2201/18 . . {Cellulose nitrate (as such [C08L 1/18](#))}
- 2203/00 Use of {starch or derivatives as reinforcement** (as such [C08L 3/00](#))}
- 2205/00 Polysaccharides or derivatives** (as such [C08L 5/00](#))
- 2207/00 Use of natural rubber as reinforcement** {(as such [C08L 7/00](#))}
- 2209/00 Use of rubber derived from conjugated dienes as reinforcement** {(as such [C08L 9/00](#))}
- 2209/06 . {SBR}, i.e. butadiene-styrene {rubbers (as such [C08L 9/06](#))}
- 2211/00 Use of {rubber derived from chloroprene as reinforcement** (as such [C08L 11/00](#))}
- 2219/00 Use of rubber not provided for in a single one of main groups [B29K 2207/00](#) - {[B29K 2211/00](#)}, as reinforcement**
- 2221/00 Use of {unspecified rubbers as reinforcement** (as such [C08L 21/00](#))}
- 2221/003 . {Thermoplastic elastomers}
- 2221/006 . {Thermosetting elastomers}
- 2223/00 Use of polyalkenes {or derivatives thereof} as reinforcement** {(as such [C08L 23/00](#))}
- 2223/04 . {Polymers of ethylene (as such [C08L 23/04](#))}
- 2223/06 . . {PE, i.e. polyethylene (as such [C08L 23/06](#))}
- 2223/0608 . . . {characterised by its density}
- 2223/0616 . . . . {VLDPE, i.e. very low density polyethylene}
- 2223/0625 . . . . {LLDPE, i.e. linear low density polyethylene}
- 2223/0633 . . . . {LDPE, i.e. low density polyethylene}
- 2223/0641 . . . . {MDPE, i.e. medium density polyethylene}
- 2223/065 . . . . {HDPE, i.e. high density polyethylene}
- 2223/0658 . . . {characterised by its molecular weight}
- 2223/0666 . . . . {ULMWPE, i.e. ultra low molecular weight polyethylene}
- 2223/0675 . . . . {HMMWPE, i.e. high molecular weight polyethylene}
- 2223/0683 . . . . {UHMWPE, i.e. ultra high molecular weight polyethylene}
- 2223/0691 . . . {PEX, i.e. crosslinked polyethylene}
- 2223/08 . . {Use of copolymers of ethylene as reinforcement (as such [C08L 23/08](#); [B29K 2223/16](#) takes precedence)}
- 2223/083 . . . {EVA, i.e. ethylene vinyl acetate copolymer}
- 2223/086 . . . {EVOH, i.e. ethylene vinyl alcohol copolymer}
- 2223/10 . {Polymers of propylene (as such [C08L 23/10](#))}
- 2223/12 . . {PP, i.e. polypropylene (as such [C08L 23/12](#))}
- 2223/14 . . {Copolymers of polypropylene (as such [C08L 23/14](#); [B29K 2023/16](#) takes precedence)}
- 2223/16 . {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such [C08L 23/16](#))}
- 2223/18 . {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such [C08L 23/18](#))}
- 2223/22 . . {Copolymers of isobutene, e.g. butyl rubber (as such [C08L 23/22](#))}
- 2223/38 . {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
- 2225/00 Use of polymers of vinyl-aromatic compounds {or derivatives thereof} as reinforcement** {(as such [C08L 25/00](#))}
- 2225/04 . {Polymers of styrene (as such [C08L 25/04](#))}
- 2225/06 . . {PS, i.e. polystyrene (as such [C08L 25/06](#))}
- 2225/08 . . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such [C08L 25/08](#); [B29K 2255/02](#) takes precedence)}
- 2227/00 Use of polyvinylhalogenides {or derivatives thereof} as reinforcement** {(as such [C08L 27/00](#))}
- 2227/06 . PVC, i.e. polyvinylchloride {(as such [C08L 27/06](#))}
- 2227/08 . {PVDC, i.e. polyvinylidene chloride (as such [C08L 27/08](#))}
- 2227/12 . containing fluorine {(as such [C08L 27/12](#))}
- 2227/14 . . {PVF, i.e. polyvinyl fluoride (as such [C08L 27/14](#))}
- 2227/16 . . {PVDF, i.e. polyvinylidene fluoride (as such [C08L 27/16](#))}
- 2227/18 . . PTFE, i.e. polytetrafluorethene {(as such [C08L 27/18](#)), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
- 2229/00 Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof}, as reinforcement** {(as such [C08L 29/00](#))}
- 2229/04 . {PVOH, i.e. polyvinyl alcohol (as such [C08L 29/04](#); [B29K 2231/04](#) takes precedence)}
- 2229/14 . {Polyvinylacetals}
- 2231/00 Use of polyvinylesters {or derivatives thereof} as reinforcement** {(as such [C08L 31/00](#))}
- 2231/04 . {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such [C08L 31/04](#))}
- 2233/00 Use of polymers of unsaturated acids or derivatives thereof as reinforcement** {(as such [C08L 33/00](#)) ([B29K 2035/00](#) takes precedence)}
- 2233/04 . Polymers of esters {(as such [C08L 33/04](#))}
- 2233/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}
- 2233/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
- 2233/18 . Polymers of nitriles {(as such [C08L 33/18](#))}
- 2233/20 . . PAN, i.e. polyacrylonitrile {(as such [C08L 33/20](#))}

- 2233/26 . {Polymers of acrylamide or methacrylamide (as such [C08L 33/26](#))}
- 2235/00 Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} as reinforcement {(as such [C08L 35/00](#))}
- 2239/00 Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, as reinforcement (as such [C08L 39/00](#))
- 2239/06 . Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))
- 2239/08 . Polymers of vinyl-pyridine (as such [C08L 39/08](#))
- 2245/00 Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, as reinforcement {(as such [C08L 45/00](#))}
- 2249/00 Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to-carbon triple bonds or derivatives thereof, as reinforcement (as such [C08L 49/00](#))
- 2255/00 Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups [B29K 2223/00](#) - [B29K 2249/00](#), e.g. having a vinyl group, as reinforcement {(as such [C08L 55/00](#))}
- 2255/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such [C08L 55/02](#))}
- 2259/00 Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, as reinforcement {(as such [C08L 59/00](#))}
- 2261/00 Use of condensation polymers of aldehydes or ketones {or derivatives thereof}, as reinforcement {(as such [C08L 61/00](#))}
- 2261/04 . Phenoplasts {(as such [C08L 61/04](#))}
- 2261/20 . Aminoplasts {(as such [C08L 61/20](#))}
- 2263/00 Use of {EP, i.e.} epoxy resins {or derivatives thereof} as reinforcement {(as such [C08L 63/00](#))}
- 2265/00 Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)), as reinforcement
- 2267/00 Use of polyesters {or derivatives thereof} as reinforcement {(as such [C08L 67/00](#))}
- 2267/003 . {PET, i.e. polyethylene terephthalate}
- 2267/006 . {PBT, i.e. polybutylene terephthalate}
- 2267/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
- 2267/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2267/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2267/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2269/00 Use of {PC, i.e.} polycarbonates {or derivatives thereof} as reinforcement {(as such [C08L 69/00](#))}
- 2271/00 Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, as reinforcement {(as such [C08L 71/00](#))}
- 2271/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))}
- 2271/12 . {PPO, i.e. polyphenylene oxide (as such [C08L 71/12](#)); PPE, i.e. polyphenylene ether}
- 2273/00 Use of other polymers having oxygen as the only hetero atom in the main chain, as reinforcement {(as such [C08L 73/00](#))}
- 2275/00 Use of {PU, i.e.} polyureas or polyurethanes {or derivatives thereof}, as reinforcement {(as such [C08L 75/00](#))}
- 2275/02 . Polyureas {(as such [C08L 75/02](#))}
- 2277/00 Use of {PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof}, as reinforcement {(as such [C08L 77/00](#))}
- 2277/10 . {Aromatic polyamides (Polyaramides) or derivatives thereof (as such [C08L 77/10](#))}
- 2279/00 Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain {not provided for in groups [B29K 2261/00](#) - [B29K 2277/00](#)}, as reinforcement {(as such [C08L 79/00](#))}
- 2279/08 . {PI, i.e. polyimides or derivatives thereof (as such [C08L 79/08](#))}
- 2279/085 . . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
- 2281/00 Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as reinforcement {(as such [C08L 81/00](#))}
- 2281/04 . {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such [C08L 81/04](#))}
- 2281/06 . {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such [C08L 81/06](#))}
- 2283/00 Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as reinforcement {(as such [C08L 83/00](#))}
- 2283/005 . {Liquid Silicone Rubbers [LSR] or derivatives thereof}
- 2285/00 Use of polymers having other elements {than silicon, sulfur, nitrogen, oxygen, and carbon} in the main chain, as reinforcement {(as such [C08L 85/00](#))}
- 2286/00 Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups [B29K 2259/00](#) - [B29K 2285/00](#), as reinforcement
- 2289/00 Use of proteins, e.g. casein, gelatine or derivatives thereof, as reinforcement (as such [C08L 89/00](#))
- 2291/00 Use of waxes as reinforcement {(as such [C08L 91/06](#))}
- 2293/00 Use of natural resins (as such [C08L 93/00](#)), e.g. shellac (as such [C08L 93/02](#)) or derivatives thereof, as reinforcement ([B29K 2201/00](#), [B29K 2203/00](#), [B29K 2205/00](#), [B29K 2207/00](#) and [B29K 2289/00](#) take precedence)
- 2295/00 Use of bituminous materials, as reinforcement {(as such [C08L 95/00](#))}

<b>2296/00</b>	<b>Use of specified macromolecular materials not provided for in a single one of main groups <a href="#">B29K 2201/00</a> - <a href="#">B29K 2295/00</a>, as reinforcement</b>	<b>2401/00</b>	<b>Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as filler {(as such <a href="#">C08L 1/00</a>)}</b>
2296/005	. {Ionomers}		<b>NOTE</b>
2296/02	. Graft polymers		Copolymers are indexed with the same indexing code as the majority polymers
2296/04	. Block polymers		
<b>2301/00</b>	<b>Use of unspecified macromolecular compounds as reinforcement (unspecified rubbers <a href="#">B29K 2221/00</a>) {(as such <a href="#">C08L 101/00</a>)}</b>	2401/08	. {Cellulose derivatives (as such <a href="#">C08L 1/08</a> )}
2301/10	. Thermosetting resins	2401/12	. . {Cellulose acetate (as such <a href="#">C08L 1/12</a> )}
2301/12	. Thermoplastic materials	2401/14	. . {Cellulose acetate-butyrate (as such <a href="#">C08L 1/14</a> )}
		2401/18	. . {Cellulose nitrate (as such <a href="#">C08L 1/18</a> )}
<b>2303/00</b>	<b>Use of resin-bonded materials as reinforcement</b>	<b>2403/00</b>	<b>Use of {starch or derivatives as filler (as such <a href="#">C08L 3/00</a>)}</b>
2303/04	. Inorganic materials		
2303/06	. . Metal powders, metal carbides or the like	<b>2405/00</b>	<b>Polysaccharides or derivatives (as such <a href="#">C08L 5/00</a>)</b>
2303/08	. . Mineral aggregates, e.g. sand, clay or the like	<b>2407/00</b>	<b>Use of natural rubber as filler {(as such <a href="#">C08L 7/00</a>)}</b>
<b>2305/00</b>	<b>Use of metals, their alloys or their compounds, as reinforcement</b>		
	<b>NOTE</b>	<b>2409/00</b>	<b>Use of rubber derived from conjugated dienes as filler {(as such <a href="#">C08L 9/00</a>)}</b>
	Alloys or compounds of specified metals are indexed with the same code as the specified metals.	2409/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such <a href="#">C08L 9/06</a> )}
2305/02	. Aluminium	<b>2411/00</b>	<b>Use of {rubber derived from chloroprene as filler (as such <a href="#">C08L 11/00</a>)}</b>
2305/04	. Lead		
2305/06	. Tin	<b>2419/00</b>	<b>Use of rubber not provided for in a single one of main groups <a href="#">B29K 2407/00</a> - {<a href="#">B29K 2411/00</a>}, as filler</b>
2305/08	. Transition metals		
2305/10	. . Copper	<b>2421/00</b>	<b>Use of {unspecified rubbers as filler (as such <a href="#">C08L 21/00</a>)}</b>
2305/12	. . Iron	2421/003	. {Thermoplastic elastomers}
2305/14	. . {Noble metals, e.g. Silver, Gold, Platinum}	2421/006	. {Thermosetting elastomers}
<b>2307/00</b>	<b>Use of elements other than metals as reinforcement</b>	<b>2423/00</b>	<b>Use of polyalkenes {or derivatives thereof} as filler {(as such <a href="#">C08L 23/00</a>)}</b>
2307/02	. Boron	2423/04	. {Polymers of ethylene (as such <a href="#">C08L 23/04</a> )}
2307/04	. Carbon	2423/06	. . {PE, i.e. polyethylene (as such <a href="#">C08L 23/06</a> )}
2307/045	. . {Diamond}	2423/0608	. . . {characterised by its density}
<b>2309/00</b>	<b>Use of inorganic materials not provided for in groups <a href="#">B29K 2303/00</a> - <a href="#">B29K 2307/00</a>, as reinforcement</b>	2423/0616	. . . . {VLDPE, i.e. very low density polyethylene}
2309/02	. Ceramics	2423/0625	. . . . {LLDPE, i.e. linear low density polyethylene}
2309/04	. . Carbides; Nitrides		
2309/06	. Concrete	2423/0633	. . . . {LDPE, i.e. low density polyethylene}
2309/08	. Glass	2423/0641	. . . . {MDPE, i.e. medium density polyethylene}
2309/10	. Mica	2423/065	. . . . {HDPE, i.e. high density polyethylene}
2309/12	. Asbestos	2423/0658	. . . {characterised by its molecular weight}
2309/14	. {Stones}	2423/0666	. . . . {ULMWPE, i.e. ultra low molecular weight polyethylene}
<b>2311/00</b>	<b>Use of natural products or their composites, not provided for in groups <a href="#">B29K 2201/00</a> - <a href="#">B29K 2309/00</a>, as reinforcement</b>	2423/0675	. . . . {HMWPE, i.e. high molecular weight polyethylene}
2311/02	. Cork	2423/0683	. . . . {UHMWPE, i.e. ultra high molecular weight polyethylene}
2311/04	. Linoleum		
2311/06	. Bone, horn, ivory	2423/0691	. . . {PEX, i.e. crosslinked polyethylene}
2311/08	. Leather	2423/08	. . {Use of copolymers of ethylene as filler (as such <a href="#">C08L 23/08</a> ; <a href="#">B29K 2423/16</a> takes precedence)}
2311/10	. Natural fibres, e.g. wool, cotton		
2311/12	. Paper, e.g. cardboard	2423/083	. . . {EVA, i.e. ethylene vinyl acetate copolymer}
2311/123	. . {Coated}	2423/086	. . . {EVOH, i.e. ethylene vinyl alcohol copolymer}
2311/126	. . {Impregnated}	2423/10	. {Polymers of propylene (as such <a href="#">C08L 23/10</a> )}
2311/14	. Wood, e.g. woodboard, fibreboard	2423/12	. . {PP, i.e. polypropylene (as such <a href="#">C08L 23/12</a> )}
<b>2313/00</b>	<b>Textile products, fabrics (<a href="#">B29K 2105/06</a> takes precedence)</b>	2423/14	. . {Copolymers of polypropylene (as such <a href="#">C08L 23/14</a> ; <a href="#">B29K 2423/16</a> takes precedence)}
2313/02	. coated		

- 2423/16 . {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such [C08L 23/16](#))}
- 2423/18 . {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such [C08L 23/18](#))}
- 2423/22 . . {Copolymers of isobutene, e.g. butyl rubber (as such [C08L 23/22](#))}
- 2423/38 . {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
- 2425/00 Use of polymers of vinyl-aromatic compounds {or derivatives thereof} as filler {(as such [C08L 25/00](#))}**
- 2425/04 . {Polymers of styrene (as such [C08L 25/04](#))}
- 2425/06 . . {PS, i.e. polystyrene (as such [C08L 25/06](#))}
- 2425/08 . . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such [C08L 25/08](#); [B29K 2455/02](#) takes precedence)}
- 2427/00 Use of polyvinylhalogenides {or derivatives thereof} as filler {(as such [C08L 27/00](#))}**
- 2427/06 . PVC, i.e. polyvinylchloride {(as such [C08L 27/06](#))}
- 2427/08 . {PVDC, i.e. polyvinylidene chloride (as such [C08L 27/08](#))}
- 2427/12 . containing fluorine {(as such [C08L 27/12](#))}
- 2427/14 . . {PVF, i.e. polyvinyl fluoride (as such [C08L 27/14](#))}
- 2427/16 . . {PVDF, i.e. polyvinylidene fluoride (as such [C08L 27/16](#))}
- 2427/18 . . PTFE, i.e. polytetrafluorethene {(as such [C08L 27/18](#)), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
- 2429/00 Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof}, as filler {(as such [C08L 29/00](#))}**
- 2429/04 . {PVOH, i.e. polyvinyl alcohol (as such [C08L 29/04](#); [B29K 2431/04](#) takes precedence)}
- 2429/14 . {Polyvinylacetals}
- 2431/00 Use of polyvinylesters {or derivatives thereof} as filler {(as such [C08L 31/00](#))}**
- 2431/04 . {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such [C08L 31/04](#))}
- 2433/00 Use of polymers of unsaturated acids or derivatives thereof as filler {(as such [C08L 33/00](#))}** ([B29K 2435/00](#) takes precedence)
- 2433/04 . Polymers of esters {(as such [C08L 33/04](#))}
- 2433/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}
- 2433/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
- 2433/18 . Polymers of nitriles {(as such [C08L 33/18](#))}
- 2433/20 . . PAN, i.e. polyacrylonitrile {(as such [C08L 33/20](#))}
- 2435/00 Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} as filler {(as such [C08L 35/00](#))}**
- 2439/00 Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, as filler {(as such [C08L 39/00](#))}**
- 2439/06 . Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))
- 2439/08 . Polymers of vinyl-pyridine (as such [C08L 39/08](#))
- 2445/00 Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, as filler {(as such [C08L 45/00](#))}**
- 2449/00 Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, as filler (as such [C08L 49/00](#))**
- 2455/00 Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups [B29K 2023/00](#) - [B29K 49/00](#), e.g. having a vinyl group}, as filler {(as such [C08L 55/00](#))}**
- 2455/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such [C08L 55/02](#))}
- 2459/00 Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, as filler {(as such [C08L 59/00](#))}**
- 2461/00 Use of condensation polymers of aldehydes or ketones {or derivatives thereof}, as filler {(as such [C08L 61/00](#))}**
- 2461/04 . Phenoplasts {(as such [C08L 61/04](#))}
- 2461/20 . Aminoplasts {(as such [C08L 61/20](#))}
- 2463/00 Use of {EP, i.e.} epoxy resins {or derivatives thereof} as filler {(as such [C08L 63/00](#))}**
- 2465/00 Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylenes (as such [C08L 65/04](#)), as filler**
- 2467/00 Use of polyesters {or derivatives thereof} as filler {(as such [C08L 67/00](#))}**
- 2467/003 . {PET, i.e. polyethylene terephthalate}
- 2467/006 . {PBT, i.e. polybutylene terephthalate}
- 2467/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
- 2467/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2467/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2467/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2469/00 Use of {PC, i.e.} polycarbonates {or derivatives thereof} as filler {(as such [C08L 69/00](#))}**
- 2471/00 Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, as filler {(as such [C08L 71/00](#))}**
- 2471/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))}
- 2471/12 . {PPO, i.e. polyphenylene oxide (as such [C08L 71/12](#)); PPE, i.e. polyphenylene ether}
- 2473/00 Use of other polymers having oxygen as the only hetero atom in the main chain, as filler {(as such [C08L 73/00](#))}**
- 2475/00 Use of {PU, i.e.} polyureas or polyurethanes {or derivatives thereof}, as filler {(as such [C08L 75/00](#))}**

- 2475/02 . Polyureas {(as such [C08L 75/02](#))}
- 2477/00** Use of **{PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof}**, as filler {(as such [C08L 77/00](#))}
- 2477/10 . {Aromatic polyamides (Polyaramides) or derivatives thereof (as such [C08L 77/10](#))}
- 2479/00** Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain **{not provided for in groups [B29K 2461/00](#) - [B29K 2477/00](#)**, as filler {(as such [C08L 79/00](#))}
- 2479/08 . {PI, i.e. polyimides or derivatives thereof (as such [C08L 79/08](#))}
- 2479/085 . . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
- 2481/00** Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as filler {(as such [C08L 81/00](#))}
- 2481/04 . {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such [C08L 81/04](#))}
- 2481/06 . {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such [C08L 81/06](#))}
- 2483/00** Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as filler {(as such [C08L 83/00](#))}
- 2483/005 . {Liquid Silicone Rubbers [LSR] or derivatives thereof}
- 2485/00** Use of polymers having other elements **{than silicon, sulfur, nitrogen, oxygen, and carbon}** in the main chain, as filler {(as such [C08L 85/00](#))}
- 2486/00** Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups [B29K 2459/00](#) - [B29K 2485/00](#), as filler
- 2489/00** Use of proteins, e.g. casein, gelatine or derivatives thereof, as filler (as such [C08L 89/00](#))
- 2491/00** Use of waxes as filler {(as such [C08L 91/06](#))}
- 2493/00** Use of natural resins (as such [C08L 93/00](#)), e.g. shellac (as such [C08L 93/02](#)) or derivatives thereof, as filler ([B29K 2401/00](#), [B29K 2403/00](#), [B29K 2405/00](#), [B29K 2407/00](#) and [B29K 2489/00](#) take precedence)
- 2495/00** Use of bituminous materials, as filler {(as such [C08L 95/00](#))}
- 2496/00** Use of specified macromolecular materials not provided for in a single one of main groups [B29K 2401/00](#) - [B29K 2495/00](#), as filler
- 2496/005 . {Ionomers}
- 2496/02 . Graft polymers ([B29K 2455/02](#) takes precedence)
- 2496/04 . Block polymers ([B29K 2455/02](#) takes precedence)
- 2501/00** Use of unspecified macromolecular compounds as filler (unspecified rubbers [B29K 2421/00](#) ) {(as such [C08L 101/00](#))}
- 2501/10 . Thermosetting resins
- 2501/12 . Thermoplastic materials
- 2503/00** Use of resin-bonded materials as filler
- 2503/04 . Inorganic materials
- 2503/06 . . Metal powders, metal carbides or the like
- 2503/08 . . Mineral aggregates, e.g. sand, clay or the like
- 2505/00** Use of metals, their alloys or their compounds, as filler
- NOTE**
- Alloys or compounds of specified metals are indexed with the same code as the specified metals.
- 2505/02 . Aluminium
- 2505/04 . Lead
- 2505/06 . Tin
- 2505/08 . Transition metals
- 2505/10 . . Copper
- 2505/12 . . Iron
- 2505/14 . . Noble metals, e.g. silver, Gold, Platinum
- 2507/00** Use of elements other than metals as filler
- 2507/02 . Boron
- 2507/04 . Carbon
- 2507/045 . . {Diamond}
- 2509/00** Use of inorganic materials not provided for in groups [B29K 2503/00](#) - [B29K 2507/00](#), as filler
- 2509/02 . Ceramics
- 2509/04 . . Carbides; Nitrides
- 2509/06 . Concrete
- 2509/08 . Glass
- 2509/10 . Mica
- 2509/12 . Asbestos
- 2509/14 . {Stones}
- 2511/00** Use of natural products or their composites, not provided for in groups [B29K 2401/00](#) - [B29K 2509/00](#), as filler
- 2511/02 . Cork
- 2511/04 . Linoleum
- 2511/06 . Bone, horn, ivory
- 2511/08 . Leather
- 2511/10 . Natural fibres, e.g. wool, cotton
- 2511/12 . Paper, e.g. cardboard
- 2511/123 . . {Coated}
- 2511/126 . . {Impregnated}
- 2511/14 . Wood, e.g. woodboard, fibreboard
- 2601/00** Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, for preformed parts, e.g. inserts {(as such [C08L 1/00](#))}
- NOTE**
- Copolymers are indexed with the same indexing code as the majority polymers
- 2601/08 . {Cellulose derivatives (as such [C08L 1/08](#))}
- 2601/12 . . {Cellulose acetate (as such [C08L 1/12](#))}
- 2601/14 . . {Cellulose acetate-butyrate (as such [C08L 1/14](#))}
- 2601/18 . . {Cellulose nitrate (as such [C08L 1/18](#))}
- 2603/00** Use of **{starch or derivatives for preformed parts, e.g. inserts}** (as such [C08L 3/00](#))
- 2605/00** Polysaccharides or derivatives (as such [C08L 5/00](#))

2607/00	Use of natural rubber for preformed parts, e.g. inserts {(as such <a href="#">C08L 7/00</a> )}	2625/08	. . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such <a href="#">C08L 25/08</a> ; <a href="#">B29K 2655/02</a> takes precedence)}
2609/00	Use of rubber derived from conjugated dienes for preformed parts, e.g. inserts {(as such <a href="#">C08L 9/00</a> )}	2627/00	Use of polyvinylhalogenides {or derivatives thereof} for preformed parts, e.g. inserts {(as such <a href="#">C08L 27/00</a> )}
2609/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such <a href="#">C08L 9/06</a> )}	2627/06	. PVC, i.e. polyvinylchloride {(as such <a href="#">C08L 27/06</a> )}
2611/00	Use of {rubber derived from chloroprene for preformed parts, e.g. inserts (as such <a href="#">C08L 11/00</a> )}	2627/08	. {PVDC, i.e. polyvinylidene chloride (as such <a href="#">C08L 27/08</a> )}
2619/00	Use of rubber not provided for in a single one of main groups <a href="#">B29K 2607/00</a> - <a href="#">B29K 2611/00</a> , for preformed parts, e.g. inserts	2627/12	. containing fluorine {(as such <a href="#">C08L 27/12</a> )}
2621/00	Use of {unspecified rubbers for preformed parts, e.g. inserts (as such <a href="#">C08L 21/00</a> )}	2627/14	. . {PVF, i.e. polyvinyl fluoride (as such <a href="#">C08L 27/14</a> )}
2621/003	. {Thermoplastic elastomers}	2627/16	. . {PVDF, i.e. polyvinylidene fluoride (as such <a href="#">C08L 27/16</a> )}
2621/006	. {Thermosetting elastomers}	2627/18	. . PTFE, i.e. polytetrafluorethene {(as such <a href="#">C08L 27/18</a> ), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
2623/00	Use of polyalkenes {or derivatives thereof} for preformed parts, e.g. inserts {(as such <a href="#">C08L 23/00</a> )}	2629/00	Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof}, for preformed parts, e.g. inserts {(as such <a href="#">C08L 29/00</a> )}
2623/04	. {Polymers of ethylene (as such <a href="#">C08L 23/04</a> )}	2629/04	. {PVOH, i.e. polyvinyl alcohol (as such <a href="#">C08L 29/04</a> ; <a href="#">B29K 2631/04</a> takes precedence)}
2623/06	. . {PE, i.e. polyethylene (as such <a href="#">C08L 23/06</a> )}	2629/14	. {Polyvinylacetals}
2623/0608	. . . {characterised by its density}	2631/00	Use of polyvinylesters {or derivatives thereof} for preformed parts, e.g. inserts {(as such <a href="#">C08L 31/00</a> )}
2623/0616	. . . . {VLDPE, i.e. very low density polyethylene}	2631/04	. {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such <a href="#">C08L 31/04</a> )}
2623/0625	. . . . {LLDPE, i.e. linear low density polyethylene}	2633/00	Use of polymers of unsaturated acids or derivatives thereof for preformed parts, e.g. inserts {(as such <a href="#">C08L 33/00</a> )} ( <a href="#">B29K 2635/00</a> takes precedence)
2623/0633	. . . . {LDPE, i.e. low density polyethylene}	2633/04	. Polymers of esters {(as such <a href="#">C08L 33/04</a> )}
2623/0641	. . . . {MDPE, i.e. medium density polyethylene}	2633/08	. . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such <a href="#">C08L 33/08</a> )}
2623/065	. . . . {HDPE, i.e. high density polyethylene}	2633/12	. . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such <a href="#">C08L 33/12</a> )}
2623/0658	. . . {characterised by its molecular weight}	2633/18	. Polymers of nitriles {(as such <a href="#">C08L 33/18</a> )}
2623/0666	. . . . {ULMWPE, i.e. ultra low molecular weight polyethylene}	2633/20	. . PAN, i.e. polyacrylonitrile {(as such <a href="#">C08L 33/20</a> )}
2623/0675	. . . . {HMWPE, i.e. high molecular weight polyethylene}	2633/26	. {Polymers of acrylamide or methacrylamide (as such <a href="#">C08L 33/26</a> )}
2623/0683	. . . . {UHMWPE, i.e. ultra high molecular weight polyethylene}	2635/00	Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} for preformed parts, e.g. inserts {(as such <a href="#">C08L 35/00</a> )}
2623/0691	. . . {PEX, i.e. crosslinked polyethylene}	2639/00	Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, for preformed parts, e.g. inserts (as such <a href="#">C08L 39/00</a> )
2623/08	. . {Use of copolymers of ethylene for preformed parts, e.g. inserts (as such <a href="#">C08L 23/08</a> ; <a href="#">B29K 2623/16</a> takes precedence)}	2639/06	. Polymers of N-vinyl-pyrrolidones (as such <a href="#">C08L 39/06</a> )
2623/083	. . . {EVA, i.e. ethylene vinyl acetate copolymer}	2639/08	. Polymers of vinyl-pyridine (as such <a href="#">C08L 39/08</a> )
2623/086	. . . {EVOH, i.e. ethylene vinyl alcohol copolymer}	2645/00	Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, for preformed parts, e.g. inserts {(as such <a href="#">C08L 45/00</a> )}
2623/10	. {Polymers of propylene (as such <a href="#">C08L 23/10</a> )}		
2623/12	. . {PP, i.e. polypropylene (as such <a href="#">C08L 23/12</a> )}		
2623/14	. . {Copolymers of polypropylene (as such <a href="#">C08L 23/14</a> ; <a href="#">B29K 2623/16</a> takes precedence)}		
2623/16	. {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such <a href="#">C08L 23/16</a> )}		
2623/18	. {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such <a href="#">C08L 23/18</a> )}		
2623/22	. . {Copolymers of isobutene, e.g. butyl rubber (as such <a href="#">C08L 23/22</a> )}		
2623/38	. {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}		
2625/00	Use of polymers of vinyl-aromatic compounds {or derivatives thereof} for preformed parts, e.g. inserts {(as such <a href="#">C08L 25/00</a> )}		
2625/04	. {Polymers of styrene (as such <a href="#">C08L 25/04</a> )}		
2625/06	. . {PS, i.e. polystyrene (as such <a href="#">C08L 25/06</a> )}		

2649/00	Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, for preformed parts, e.g. inserts {(as such <a href="#">C08L 49/00</a> )}	2679/00	Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain { <b>not provided for in groups <a href="#">B29K 2661/00</a> - <a href="#">B29K 2677/00</a></b> }, for preformed parts, e.g. inserts {(as such <a href="#">C08L 79/00</a> )}
2655/00	Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups <a href="#">B29K 2623/00</a> - <a href="#">B29K 2649/00</a> , e.g. having a vinyl group, for preformed parts, e.g. inserts {(as such <a href="#">C08L 55/00</a> )}	2679/08	. {PI, i.e. polyimides or derivatives thereof (as such <a href="#">C08L 79/08</a> )}
2655/02	. ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such <a href="#">C08L 55/02</a> )}	2679/085	. . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
2659/00	Use of polyacetals {, e.g. POM, i.e. <b>polyoxymethylene; or derivatives thereof</b> }, for preformed parts, e.g. inserts {(as such <a href="#">C08L 59/00</a> )}	2681/00	Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, for preformed parts, e.g. inserts {(as such <a href="#">C08L 81/00</a> )}
2661/00	Use of condensation polymers of aldehydes or ketones { <b>or derivatives thereof</b> }, for preformed parts, e.g. inserts {(as such <a href="#">C08L 61/00</a> )}	2681/04	. {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such <a href="#">C08L 81/04</a> )}
2661/04	. Phenoplasts {(as such <a href="#">C08L 61/04</a> )}	2681/06	. {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such <a href="#">C08L 81/06</a> )}
2661/20	. Aminoplasts {(as such <a href="#">C08L 61/20</a> )}	2683/00	Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, for preformed parts, e.g. inserts {(as such <a href="#">C08L 83/00</a> )}
2663/00	Use of {EP, i.e.} epoxy resins { <b>or derivatives thereof</b> } for preformed parts, e.g. inserts {(as such <a href="#">C08L 63/00</a> )}	2683/005	. {Liquid Silicone Rubbers [LSR] or derivatives thereof}
2665/00	Use of polyphenylenes (as such <a href="#">C08L 65/02</a> ) or polyxylylenes (as such <a href="#">C08L 65/04</a> ), for preformed parts, e.g. inserts	2685/00	Use of polymers having other elements { <b>than silicon, sulfur, nitrogen, oxygen, and carbon</b> } in the main chain, for preformed parts, e.g. inserts {(as such <a href="#">C08L 85/00</a> )}
2667/00	Use of polyesters { <b>or derivatives thereof</b> } for preformed parts, e.g. inserts {(as such <a href="#">C08L 67/00</a> )}	2686/00	Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups <a href="#">B29K 2659/00</a> - <a href="#">B29K 2685/00</a> , for preformed parts, e.g. inserts
2667/003	. {PET, i.e. polyethylene terephthalate}	2689/00	Use of proteins, e.g. casein, gelatine or derivatives thereof, for preformed parts, e.g. inserts (as such <a href="#">C08L 89/00</a> )
2667/006	. {PBT, i.e. polybutylene terephthalate}	2691/00	Use of waxes for preformed parts, e.g. inserts {(as such <a href="#">C08L 91/06</a> )}
2667/04	. {Polyesters derived from hydroxycarboxylic acids (as such <a href="#">C08L 67/04</a> )}	2693/00	Use of natural resins (as such <a href="#">C08L 93/00</a> ), e.g. shellac (as such <a href="#">C08L 93/02</a> ) or derivatives thereof, for preformed parts, e.g. inserts ( <a href="#">B29K 2601/00</a> , <a href="#">B29K 2603/00</a> , <a href="#">B29K 2605/00</a> , <a href="#">B29K 2607/00</a> and <a href="#">B29K 2689/00</a> take precedence)
2667/043	. . {PGA, i.e. polyglycolic acid or polyglycolide}	2695/00	Use of bituminous materials, for preformed parts, e.g. inserts {(as such <a href="#">C08L 95/00</a> )}
2667/046	. . {PLA, i.e. polylactic acid or polylactide}	2696/00	Use of specified macromolecular materials not provided for in a single one of main groups <a href="#">B29K 2601/00</a> - <a href="#">B29K 2695/00</a> , for preformed parts, e.g. inserts
2667/06	. {Unsaturated polyesters (as such <a href="#">C08L 67/06</a> )}	2696/005	. {Ionomers}
2669/00	Use of {PC, i.e.} polycarbonates { <b>or derivatives thereof</b> } for preformed parts, e.g. inserts {(as such <a href="#">C08L 69/00</a> )}	2696/02	. Graft polymers
2671/00	Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, for preformed parts, e.g. inserts {(as such <a href="#">C08L 71/00</a> )}	2696/04	. Block polymers
2671/02	. {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such <a href="#">C08L 71/02</a> )}	2701/00	Use of unspecified macromolecular compounds for preformed parts, e.g. inserts (unspecified rubbers <a href="#">B29K 2621/00</a> ) {(as such <a href="#">C08L 101/00</a> )}
2671/12	. {PPO, i.e. polyphenylene oxide (as such <a href="#">C08L 71/12</a> ); PPE, i.e. polyphenylene ether}	2701/10	. Thermosetting resins
2673/00	Use of other polymers having oxygen as the only hetero atom in the main chain, for preformed parts, e.g. inserts {(as such <a href="#">C08L 73/00</a> )}	2701/12	. Thermoplastic materials
2675/00	Use of {PU, i.e.} polyureas or polyurethanes { <b>or derivatives thereof</b> }, for preformed parts, e.g. inserts {(as such <a href="#">C08L 75/00</a> )}	2703/00	Use of resin-bonded materials for preformed parts, e.g. inserts
2675/02	. Polyureas {(as such <a href="#">C08L 75/02</a> )}		
2677/00	Use of {PA, i.e.} polyamides, e.g. polyesteramides { <b>or derivatives thereof</b> }, for preformed parts, e.g. inserts {(as such <a href="#">C08L 77/00</a> )}		
2677/10	. {Aromatic polyamides (Polyaramides) or derivatives thereof (as such <a href="#">C08L 77/10</a> )}		

2703/04	. Inorganic materials	2801/00	Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as mould material (as such <a href="#">C08L 1/00</a> )
2703/06	. . Metal powders, metal carbides or the like	2801/08	. Cellulose derivatives (as such <a href="#">C08L 1/08</a> )
2703/08	. . Mineral aggregates, e.g. sand, clay or the like	2801/12	. . Cellulose acetate (as such <a href="#">C08L 1/12</a> )
2705/00	Use of metals, their alloys or their compounds, for preformed parts, e.g. for inserts	2801/14	. . Cellulose acetate-butyrate (as such <a href="#">C08L 1/14</a> )
	<b>NOTE</b>	2801/18	. . Cellulose nitrate (as such <a href="#">C08L 1/18</a> )
	Alloys or compounds of specified metals are indexed with the same code as the specified metals.	2803/00	Use of starch or derivatives as mould material (as such <a href="#">C08L 3/00</a> )
2705/02	. Aluminium	2805/00	Polysaccharides or derivatives (as such <a href="#">C08L 5/00</a> )
2705/04	. Lead	2807/00	Use of natural rubber as mould material (as such <a href="#">C08L 7/00</a> )
2705/06	. Tin	2809/00	Use of rubber derived from conjugated dienes as mould material (as such <a href="#">C08L 9/00</a> )
2705/08	. Transition metals	2809/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such <a href="#">C08L 9/06</a> )}
2705/10	. . Copper	2811/00	Use of rubber derived from chloroprene as mould material (as such <a href="#">C08L 11/00</a> )
2705/12	. . Iron	2819/00	Use of rubber not provided for in a single one of main groups <a href="#">B29K 2807/00</a> - <a href="#">B29K 2811/00</a> , as mould material
2705/14	. . Noble metals, e.g. silver, Gold, Platinum	2821/00	Use of unspecified rubbers as mould material (as such <a href="#">C08L 21/00</a> )
2707/00	Use of elements other than metals for preformed parts, e.g. for inserts	2821/003	. Thermoplastic elastomers
2707/02	. Boron	2821/006	. Thermosetting elastomers
2707/04	. Carbon	2823/00	Use of polyalkenes or derivatives thereof as mould material (as such <a href="#">C08L 23/00</a> )
2707/045	. . {Diamond}	2823/04	. Polymers of ethylene (as such <a href="#">C08L 23/04</a> )
2709/00	Use of inorganic materials not provided for in groups <a href="#">B29K 2603/00</a> - <a href="#">B29K 2607/00</a> , for preformed parts, e.g. for inserts	2823/06	. . PE, i.e. polyethylene (as such <a href="#">C08L 23/06</a> )
2709/02	. Ceramics	2823/0608	. . . characterised by its density
2709/04	. . Carbides; Nitrides	2823/0616	. . . . VLDPE, i.e. very low density polyethylene
2709/06	. Concrete	2823/0625	. . . . LLDPE, i.e. linear low density polyethylene
2709/08	. Glass	2823/0633	. . . . LDPE, i.e. low density polyethylene
2709/10	. Mica	2823/0641	. . . . MDPE, i.e. medium density polyethylene
2709/12	. Asbestos	2823/065	. . . . HDPE, i.e. high density polyethylene
2709/14	. {Stones}	2823/0658	. . . characterised by its molecular weight
2711/00	Use of natural products or their composites, not provided for in groups <a href="#">B29K 2601/00</a> - <a href="#">B29K 2709/00</a> , for preformed parts, e.g. for inserts	2823/0666	. . . . ULMWPE, i.e. ultra low molecular weight polyethylene
2711/02	. Cork	2823/0675	. . . . HMWPE, i.e. high molecular weight polyethylene
2711/04	. Linoleum	2823/0683	. . . . UHMWPE, i.e. ultra high molecular weight polyethylene
2711/06	. Bone, horn, ivory	2823/0691	. . . PEX, i.e. crosslinked polyethylene
2711/08	. Leather	2823/08	. . Use of copolymers of ethylene as mould material (as such <a href="#">C08L 23/08</a> ; <a href="#">B29K 2823/16</a> takes precedence)
2711/10	. Natural fibres, e.g. wool, cotton	2823/083	. . . EVA, i.e. ethylene vinyl acetate copolymer
2711/12	. Paper, e.g. cardboard	2823/086	. . . EVOH, i.e. ethylene vinyl alcohol copolymer
2711/123	. . {Coated}	2823/10	. Polymers of propylene (as such <a href="#">C08L 23/10</a> )
2711/126	. . {Impregnated}	2823/12	. . PP, i.e. polypropylene (as such <a href="#">C08L 23/12</a> )
2711/14	. Wood, e.g. woodboard, fibreboard	2823/14	. . Copolymers of polypropylene (as such <a href="#">C08L 23/14</a> ; <a href="#">B29K 2823/16</a> takes precedence)
2713/00	Textile products, fabrics ( <a href="#">B29K 2105/06</a> takes precedence)	2823/16	. EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such <a href="#">C08L 23/16</a> )
2713/005	. Fleece	2823/18	. Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such <a href="#">C08L 23/18</a> )
2713/02	. coated		
	<b>NOTE</b>		
	Copolymers are indexed with the same indexing code as the majority polymers		
2715/00	Condition, form or state of preformed parts, e.g. inserts		
2715/003	. Cellular or porous		
2715/006	. Glues, adhesives, e.g. hot melts, thermofusible adhesives		

- 2823/22 . . Copolymers of isobutene, e.g. butyl rubber (as such [C08L 23/22](#))
- 2823/38 . Polymers of cycloalkenes, e.g. norbornene, cyclopentene
- 2825/00 Use of polymers of vinyl-aromatic compounds or derivatives thereof as mould material (as such [C08L 25/00](#))**
- 2825/04 . Polymers of styrene (as such [C08L 25/04](#))
- 2825/06 . . PS, i.e. polystyrene (as such [C08L 25/06](#))
- 2825/08 . . Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such [C08L 25/08](#); [B29K 2855/02](#) takes precedence)
- 2827/00 Use of polyvinylhalogenides or derivatives thereof as mould material (as such [C08L 27/00](#))**
- 2827/06 . PVC, i.e. polyvinylchloride (as such [C08L 27/06](#))
- 2827/08 . PVDC, i.e. polyvinylidene chloride (as such [C08L 27/08](#))
- 2827/12 . containing fluorine (as such [C08L 27/12](#))
- 2827/14 . . PVF, i.e. polyvinyl fluoride (as such [C08L 27/14](#))
- 2827/16 . . PVDF, i.e. polyvinylidene fluoride (as such [C08L 27/16](#))
- 2827/18 . . PTFE, i.e. polytetrafluorethene (as such [C08L 27/18](#)), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)
- 2829/00 Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals or derivatives thereof, as mould material (as such [C08L 29/00](#))**
- 2829/04 . PVOH, i.e. polyvinyl alcohol (as such [C08L 29/04](#); [B29K 2831/04](#) takes precedence)
- 2829/14 . Polyvinylacetals
- 2831/00 Use of polyvinylesters or derivatives thereof as mould material (as such [C08L 31/00](#))**
- 2831/04 . Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such [C08L 31/04](#))
- 2833/00 Use of polymers of unsaturated acids or derivatives thereof as mould material (as such [C08L 33/00](#); [B29K 2835/00](#) takes precedence)**
- 2833/04 . Polymers of esters (as such [C08L 33/04](#))
- 2833/08 . . Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))
- 2833/12 . . Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))
- 2833/18 . Polymers of nitriles (as such [C08L 33/18](#))
- 2833/20 . . PAN, i.e. polyacrylonitrile (as such [C08L 33/20](#))
- 2833/26 . Polymers of acrylamide or methacrylamide (as such [C08L 33/26](#))
- 2835/00 use of polymers of unsaturated polycarboxylic acids or derivatives thereof as mould material (as such [C08L 35/00](#))**
- 2839/00 Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, as mould material (as such [C08L 39/00](#))**
- 2839/06 . Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))
- 2839/08 . Polymers of vinyl-pyridine (as such [C08L 39/08](#))
- 2845/00 Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins or derivatives thereof, as mould material (as such [C08L 45/00](#))**
- 2849/00 Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, as mould material (as such [C08L 49/00](#))**
- 2855/00 Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups [B29K 2823/00](#) - [B29K 2849/00](#), e.g. having a vinyl group, as mould material (as such [C08L 55/00](#))**
- 2855/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers (as such [C08L 55/02](#))
- 2859/00 Use of polyacetals, e.g. POM, i.e. polyoxymethylene; or derivatives thereof, as mould material (as such [C08L 59/00](#))**
- 2861/00 Use of condensation polymers of aldehydes or ketones or derivatives thereof, as mould material (as such [C08L 61/00](#))**
- 2861/04 . Phenoplasts (as such [C08L 61/04](#))
- 2861/20 . Aminoplasts (as such [C08L 61/20](#))
- 2863/00 Use of EP, i.e. epoxy resins or derivatives thereof as mould material (as such [C08L 63/00](#))**
- 2865/00 Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)), as mould material**
- 2867/00 Use of polyesters or derivatives thereof as mould material (as such [C08L 67/00](#))**
- 2867/003 . PET, i.e. poylethylene terephthalate
- 2867/006 . PBT, i.e. polybutylene terephthalate
- 2867/04 . Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))
- 2867/043 . . PGA, i.e. polyglycolic acid or polyglycolide
- 2867/046 . . PLA, i.e. polylactic acid or polylactide
- 2867/06 . Unsaturated polyesters (as such [C08L 67/06](#))
- 2869/00 Use of PC, i.e. polycarbonates or derivatives thereof as mould material (as such [C08L 69/00](#))**
- 2871/00 {Use of polyethers, e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, as mould material (as such [C08L 71/00](#))**
- 2871/02 . Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))
- 2871/12 . PPO, i.e. polyphenylene oxide (as such [C08L 71/12](#)); PPE, i.e. polyphenylene ether
- 2873/00 use of other polymers having oxygen as the only hetero atom in the main chain, as mould material (as such [C08L 73/00](#))**
- 2875/00 Use of PU, i.e. polyureas or polyurethanes or derivatives thereof, as mould material (as such [C08L 75/00](#))**
- 2875/02 . Polyureas (as such [C08L 75/02](#))
- 2877/00 {Use of PA, i.e.} polyamides, e.g. polyesteramides or derivatives thereof, as mould material [ (as such [C08L 77/00](#))]**

2877/10	• Aromatic polyamides (Polyaramides) or derivatives thereof ( <a href="#">as such C08L 77/10</a> )	2903/08	• • Mineral aggregates, e.g. sand, clay or the like
2879/00	<b>{Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain not provided for in groups B29K 2861/00 - B29K 2877/00}, as mould material {as such C08L 79/00}</b>	2905/00	<b>Use of metals, their alloys or their compounds, as mould material</b>
2879/08	• PI, i.e. polyimides or derivatives thereof ( <a href="#">as such C08L 79/08</a> )		<b>NOTE</b>
2879/085	• • Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof		Alloys or compounds of specified metals are indexed with the same code as the specified metals.
2881/00	<b>Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as mould material (<a href="#">as such C08L 81/00</a>)</b>	2905/02	• Aluminium
2881/04	• Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof ( <a href="#">as such C08L 81/04</a> )	2905/04	• Lead
2881/06	• PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof ( <a href="#">as such C08L 81/06</a> )	2905/06	• Tin
2883/00	<b>Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as mould material (<a href="#">as such C08L 83/00</a>)</b>	2905/08	• Transition metals
2883/005	• Liquid Silicone Rubbers [LSR] or derivatives thereof	2905/10	• • Copper
2885/00	<b>Use of polymers having other elements than silicon, sulfur, nitrogen, oxygen, and carbon in the main chain, as mould material (<a href="#">as such C08L 85/00</a>)</b>	2905/12	• • iron
2886/00	<b>Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups B29K 2859/00 - B29K 2885/00, as mould material</b>	2905/14	• • Noble metals, e.g. Silver, Gold, Platinum
2889/00	<b>Use of proteins, e.g. casein, gelatine or derivatives thereof, as mould material (<a href="#">as such C08L 89/00</a>)</b>	2907/00	<b>Use of elements other than metals as mould material</b>
2891/00	<b>Use of waxes as mould material (<a href="#">as such C08L 91/06</a>)</b>	2907/02	• Boron
2893/00	<b>Use of natural resins (<a href="#">as such C08L 93/00</a>), e.g. shellac (<a href="#">as such C08L 93/02</a>) or derivatives thereof, as mould material (<a href="#">B29K 2801/00</a>, <a href="#">B29K 2803/00</a>, <a href="#">B29K 2805/00</a>, <a href="#">B29K 2807/00</a> and <a href="#">B29K 2889/00</a> take precedence)</b>	2907/04	• Carbon
2895/00	<b>Use of bituminous materials, as mould material (<a href="#">as such C08L 95/00</a>)</b>	2907/045	• • Diamond
2896/00	<b>Use of specified macromolecular materials not provided for in a single one of main groups B29K 2801/00 - B29K 2895/00, as mould material</b>	2909/00	<b>Use of inorganic materials not provided for in groups B29K 2803/00 - B29K 2807/00, as mould material</b>
2896/005	• Ionomers	2909/02	• Ceramics
2896/02	• Graft polymers ( <a href="#">B29K 2855/02</a> takes precedence)	2909/04	• • Carbides; Nitrides
2896/04	• Block polymers ( <a href="#">B29K 2855/02</a> takes precedence)	2909/06	• Concrete
2901/00	<b>Use of unspecified macromolecular compounds as mould material (unspecified rubbers <a href="#">B29K 2821/00</a>; <a href="#">as such C08L 101/00</a>)</b>	2909/08	• Glass
2901/10	• Thermosetting resins	2909/10	• Mica
2901/12	• Thermoplastic materials	2909/12	• Asbestos
2903/00	<b>Use of resin-bonded materials as mould material</b>	2909/14	• Stones
2903/04	• Inorganic materials	2911/00	<b>Use of natural products or their composites, not provided for in groups B29K 2801/00 - B29K 2809/00, as mould material</b>
2903/06	• • Metal powders, metal carbides or the like	2911/02	• Cork
		2911/04	• Linoleum
		2911/06	• Bone, horn, ivory
		2911/08	• Leather
		2911/10	• Natural fibres, e.g. wool, cotton
		2911/12	• Paper, e.g. cardboard
		2911/123	• • Coated
		2911/126	• • Impregnated
		2911/14	• Wood, e.g. woodboard, fibreboard
		2913/00	<b>Textile products, fabrics</b>
		2913/02	• coated
		2995/00	<b>Properties of moulding materials, reinforcements, fillers, preformed parts or moulds</b>
		2995/0001	• having particular accoustical properties
		2995/0002	• • insulating
		2995/0003	• having particular electrical or magnetic properties, e.g. piezoelectric
		2995/0005	• • Conductive
		2995/0006	• • Dielectric
		2995/0007	• • Insulating
		2995/0008	• • Magnetic, paramagnetic
		2995/001	• • Electrostatic
		2995/0011	• • Electromagnetic wave shielding material
		2995/0012	• having particular thermal properties
		2995/0013	• • Conductive
		2995/0015	• • Insulating

2995/0016	. . Non-inflammable, resistant to heat	2995/0089	. . Impact strength, toughness
2995/0017	. . Heat stable	2995/0091	. . Damping, energy absorption
2995/0018	. . having particular optical properties, e.g. fluorescent, phosphorescent	2995/0092	. . hydrophilic
2995/002	. . Coloured	2995/0093	. . hydrophobic
2995/0021	. . . Multi-coloured	2995/0094	. . Geometrical properties
2995/0022	. . Bright, glossy, shiny surface	2995/0096	. . . Dimensional stability
2995/0024	. . Matt surface	2995/0097	. . . Thickness
2995/0025	. . Opaque	2995/0098	. . Peel strength, peelable
2995/0026	. . Transparent		
2995/0027	. . . for light outside the visible spectrum		
2995/0029	. . Translucent		
2995/003	. . Reflective		
2995/0031	. . Refractive		
2995/0032	. . . Birefringent		
2995/0034	. . Polarising		
2995/0035	. . Fluorescent		
2995/0036	. . Electroluminescent		
2995/0037	. Other properties		
2995/0039	. . Amorphous		
2995/004	. . Semi-crystalline		
2995/0041	. . Crystalline		
2995/0043	. . . non-uniform		
2995/0044	. . Anisotropic		
2995/0045	. . Isotropic		
2995/0046	. . Elastic		
2995/0048	. . Without internal tensions		
2995/0049	. . Heat shrinkable		
2995/005	. . Oriented		
2995/0051	. . . mono-axially		
2995/0053	. . . bi-axially		
2995/0054	. . . multi-axially		
2995/0055	. . Resistive to light		
2995/0056	. . Biocompatible, e.g. biopolymers, bioelastomers ( <a href="#">bio-degradable B29K 2995/006</a> )		
2995/0058	. . Inert to chemical degradation		
2995/0059	. . Degradable		
2995/006	. . . Bio-degradable, e.g. bioabsorbable, bioresorbable or bioerodible		
2995/0062	. . . water-soluble		
2995/0063	. . Density		
2995/0064	. . . Non-uniform density		
2995/0065	. . Permeability to gases		
2995/0067	. . . non-permeable		
2995/0068	. . Permeability to liquids, adsorption		
2995/0069	. . . non-permeable		
2995/007	. . Hardness		
2995/0072	. . Roughness, e.g. anti-slip		
2995/0073	. . . smooth		
2995/0074	. . . patterned, grained		
2995/0075	. . . flocked		
2995/0077	. . Yield strength; Tensile strength		
2995/0078	. . Shear strength		
2995/0079	. . Torsion strength; Torsion stiffness		
2995/0081	. . Tear strength		
2995/0082	. . Flexural strength; Flexion stiffness		
2995/0083	. . Creep		
2995/0084	. . Cryogenic properties		
2995/0086	. . Fatigue strength		
2995/0087	. . Wear resistance		
2995/0088	. . Molecular weight		