

# CPC COOPERATIVE PATENT CLASSIFICATION

## B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

### SEPARATING; MIXING

**B01** **PHYSICAL OR CHEMICAL PROCESSES OR APPARATUS IN GENERAL** (furnaces, kilns, ovens, retorts in general [F27](#))

**B01L** **CHEMICAL OR PHYSICAL LABORATORY APPARATUS FOR GENERAL USE** (apparatus for medical or pharmaceutical purposes [A61](#); apparatus for industrial purposes or laboratory apparatus whose construction and performance are comparable to that of similar industrial apparatus, see the relevant classes for industrial apparatus, particularly subclasses of [B01](#) and [C12](#); separating or distilling apparatus [B01D](#); mixing or stirring devices [B01F](#); atomisers [B05B](#); {vibrating devices, e.g. shaking tables,} sieves [B07B](#); corks, bungs [B65D](#); handling liquids in general [B67](#); vacuum pumps [F04](#); siphons [F04F 10/00](#); taps, stop-cocks [F16K](#); tubes, tube joints [F16L](#); apparatus specially adapted for investigating or analysing materials [G01](#), particularly [G01N](#); electrical or optical apparatus, see the relevant classes in Sections [G](#) and [H](#))

#### NOTE

This subclass covers only laboratory apparatus which is either applicable solely to laboratory purposes or which, by reason of its simple construction and adaptability, is such as would not be suitable for industrial use.

#### WARNINGS

- The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:  
- [B01L 3/14](#) covered by [B01L 3/50](#)
- In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

<b>1/00</b>	<b>Enclosures; Chambers</b> (fume cupboards <a href="#">B08B</a> ; provided with manipulation devices, glove boxes <a href="#">B25J</a> ; cooling chambers <a href="#">F25D</a> )	3/0217	. . . {of the plunger pump type (medical syringes <a href="#">A61M</a> )}
1/02	. Air-pressure chambers; Air-locks therefor	3/022	. . . {Capillary pipettes, i.e. having very small bore ( <a href="#">B01L 3/0224</a> - <a href="#">B01L 3/0237</a> take precedence)}
1/025	. . {Environmental chambers (incubators for culturing cells <a href="#">C12M 41/14</a> , Test chambers to test weather resistance <a href="#">G01N 17/002</a> )}	3/0224	. . . {having mechanical means to set stroke length, e.g. movable stops ( <a href="#">B01L 3/0231</a> , <a href="#">B01L 3/0234</a> take precedence)}
1/04	. Dust-free rooms or enclosures {(clean rooms suitable for industrial purposes <a href="#">F24F 3/161</a> )}	3/0227	. . . {Details of motor drive means ( <a href="#">B01L 3/0231</a> , <a href="#">B01L 3/0234</a> take precedence)}
1/50	. {for storing hazardous materials in the laboratory, e.g. cupboards, waste containers}	3/0231	. . . {having several coaxial pistons}
<b>3/00</b>	<b>Containers or dishes for laboratory use, e.g. laboratory glassware</b> (bottles <a href="#">B65D</a> ; apparatus for enzymology or microbiology {specially adapted for culturing} <a href="#">C12M 1/00</a> ); <b>Droppers</b> (receptacles for volumetric purposes <a href="#">G01F</a> )	3/0234	. . . {Repeating pipettes, i.e. for dispensing multiple doses from a single charge}
3/02	. Burettes; Pipettes	3/0237	. . . {Details of electronic control, e.g. relating to user interface}
3/0203	. . {Burettes, i.e. for withdrawing and redistributing liquids through different conduits}	3/0241	. . {Drop counters; Drop formers (making arrays for combinatorial libraries <a href="#">B01J 19/0046</a> ; automation of dispensing for analysis <a href="#">G01N 35/10</a> )}
3/0206	. . . {of the plunger pump type}	3/0244	. . . {using pins}
3/021	. . {Pipettes, i.e. with only one conduit for withdrawing and redistributing liquids}	3/0248	. . . {Prongs, quill pen type dispenser}
3/0213	. . . {Accessories for glass pipettes; Gun-type pipettes, e.g. safety devices, pumps}	3/0251	. . . {Pin and ring type or pin in tube type dispenser}
		3/0255	. . . {characterized by the form or material of the pin tip}
		3/0258	. . . {using stamps}

- 3/0262 . . . {using touch-off at substrate or container}
- 3/0265 . . . {using valves to interrupt or meter fluid flow, e.g. using solenoids or metering valves}
- 3/0268 . . . {using pulse dispensing or spraying, eg. inkjet type, piezo actuated ejection of droplets from capillaries}
- 3/0272 . . . {Dropper bottles}
- 3/0275 . . {Interchangeable or disposable dispensing tips}
- 3/0279 . . . {co-operating with positive ejection means}
- 3/0282 . . {mounted within a receptacle ([wash bottles B01L 3/10](#))}
- 3/0286 . . {Ergonomic aspects, e.g. form or arrangement of controls}
- 3/0289 . . {Apparatus for withdrawing or distributing predetermined quantities of fluid ([B01L 3/02](#) takes precedence; sample taking [G01N 1/00](#); sample taking within automatic analysers [G01N 35/00](#); volume measuring in general [G01F](#))}
- 3/0293 . . . {for liquids}
- 3/0296 . . . {from piercable tubing, e.g. in extracorporeal blood sampling}
- 3/04 . Crucibles
- 3/06 . Crystallising dishes
- 3/08 . Flasks ([specially adapted for distillation B01D {B01D 3/10}](#))
- 3/10 . Wash bottles
- 3/12 . Gas jars or cylinders
- 3/14 . Test tubes {(devices for taking samples of blood (*Frozen*) [A61B 5/15](#))}

**WARNING**

Group [B01L 3/14](#) is no longer used for the classification of documents as of August 1, 2018. The content of this group is being reclassified into groups [B01L 3/50](#), [B01L 3/502](#), [B01L 3/5021](#), [B01L 3/50215](#), [B01L 3/5023](#), [B01L 3/5025](#), [B01L 3/50255](#), [B01L 3/5027](#), [B01L 3/502707](#), [B01L 3/502715](#), [B01L 3/502723](#), [B01L 3/50273](#), [B01L 3/502738](#), [B01L 3/502746](#), [B01L 3/502753](#), [B01L 3/502761](#), [B01L 3/502769](#), [B01L 3/502776](#), [B01L 3/502784](#), [B01L 3/502792](#), [B01L 3/5029](#), [B01L 3/505](#), [B01L 3/5055](#), [B01L 3/508](#), [B01L 3/5082](#), [B01L 3/50825](#), [B01L 3/5085](#), [B01L 3/50851](#), [B01L 3/50853](#), [B01L 3/50855](#), [B01L 3/50857](#), and [B01L 3/5088](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 3/16 . Retorts
- 3/18 . Spatulas
- 3/50 . {Containers for the purpose of retaining a material to be analysed, e.g. test tubes (devices for taking samples of blood [A61B 5/15](#))}

**WARNING**

Groups [B01L 3/50](#) - [B01L 3/5088](#) are incomplete pending reclassification of documents from group [B01L 3/14](#).

Group [B01L 3/14](#) should also be considered in order to perform a complete search.

- 3/502 . . {with fluid transport, e.g. in multi-compartment structures ([centrifugal-type cuvettes G01N 21/07](#); analysis by separation into components [G01N 30/00](#); automatic analysers [G01N 35/00](#))}
- 3/5021 . . . {Test tubes specially adapted for centrifugation purposes ([centrifuges B04B 5/04](#))}
- 3/50215 . . . . {using a float to separate phases}
- 3/5023 . . . {with a sample being transported to, and subsequently stored in an absorbent for analysis}
- 3/5025 . . . {for parallel transport of multiple samples}
- 3/50255 . . . . {Multi-well filtration}
- 3/5027 . . . {by integrated microfluidic structures, i.e. dimensions of channels and chambers are such that surface tension forces are important, e.g. lab-on-a-chip ([B01L 3/5023](#) takes precedence; micromixers [B01F 13/0059](#); microreactors for synthesis [B01J 19/0093](#); microcapillary devices in general [B81B 1/00](#))}
- 3/502707 . . . . {characterised by the manufacture of the container or its components (manufacture of microstructural devices in general [B81C](#); by shaping or joining plastic parts [B29C 59/00](#) [B29C 65/00](#), by laminating [B32B 37/00](#))}
- 3/502715 . . . . {characterised by interfacing components, e.g. fluidic, electrical, optical or mechanical interfaces}
- 3/502723 . . . . {characterised by venting arrangements}
- 3/50273 . . . . {characterised by the means or forces applied to move the fluids (micropumps [F04B 19/006](#), of the membrane type [F04B 43/043](#))}
- 3/502738 . . . . {characterised by integrated valves (microvalves [F16K 99/0001](#))}
- 3/502746 . . . . {characterised by the means for controlling flow resistance, e.g. flow controllers, baffles ([B01L 3/502738](#) takes precedence)}
- 3/502753 . . . . {characterised by bulk separation arrangements on lab-on-a-chip devices, e.g. for filtration or centrifugation (separation in general [B01D](#); microapparatus for analysis using electrophoresis [G01N 27/44791](#); sample preparation [G01N 1/28](#))}
- 3/502761 . . . . {specially adapted for handling suspended solids or molecules independently from the bulk fluid flow, e.g. for trapping or sorting beads, for physically stretching molecules (investigating characteristics of particles [G01N 15/00](#))}
- 3/502769 . . . . {characterised by multiphase flow arrangements}
- 3/502776 . . . . . {specially adapted for focusing or laminating flows}
- 3/502784 . . . . . {specially adapted for droplet or plug flow, e.g. digital microfluidics (automatic analysis using a stream of discrete samples in a tube system [G01N 35/08](#))}
- 3/502792 . . . . . {for moving individual droplets on a plate, e.g. by locally altering surface tension}
- 3/5029 . . . . {using swabs}
- 3/505 . . {flexible containers not provided for above}
- 3/5055 . . . {Hinged, e.g. opposable surfaces}
- 3/508 . . {rigid containers not provided for above}
- 3/5082 . . . {Test tubes *per se*}

- 3/50825 . . . . {Closing or opening means, corks, bungs (closures for containers [B65D](#); means for removing stoppers [B67B 7/02](#))}
- 3/5085 . . . {for multiple samples, e.g. microtitration plates}
- 3/50851 . . . . {specially adapted for heating or cooling samples (laboratory heating apparatus [B01L 7/00](#); incubators [C12M](#))}
- 3/50853 . . . . {with covers or lids}
- 3/50855 . . . . {using modular assemblies of strips or of individual wells}
- 3/50857 . . . . {using arrays or bundles of open capillaries for holding samples}
- 3/5088 . . . {confining liquids at a location by surface tension, e.g. virtual wells on plates, wires ([B01L 3/50857](#) takes precedence)}
- 3/52 . {Containers specially adapted for storing or dispensing a reagent ([B01L 3/02](#) takes precedence; containers for medical or pharmaceutical purposes [A61J 1/00](#); containers in general [B65D](#); storing or dispensing test elements [G01N 33/4875](#); automated reagent dispensing [G01N 35/1002](#))}
- 3/523 . . {with means for closing or opening}
- 3/527 . . {for a plurality of reagents}
- 3/54 . {Labware with identification means (identification of carriers, materials or components in automatic analysers [G01N 35/00732](#))}
- 3/545 . . {for laboratory containers}
- 3/5453 . . . {for test tubes}
- 3/5457 . . . {for container closures}
- 3/56 . {Labware specially adapted for transferring fluids}
- 3/561 . . {Tubes; Conduits (in general [F16L](#))}
- 3/563 . . {Joints or fittings (in general [F16L](#)); Separable fluid transfer means to transfer fluids between at least two containers, e.g. connectors}
- 3/5635 . . . {connecting two containers face to face, e.g. comprising a filter}
- 3/565 . . {Seals (in general [F16L](#))}
- 3/567 . . {Valves, taps or stop-cocks (in combination with burettes [B01L 3/0203](#); in general [F16K](#))}
- 3/569 . . {Glassware}
- 5/00 Gas handling apparatus** (gas jars or cylinders [B01L 3/12](#); cold traps, cold baffles [B01D 8/00](#); separation of gases or vapours [B01D 53/00](#); gas generators [B01J 7/00](#); steam traps [F16T](#))
- 5/02 . Gas collection apparatus, e.g. by bubbling under water (for sampling [G01N](#))
- 5/04 . Gas washing apparatus, e.g. by bubbling
- 7/00 Heating or cooling apparatus** (evaporators [B01D 1/00](#); drying gases or vapours, e.g. desiccators, [B01D 53/26](#); autoclaves [B01J 3/04](#); drying ovens [F26B](#); furnaces, ovens [F27](#)); **Heat insulating devices**
- 7/02 . Water baths; Sand baths; Air baths
- 7/04 . Heat insulating devices, e.g. jackets for flasks
- 7/50 . {Cryostats}
- 7/52 . {with provision for submitting samples to a predetermined sequence of different temperatures, e.g. for treating nucleic acid samples (amplification or hybridisation processes per se [C12Q 1/68](#); controlling sequential reactions for synthesis [B01J 19/0046](#))}
- 7/525 . . {with physical movement of samples between temperature zones}
- 7/5255 . . . {by moving sample containers}
- 7/54 . {using spatial temperature gradients}
- 9/00 Supporting devices; Holding devices** (tweezers, tongs [B25B](#))
- 9/02 . Laboratory benches or tables; Fittings therefor
- 9/04 . Retort stands; Retort clamps
- 9/06 . Test-tube stands; Test-tube holders
- 9/065 . . {specially adapted for capillary tubes}
- 9/50 . {Clamping means, tongs (in general [F16B 2/06](#))}
- 9/52 . {Supports for flat sample carrier, e.g. used for plates, slides, chips}
- 9/523 . . {for multisample carriers, e.g. used for microtitration plates}
- 9/527 . . {for microfluidic devices, e.g. used for lab-on-a-chip}
- 9/54 . {Supports related to pipettes and burettes}
- 9/543 . . {for disposable pipette tips, e.g. racks or cassettes}
- 9/547 . . {for dispensing pins}
- 99/00 Subject matter not provided for in other groups of this subclass** {(chemical indicators in general [G01N](#))}
- 2200/00 Solutions for specific problems relating to chemical or physical laboratory apparatus**
- 2200/02 . Adapting objects or devices to another
- 2200/021 . . Adjust spacings in an array of wells, pipettes or holders, format transfer between arrays of different size or geometry
- 2200/022 . . . Variable spacings
- 2200/023 . . adapted for different sizes of tubes, tips or container
- 2200/025 . . Align devices or objects to ensure defined positions relative to each other
- 2200/026 . . Fluid interfacing between devices or objects, e.g. connectors, inlet details
- 2200/027 . . . for microfluidic devices
- 2200/028 . . Modular arrangements
- 2200/04 . Exchange or ejection of cartridges, containers or reservoirs
- 2200/06 . Fluid handling related problems
- 2200/0605 . . Metering of fluids
- 2200/061 . . Counting droplets
- 2200/0615 . . Loss of fluid by dripping
- 2200/0621 . . Control of the sequence of chambers filled or emptied
- 2200/0626 . . using levitated droplets
- 2200/0631 . . Purification arrangements, e.g. solid phase extraction [SPE]
- 2200/0636 . . Focussing flows, e.g. to laminate flows
- 2200/0642 . . Filling fluids into wells by specific techniques
- 2200/0647 . . Handling flowable solids, e.g. microscopic beads, cells, particles
- 2200/0652 . . . Sorting or classification of particles or molecules
- 2200/0657 . . . Pipetting powder
- 2200/0663 . . . Stretching or orienting elongated molecules or particles
- 2200/0668 . . . Trapping microscopic beads
- 2200/0673 . . Handling of plugs of fluid surrounded by immiscible fluid
- 2200/0678 . . Facilitating or initiating evaporation

2200/0684	. . Venting, avoiding backpressure, avoid gas bubbles	2300/0809	. . rectangular shaped
2200/0689	. . Sealing	2300/0812	. . . Bands; Tapes
2200/0694	. . Creating chemical gradients in a fluid	2300/0816	. . . Cards, e.g. flat sample carriers usually with flow in two horizontal directions
2200/08	. Ergonomic or safety aspects of handling devices	2300/0819	. . . Microarrays; Biochips
2200/082	. . Handling hazardous material	2300/0822	. . . Slides
2200/085	. . Protection against injuring the user	2300/0825	. . . Test strips
2200/087	. . Ergonomic aspects	2300/0829	. . . Multi-well plates; Microtitration plates
2200/10	. Integrating sample preparation and analysis in single entity, e.g. lab-on-a-chip concept	2300/0832	. . cylindrical, tube shaped
2200/12	. Specific details about manufacturing devices	2300/0835	. . . Ampoules
2200/14	. Process control and prevention of errors	2300/0838	. . . Capillaries
2200/141	. . Preventing contamination, tampering	2300/0841	. . . Drums
2200/142	. . Preventing evaporation	2300/0845	. . . Filaments, strings, fibres, i.e. not hollow
2200/143	. . Quality control, feedback systems	2300/0848	. . Specific forms of parts of containers
2200/145	. . . Detecting door closure	2300/0851	. . . Bottom walls
2200/146	. . . Employing pressure sensors	2300/0854	. . . Double walls
2200/147	. . . Employing temperature sensors	2300/0858	. . . Side walls
2200/148	. . Specific details about calibrations	2300/0861	. . Configuration of multiple channels and/or chambers in a single devices
2200/16	. Reagents, handling or storing thereof	2300/0864	. . . comprising only one inlet and multiple receiving wells, e.g. for separation, splitting
2200/18	. Transport of container or devices	2300/0867	. . . Multiple inlets and one sample wells, e.g. mixing, dilution
2200/185	. . Long distance transport, e.g. mailing	2300/087	. . . Multiple sequential chambers
<b>2300/00</b>	<b>Additional constructional details</b>	2300/0874	. . . Three dimensional network
2300/02	. Identification, exchange or storage of information	2300/0877	. . . Flow chambers
2300/021	. . Identification, e.g. bar codes	2300/088	. . . Channel loops
2300/022	. . . Transponder chips	2300/0883	. . . Serpentine channels
2300/023	. . Sending and receiving of information, e.g. using bluetooth	2300/0887	. . Laminated structure
2300/024	. . Storing results with means integrated into the container	2300/089	. . Virtual walls for guiding liquids
2300/025	. . Displaying results or values with integrated means	2300/0893	. . having a very large number of wells, microfabricated wells
2300/026	. . . Drum counters	2300/0896	. . Nanoscaled
2300/027	. . . Digital display, e.g. LCD, LED	2300/10	. Means to control humidity and/or other gases
2300/028	. . . Graduation	2300/105	. . using desiccants
2300/04	. Closures and closing means	2300/12	. Specific details about materials
2300/041	. . Connecting closures to device or container	2300/123	. . Flexible; Elastomeric
2300/042	. . . Caps; Plugs	2300/126	. . Paper
2300/043	. . . Hinged closures	2300/14	. Means for pressure control
2300/044	. . . pierceable, e.g. films, membranes	2300/16	. Surface properties and coatings
2300/045	. . . whereby the whole cover is slidable	2300/161	. . Control and use of surface tension forces, e.g. hydrophobic, hydrophilic
2300/046	. . Function or devices integrated in the closure	2300/163	. . . Biocompatibility
2300/047	. . . Additional chamber, reservoir	2300/165	. . . Specific details about hydrophobic, oleophobic surfaces
2300/048	. . . enabling gas exchange, e.g. vents	2300/166	. . . . Suprahydrophobic; Ultraphobic; Lotus-effect
2300/049	. . . Valves integrated in closure	2300/168	. . Specific optical properties, e.g. reflective coatings
2300/06	. Auxiliary integrated devices, integrated components	2300/18	. Means for temperature control
2300/0609	. . Holders integrated in container to position an object	2300/1805	. . Conductive heating, heat from thermostatted solids is conducted to receptacles, e.g. heating plates, blocks
2300/0618	. . . for removable separation walls	2300/1811	. . . using electromagnetic induction heating
2300/0627	. . Sensor or part of a sensor is integrated	2300/1816	. . . using induction heating
2300/0636	. . . Integrated biosensor, microarrays	2300/1822	. . . using Peltier elements
2300/0645	. . . Electrodes	2300/1827	. . . using resistive heater
2300/0654	. . . Lenses; Optical fibres	2300/1833	. . using electrical currents in the sample itself
2300/0663	. . . Whole sensors	2300/1838	. . using fluid heat transfer medium
2300/0672	. . Integrated piercing tool	2300/1844	. . . using fans
2300/0681	. . Filter	2300/185	. . . using a liquid as fluid
2300/069	. . Absorbents; Gels to retain a fluid	2300/1855	. . using phase changes in a medium
2300/08	. Geometry, shape and general structure	2300/1861	. . using radiation
2300/0803	. . Disc shape	2300/1866	. . . Microwaves
2300/0806	. . . Standardised forms, e.g. compact disc [CD] format		

2300/1872	. . . Infrared light	2400/0627	. . Molecular gates forcing or inhibiting diffusion
2300/1877	. . using chemical reactions	2400/0633	. . with moving parts
2300/1883	. . using thermal insulation	2400/0638	. . . membrane valves, flap valves
2300/1888	. . Pipettes or dispensers with temperature control	2400/0644	. . . rotary valves
2300/1894	. . Cooling means; Cryo cooling	2400/065	. . . sliding valves
<b>2400/00</b>	<b>Moving or stopping fluids</b>	2400/0655	. . . pinch valves
2400/02	. Drop detachment mechanisms of single droplets from nozzles or pins	2400/0661	. . . shape memory polymer valves
2400/021	. . non contact spotting by inertia, i.e. abrupt deceleration of the nozzle or pin	2400/0666	. . . Solenoid valves
2400/022	. . droplet contacts the surface of the receptacle	2400/0672	. . . Swellable plugs
2400/024	. . . touch-off at the side wall of the receptacle	2400/0677	. . phase change valves; Melttable, freezing, dissolvable plugs; Destructible barriers
2400/025	. . . tapping tip on substrate	2400/0683	. . . mechanically breaking a wall or membrane within a channel or chamber
2400/027	. . electrostatic forces between substrate and tip	2400/0688	. . surface tension valves, capillary stop, capillary break
2400/028	. . Pin is moved through a ring which is filled with a fluid	2400/0694	. . vents used to stop and induce flow, backpressure valves
2400/04	. Moving fluids with specific forces or mechanical means	2400/08	. Regulating or influencing the flow resistance
2400/0403	. . specific forces	2400/082	. . Active control of flow resistance, e.g. flow controllers
2400/0406	. . . capillary forces	2400/084	. . Passive control of flow resistance
2400/0409	. . . centrifugal forces	2400/086	. . . using baffles or other fixed flow obstructions
2400/0412	. . . . using additionally coriolis forces	2400/088	. . . by specific surface properties
2400/0415	. . . electrical forces, e.g. electrokinetic		
2400/0418	. . . . electro-osmotic flow [EOF]		
2400/0421	. . . . electrophoretic flow		
2400/0424	. . . . Dielectrophoretic forces		
2400/0427	. . . . Electrowetting		
2400/043	. . . magnetic forces		
2400/0433	. . . vibrational forces		
2400/0436	. . . . acoustic forces, e.g. surface acoustic waves [SAW]		
2400/0439	. . . . ultrasonic vibrations, vibrating piezo elements		
2400/0442	. . . thermal energy, e.g. vaporisation, bubble jet		
2400/0445	. . . . Natural or forced convection		
2400/0448	. . . . Marangoni flow; Thermocapillary effect		
2400/0451	. . . . Thermophoresis; Thermodiffusion; Soret-effect		
2400/0454	. . . radiation pressure, optical tweezers		
2400/0457	. . . passive flow or gravitation		
2400/046	. . . Chemical or electrochemical formation of bubbles		
2400/0463	. . . Hydrodynamic forces, venturi nozzles		
2400/0466	. . . Evaporation to induce underpressure		
2400/0469	. . . Buoyancy		
2400/0472	. . . Diffusion		
2400/0475	. . specific mechanical means and fluid pressure		
2400/0478	. . . pistons		
2400/0481	. . . squeezing of channels or chambers		
2400/0484	. . . Cantilevers		
2400/0487	. . . fluid pressure, pneumatics		
2400/049	. . . . vacuum		
2400/0493	. . Specific techniques used		
2400/0496	. . . Travelling waves, e.g. in combination with electrical or acoustic forces		
2400/06	. Valves, specific forms thereof		
2400/0605	. . check valves		
2400/0611	. . . duck bill valves		
2400/0616	. . . Ball valves		
2400/0622	. . distribution valves, valves having multiple inlets and/or outlets, e.g. metering valves, multi-way valves		